

Hoover, Matthew S.

From: DEP NPDESEP <DEP.NPDESEP@wv.gov>
Sent: Tuesday, September 12, 2017 8:00 AM
To: DEP NPDESEP; Hoover, Matthew S.; Neylon, Megan
Cc: Maddox, Mylinda A; Mather, Tonya A; Freeze, Julia D; Cook, Steve M
Subject: FW: Approval for WVG670708 for (Mountain Valley Pipeline) Mountain Valley Pipeline, LLC in Wetzel County
Attachments: DMR WVG670708.pdf

Resending due to email address having been returned undeliverable.

From: DEP NPDESEP
Sent: Tuesday, September 12, 2017 7:46 AM
To: DEP NPDESEP <DEP.NPDESEP@wv.gov>; mhoover@ept.com; MNeylon@eqt.com
Cc: DEP NPDESEP <DEP.NPDESEP@wv.gov>; Maddox, Mylinda A <Mylinda.A.Maddox@wv.gov>; Mather, Tonya A <Tonya.A.Mather@wv.gov>; Freeze, Julia D <Julia.D.Freeze@wv.gov>; Cook, Steve M <Steve.M.Cook@wv.gov>
Subject: Approval for WVG670708 for (Mountain Valley Pipeline) Mountain Valley Pipeline, LLC in Wetzel County

Megan Neylon
Mountain Valley Pipeline, LLC
555 Southpointe Blvd Suite 200
Canonsburg, PA 15317

Physical Site Location: I-77 N Emerson Ave Exit #179, T/R onto SR 2 N to New Martinsville, T/R onto SR 7, T/R onto SR 20 E, T/L onto Fallen Timber Run Rd (CR 7/8), bear L onto Shuman Hill RD (CR 80), T/L onto N Fork RD (CR 15/17), T/R onto Mobley Rn (CR 15/3) to project on R.

Please be advised that this e-mail constitutes approval for your hydrostatic testing water discharge and your Registration No. is WVG670708. You are now authorized to operate under WV/NPDES General Water Pollution Control Permit No. WV0113069, issued on May 12, 2017. You should carefully read the contents of the General Permit which is attached to this email and become familiar with all requirements needed to remain in compliance with your permit. You are subject to the monitoring requirements of **Section A3** of the General Permit. Facilities permitted to discharge pollutants to the waters of the State under Chapter 22, Article 11 of the West Virginia Code are required to test their effluent in order to verify permit compliance. This testing is the responsibility of the permittee and these test results are to be submitted within thirty (30) days of the completion of the hydrostatic testing project. Failure to submit required eDMRs is a violation of the permit and can lead to enforcement actions being taken by this agency for noncompliance.

Further, be advised that any discharger receiving coverage under the General Permit shall provide the Division of Water and Waste Management Environmental Enforcement at (304) 420-4635 with at least seven (7) day advance notice prior to the initial discharge from the project.

In accordance with Condition B.6 of the General Permit you are required to notify this agency of the completion of the hydrostatic testing project and of compliance with the requirements of the sediment control plan. If you wish, you may submit this notice at the same time you submit the required eDMR. You are reminded that coverage under this General Permit is automatically terminated upon receipt of this notification. You should also send an email to John Perkins providing notification of the completion of testing.

The agency requires the permittee to utilize their login id for the Electronic Submission System (ESS) system and submit reports electronically. Please be advised that these records must be readily available at the site for inspection by DEP personnel either in electronic or hard copy format.

Your annual permit fee has been assessed as \$5,000.00. You will be invoiced by this agency one month prior to the anniversary date of this approval date. Failure to submit the annual fee within ninety (90) days of the due date will render your permit void upon the date you are mailed a certified written notice to that effect.

If you have any questions regarding this approval, please contact John Perkins at (304) 926-0499 Ext. 1031 or by email at John.M.Perkins@wv.gov .

Scott G. Mandirola
Director
WV DEP-Division of Water & Waste Mgt.
601 57th St SE
Charleston, WV 25304-2345
Phone: (304) 926-0495
Fax: (304) 926-0463

Hoover, Matthew S.

From: DEP NPDESEP <DEP.NPDESEP@wv.gov>
Sent: Tuesday, September 12, 2017 8:23 AM
To: DEP NPDESEP; Hoover, Matthew S.; Neylon, Megan
Cc: Maddox, Mylinda A; Mather, Tonya A; Freeze, Julia D; Dominick, Logan T
Subject: Approval for WVG670709 for (Mountain Valley Pipeline) Mountain Valley Pipeline, LLC in Harrison County
Attachments: DMR WVG670709.pdf

Megan Neylon
Mountain Valley Pipeline, LLC
555 Southpointe Blvd Suite 200
Canonsburg, PA 15317

Physical Site Location: I-79 N to US 50 W, go 5.9 mi, T/R onto US 19 N/SR 20 W, T/R onto Big Elk Rd (CR 4), T/R onto Big Elk Creek to project on R.

Please be advised that this e-mail constitutes approval for your hydrostatic testing water discharge and your Registration No. is WVG670709. You are now authorized to operate under WV/NPDES General Water Pollution Control Permit No. WV0113069, issued on May 12, 2017. You should carefully read the contents of the General Permit which is attached to this email and become familiar with all requirements needed to remain in compliance with your permit. You are subject to the monitoring requirements of **Section A3** of the General Permit. Facilities permitted to discharge pollutants to the waters of the State under Chapter 22, Article 11 of the West Virginia Code are required to test their effluent in order to verify permit compliance. This testing is the responsibility of the permittee and these test results are to be submitted within thirty (30) days of the completion of the hydrostatic testing project. Failure to submit required eDMRs is a violation of the permit and can lead to enforcement actions being taken by this agency for noncompliance.

Further, be advised that any discharger receiving coverage under the General Permit shall provide the Division of Water and Waste Management Environmental Enforcement at (304) 420-4635 with at least seven (7) day advance notice prior to the initial discharge from the project.

In accordance with Condition B.6 of the General Permit you are required to notify this agency of the completion of the hydrostatic testing project and of compliance with the requirements of the sediment control plan. If you wish, you may submit this notice at the same time you submit the required eDMR. You are reminded that coverage under this General Permit is automatically terminated upon receipt of this notification. You should also send an email to John Perkins providing notification of the completion of testing.

The agency requires the permittee to utilize their login id for the Electronic Submission System (ESS) system and submit reports electronically. Please be advised that these records must be readily available at the site for inspection by DEP personnel either in electronic or hard copy format.

Your annual permit fee has been assessed as \$2,000.00. You will be invoiced by this agency one month prior to the anniversary date of this approval date. Failure to submit the annual fee within ninety (90) days of the due date will render your permit void upon the date you are mailed a certified written notice to that effect.

If you have any questions regarding this approval, please contact John Perkins at (304) 926-0499 Ext. 1031 or by email at John.M.Perkins@wv.gov .

Scott G. Mandirola
Director
WV DEP-Division of Water & Waste Mgt.
601 57th St SE
Charleston, WV 25304-2345
Phone: (304) 926-0495
Fax: (304) 926-0463

Hoover, Matthew S.

From: DEP NPDESEP <DEP.NPDESEP@wv.gov>
Sent: Tuesday, September 12, 2017 8:31 AM
To: DEP NPDESEP; Hoover, Matthew S.; Neylon, Megan
Cc: Maddox, Mylinda A; Mather, Tonya A; Freeze, Julia D; Dominick, Logan T
Subject: Approval for WVG670710 for (Mountain Valley Pipeline) Mountain Valley Pipeline, LLC in Harrison County
Attachments: DMR WVG670710.pdf

Megan Neylon
Mountain Valley Pipeline, LLC
555 Southpointe Blvd Suite 200
Canonsburg, PA 15317

Physical Site Location: I-79 N to US 50 W to Salem, T/R then T/L onto Flinderation Rd to project on R.

Please be advised that this e-mail constitutes approval for your hydrostatic testing water discharge and your Registration No. is WVG670710. You are now authorized to operate under WV/NPDES General Water Pollution Control Permit No. WV0113069, issued on May 12, 2017. You should carefully read the contents of the General Permit which is attached to this email and become familiar with all requirements needed to remain in compliance with your permit. You are subject to the monitoring requirements of **Section A3** of the General Permit. Facilities permitted to discharge pollutants to the waters of the State under Chapter 22, Article 11 of the West Virginia Code are required to test their effluent in order to verify permit compliance. This testing is the responsibility of the permittee and these test results are to be submitted within thirty (30) days of the completion of the hydrostatic testing project. Failure to submit required eDMRs is a violation of the permit and can lead to enforcement actions being taken by this agency for noncompliance.

Further, be advised that any discharger receiving coverage under the General Permit shall provide the Division of Water and Waste Management Environmental Enforcement at (304) 420-4635 with at least seven (7) day advance notice prior to the initial discharge from the project.

In accordance with Condition B.6 of the General Permit you are required to notify this agency of the completion of the hydrostatic testing project and of compliance with the requirements of the sediment control plan. If you wish, you may submit this notice at the same time you submit the required eDMR. You are reminded that coverage under this General Permit is automatically terminated upon receipt of this notification. You should also send an email to John Perkins providing notification of the completion of testing.

The agency requires the permittee to utilize their login id for the Electronic Submission System (ESS) system and submit reports electronically. Please be advised that these records must be readily available at the site for inspection by DEP personnel either in electronic or hard copy format.

Your annual permit fee has been assessed as \$5,000.00. You will be invoiced by this agency one month prior to the anniversary date of this approval date. Failure to submit the annual fee within ninety (90) days of the due date will render your permit void upon the date you are mailed a certified written notice to that effect.

If you have any questions regarding this approval, please contact John Perkins at (304) 926-0499 Ext. 1031 or by email at John.M.Perkins@wv.gov .

Scott G. Mandirola
Director
WV DEP-Division of Water & Waste Mgt.
601 57th St SE
Charleston, WV 25304-2345
Phone: (304) 926-0495
Fax: (304) 926-0463

Hoover, Matthew S.

From: DEP NPDESEP <DEP.NPDESEP@wv.gov>
Sent: Tuesday, September 12, 2017 8:44 AM
To: DEP NPDESEP; Hoover, Matthew S.; Neylon, Megan
Cc: Maddox, Mylinda A; Mather, Tonya A; Freeze, Julia D; Ely, Jason M
Subject: Approval for WVG670711 for (Mountain Valley Pipeline) Mountain Valley Pipeline, LLC in Lewis County
Attachments: DMR WVG670711.pdf

Megan Neylon
Mountain Valley Pipeline, LLC
555 Southpointe Blvd Suite 200
Canonsburg, PA 15317

Physical Site Location: I-79 N So Weston Exit #96, T/R onto Skin Creek Rd (CR 30), T/R onto US 19 N, T/L onto US 119 S, T/R onto Churchville Rd (CR 9), T/R onto Oil Well Rd, bear L onto Bear Fork Rd (CR 2), T/L onto Smoke Camp Run Rd (CR 2/3) to project on L.

Please be advised that this e-mail constitutes approval for your hydrostatic testing water discharge and your Registration No. is WVG670711. You are now authorized to operate under WV/NPDES General Water Pollution Control Permit No. WV0113069, issued on May 12, 2017. You should carefully read the contents of the General Permit which is attached to this email and become familiar with all requirements needed to remain in compliance with your permit. You are subject to the monitoring requirements of **Section A3** of the General Permit. Facilities permitted to discharge pollutants to the waters of the State under Chapter 22, Article 11 of the West Virginia Code are required to test their effluent in order to verify permit compliance. This testing is the responsibility of the permittee and these test results are to be submitted within thirty (30) days of the completion of the hydrostatic testing project. Failure to submit required eDMRs is a violation of the permit and can lead to enforcement actions being taken by this agency for noncompliance.

Further, be advised that any discharger receiving coverage under the General Permit shall provide the Division of Water and Waste Management Environmental Enforcement at (304) 420-4635 with at least seven (7) day advance notice prior to the initial discharge from the project.

In accordance with Condition B.6 of the General Permit you are required to notify this agency of the completion of the hydrostatic testing project and of compliance with the requirements of the sediment control plan. If you wish, you may submit this notice at the same time you submit the required eDMR. You are reminded that coverage under this General Permit is automatically terminated upon receipt of this notification. You should also send an email to John Perkins providing notification of the completion of testing.

The agency requires the permittee to utilize their login id for the Electronic Submission System (ESS) system and submit reports electronically. Please be advised that these records must be readily available at the site for inspection by DEP personnel either in electronic or hard copy format.

Your annual permit fee has been assessed as \$5,000.00. You will be invoiced by this agency one month prior to the anniversary date of this approval date. Failure to submit the annual fee within ninety (90) days of the due date will render your permit void upon the date you are mailed a certified written notice to that effect.

If you have any questions regarding this approval, please contact John Perkins at (304) 926-0499 Ext. 1031 or by email at John.M.Perkins@wv.gov .

Scott G. Mandirola
Director
WV DEP-Division of Water & Waste Mgt.
601 57th St SE
Charleston, WV 25304-2345
Phone: (304) 926-0495
Fax: (304) 926-0463

Hoover, Matthew S.

From: DEP NPDESEP <DEP.NPDESEP@wv.gov>
Sent: Tuesday, September 12, 2017 9:43 AM
To: DEP NPDESEP; Hoover, Matthew S.; Neylon, Megan
Cc: Maddox, Mylinda A; Mather, Tonya A; Freeze, Julia D; Ely, Jason M
Subject: Approval for WVG670712 for (Mountain Valley Pipeline) Mountain Valley Pipeline, LLC in Lewis County
Attachments: DMR WVG670712.pdf

Megan Neylon
Mountain Valley Pipeline, LLC
555 Southpointe Blvd Suite 200
Canonsburg, PA 15317

Physical Site Location: I-79 N So Weston Exit #96, T/R onto Skin Creek Rd (CR 30), T/R onto US 19 N, T/L onto US 119 S to project on L.

Please be advised that this e-mail constitutes approval for your hydrostatic testing water discharge and your Registration No. is WVG670712. You are now authorized to operate under WV/NPDES General Water Pollution Control Permit No. WV0113069, issued on May 12, 2017. You should carefully read the contents of the General Permit which is attached to this email and become familiar with all requirements needed to remain in compliance with your permit. You are subject to the monitoring requirements of **Section A3** of the General Permit. Facilities permitted to discharge pollutants to the waters of the State under Chapter 22, Article 11 of the West Virginia Code are required to test their effluent in order to verify permit compliance. This testing is the responsibility of the permittee and these test results are to be submitted within thirty (30) days of the completion of the hydrostatic testing project. Failure to submit required eDMRs is a violation of the permit and can lead to enforcement actions being taken by this agency for noncompliance.

Further, be advised that any discharger receiving coverage under the General Permit shall provide the Division of Water and Waste Management Environmental Enforcement at (304) 420-4635 with at least seven (7) day advance notice prior to the initial discharge from the project.

In accordance with Condition B.6 of the General Permit you are required to notify this agency of the completion of the hydrostatic testing project and of compliance with the requirements of the sediment control plan. If you wish, you may submit this notice at the same time you submit the required eDMR. You are reminded that coverage under this General Permit is automatically terminated upon receipt of this notification. You should also send an email to John Perkins providing notification of the completion of testing.

The agency requires the permittee to utilize their login id for the Electronic Submission System (ESS) system and submit reports electronically. Please be advised that these records must be readily available at the site for inspection by DEP personnel either in electronic or hard copy format.

Your annual permit fee has been assessed as \$5,000.00. You will be invoiced by this agency one month prior to the anniversary date of this approval date. Failure to submit the annual fee within ninety (90) days of the due date will render your permit void upon the date you are mailed a certified written notice to that effect.

If you have any questions regarding this approval, please contact John Perkins at (304) 926-0499 Ext. 1031 or by email at John.M.Perkins@wv.gov .

Scott G. Mandirola
Director
WV DEP-Division of Water & Waste Mgt.
601 57th St SE
Charleston, WV 25304-2345
Phone: (304) 926-0495
Fax: (304) 926-0463

Hoover, Matthew S.

From: DEP NPDESEP <DEP.NPDESEP@wv.gov>
Sent: Tuesday, September 12, 2017 10:12 AM
To: DEP NPDESEP; Hoover, Matthew S.
Cc: Maddox, Mylinda A; Mather, Tonya A; Freeze, Julia D; Ely, Jason M
Subject: Approval for WVG670713 for (Mountain Valley Pipeline) Mountain Valley Pipeline, LLC in Lewis County
Attachments: DMR WVG670713.pdf

Mountain Valley Pipeline, LLC
625 Liberty Ave, St 1700
Pittsburgh, PA 15222

Physical Site Location: I-79 N Burnsville Exit #79, T/L onto SR 5, T/R onto Circle Dr (CR 5/10), T/L onto Oil Creek Rd (CR 1), T/L onto Three Lick Run (CR 40) to project on L.

Please be advised that this e-mail constitutes approval for your hydrostatic testing water discharge and your Registration No. is WVG670713. You are now authorized to operate under WV/NPDES General Water Pollution Control Permit No. WV0113069, issued on May 12, 2017. You should carefully read the contents of the General Permit which is attached to this email and become familiar with all requirements needed to remain in compliance with your permit. You are subject to the monitoring requirements of **Section A3** of the General Permit. Facilities permitted to discharge pollutants to the waters of the State under Chapter 22, Article 11 of the West Virginia Code are required to test their effluent in order to verify permit compliance. This testing is the responsibility of the permittee and these test results are to be submitted within thirty (30) days of the completion of the hydrostatic testing project. Failure to submit required eDMRs is a violation of the permit and can lead to enforcement actions being taken by this agency for noncompliance.

Further, be advised that any discharger receiving coverage under the General Permit shall provide the Division of Water and Waste Management Environmental Enforcement at (304) 420-4635 with at least seven (7) day advance notice prior to the initial discharge from the project.

In accordance with Condition B.6 of the General Permit you are required to notify this agency of the completion of the hydrostatic testing project and of compliance with the requirements of the sediment control plan. If you wish, you may submit this notice at the same time you submit the required eDMR. You are reminded that coverage under this General Permit is automatically terminated upon receipt of this notification. You should also send an email to John Perkins providing notification of the completion of testing.

The agency requires the permittee to utilize their login id for the Electronic Submission System (ESS) system and submit reports electronically. Please be advised that these records must be readily available at the site for inspection by DEP personnel either in electronic or hard copy format.

Your annual permit fee has been assessed as \$1,500.00 You will be invoiced by this agency one month prior to the anniversary date of this approval date. Failure to submit the annual fee within ninety (90) days of the due date will render your permit void upon the date you are mailed a certified written notice to that effect.

If you have any questions regarding this approval, please contact John Perkins at (304) 926-0499 Ext. 1031 or by email at John.M.Perkins@wv.gov .

Scott G. Mandirola
Director
WV DEP-Division of Water & Waste Mgt.
601 57th St SE
Charleston, WV 25304-2345
Phone: (304) 926-0495
Fax: (304) 926-0463

Hoover, Matthew S.

From: DEP NPDESEP <DEP.NPDESEP@wv.gov>
Sent: Tuesday, September 12, 2017 10:33 AM
To: DEP NPDESEP; Hoover, Matthew S.; Neylon, Megan
Cc: Maddox, Mylinda A; Lilly, James K (DEP); McGee, James L
Subject: Approval for WVG670714 for (Mountain Valley Pipeline) Mountain Valley Pipeline, LLC in Braxton County
Attachments: DMR WVG670714.pdf

Megan Neylon
Mountain Valley Pipeline, LLC
555 Southpointe Blvd Suite 200
Canonsburg, PA 15317

Physical Site Location: I-79 N Flatwoods Exit #67, T/R then T/L onto US 19 N, T/R onto Green Hill Rd (CR 24) to project on R.

Please be advised that this e-mail constitutes approval for your hydrostatic testing water discharge and your Registration No. is WVG670714. You are now authorized to operate under WV/NPDES General Water Pollution Control Permit No. WV0113069, issued on May 12, 2017. You should carefully read the contents of the General Permit which is attached to this email and become familiar with all requirements needed to remain in compliance with your permit. You are subject to the monitoring requirements of **Section A3** of the General Permit. Facilities permitted to discharge pollutants to the waters of the State under Chapter 22, Article 11 of the West Virginia Code are required to test their effluent in order to verify permit compliance. This testing is the responsibility of the permittee and these test results are to be submitted within thirty (30) days of the completion of the hydrostatic testing project. Failure to submit required eDMRs is a violation of the permit and can lead to enforcement actions being taken by this agency for noncompliance.

Further, be advised that any discharger receiving coverage under the General Permit shall provide the Division of Water and Waste Management Environmental Enforcement at (304) 420-4635 with at least seven (7) day advance notice prior to the initial discharge from the project.

In accordance with Condition B.6 of the General Permit you are required to notify this agency of the completion of the hydrostatic testing project and of compliance with the requirements of the sediment control plan. If you wish, you may submit this notice at the same time you submit the required eDMR. You are reminded that coverage under this General Permit is automatically terminated upon receipt of this notification. You should also send an email to John Perkins providing notification of the completion of testing.

The agency requires the permittee to utilize their login id for the Electronic Submission System (ESS) system and submit reports electronically. Please be advised that these records must be readily available at the site for inspection by DEP personnel either in electronic or hard copy format.

Your annual permit fee has been assessed as \$250.00 You will be invoiced by this agency one month prior to the anniversary date of this approval date. Failure to submit the annual fee within ninety (90) days of the due date will render your permit void upon the date you are mailed a certified written notice to that effect.

If you have any questions regarding this approval, please contact John Perkins at (304) 926-0499 Ext. 1031 or by email at John.M.Perkins@wv.gov .

Scott G. Mandirola
Director
WV DEP-Division of Water & Waste Mgt.
601 57th St SE
Charleston, WV 25304-2345
Phone: (304) 926-0495
Fax: (304) 926-0463

Hoover, Matthew S.

From: DEP NPDESEP <DEP.NPDESEP@wv.gov>
Sent: Tuesday, September 12, 2017 10:39 AM
To: DEP NPDESEP; Hoover, Matthew S.; Neylon, Megan
Cc: Maddox, Mylinda A; Lilly, James K (DEP); McGee, James L
Subject: Approval for WVG670715 for (Mountain Valley Pipeline) Mountain Valley Pipeline, LLC in Webster County
Attachments: DMR WVG670715.pdf

Megan Neylon
Mountain Valley Pipeline, LLC
555 Southpointe Blvd Suite 200
Canonsburg, PA 15317

Physical Site Location: From Centralia, take Elk River Rd to project on L.

Please be advised that this e-mail constitutes approval for your hydrostatic testing water discharge and your Registration No. is WVG670715. You are now authorized to operate under WV/NPDES General Water Pollution Control Permit No. WV0113069, issued on May 12, 2017. You should carefully read the contents of the General Permit which is attached to this email and become familiar with all requirements needed to remain in compliance with your permit. You are subject to the monitoring requirements of **Section A3** of the General Permit. Facilities permitted to discharge pollutants to the waters of the State under Chapter 22, Article 11 of the West Virginia Code are required to test their effluent in order to verify permit compliance. This testing is the responsibility of the permittee and these test results are to be submitted within thirty (30) days of the completion of the hydrostatic testing project. Failure to submit required eDMRs is a violation of the permit and can lead to enforcement actions being taken by this agency for noncompliance.

Further, be advised that any discharger receiving coverage under the General Permit shall provide the Division of Water and Waste Management Environmental Enforcement at (304) 420-4635 with at least seven (7) day advance notice prior to the initial discharge from the project.

In accordance with Condition B.6 of the General Permit you are required to notify this agency of the completion of the hydrostatic testing project and of compliance with the requirements of the sediment control plan. If you wish, you may submit this notice at the same time you submit the required eDMR. You are reminded that coverage under this General Permit is automatically terminated upon receipt of this notification. You should also send an email to John Perkins providing notification of the completion of testing.

The agency requires the permittee to utilize their login id for the Electronic Submission System (ESS) system and submit reports electronically. Please be advised that these records must be readily available at the site for inspection by DEP personnel either in electronic or hard copy format.

Your annual permit fee has been assessed as \$2,000.00 You will be invoiced by this agency one month prior to the anniversary date of this approval date. Failure to submit the annual fee within ninety (90) days of the due date will render your permit void upon the date you are mailed a certified written notice to that effect.

If you have any questions regarding this approval, please contact John Perkins at (304) 926-0499 Ext. 1031 or by email at John.M.Perkins@wv.gov .

Scott G. Mandirola
Director
WV DEP-Division of Water & Waste Mgt.
601 57th St SE
Charleston, WV 25304-2345
Phone: (304) 926-0495
Fax: (304) 926-0463

Hoover, Matthew S.

From: DEP NPDESEP <DEP.NPDESEP@wv.gov>
Sent: Tuesday, September 12, 2017 10:48 AM
To: DEP NPDESEP; Hoover, Matthew S.; Neylon, Megan
Cc: Maddox, Mylinda A; Lilly, James K (DEP); McGee, James L
Subject: Approval for WVG670716 for (Mountain Valley Pipeline) Mountain Valley Pipeline, LLC in Webster County
Attachments: DMR WVG670716.pdf

Megan Neylon
Mountain Valley Pipeline, LLC
555 Southpointe Blvd Suite 200
Canonsburg, PA 15317

Physical Site Location: I-79 N US 19 Exit #57, T/R onto US 19 S, T/L onto Birch River Rd (SR 82) to project on L.

Please be advised that this e-mail constitutes approval for your hydrostatic testing water discharge and your Registration No. is WVG670716. You are now authorized to operate under WV/NPDES General Water Pollution Control Permit No. WV0113069, issued on May 12, 2017. You should carefully read the contents of the General Permit which is attached to this email and become familiar with all requirements needed to remain in compliance with your permit. You are subject to the monitoring requirements of **Section A3** of the General Permit. Facilities permitted to discharge pollutants to the waters of the State under Chapter 22, Article 11 of the West Virginia Code are required to test their effluent in order to verify permit compliance. This testing is the responsibility of the permittee and these test results are to be submitted within thirty (30) days of the completion of the hydrostatic testing project. Failure to submit required eDMRs is a violation of the permit and can lead to enforcement actions being taken by this agency for noncompliance.

Further, be advised that any discharger receiving coverage under the General Permit shall provide the Division of Water and Waste Management Environmental Enforcement at (304) 420-4635 with at least seven (7) day advance notice prior to the initial discharge from the project.

In accordance with Condition B.6 of the General Permit you are required to notify this agency of the completion of the hydrostatic testing project and of compliance with the requirements of the sediment control plan. If you wish, you may submit this notice at the same time you submit the required eDMR. You are reminded that coverage under this General Permit is automatically terminated upon receipt of this notification. You should also send an email to John Perkins providing notification of the completion of testing.

The agency requires the permittee to utilize their login id for the Electronic Submission System (ESS) system and submit reports electronically. Please be advised that these records must be readily available at the site for inspection by DEP personnel either in electronic or hard copy format.

Your annual permit fee has been assessed as \$5,000.00 You will be invoiced by this agency one month prior to the anniversary date of this approval date. Failure to submit the annual fee within ninety (90) days of the due date will render your permit void upon the date you are mailed a certified written notice to that effect.

If you have any questions regarding this approval, please contact John Perkins at (304) 926-0499 Ext. 1031 or by email at John.M.Perkins@wv.gov .

Scott G. Mandirola
Director
WV DEP-Division of Water & Waste Mgt.
601 57th St SE
Charleston, WV 25304-2345
Phone: (304) 926-0495
Fax: (304) 926-0463

Hoover, Matthew S.

From: DEP NPDESEP <DEP.NPDESEP@wv.gov>
Sent: Tuesday, September 12, 2017 10:56 AM
To: DEP NPDESEP; Hoover, Matthew S.; Neylon, Megan
Cc: Maddox, Mylinda A; Lilly, James K (DEP); McGee, James L
Subject: Approval for WVG670717 for (Mountain Valley Pipeline) Mountain Valley Pipeline, LLC in Nicholas County
Attachments: DMR WVG670717.pdf

Megan Neylon
Mountain Valley Pipeline, LLC
555 Southpointe Blvd Suite 200
Canonsburg, PA 15317

Physical Site Location: From Craigsville, take SR 55 E, T/R onto Little Run Rd (CR 14/1) to project on L.

Please be advised that this e-mail constitutes approval for your hydrostatic testing water discharge and your Registration No. is WVG670717. You are now authorized to operate under WV/NPDES General Water Pollution Control Permit No. WV0113069, issued on May 12, 2017. You should carefully read the contents of the General Permit which is attached to this email and become familiar with all requirements needed to remain in compliance with your permit. You are subject to the monitoring requirements of **Section A3** of the General Permit. Facilities permitted to discharge pollutants to the waters of the State under Chapter 22, Article 11 of the West Virginia Code are required to test their effluent in order to verify permit compliance. This testing is the responsibility of the permittee and these test results are to be submitted within thirty (30) days of the completion of the hydrostatic testing project. Failure to submit required eDMRs is a violation of the permit and can lead to enforcement actions being taken by this agency for noncompliance.

Further, be advised that any discharger receiving coverage under the General Permit shall provide the Division of Water and Waste Management Environmental Enforcement at (304) 420-4635 with at least seven (7) day advance notice prior to the initial discharge from the project.

In accordance with Condition B.6 of the General Permit you are required to notify this agency of the completion of the hydrostatic testing project and of compliance with the requirements of the sediment control plan. If you wish, you may submit this notice at the same time you submit the required eDMR. You are reminded that coverage under this General Permit is automatically terminated upon receipt of this notification. You should also send an email to John Perkins providing notification of the completion of testing.

The agency requires the permittee to utilize their login id for the Electronic Submission System (ESS) system and submit reports electronically. Please be advised that these records must be readily available at the site for inspection by DEP personnel either in electronic or hard copy format.

Your annual permit fee has been assessed as \$5,000.00 You will be invoiced by this agency one month prior to the anniversary date of this approval date. Failure to submit the annual fee within ninety (90) days of the due date will render your permit void upon the date you are mailed a certified written notice to that effect.

If you have any questions regarding this approval, please contact John Perkins at (304) 926-0499 Ext. 1031 or by email at John.M.Perkins@wv.gov .

Scott G. Mandirola
Director
WV DEP-Division of Water & Waste Mgt.
601 57th St SE
Charleston, WV 25304-2345
Phone: (304) 926-0495
Fax: (304) 926-0463

Hoover, Matthew S.

From: DEP NPDESEP <DEP.NPDESEP@wv.gov>
Sent: Wednesday, September 13, 2017 8:46 AM
To: DEP NPDESEP; Hoover, Matthew S.; Neylon, Megan
Cc: Maddox, Mylinda A; Lilly, James K (DEP); McGee, James L
Subject: Approval for WVG670718 for (Mountain Valley Pipeline) Mountain Valley Pipeline, LLC in Nicholas County
Attachments: DMR WVG670718.pdf

Megan Neylon
Mountain Valley Pipeline, LLC
555 Southpointe Blvd Suite 200
Canonsburg, PA 15317

Physical Site Location: From US 60 @ Charmco, take SR 20 N, T/L onto Old Nicholas Rd (CR 13), T/R onto Wahoo Road (CR 13/5) to project on R.

Please be advised that this e-mail constitutes approval for your hydrostatic testing water discharge and your Registration No. is WVG670718. You are now authorized to operate under WV/NPDES General Water Pollution Control Permit No. WV0113069, issued on May 12, 2017. You should carefully read the contents of the General Permit which is attached to this email and become familiar with all requirements needed to remain in compliance with your permit. You are subject to the monitoring requirements of **Section A1** of the General Permit. Facilities permitted to discharge pollutants to the waters of the State under Chapter 22, Article 11 of the West Virginia Code are required to test their effluent in order to verify permit compliance. This testing is the responsibility of the permittee and these test results are to be submitted within thirty (30) days of the completion of the hydrostatic testing project. Failure to submit required eDMRs is a violation of the permit and can lead to enforcement actions being taken by this agency for noncompliance.

Further, be advised that any discharger receiving coverage under the General Permit shall provide the Division of Water and Waste Management Environmental Enforcement at (304) 420-4635 with at least seven (7) day advance notice prior to the initial discharge from the project.

In accordance with Condition B.6 of the General Permit you are required to notify this agency of the completion of the hydrostatic testing project and of compliance with the requirements of the sediment control plan. If you wish, you may submit this notice at the same time you submit the required eDMR. You are reminded that coverage under this General Permit is automatically terminated upon receipt of this notification. You should also send an email to John Perkins providing notification of the completion of testing.

The agency requires the permittee to utilize their login id for the Electronic Submission System (ESS) system and submit reports electronically. Please be advised that these records must be readily available at the site for inspection by DEP personnel either in electronic or hard copy format.

Your annual permit fee has been assessed as \$5,000.00 You will be invoiced by this agency one month prior to the anniversary date of this approval date. Failure to submit the annual fee within ninety (90) days of the due date will render your permit void upon the date you are mailed a certified written notice to that effect.

If you have any questions regarding this approval, please contact John Perkins at (304) 926-0499 Ext. 1031 or by email at John.M.Perkins@wv.gov .

Scott G. Mandirola
Director
WV DEP-Division of Water & Waste Mgt.
601 57th St SE
Charleston, WV 25304-2345
Phone: (304) 926-0495
Fax: (304) 926-0463

Hoover, Matthew S.

From: DEP NPDESEP <DEP.NPDESEP@wv.gov>
Sent: Wednesday, September 13, 2017 9:51 AM
To: DEP NPDESEP; Hoover, Matthew S.; Neylon, Megan
Cc: Maddox, Mylinda A; Lilly, James K (DEP); McGee, James L; Maxwell, Kimberly A
Subject: Approval for WVG670719 for (Mountain Valley Pipeline) Mountain Valley Pipeline, LLC in Greenbrier County
Attachments: DMR WVG670719.pdf

Megan Neylon
Mountain Valley Pipeline, LLC
555 Southpointe Blvd Suite 200
Canonsburg, PA 15317

Physical Site Location: US 60 thru Rainelle to project on L.

Please be advised that this e-mail constitutes approval for your hydrostatic testing water discharge and your Registration No. is WVG670719. You are now authorized to operate under WV/NPDES General Water Pollution Control Permit No. WV0113069, issued on May 12, 2017. You should carefully read the contents of the General Permit which is attached to this email and become familiar with all requirements needed to remain in compliance with your permit. You are subject to the monitoring requirements of **Section A1** of the General Permit. Facilities permitted to discharge pollutants to the waters of the State under Chapter 22, Article 11 of the West Virginia Code are required to test their effluent in order to verify permit compliance. This testing is the responsibility of the permittee and these test results are to be submitted within thirty (30) days of the completion of the hydrostatic testing project. Failure to submit required eDMRs is a violation of the permit and can lead to enforcement actions being taken by this agency for noncompliance.

Further, be advised that any discharger receiving coverage under the General Permit shall provide the Division of Water and Waste Management Environmental Enforcement at (304) 420-4635 with at least seven (7) day advance notice prior to the initial discharge from the project.

In accordance with Condition B.6 of the General Permit you are required to notify this agency of the completion of the hydrostatic testing project and of compliance with the requirements of the sediment control plan. If you wish, you may submit this notice at the same time you submit the required eDMR. You are reminded that coverage under this General Permit is automatically terminated upon receipt of this notification. You should also send an email to John Perkins providing notification of the completion of testing.

The agency requires the permittee to utilize their login id for the Electronic Submission System (ESS) system and submit reports electronically. Please be advised that these records must be readily available at the site for inspection by DEP personnel either in electronic or hard copy format.

Your annual permit fee has been assessed as \$5,000.00 You will be invoiced by this agency one month prior to the anniversary date of this approval date. Failure to submit the annual fee within ninety (90) days of the due date will render your permit void upon the date you are mailed a certified written notice to that effect.

If you have any questions regarding this approval, please contact John Perkins at (304) 926-0499 Ext. 1031 or by email at John.M.Perkins@wv.gov .

Scott G. Mandirola
Director
WV DEP-Division of Water & Waste Mgt.
601 57th St SE
Charleston, WV 25304-2345
Phone: (304) 926-0495
Fax: (304) 926-0463

Hoover, Matthew S.

From: DEP NPDESEP <DEP.NPDESEP@wv.gov>
Sent: Wednesday, September 13, 2017 10:00 AM
To: DEP NPDESEP; Hoover, Matthew S.; Neylon, Megan
Cc: Maddox, Mylinda A; Lilly, James K (DEP); McGee, James L; Maxwell, Kimberly A
Subject: Approval for WVG670720 for (Mountain Valley Pipeline) Mountain Valley Pipeline, LLC in Fayette County
Attachments: DMR WVG670720.pdf

Megan Neylon
Mountain Valley Pipeline, LLC
555 Southpointe Blvd Suite 200
Canonsburg, PA 15317

Physical Site Location: I-64 E Dawson Exit #150, T/R then T/L onto Lawn Rd (CR 27/3), T/L onto Dawson-Springdale Rd (CR 29) to project on R.

Please be advised that this e-mail constitutes approval for your hydrostatic testing water discharge and your Registration No. is WVG670720. You are now authorized to operate under WV/NPDES General Water Pollution Control Permit No. WV0113069, issued on May 12, 2017. You should carefully read the contents of the General Permit which is attached to this email and become familiar with all requirements needed to remain in compliance with your permit. You are subject to the monitoring requirements of **Section A1** of the General Permit. Facilities permitted to discharge pollutants to the waters of the State under Chapter 22, Article 11 of the West Virginia Code are required to test their effluent in order to verify permit compliance. This testing is the responsibility of the permittee and these test results are to be submitted within thirty (30) days of the completion of the hydrostatic testing project. Failure to submit required eDMRs is a violation of the permit and can lead to enforcement actions being taken by this agency for noncompliance.

Further, be advised that any discharger receiving coverage under the General Permit shall provide the Division of Water and Waste Management Environmental Enforcement at (304) 420-4635 with at least seven (7) day advance notice prior to the initial discharge from the project.

In accordance with Condition B.6 of the General Permit you are required to notify this agency of the completion of the hydrostatic testing project and of compliance with the requirements of the sediment control plan. If you wish, you may submit this notice at the same time you submit the required eDMR. You are reminded that coverage under this General Permit is automatically terminated upon receipt of this notification. You should also send an email to John Perkins providing notification of the completion of testing.

The agency requires the permittee to utilize their login id for the Electronic Submission System (ESS) system and submit reports electronically. Please be advised that these records must be readily available at the site for inspection by DEP personnel either in electronic or hard copy format.

Your annual permit fee has been assessed as \$5,000.00 You will be invoiced by this agency one month prior to the anniversary date of this approval date. Failure to submit the annual fee within ninety (90) days of the due date will render your permit void upon the date you are mailed a certified written notice to that effect.

If you have any questions regarding this approval, please contact John Perkins at (304) 926-0499 Ext. 1031 or by email at John.M.Perkins@wv.gov .

Scott G. Mandirola
Director
WV DEP-Division of Water & Waste Mgt.
601 57th St SE
Charleston, WV 25304-2345
Phone: (304) 926-0495
Fax: (304) 926-0463

Hoover, Matthew S.

From: DEP NPDESEP <DEP.NPDESEP@wv.gov>
Sent: Wednesday, September 13, 2017 10:15 AM
To: DEP NPDESEP; Hoover, Matthew S.; Neylon, Megan
Cc: Maddox, Mylinda A; Lilly, James K (DEP); McGee, James L; Maxwell, Kimberly A
Subject: Approval for WVG670721 for (Mountain Valley Pipeline) Mountain Valley Pipeline, LLC in Summers County
Attachments: DMR WVG670721.pdf

Megan Neylon
Mountain Valley Pipeline, LLC
555 Southpointe Blvd Suite 200
Canonsburg, PA 15317

Physical Site Location: From Alderson, take SR 3 W to Pence Springs, T/L onto Lowell Rd (CR 15), cross river to project on R.

Please be advised that this e-mail constitutes approval for your hydrostatic testing water discharge and your Registration No. is WVG670721. You are now authorized to operate under WV/NPDES General Water Pollution Control Permit No. WV0113069, issued on May 12, 2017. You should carefully read the contents of the General Permit which is attached to this email and become familiar with all requirements needed to remain in compliance with your permit. You are subject to the monitoring requirements of **Section A1** of the General Permit. Facilities permitted to discharge pollutants to the waters of the State under Chapter 22, Article 11 of the West Virginia Code are required to test their effluent in order to verify permit compliance. This testing is the responsibility of the permittee and these test results are to be submitted within thirty (30) days of the completion of the hydrostatic testing project. Failure to submit required eDMRs is a violation of the permit and can lead to enforcement actions being taken by this agency for noncompliance.

Further, be advised that any discharger receiving coverage under the General Permit shall provide the Division of Water and Waste Management Environmental Enforcement at (304) 420-4635 with at least seven (7) day advance notice prior to the initial discharge from the project.

In accordance with Condition B.6 of the General Permit you are required to notify this agency of the completion of the hydrostatic testing project and of compliance with the requirements of the sediment control plan. If you wish, you may submit this notice at the same time you submit the required eDMR. You are reminded that coverage under this General Permit is automatically terminated upon receipt of this notification. You should also send an email to John Perkins providing notification of the completion of testing.

The agency requires the permittee to utilize their login id for the Electronic Submission System (ESS) system and submit reports electronically. Please be advised that these records must be readily available at the site for inspection by DEP personnel either in electronic or hard copy format.

Your annual permit fee has been assessed as \$5,000.00 You will be invoiced by this agency one month prior to the anniversary date of this approval date. Failure to submit the annual fee within ninety (90) days of the due date will render your permit void upon the date you are mailed a certified written notice to that effect.

If you have any questions regarding this approval, please contact John Perkins at (304) 926-0499 Ext. 1031 or by email at John.M.Perkins@wv.gov .

Scott G. Mandirola
Director
WV DEP-Division of Water & Waste Mgt.
601 57th St SE
Charleston, WV 25304-2345
Phone: (304) 926-0495
Fax: (304) 926-0463

Hoover, Matthew S.

From: DEP NPDESEP <DEP.NPDESEP@wv.gov>
Sent: Wednesday, September 13, 2017 10:50 AM
To: DEP NPDESEP; Hoover, Matthew S.; Neylon, Megan
Cc: Maddox, Mylinda A; Lilly, James K (DEP); Puckett, Michael D; McGee, James L
Subject: Approval for WVG670722 for (Mountain Valley Pipeline) Mountain Valley Pipeline, LLC in Monroe County
Attachments: DMR WVG670722.pdf

Megan Neylon
Mountain Valley Pipeline, LLC
555 Southpointe Blvd Suite 200
Canonsburg, PA 15317

Physical Site Location: From Hinton, take SR 3 E, T/R onto SR 12, T/L onto SR 122 to project on R.

Please be advised that this e-mail constitutes approval for your hydrostatic testing water discharge and your Registration No. is WVG670722. You are now authorized to operate under WV/NPDES General Water Pollution Control Permit No. WV0113069, issued on May 12, 2017. You should carefully read the contents of the General Permit which is attached to this email and become familiar with all requirements needed to remain in compliance with your permit. You are subject to the monitoring requirements of **Section A3** of the General Permit. Facilities permitted to discharge pollutants to the waters of the State under Chapter 22, Article 11 of the West Virginia Code are required to test their effluent in order to verify permit compliance. This testing is the responsibility of the permittee and these test results are to be submitted within thirty (30) days of the completion of the hydrostatic testing project. Failure to submit required eDMRs is a violation of the permit and can lead to enforcement actions being taken by this agency for noncompliance.

Further, be advised that any discharger receiving coverage under the General Permit shall provide the Division of Water and Waste Management Environmental Enforcement at (304) 420-4635 with at least seven (7) day advance notice prior to the initial discharge from the project.

In accordance with Condition B.6 of the General Permit you are required to notify this agency of the completion of the hydrostatic testing project and of compliance with the requirements of the sediment control plan. If you wish, you may submit this notice at the same time you submit the required eDMR. You are reminded that coverage under this General Permit is automatically terminated upon receipt of this notification. You should also send an email to John Perkins providing notification of the completion of testing.

The agency requires the permittee to utilize their login id for the Electronic Submission System (ESS) system and submit reports electronically. Please be advised that these records must be readily available at the site for inspection by DEP personnel either in electronic or hard copy format.

Your annual permit fee has been assessed as \$5,000.00 You will be invoiced by this agency one month prior to the anniversary date of this approval date. Failure to submit the annual fee within ninety (90) days of the due date will render your permit void upon the date you are mailed a certified written notice to that effect.

If you have any questions regarding this approval, please contact John Perkins at (304) 926-0499 Ext. 1031 or by email at John.M.Perkins@wv.gov .

Scott G. Mandirola
Director
WV DEP-Division of Water & Waste Mgt.
601 57th St SE
Charleston, WV 25304-2345
Phone: (304) 926-0495
Fax: (304) 926-0463

Hoover, Matthew S.

From: DEP NPDESEP <DEP.NPDESEP@wv.gov>
Sent: Wednesday, September 13, 2017 10:56 AM
To: DEP NPDESEP; Hoover, Matthew S.
Cc: Maddox, Mylinda A; Lilly, James K (DEP); Puckett, Michael D; McGee, James L
Subject: Approval for WVG670723 for (Mountain Valley Pipeline) Mountain Valley Pipeline, LLC in Monroe County
Attachments: DMR WVG670723.pdf

Megan Neylon
Mountain Valley Pipeline, LLC
555 Southpointe Blvd Suite 200
Canonsburg, PA 15317

Physical Site Location: From Lindside, take US 219 N to project on R.

Please be advised that this e-mail constitutes approval for your hydrostatic testing water discharge and your Registration No. is WVG670723. You are now authorized to operate under WV/NPDES General Water Pollution Control Permit No. WV0113069, issued on May 12, 2017. You should carefully read the contents of the General Permit which is attached to this email and become familiar with all requirements needed to remain in compliance with your permit. You are subject to the monitoring requirements of **Section A3** of the General Permit. Facilities permitted to discharge pollutants to the waters of the State under Chapter 22, Article 11 of the West Virginia Code are required to test their effluent in order to verify permit compliance. This testing is the responsibility of the permittee and these test results are to be submitted within thirty (30) days of the completion of the hydrostatic testing project. Failure to submit required eDMRs is a violation of the permit and can lead to enforcement actions being taken by this agency for noncompliance.

Special Condition: BMPs must be in place and protective of any sinkholes or other underground conveyances to prevent the release of effluent into groundwater.

Further, be advised that any discharger receiving coverage under the General Permit shall provide the Division of Water and Waste Management Environmental Enforcement at (304) 420-4635 with at least seven (7) day advance notice prior to the initial discharge from the project.

In accordance with Condition B.6 of the General Permit you are required to notify this agency of the completion of the hydrostatic testing project and of compliance with the requirements of the sediment control plan. If you wish, you may submit this notice at the same time you submit the required eDMR. You are reminded that coverage under this General Permit is automatically terminated upon receipt of this notification. You should also send an email to John Perkins providing notification of the completion of testing.

The agency requires the permittee to utilize their login id for the Electronic Submission System (ESS) system and submit reports electronically. Please be advised that these records must be readily available at the site for inspection by DEP personnel either in electronic or hard copy format.

Your annual permit fee has been assessed as \$5,000.00 You will be invoiced by this agency one month prior to the anniversary date of this approval date. Failure to submit the annual fee within ninety (90) days of the due date will render your permit void upon the date you are mailed a certified written notice to that effect.

If you have any questions regarding this approval, please contact John Perkins at (304) 926-0499 Ext. 1031 or by email at John.M.Perkins@wv.gov .

Scott G. Mandirola
Director
WV DEP-Division of Water & Waste Mgt.
601 57th St SE
Charleston, WV 25304-2345
Phone: (304) 926-0495
Fax: (304) 926-0463