



Visual Site Inspection Report

Project Name H-600 Pipeline Spread I		AFE 124300139	Spread H-600 Pipeline Spread I
Contractor Precision		Report # 19801	
Inspector Justin Burch		Date/Time 2/8/2021 9:14 AM	
Permit # TBD	Inspection Type VA SWPP	Station Begin 14928+52	
State VA	Inspection Area Full	Station End 15063+95	
County Franklin/Pittsylvania	Ground Frozen	Temperature (°F) 48.00	
Municipality Chatham	Weather Sunny	Rain Gauge (in) 0.60	
Rain Accumulation Time (days)			6.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Waterbar End Treatment	Acceptable			
Plunge Pool	Acceptable			
Vegetative Stabilization (Temporary)	Acceptable			
Slope Drain Pipe	Acceptable			
Silt Fence (Reinforce Filter Fence)	Acceptable			
Compost Filter Sock	Communication			

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

A/E	124300139	Date/Time	2/8/2021 9:14 AM	Report #	19801
------------	-----------	------------------	------------------	-----------------	-------

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

- The EI performed a SWPPP inspection from 14928+52 to 15063+85 (Ramsey Memorial Road to Armstrong Road). The contractor had an environmental crew foreman and straw foreman walk with the EI on his inspection. One issue was submitted for the punch list which was perimeter CFS missing stakes and CFS fabric deteriorated in multiple location at MVP-ATWS-378. Other ECDs inspected were in compliance at the time of inspection.
- Since the last SWPPP inspection the inspection area has received two precipitation events totaling 0.60" of precipitation at Indian Cave road and 0.60" of precipitation at Armstrong Road.
- The ROW ground condition is a combination of frozen and wet.
- At the time of inspection temporary vegetative stabilization was adequately established to inhibit erosion.
- At the time of inspection permanent vegetative stabilization was sufficiently established from 14960+00 to 14981+00. From 14988+00 to 14995+00 permanent vegetative stabilization has been established but the area has been grazed heavily by cattle resulting in diminished growth.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE 124300139		Date/Time 2/8/2021 9:14 AM		Report #			
Pictures							
 <p>193°S (M) ● 36°58'8"N, 79°36'44"W ±15761ft ▲ 789ft 15040+00 08 Feb 2021, 09:42:43</p>			 <p>186°S (M) ● 36°58'10"N, 79°36'8"W ±74960ft ▲ 921ft 14975+50 08 Feb 2021, 10:28:26</p>				
GPS Location		0		GPS Location		0	
Field Station#		15040+00		Field Station#		14975+50	
Pic 1 Desc.		Waterbar end treatment in acceptable condition		Pic 2 Desc.		Plunge pool in acceptable condition	
 <p>274°W (M) ● 36°58'0"N, 79°35'53"W ±74960ft ▲ 901ft 15010+00 08 Feb 2021, 10:05:34</p>			 <p>175°S (M) ● 36°58'0"N, 79°37'50"W ±52ft ▲ 818ft 14951+00 08 Feb 2021, 10:41:00</p>				
GPS Location		0		GPS Location		0	
Field Station#		15010+00		Field Station#		14951+00	
Pic 3 Desc.		Temporary vegetative stabilization in acceptable condition		Pic 4 Desc.		Slope drain in acceptable condition	
 <p>24°NE (M) ● 36°58'3"N, 79°38'18"W ±541ft ▲ 884ft 14932+37 08 Feb 2021, 10:53:51</p>			 <p>302°NW (M) ● 36°58'2"N, 79°38'16"W ±49ft ▲ 872ft 14929+50 08 Feb 2021, 11:04:06</p>				
GPS Location		0		GPS Location		0	
Field Station#		14932+37		Field Station#		14929+50	
Pic 5 Desc.		P1 silt fence in acceptable condition		Pic 6 Desc.		perimeter CFS at MVP=ATWS-378 is missing stakes and fabric is deteriorated in multiple location from 14929+00 to 14931+00	

AFE 124300139	Date/Time 2/8/2021 9:14 AM	Report #
----------------------	-----------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 7 Desc.		Pic 8 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 9 Desc.		Pic 10 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 11 Desc.		Pic 12 Desc.	

AFE 124300139	Date/Time 2/8/2021 9:14 AM	Report #
----------------------	-----------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 13 Desc.		Pic 14 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 15 Desc.		Pic 16 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 17 Desc.		Pic 18 Desc.	



Visual Site Inspection Report

Project Name H-600 Pipeline Spread I		AFE 124300139	Spread H-600 Pipeline Spread I
Contractor Precision		Report # 19806	
Inspector John White		Date/Time 2/8/2021 11:14 AM	
Permit # TBD	Inspection Type VA SWPP	Station Begin 15772+27	
State VA	Inspection Area Full	Station End 15947+64	
County Pittsylvania	Ground Frozen	Temperature (°F) 32.00	
Municipality Chatham	Weather Sunny	Rain Gauge (in) 0.70	
Rain Accumulation Time (days)			6.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable			
Cleanwater Diversion Pipe	Acceptable			
Equipment Bridge	Acceptable			
Erosion Control Blanket	Acceptable			
Housekeeping	Acceptable			
Rock-lined Channel	Acceptable			
Sensitive Resource Buffer	Acceptable			
Sensitive Resource Signage	Acceptable			
Silt Fence (Filter Fabric Fence)	Communication	Contractor is working on repairing		

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

A/E	124300139	Date/Time	2/8/2021 11:14 AM	Report #	19806
------------	-----------	------------------	-------------------	-----------------	-------

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

Checked rain gauges, Anderson Mill #2=.8", Mill Creek =.7", Transco =.7". Performed SWPPP Inspection on this section. There were issues identified and added to the punch list. The Contractor is working on repairing the identified issues. Other than what was added to the punch list there were no issues to report at the time of Inspection.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE	124300139	Date/Time	2/8/2021 11:14 AM	Report #	
Pictures					
	 <p>North Elevation <small>⊙ 174°S (T) ● 36°52'11"N, 79°23'31"W ±14432ft ▲ 811ft</small> <small>08 Feb 2021, 09:58:04</small></p>			 <p>South West Elevation <small>⊙ 44°NE (T) ● 36°51'14"N, 79°23'25"W ±16ft ▲ 813ft</small> <small>08 Feb 2021, 09:53:15</small></p>	
GPS Location	O		GPS Location	O	
Field Station#	15845+00		Field Station#	15836+00	
Pic 1 Desc.	Observing temporary stabilization,CWD outlet and ECD's		Pic 2 Desc.	Observing p1 that requires maintenance	
	 <p>South Elevation <small>⊙ 349°N (T) ● 36°50'57"N, 79°23'28"W ±213ft ▲ 839ft</small> <small>08 Feb 2021, 09:52:45</small></p>		 <p>West Elevation <small>⊙ 91°E (T) ● 36°51'24"N, 79°23'32"W ±42ft ▲ 832ft</small> <small>08 Feb 2021, 09:45:44</small></p>		
GPS Location	O		GPS Location	O	
Field Station#	15836+00		Field Station#	15825+00	
Pic 3 Desc.	Observing rock drain and ECD's		Pic 4 Desc.	Observing plunge pool and ECD's	
	 <p>North East Elevation <small>⊙ 244°SW (T) ● 36°51'48"N, 79°23'51"W ±4350ft ▲ 781ft</small> <small>08 Feb 2021, 09:31:58</small></p>		 <p>North West Elevation <small>⊙ 137°SE (T) ● 36°51'49"N, 79°23'53"W ±209ft ▲ 782ft</small> <small>08 Feb 2021, 09:30:07</small></p>		
GPS Location	O		GPS Location	O	
Field Station#	15796+00		Field Station#	15794+77	
Pic 5 Desc.	Observing water bar, erosion control blanket, sump and end treatment		Pic 6 Desc.	Observing signage, equipment crossing,buffer and ECD's	

AFE 124300139		Date/Time 2/8/2021 11:14 AM		Report #	
Pictures					
 <p>West Elevation 74°E (T) 36°51'52"N, 79°23'55"W ±121ft ▲ 800ft 08 Feb 2021, 09:27:42</p>		 <p>South East Elevation 305°NW (T) 36°52'27"N, 79°23'44"W ±14432ft ▲ 804ft 08 Feb 2021, 09:28:33</p>		<p>ert image here</p>	
GPS Location ○		GPS Location ○			
Field Station# 15792+00		Field Station# 15787+00			
Pic 7 Desc. Observing rock drain, sump and end treatment		Pic 8 Desc. Observing safety fence that requires maintenance			
 <p>South East Elevation 301°NW (T) 36°52'0"N, 79°24'2"W ±318ft ▲ 807ft 08 Feb 2021, 09:29:44</p>		 <p>North East Elevation 217°SW (T) 36°52'37"N, 79°23'39"W ±12608ft ▲ 819ft 08 Feb 2021, 09:17:47</p>		<p>ert image here</p>	
GPS Location ○		GPS Location ○			
Field Station# 15781+00		Field Station# 15775+00			
Pic 9 Desc. Observing buffer, signage, equipment crossing and ECD's		Pic 10 Desc. Observing temporary stabilization, sump and end treatment			
Insert image here			Insert image here		
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			

AFE 124300139	Date/Time 2/8/2021 11:14 AM	Report #
----------------------	------------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location	GPS Location
Field Station#	Field Station#
Pic 13 Desc.	Pic 14 Desc.

Insert image here	Insert image here
-------------------	-------------------

GPS Location	GPS Location
Field Station#	Field Station#
Pic 15 Desc.	Pic 16 Desc.

Insert image here	Insert image here
-------------------	-------------------

GPS Location	GPS Location
Field Station#	Field Station#
Pic 17 Desc.	Pic 18 Desc.



Visual Site Inspection Report

Project Name H-600 Pipeline Spread I		AFE 124300139	Spread H-600 Pipeline Spread I
Contractor Precision		Report # 19811	
Inspector Charles Head		Date/Time 2/8/2021 12:45 PM	
Permit # TBD	Inspection Type VA SWPP	Station Begin 14546+75	
State VA	Inspection Area Full	Station End 14649+67	
County Franklin	Ground Muddy	Temperature (°F) 40.00	
Municipality N/A	Weather Sunny	Rain Gauge (in) 0.40	
			Rain Accumulation Time (days) 1.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable			
Equipment Bridge	Acceptable			
Rock Construction Entrance	Acceptable			
Sensitive Resource Buffer	Acceptable			
Sensitive Resource Signage	Acceptable			
Silt Fence (Filter Fabric Fence)	Communication	Replace fence		
Vegetative Stabilization (Temporary)	Acceptable			

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

AFE 124300139	Date/Time 2/8/2021 12:45 PM	Report # 19811
----------------------	------------------------------------	-----------------------

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)



PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection. Maintenance issues observed during inspection can be found below and on daily punch list.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE	124300139	Date/Time	2/8/2021 12:45 PM	Report #
Pictures				
 		 		
GPS Location	0	GPS Location	0	
Field Station#	14646+00	Field Station#	14633+00	
Pic 1 Desc.	Approximately 14646+00. Overview of ROW.		Pic 2 Desc.	Approximately 14633+00. Overview of ROW.
 		 		
GPS Location	0	GPS Location	0	
Field Station#	14611+27	Field Station#	14599+50	
Pic 3 Desc.	Approximately 14611+27. Overview of stream crossing, equipment bridge and ECDs at stream S-E14.		Pic 4 Desc.	Approximately 14599+50. Overview of road crossing and RCEs.
 		 		
GPS Location	0	GPS Location	0	
Field Station#	14582+68	Field Station#	14568+10	
Pic 5 Desc.	Approximately 14582+68. P-1 requires maintenance.		Pic 6 Desc.	Approximately 14568+10. Overview of stream crossing, equipment bridge and ECDs at stream S-E18.

AFE 124300139	Date/Time 2/8/2021 12:45 PM	Report #
----------------------	------------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 7 Desc.		Pic 8 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 9 Desc.		Pic 10 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 11 Desc.		Pic 12 Desc.	

AFE 124300139	Date/Time 2/8/2021 12:45 PM	Report #
----------------------	------------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 13 Desc.		Pic 14 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 15 Desc.		Pic 16 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 17 Desc.		Pic 18 Desc.	



Visual Site Inspection Report

Project Name H-600 Pipeline Spread I		AFE 124300139	Spread H-600 Pipeline Spread I
Contractor Precision		Report # 19812	
Inspector Ben Davenport		Date/Time 2/8/2021 12:57 PM	
Permit # TBD	Inspection Type VA SWPP	Station Begin 14062+17	
State VA	Inspection Area Partial	Station End 14171+36	
County Franklin	Ground Muddy	Temperature (°F) 43.00	
Municipality N/A	Weather Sunny	Rain Gauge (in) 0.25	
			Rain Accumulation Time (days) 1.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Silt Fence (Filter Fabric Fence)	Communication	Routine maintenance. Replace ineff	Addressed	2/8/2021
Rock Construction Entrance	Acceptable			

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

AFE 124300139	Date/Time 2/8/2021 12:57 PM	Report # 19812
----------------------	------------------------------------	-----------------------

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

- Available for work
- Received instruction from Lead EI for daily tasks
- Checked rain gauges in covered area
- Performed SWPPP inspection on portion of MVP Spread I section
- Sunny with muddy ground conditions during inspection
- Covered territory between station# 14062+17-14171+36 (Bonbrook Mill RC2 to Angle Plantation Rd)
- Met with environmental crew at Bonbrook Mill RC2
- Walked ROW making note of condition of ROW and environmental controls
- Perimeter controls and ECD's were inspected; multiple issues identified
- Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified
- Verified the completion of punch list items in section
- Continue to monitor ROW for signs of erosion
- Observed contractor staging stabilization materials CIS Bonbrook Mill RC2
- Multiple environmental/maintenance issues identified in section and added to punch list

- Bonbrook Mill rain gauge: 0.25 inches recorded

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE	124300139	Date/Time	2/8/2021 12:57 PM	Report #	
------------	-----------	------------------	-------------------	-----------------	--

Pictures

 <p style="font-size: small; background-color: yellow; margin-top: 5px;">37°3'55" N 79°52'30" W 32°NE COURSE 100' GPS 1338 Bonbrook Mill Rd, Rocky Mount, VA 24151, United States</p> <p style="font-size: x-small; margin-top: 5px;">02.08.2021 12:47:15 Accur +/-32.4 Ft ALT 1201 Ft</p>	 <p style="font-size: small; background-color: yellow; margin-top: 5px;">37°3'52" N 79°52'17" W 286°W COURSE 101' GPS Rocky Mount, VA 24151, United States</p> <p style="font-size: x-small; margin-top: 5px;">02.08.2021 11:21:52 Accur +/-62.4 Ft ALT 1181 Ft</p>
---	---

GPS Location	1	GPS Location	2
Field Station#	14062+17	Field Station#	14076+00
Pic 1 Desc.	Contractor staging stabilization materials at Bonbrook Mill RC2	Pic 2 Desc.	Routine maintenance. Replace row of P1 silt fence which has reached effective lifespan.

 <p style="font-size: small; background-color: yellow; margin-top: 5px;">37°3'53" N 79°52'8" W 161°S COURSE 247' GPS Rocky Mount, VA 24151, United States</p> <p style="font-size: x-small; margin-top: 5px;">02.08.2021 11:27:12 Accur +/-156.8 Ft ALT 1175 Ft</p>	 <p style="font-size: small; background-color: yellow; margin-top: 5px;">37°3'44" N 79°51'21" W 202°S COURSE 216' GPS Rocky Mount, VA 24151, United States</p> <p style="font-size: x-small; margin-top: 5px;">02.08.2021 11:50:39 Accur +/-47.8 Ft ALT 1157 Ft</p>
---	--

GPS Location	3	GPS Location	4
Field Station#	14083+50	Field Station#	14126+50
Pic 3 Desc.	Routine maintenance. Replace row of P1 silt fence which has reached effective lifespan.	Pic 4 Desc.	Routine maintenance. Replace row of P1 silt fence which has reached effective lifespan. Holes in base of fabric.

 <p style="font-size: small; background-color: yellow; margin-top: 5px;">37°3'32" N 79°51'15" W 321°NW COURSE -1' GPS Rocky Mount, VA 24151, United States</p> <p style="font-size: x-small; margin-top: 5px;">02.08.2021 12:05:10 Accur +/-262.1 Ft ALT 1001 Ft</p>	 <p style="font-size: small; background-color: yellow; margin-top: 5px;">37°3'32" N 79°51'14" W 19°N COURSE -1' GPS Rocky Mount, VA 24151, United States</p> <p style="font-size: x-small; margin-top: 5px;">02.08.2021 12:06:42 Accur +/-38891.1 Ft ALT 1001 Ft</p>
---	--

GPS Location	5	GPS Location	6
Field Station#	14141+25	Field Station#	14142+00
Pic 5 Desc.	Routine maintenance. Replace row of P1 silt fence which has reached effective lifespan.	Pic 6 Desc.	Routine maintenance. Replace row of P1 silt fence which has reached effective lifespan.

AFE 124300139	Date/Time 2/8/2021 12:57 PM	Report #
----------------------	------------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 7 Desc.		Pic 8 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 9 Desc.		Pic 10 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 11 Desc.		Pic 12 Desc.	

AFE 124300139	Date/Time 2/8/2021 12:57 PM	Report #
----------------------	------------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location	GPS Location
Field Station#	Field Station#
Pic 13 Desc.	Pic 14 Desc.

Insert image here	Insert image here
-------------------	-------------------

GPS Location	GPS Location
Field Station#	Field Station#
Pic 15 Desc.	Pic 16 Desc.

Insert image here	Insert image here
-------------------	-------------------

GPS Location	GPS Location
Field Station#	Field Station#
Pic 17 Desc.	Pic 18 Desc.



Visual Site Inspection Report

Project Name H-600 Pipeline Spread I		AFE 124300139	Spread H-600 Pipeline Spread I
Contractor Precision		Report # 19819	
Inspector Ben Farmer		Date/Time 2/8/2021 2:49 PM	
Permit # TBD	Inspection Type VA SWPP	Station Begin	15370+62
State VA	Inspection Area Partial	Station End	15480+67
County Pittsylvania	Ground Frozen	Temperature (°F)	30.00
Municipality Chatham	Weather Sunny	Rain Gauge (in)	0.50
			Rain Accumulation Time (days) 0.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Silt Fence (Filter Fabric Fence)	Communication	P1 is degraded and needs to be rep	Addressed	2/8/2021
Cleanwater Diversion Pipe	Acceptable			
Compost Filter Sock	Acceptable			
Equipment Bridge	Acceptable			
Rock Construction Entrance	Acceptable			
Vegetative Stabilization (Temporary)	Acceptable			
Waterbar	Acceptable			

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

AFE 124300139	Date/Time 2/8/2021 2:49 PM	Report # 19819
----------------------	-----------------------------------	-----------------------

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

SWPPP Inspection (Sunny, 30 F)
 Rain Gauge= .5"
 15370+62-15480+67

- EI began inspection at Snowberry Rd.
- EI was accompanied by 2 laborers to address issues as they were discovered.
- RCEs are in good condition at all road crossings.
- P1 is degraded and needs to be replaced at 15393+83. Environmental crew has corrected this issue.
- CFS is in good condition throughout this section.
- Equipment bridge ECDs in place and functioning at all stream/wetland crossings.
- Temporary waterbars and end treatments are in good condition and functioning.
- CWDs are in good condition and functioning throughout this section.
- 3rd party using MVP-PI-332.01 has rutted up this access road across MVP ROW.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.


AFE 124300139		Date/Time 2/8/2021 2:49 PM		Report #	
Pictures					
					
GPS Location See photo		GPS Location See photo			
Field Station# 15393+83		Field Station# 15393+83			
Pic 1 Desc. P1 is degraded and needs to be replaced.		Pic 2 Desc. Environmental crew has corrected this issue.			
					
GPS Location See photo		GPS Location See photo			
Field Station# 15370+62		Field Station# 15375+00			
Pic 3 Desc. RCEs are in good condition at all road crossings.		Pic 4 Desc. CFS is in good condition throughout this section.			
					
GPS Location See photo		GPS Location See photo			
Field Station# 15383+81		Field Station# 15385+27			
Pic 5 Desc. Temporary waterbars and end treatments are in good condition.		Pic 6 Desc. Equipment bridge ECDs are in place and functioning.			

AFE 124300139	Date/Time 2/8/2021 2:49 PM	Report #
----------------------	-----------------------------------	-----------------


Pictures



GPS Location	See photo	GPS Location	See photo
Field Station#	15428+00	Field Station#	15460+76
Pic 7 Desc.	Stockpiles remain stabilized.	Pic 8 Desc.	CWDs are functioning as intended.



GPS Location	See photo	GPS Location	
Field Station#	15469+05	Field Station#	
Pic 9 Desc.	3rd party using MVP-PI-332.01.	Pic 10 Desc.	



GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 11 Desc.		Pic 12 Desc.	

AFE	124300139	Date/Time	2/8/2021 2:49 PM	Report #	
------------	-----------	------------------	------------------	-----------------	--

Pictures					
-----------------	--	--	--	--	--

Insert image here			Insert image here		
-------------------	--	--	-------------------	--	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 13 Desc.		Pic 14 Desc.	

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 15 Desc.		Pic 16 Desc.	

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 17 Desc.		Pic 18 Desc.	



Visual Site Inspection Report

Project Name H-600 Pipeline Spread I		AFE 124300139	Spread H-600 Pipeline Spread I
Contractor Precision		Report # 19807	
Inspector Logan Box		Date/Time 2/8/2021 5:14 PM	
Permit # TBD	Inspection Type VA SWPP	Station Begin	13670+00
State VA	Inspection Area Partial	Station End	13748+30
County Franklin	Ground Wet	Temperature (°F)	42.00
Municipality N/A	Weather Sunny	Rain Gauge (in)	0.00
Rain Accumulation Time (days)			0.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Vegetative Stabilization (Permanent)	Acceptable			
Vegetative Stabilization (Temporary)	Acceptable			
Equipment Bridge	Acceptable			
Compost Filter Sock	Acceptable			
Silt Fence (Filter Fabric Fence)	Acceptable			

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

A/E	124300139	Date/Time	2/8/2021 5:14 PM	Report #	19807
------------	-----------	------------------	------------------	-----------------	-------

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

The EI Traveled and inspected all ECDs throughout the row, monitored vegetation growth throughout.

Inspected all stream and wetland crossings, checked equipment bridges and protection.

Monitored RCEs and vegetation stabilization on spoil piles .

Throughout today's inspections there were no environmental issues observed at the time of inspection.

During today's inspection the EI monitored areas of the row where hydro seed was previously applied in efforts to stabilize the row for winter months.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE	124300139	Date/Time	2/8/2021 5:14 PM	Report #	
Pictures					
					
GPS Location	00000		GPS Location	00000	
Field Station#	13746+56		Field Station#	13746+00	
Pic 1 Desc.	The EI monitored areas of the row where hydro seed was recently applied, no issues observed at the time of inspection		Pic 2 Desc.	Photo taken by the EI showing row after hydro seed applied.	
					
GPS Location	0000		GPS Location	00000	
Field Station#	13704+90		Field Station#	13704+90	
Pic 3 Desc.	The EI monitored ECDs and equipment bridge protection. No issues observed at the time of inspection.		Pic 4 Desc.	Stream observation photo facing downstream during routine inspection today.	
					
GPS Location	00000		GPS Location	0000	
Field Station#	13704+90		Field Station#	13705+12	
Pic 5 Desc.	Stream observation photo facing upstream during routine row inspection by the EI.		Pic 6 Desc.	Photo showing temporary vegetation area . No issues observed at the time of inspection.	

AFE 124300139	Date/Time 2/8/2021 5:14 PM	Report #
----------------------	-----------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 7 Desc.		Pic 8 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 9 Desc.		Pic 10 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 11 Desc.		Pic 12 Desc.	

AFE 124300139	Date/Time 2/8/2021 5:14 PM	Report #
----------------------	-----------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 13 Desc.		Pic 14 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 15 Desc.		Pic 16 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 17 Desc.		Pic 18 Desc.	



Visual Site Inspection Report

Project Name H-600 Pipeline Spread I		AFE 124300139	Spread H-600 Pipeline Spread I
Contractor Precision		Report # 19840	
Inspector Justin Burch		Date/Time 2/9/2021 8:49 AM	
Permit # TBD	Inspection Type VA SWPP	Station Begin 15063+85	
State VA	Inspection Area Full	Station End 15142+66	
County Pittsylvania	Ground Wet	Temperature (°F) 58.00	
Municipality Chatham	Weather Sunny	Rain Gauge (in) 0.60	
			Rain Accumulation Time (days) 6.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Waterbar End Treatment	Acceptable			
Compost Filter Sock	Communication	Wildlife damage		
Equipment Bridge	Acceptable			
Vegetative Stabilization (Permanent)	Acceptable			
Waterbar	Acceptable			
Silt Fence (Reinforced Filter Fabric Fence)	Acceptable			

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

AFE 124300139	Date/Time 2/9/2021 8:49 AM	Report # 19840
----------------------	-----------------------------------	-----------------------

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

- The EI performed a SWPPP inspection from 15063+85 to 15142+66 (Armstrong Road to Rock Creek Road). The contractor had an environmental crew foreman walk with the EI on his inspection. One issue was submitted for the punch list which was a perimeter CFS damaged by wildlife. Other inspected ECDs were in compliance at the time of inspection.
- Since the last SWPPP inspection the inspection area has received two precipitation events totaling 0.60" of precipitation at Indian Cave road and 0.60" at Armstrong Road.
- The ROW ground condition is wet.
- At the time of inspection temporary vegetative stabilization was adequately established to inhibit erosion.
- At the time of inspection permanent vegetative stabilization was adequately established in areas that final cleanup and restoration has been performed.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE 124300139		Date/Time 2/9/2021 8:49 AM	Report #
Pictures			
<p>91°E (M) 36°56'58"N, 79°34'47"W ±13ft ▲ 900ft</p>  <p>15136+00 09 Feb 2021 09:24:07</p>		<p>94°E (M) 36°57'10"N, 79°34'49"W ±13ft ▲ 880ft</p>  <p>15124+00 09 Feb 2021 09:34:29</p>	
GPS Location	0	GPS Location	0
Field Station#	15136+00	Field Station#	15124+00
Pic 1 Desc.	Waterbar end treatment in acceptable condition	Pic 2 Desc.	CFS damaged by wildlife
<p>200°S (M) 36°57'8"N, 79°34'49"W ±13ft ▲ 870ft</p>  <p>15126+00 09 Feb 2021 09:32:28</p>		<p>306°NW (M) 36°57'29"N, 79°35'2"W ±13ft ▲ 860ft</p>  <p>15101+00 09 Feb 2021 09:56:37</p>	
GPS Location	0	GPS Location	0
Field Station#	15126+00	Field Station#	15101+00
Pic 3 Desc.	Equipment bridge in acceptable condition	Pic 4 Desc.	Permanent vegetative stabilization in acceptable condition
<p>28°NE (M) 36°57'44"N, 79°35'21"W ±13ft ▲ 900ft</p>  <p>15076+00 09 Feb 2021 10:17:38</p>		<p>222°SW (M) 36°57'44"N, 79°35'25"W ±13ft ▲ 865ft</p>  <p>15074+00 09 Feb 2021 10:19:51</p>	
GPS Location	0	GPS Location	0
Field Station#	15076+00	Field Station#	15074+00
Pic 5 Desc.	Waterbar in acceptable condition	Pic 6 Desc.	Super silt fence in acceptable condition

AFE 124300139	Date/Time 2/9/2021 8:49 AM	Report #
----------------------	-----------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 7 Desc.		Pic 8 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 9 Desc.		Pic 10 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 11 Desc.		Pic 12 Desc.	

AFE	124300139	Date/Time	2/9/2021 8:49 AM	Report #	
------------	-----------	------------------	------------------	-----------------	--

Pictures					
-----------------	--	--	--	--	--

Insert image here			Insert image here		
-------------------	--	--	-------------------	--	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 13 Desc.		Pic 14 Desc.	

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 15 Desc.		Pic 16 Desc.	

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 17 Desc.		Pic 18 Desc.	



Visual Site Inspection Report

Project Name H-600 Pipeline Spread I		AFE 124300139	Spread H-600 Pipeline Spread I
Contractor Precision		Report # 19847	
Inspector Charles Head		Date/Time 2/9/2021 10:51 AM	
Permit # TBD	Inspection Type VA SWPP	Station Begin	14649+67
State VA	Inspection Area Full	Station End	14694+77
County Franklin	Ground Muddy	Temperature (°F)	46.00
Municipality N/A	Weather Sunny	Rain Gauge (in)	0.00
			Rain Accumulation Time (days) 1.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable			
Equipment Bridge	Acceptable			
Rock Construction Entrance	Acceptable			
Sensitive Resource Buffer	Acceptable			
Sensitive Resource Signage	Acceptable			
Silt Fence (Filter Fabric Fence)	Acceptable			
Erosion Control Blanket	Acceptable			
Vegetative Stabilization (Temporary)	Communication	Repair erosion, seed and stabilize		
Waterbar	Acceptable			

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

AFE 124300139	Date/Time 2/9/2021 10:51 AM	Report # 19847
----------------------	------------------------------------	-----------------------

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)


PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE	124300139	Date/Time	2/9/2021 10:51 AM	Report #
Pictures				
				
GPS Location	0	GPS Location	0	
Field Station#	14694+50	Field Station#	14691+00	
Pic 1 Desc.	Approximately 14694+50. Overview of road crossing and RCE.		Pic 2 Desc.	Approximately 14691+00. Overview of ROW.
				
GPS Location	0	GPS Location	0	
Field Station#	14689+36	Field Station#	14676+00	
Pic 3 Desc.	Approximately 14689+36. Overview of stream crossing, equipment bridge and ECDs at stream S-H34.		Pic 4 Desc.	Approximately 14676+00. Overview of ROW.
				
GPS Location	0	GPS Location	0	
Field Station#	14656+94	Field Station#	14653+75	
Pic 5 Desc.	Approximately 14656+94. Overview of stream crossing, equipment bridge and ECDs at stream S-H38.		Pic 6 Desc.	Approximately 14653+75. Repair erosion, seed and stabilize.

AFE 124300139	Date/Time 2/9/2021 10:51 AM	Report #
----------------------	------------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 7 Desc.		Pic 8 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 9 Desc.		Pic 10 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 11 Desc.		Pic 12 Desc.	

AFE 124300139	Date/Time 2/9/2021 10:51 AM	Report #
----------------------	------------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 13 Desc.		Pic 14 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 15 Desc.		Pic 16 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 17 Desc.		Pic 18 Desc.	



Visual Site Inspection Report

Project Name H-603 Pipeline Spread I		AFE 124300139	Spread H-603 Pipeline Spread I
Contractor Precision		Report # 19848	
Inspector John White		Date/Time 2/9/2021 11:16 AM	
Permit # TBD	Inspection Type VA SWPP	Station Begin	00+00
State VA	Inspection Area Full	Station End	24+53
County Pittsylvania	Ground Wet	Temperature (°F)	55.00
Municipality Chatham	Weather Cloudy	Rain Gauge (in)	0.70
			Rain Accumulation Time (days) 6.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable			
Housekeeping	Acceptable			
Silt Fence (Filter Fabric Fence)	Communication	Contractor repaired upon discovery		2/9/2021
Sump Pit	Acceptable			
Vegetative Stabilization (Temporary)	Acceptable			
Waterbar	Acceptable			
Waterbar End Treatment	Acceptable			

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

AFE	124300139	Date/Time	2/9/2021 11:16 AM	Report #	19848
------------	-----------	------------------	-------------------	-----------------	-------

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

Performed SWPPP Inspection on this line. There was one issue identified and repaired upon discovery by the Contractor. Other than that there were no issues to report at the time of Inspection.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE 124300139		Date/Time 2/9/2021 11:16 AM		Report #	
Pictures					
GPS Location		O		GPS Location	
Field Station#		13+00		Field Station#	
Pic 1 Desc.		Observing p1 that required maintenance		Pic 2 Desc.	
GPS Location		O		GPS Location	
Field Station#		13+00		Field Station#	
Pic 1 Desc.		Observing p1 that required maintenance		Pic 2 Desc.	
GPS Location		O		GPS Location	
Field Station#		6+00		Field Station#	
Pic 3 Desc.		Observing temporary stabilization, sump and end treatment		Pic 4 Desc.	
GPS Location		O		GPS Location	
Field Station#		8+00		Field Station#	
Pic 3 Desc.		Observing temporary stabilization, sump and end treatment		Pic 4 Desc.	
		<p>Insert image here</p>			
		<p>Insert image here</p>			
GPS Location				GPS Location	
Field Station#				Field Station#	
Pic 5 Desc.				Pic 6 Desc.	

AFE 124300139	Date/Time 2/9/2021 11:16 AM	Report #
----------------------	------------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 7 Desc.		Pic 8 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 9 Desc.		Pic 10 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 11 Desc.		Pic 12 Desc.	

AFE 124300139	Date/Time 2/9/2021 11:16 AM	Report #
----------------------	------------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 13 Desc.		Pic 14 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 15 Desc.		Pic 16 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 17 Desc.		Pic 18 Desc.	



Visual Site Inspection Report

Project Name H-602 Pipeline Spread I		AFE 124300139	Spread H-602 Pipeline Spread I
Contractor Precision		Report # 19850	
Inspector John White		Date/Time 2/9/2021 11:35 AM	
Permit # TBD	Inspection Type VA SWPP	Station Begin	00+00
State VA	Inspection Area Full	Station End	19+25
County Pittsylvania	Ground Wet	Temperature (°F)	55.00
Municipality Chatham	Weather Cloudy	Rain Gauge (in)	0.70
			Rain Accumulation Time (days) 6.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable			
Equipment Bridge	Acceptable			
Housekeeping	Acceptable			
Sediment Filter Log	Acceptable			
Sensitive Resource Signage	Acceptable			
Vegetative Stabilization (Temporary)	Acceptable			

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

AFE	124300139	Date/Time	2/9/2021 11:35 AM	Report #	19850
------------	-----------	------------------	-------------------	-----------------	-------

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

Performed SWPPP Inspection on this line. There were no issues to report at the time of Inspection.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE 124300139		Date/Time 2/9/2021 11:35 AM		Report #	
Pictures					
		<p>North Elevation</p> <p>197°S (T) ● 36°49'36"N, 79°21'3"W ±14740ft ▲ 615ft</p> 			
				<p>East Elevation</p> <p>261°W (T) ● 36°49'47"N, 79°20'38"W ±5462ft ▲ 634ft</p> 	
GPS Location		O		GPS Location	
		O			
Field Station#		6+00		Field Station#	
		6+00		11+50	
Pic 1 Desc.		Observing temporary vegetation		Pic 2 Desc.	
				Observing temporary vegetation and signage	
		<p>North Elevation</p> <p>185°S (T) ● 36°49'45"N, 79°20'40"W ±200ft ▲ 623ft</p> 			
				<p>South West Elevation</p> <p>30°NE (T) ● 36°49'43"N, 79°20'40"W ±7896ft ▲ 625ft</p> 	
GPS Location		O		GPS Location	
		O			
Field Station#		12+65		Field Station#	
		12+65		19+00	
Pic 3 Desc.		Observing equipment crossing and ECD's		Pic 4 Desc.	
				Observing temporary stabilization and ECD's	
Insert image here			Insert image here		
GPS Location				GPS Location	
Field Station#				Field Station#	
Pic 5 Desc.				Pic 6 Desc.	

AFE 124300139	Date/Time 2/9/2021 11:35 AM	Report #
----------------------	------------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 7 Desc.		Pic 8 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 9 Desc.		Pic 10 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 11 Desc.		Pic 12 Desc.	

A/E	124300139	Date/Time	2/9/2021 11:35 AM	Report #	
------------	-----------	------------------	-------------------	-----------------	--

Pictures					
-----------------	--	--	--	--	--

Insert image here			Insert image here		
-------------------	--	--	-------------------	--	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 13 Desc.		Pic 14 Desc.	

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 15 Desc.		Pic 16 Desc.	

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 17 Desc.		Pic 18 Desc.	



Visual Site Inspection Report

Project Name H-600 Pipeline Spread I		AFE 124300139	Spread H-600 Pipeline Spread I
Contractor Precision		Report # 19851	
Inspector John White		Date/Time 2/9/2021 11:43 AM	
Permit # TBD	Inspection Type VA SWPP	Station Begin	15947+64
State VA	Inspection Area Full	Station End	16027+46
County Pittsylvania	Ground Wet	Temperature (°F)	55.00
Municipality Chatham	Weather Cloudy	Rain Gauge (in)	0.70
			Rain Accumulation Time (days) 6.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock	Communication	Contractor repaired upon discovery		2/9/2021
Cleanwater Diversion Pipe	Acceptable			
Equipment Bridge	Acceptable			
Housekeeping	Acceptable			
Erosion Control Blanket	Acceptable			
Sediment Filter Log	Acceptable			
Rock Filter	Acceptable			
Silt Fence (Filter Fabric Fence)	Communication	Contractor is working on repairing		
Sensitive Resource Signage	Acceptable			

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

AFE	124300139	Date/Time	2/9/2021 11:43 AM	Report #	19851
------------	-----------	------------------	-------------------	-----------------	-------

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

Performed SWPPP Inspection on this section. There were issues identified and added to the punch list. There were issues identified and repaired upon discovery by the Contractor. Other than that there were no issues to report at the time of Inspection.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE	124300139	Date/Time	2/9/2021 11:43 AM	Report #	
Pictures					
	 <p>South Elevation <small>357°N (T) 36°49'48"N, 79°20'46"W ±9320ft ▲ 614ft</small> <small>09 Feb 2021, 09:58:08</small></p>			 <p>South Elevation <small>11°N (T) 36°49'48"N, 79°20'45"W ±39ft ▲ 616ft</small> <small>09 Feb 2021, 10:01:10</small></p>	
GPS Location	O		GPS Location	O	
Field Station#	16016+45		Field Station#	16016+45	
Pic 1 Desc.	Observing CFS that required maintenance		Pic 2 Desc.	Observing CFS that received maintenance.	
	 <p>West Elevation <small>98°E (T) 36°49'48"N, 79°20'47"W ±288ft ▲ 631ft</small> <small>09 Feb 2021, 09:51:33</small></p>			 <p>North West Elevation <small>154°SE (T) 36°49'48"N, 79°20'46"W ±88ft ▲ 614ft</small> <small>09 Feb 2021, 09:54:05</small></p>	
GPS Location	O		GPS Location	O	
Field Station#	16015+50		Field Station#	16015+50	
Pic 3 Desc.	Observing p1 that requires maintenance		Pic 4 Desc.	Observing the Contractor performing ECD maintenance.	
	 <p>North West Elevation <small>120°SE (T) 36°49'45"N, 79°20'51"W ±318ft ▲ 619ft</small> <small>09 Feb 2021, 09:53:32</small></p>			 <p>South West Elevation <small>64°NE (T) 36°49'39"N, 79°21'7"W ±29ft ▲ 628ft</small> <small>09 Feb 2021, 09:57:26</small></p>	
GPS Location	O		GPS Location	O	
Field Station#	16010+00		Field Station#	15998+00	
Pic 5 Desc.	Observing CWD inlet and inlet protection		Pic 6 Desc.	Observing temporary vegetation, sump and end treatment	

AFE 124300139		Date/Time 2/9/2021 11:43 AM		Report #	
Pictures					
 <p>East Elevation <small>292°W (T) ● 36°49'45"N, 79°21'19"W ±5285ft ▲ 643ft</small> <small>09 Feb 2021, 09:30:36</small></p>		 <p>South West Elevation <small>34°NE (T) ● 36°49'46"N, 79°21'19"W ±656ft ▲ 646ft</small> <small>09 Feb 2021, 09:28:58</small></p>		ert image here	
GPS Location ○		GPS Location ○			
Field Station# 15987+31		Field Station# 15985+00			
Pic 7 Desc. Observing water bar, temporary stabilization, signage, equipment crossing and ECD's		Pic 8 Desc. Observing temporary vegetation, sump and end treatment			
 <p>West Elevation <small>103°E (T) ● 36°49'32"N, 79°21'35"W ±14028ft ▲ 628ft</small> <small>09 Feb 2021, 09:28:38</small></p>		 <p>North West Elevation <small>132°SE (T) ● 36°49'50"N, 79°21'24"W ±59ft ▲ 629ft</small> <small>09 Feb 2021, 09:24:12</small></p>		ert image here	
GPS Location ○		GPS Location ○			
Field Station# 15983+00		Field Station# 15977+35			
Pic 9 Desc. Observing temporary vegetation,CWD outlet and ECD's		Pic 10 Desc. Observing water bar, erosion control blanket,temporary stabilization, signage, equipment crossing, buffer and ECD's			
 <p>North West Elevation <small>122°SE (T) ● 36°49'24"N, 79°21'49"W ±19058ft ▲ 603ft</small> <small>09 Feb 2021, 09:21:45</small></p>		 <p>North Elevation <small>201°S (T) ● 36°49'50"N, 79°21'55"W ±16607ft ▲ 691ft</small> <small>09 Feb 2021, 09:18:29</small></p>		ert image here	
GPS Location ○		GPS Location ○			
Field Station# 15970+00		Field Station# 15961+50			
Pic 11 Desc. Observing temporary vegetation,CWD outlet and ECD's		Pic 12 Desc. Observing buffer, signage, equipment crossing and ECD's.			

AFE 124300139	Date/Time 2/9/2021 11:43 AM	Report #
----------------------	------------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 13 Desc.		Pic 14 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 15 Desc.		Pic 16 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 17 Desc.		Pic 18 Desc.	



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	19856
Inspector	Glenn Mike Renfro			Date/Time	2/9/2021 1:58 PM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	0000+00
State	VA	Inspection Area	Full	Station End	0000+00
County	Franklin	Ground	Wet	Temperature (°F)	58.00
Municipality	N/A	Weather	Cloudy	Rain Gauge (in)	0.50
				Rain Accumulation Time (days)	6.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable			
Housekeeping	Acceptable			
Rock Construction Entrance	Acceptable			
Secondary Containment	Communication	Containment at MVP-LY-032		
Other - Explain in Comments	Communication	CFS at catch basins require main.		

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | N/A |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | N/A |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

AFE 124300139	Date/Time 2/9/2021 1:58 PM	Report # 19856
----------------------	-----------------------------------	-----------------------

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired


7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)


- Performed SWPPP inspections on Spread I Laydown yards MVP-LY-045, MVP-LY-046, MVP-LY-032, MVP-LY-033 and MVP-ANC-006 in Rock Mount, Va.
- The site conditions at the time of inspection were wet.
- The locations received .50" of rainfall since the last inspection.
- All perimeter ECD's were inspected and no issues were found.
- The inlet protection for the catch basin drains at LY-046 were in good condition. The catch basins at MVP-LY-033 and MVP-ANC-006 require maintenance. (See pics 5,6,and 7)
- All secondary containment structures at yards 045, 046, and 006 were found to be in good condition. The secondary containment structure for the light plant near the entrance of MVP-LY-032 requires maintenance (See pic 4).
- The RCE's were in acceptable condition.
- There were no equipment oil leaks observed at any location at the time of inspection.
- All issues observed during the inspection have been placed on the punch list for the contractor to address.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

Pictures



GPS Location 000000000000	GPS Location 000000000000
Field Station# 0000+00	Field Station# 0000+00
Pic 1 Desc. secondary containment structure for fuel cell at MVP-LY-046 in good condition.	Pic 2 Desc. Inlet protection for catch basin on south end of MVP-LY-046 in acceptable condition.




GPS Location 000000000000	GPS Location 000000000000
Field Station# 0000+00	Field Station# 0000+00
Pic 3 Desc. Secondary containment structure for and perimeter ECD's in good condition on northwest corner of MVP-LY-045	Pic 4 Desc. secondary containment liner need maintenance near entrance to MVP-LY-032



GPS Location 000000000000	GPS Location 000000000000
Field Station# 0000+00	Field Station# 0000+00
Pic 5 Desc. Inlet protection for catch basin at MVP-LY-033 requires maintenance.	Pic 6 Desc. Inlet protection for catch basin at MVP-ANC-006 requires maintenance.

AFE 124300139	Date/Time 2/9/2021 1:58 PM	Report #
----------------------	-----------------------------------	-----------------


Pictures



GPS Location	00000000000	GPS Location	
---------------------	-------------	---------------------	--

Field Station#	0000+00	Field Station#	
-----------------------	---------	-----------------------	--


Pic 7 Desc.	Inlet protection for second catch basin at MVP-ANC-006 requires maintenance.	Pic 8 Desc.	
--------------------	--	--------------------	--



GPS Location		GPS Location	
---------------------	--	---------------------	--

Field Station#		Field Station#	
-----------------------	--	-----------------------	--

Pic 9 Desc.		Pic 10 Desc.	
--------------------	--	---------------------	--



GPS Location		GPS Location	
---------------------	--	---------------------	--

Field Station#		Field Station#	
-----------------------	--	-----------------------	--

Pic 11 Desc.		Pic 12 Desc.	
---------------------	--	---------------------	--

AFE 124300139	Date/Time 2/9/2021 1:58 PM	Report #
----------------------	-----------------------------------	-----------------

Pictures

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 13 Desc.		Pic 14 Desc.	

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 15 Desc.		Pic 16 Desc.	

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 17 Desc.		Pic 18 Desc.	



Visual Site Inspection Report

Project Name H-600 Pipeline Spread I		AFE 124300139	Spread H-600 Pipeline Spread I
Contractor Precision		Report # 19846	
Inspector Logan Box		Date/Time 2/9/2021 4:24 PM	
Permit # TBD	Inspection Type VA SWPP	Station Begin 13748+30	
State VA	Inspection Area Partial	Station End 13853+45	
County Franklin	Ground Muddy	Temperature (°F) 57.00	
Municipality N/A	Weather Sunny	Rain Gauge (in) 0.00	
			Rain Accumulation Time (days) 0.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Silt Fence (Filter Fabric Fence)	Communication			
Erosion Control Blanket	Acceptable			
Waterbar	Acceptable			
Vegetative Stabilization (Temporary)	Acceptable			
Compost Filter Sock	Acceptable			
Equipment Bridge	Acceptable			

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

AFE 124300139	Date/Time 2/9/2021 4:24 PM	Report # 19846
----------------------	-----------------------------------	-----------------------

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

The EI Traveled and inspected all ECDs throughout the row, monitored vegetation growth throughout.

Inspected all stream and wetland crossings, checked equipment bridges and protection.

Monitored RCEs and vegetation stabilization on spoil piles .

Throughout today's inspections the noticed safety fence around large sump pit and access rd FR-300 was blown down , Documented and sent in to be added to the punch list.

S-C14 stream buffer fence at STA# 13834+70 required maintenance due to wildlife damage at lower sections of P1 in 2 areas, the EI Documented and sent in to be added to the punch list for repairs by the contractor.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE	124300139	Date/Time	2/9/2021 4:24 PM	Report #	
Pictures					
	 <p>South East Elevation 342°NW (T) • 37.069846, -79.932832 ±8 m ▲ 311 m</p>			 <p>South Elevation 15°N (T) • 37.063823, -79.921955 ±7 m ▲ 286 m</p>	
GPS Location	000000		GPS Location	00000	
Field Station#	13748+44		Field Station#	13834+70	
Pic 1 Desc.	Safety fence around large sump pit requires maintenance, stake blown over during high wind, added to the punch list for repair.		Pic 2 Desc.	P1 requires maintenance due to wildlife damage , EI Documented and sent in to be added to the punch list for repairs.	
	 <p>South Elevation 10°N (T) • 37.063769, -79.922133 ±7 m ▲ 304 m</p>			 <p>North Elevation 184°S (T) • 37.063822, -79.921955 ±5 m ▲ 287 m</p>	
GPS Location	00000		GPS Location	00000	
Field Station#	13834+70		Field Station#	13830+00	
Pic 3 Desc.	P1 requires maintenance due to wildlife damage , EI Documented and sent in to be added to the punch list for repairs.		Pic 4 Desc.	Row photo taken by the EI up hill from stream crossing showing water bars and stabilization on hill side.	
	 <p>West Elevation 100°E (T) • 37.064246, -79.922073 ±8 m ▲ 324 m</p>			 <p>West Elevation 103°E (T) • 37.069844, -79.93279 ±5 m ▲ 310 m</p>	
GPS Location	00000		GPS Location	000000	
Field Station#	13828+72		Field Station#	13787+23	
Pic 5 Desc.	EI monitored erosion control blanket and sump end treatment during routine inspection today.		Pic 6 Desc.	Row photo showing water bars in place, hill side stabilized, no environmental issues observed at time of inspection	

AFE 124300139	Date/Time 2/9/2021 4:24 PM	Report #
----------------------	-----------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 7 Desc.		Pic 8 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 9 Desc.		Pic 10 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 11 Desc.		Pic 12 Desc.	

AFE 124300139	Date/Time 2/9/2021 4:24 PM	Report #
----------------------	-----------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 13 Desc.		Pic 14 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 15 Desc.		Pic 16 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 17 Desc.		Pic 18 Desc.	



Visual Site Inspection Report

Project Name H-600 Pipeline Spread I		AFE 124300139	Spread H-600 Pipeline Spread I
Contractor Precision		Report # 19868	
Inspector Ben Farmer		Date/Time 2/9/2021 7:42 PM	
Permit # TBD	Inspection Type VA SWPP	Station Begin 15480+67	
State VA	Inspection Area Partial	Station End 15584+23	
County Pittsylvania	Ground Damp	Temperature (°F) 45.00	
Municipality Chatham	Weather Sunny	Rain Gauge (in) 0.00	
Rain Accumulation Time (days)			0.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Silt Fence (Filter Fabric Fence)	Communication	P1 is degraded along stream buffer		
Equipment Bridge	Acceptable			
Rock Construction Entrance	Acceptable			
Slope Drain Pipe	Acceptable			

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

AFE 124300139	Date/Time 2/9/2021 7:42 PM	Report # 19868
----------------------	-----------------------------------	-----------------------

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

SWPPP Inspection (Sunny, 45 F)
 Rain Gauge= 0.0"
 15480+67-15584+23

- EI began inspection at Anderson Mill Rd.
- EI was accompanied by 2 laborers to address issues as they were discovered.
- RCEs are in good condition at all road crossings.
- Slope drain is in good condition and functioning at 15575+67.
- P1 is degraded and needs to be replaced at 15574+47.
- CFS is in good condition throughout this section.
- Equipment bridge ECDs in place and functioning at all stream/wetland crossings.
- Temporary waterbars and end treatments are in good condition and functioning.
- CWDs are in good condition and functioning throughout this section.
- 3rd party continuing to dump material at Climax Rd. RCE.

*Issues identified in the field have been added to the punch list to be addressed by the contractor.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.


AFE 124300139		Date/Time 2/9/2021 7:42 PM		Report #	
Pictures					
					
GPS Location See photo		GPS Location See photo			
Field Station# 15584+23		Field Station# 15574+47			
Pic 1 Desc. RCEs are in good condition at all road crossings.		Pic 2 Desc. P1 is degraded and needs to be replaced.			
					
GPS Location See photo		GPS Location See photo			
Field Station# 15555+96		Field Station# 15555+96			
Pic 3 Desc. P1 is damaged and needs to be replaced.		Pic 4 Desc. Environmental crew has corrected this issue			
					
GPS Location See photo		GPS Location See photo			
Field Station# 15521+65		Field Station# 15521+65			
Pic 5 Desc. P1 is damaged and needs to be replaced.		Pic 6 Desc. Environmental crew has corrected this issue.			

AFE 124300139	Date/Time 2/9/2021 7:42 PM	Report #
----------------------	-----------------------------------	-----------------


Pictures



GPS Location	See photo	GPS Location	See photo
Field Station#	15575+67	Field Station#	15541+00
Pic 7 Desc.	Slope drain is in good condition and functioning.	Pic 8 Desc.	Equipment bridge ECDs are in place and functioning.



GPS Location	See photo	GPS Location	See photo
Field Station#	15496+70	Field Station#	15496+70
Pic 9 Desc.	3rd party continues to dump material and track onto Climax Rd.	Pic 10 Desc.	3rd party tracking onto Climax Rd.



GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 11 Desc.		Pic 12 Desc.	

AFE 124300139	Date/Time 2/9/2021 7:42 PM	Report #
----------------------	-----------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 13 Desc.		Pic 14 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 15 Desc.		Pic 16 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 17 Desc.		Pic 18 Desc.	



Visual Site Inspection Report

Project Name H-600 Pipeline Spread I		AFE 124300139	Spread H-600 Pipeline Spread I
Contractor Precision		Report # 19829	
Inspector Ben Davenport		Date/Time 2/9/2021 9:24 PM	
Permit # TBD	Inspection Type VA SWPP	Station Begin 14171+36	
State VA	Inspection Area Partial	Station End 14358+11	
County Franklin	Ground Muddy	Temperature (°F) 54.00	
Municipality N/A	Weather Sunny	Rain Gauge (in) 0.00	
			Rain Accumulation Time (days) 0.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Silt Fence (Filter Fabric Fence)	Communication	Routine maintenance. Cattle damage	48 Hours	
Silt Fence (Filter Fabric Fence)	Communication	Routine maintenance. Replace row	24 Hours	
Compost Filter Sock	Acceptable			
Equipment Bridge	Acceptable			

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

- Available for work
- Received instruction from Lead EI for daily tasks
- Performed SWPPP inspection on portion of MVP Spread I section
- Inspection covered area between station# 14171+36–14311+57 (Angle Plantation Rd to Farm View Rd)
- Sunny with muddy ground conditions during inspection
- Met with environmental crew at Farm View Rd
- Perimeter controls and ECD's were inspected; multiple issues identified
- Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified
- Inspection observed condition of RCEs, culverts, and access roads; no issues identified
- Multiple environmental/maintenance issues identified and added to punch list

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE 124300139		Date/Time 2/9/2021 9:24 PM	Report #
Pictures			
 <p>37°23' N 79°48'30" W 134°SE COURSE 110° GPS 955 Greenway Rd, Glade Hill, VA 24092, United States 02.09.2021 11:39:27 Accur +/-38.8 Ft ALT 1059 Ft</p>		 <p>37°3'29" N 79°50'41" W 280°W COURSE 176° GPS Rocky Mount, VA 24151, United States 02.09.2021 14:04:51 Accur +/-48.4 Ft ALT 981 Ft</p>	
GPS Location	1	GPS Location	2
Field Station#	14306+00	Field Station#	14176+50
Pic 1 Desc.	Routine maintenance. Replace damaged P1 silt fence from cattle damage.	Pic 2 Desc.	Routine maintenance. Replace entire row of P1 silt fence. Multiple holes in fabric at resource buffer.
 <p>37°2'36" N 79°48'37" W 338°NW COURSE 145° GPS 955 Greenway Rd, Glade Hill, VA 24092, United States 02.09.2021 11:36:56 Accur +/-34.5 Ft ALT 1066 Ft</p>		 <p>37°2'56" N 79°48'55" W 338°NW COURSE 318° GPS Glade Hill, VA 24092, United States 02.09.2021 11:52:48 Accur +/-76.6 Ft ALT 1003 Ft</p>	
GPS Location	3	GPS Location	4
Field Station#	14308+00	Field Station#	14285+00
Pic 3 Desc.	Multiple bare or lightly vegetated areas along ROW that will be aerially seeded/stabilized.	Pic 4 Desc.	Multiple bare or lightly vegetated areas along ROW that will be aerially seeded/stabilized.
 <p>37°3'31" N 79°50'33" W 88°E COURSE 180° GPS 3175 Booker T Washington Hwy, Rocky Mount, VA 24151, United States 02.09.2021 14:11:21 Accur +/-42.5 Ft ALT 982 Ft</p>		 <p>37°3'34" N 79°50'27" W 111°E COURSE 169° GPS 3175 Booker T Washington Hwy, Rocky Mount, VA 24151, United States 02.09.2021 14:14:26 Accur +/-54.1 Ft ALT 992 Ft</p>	
GPS Location	5	GPS Location	6
Field Station#	14184+00	Field Station#	14190+14
Pic 5 Desc.	Multiple bare or lightly vegetated areas along ROW that will be aerially seeded/stabilized.	Pic 6 Desc.	Equipment bridge and surrounding ECDs in place and functional at stream crossing.

AFE 124300139	Date/Time 2/9/2021 9:24 PM	Report #
----------------------	-----------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 7 Desc.		Pic 8 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 9 Desc.		Pic 10 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 11 Desc.		Pic 12 Desc.	

AFE 124300139	Date/Time 2/9/2021 9:24 PM	Report #
----------------------	-----------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 13 Desc.		Pic 14 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 15 Desc.		Pic 16 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 17 Desc.		Pic 18 Desc.	



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	19883
Inspector	John White			Date/Time	2/10/2021 9:57 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15584+23
State	VA	Inspection Area	Full	Station End	15647+03
County	Pittsylvania	Ground	Wet	Temperature (°F)	40.00
Municipality	Chatham	Weather	Cloudy	Rain Gauge (in)	0.80
				Rain Accumulation Time (days)	6.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable			
Cleanwater Diversion Berm	Acceptable			
Equipment Bridge	Acceptable			
Erosion Control Blanket	Acceptable			
Housekeeping	Acceptable			
Rock Filter Outlet	Acceptable			
Sensitive Resource Buffer	Acceptable			
Sensitive Resource Signage	Acceptable			
Silt Fence (Filter Fabric Fence)	Communication	Contractor is working on repairing th		

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

AFE	124300139	Date/Time	2/10/2021 9:57 AM	Report #	19883
------------	-----------	------------------	-------------------	-----------------	-------

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

Performed SWPPP Inspection on this section. There was one issue identified and added to the punch list. The Contractor is working on repairing the identified issue. Other than that there were no issues to report at the time of Inspection.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE	124300139	Date/Time	2/10/2021 9:57 AM	Report #	
Pictures					
	 <p>South West Elevation <small>68°NE (T) 36°53'36"N, 79°25'51"W ±12834ft ▲ 809ft</small></p>			 <p>South West Elevation <small>52°NE (T) 36°53'35"N, 79°26'13"W ±144ft ▲ 813ft</small></p>	
GPS Location	O		GPS Location	O	
Field Station#	15632+00		Field Station#	15625+00	
Pic 1 Desc.	Observing temporary stabilization CWD outlet and ECD's		Pic 2 Desc.	Observing CWD outlet and ECD's	
	 <p>West Elevation <small>104°E (T) 36°53'38"N, 79°26'43"W ±8169ft ▲ 719ft</small></p>			 <p>West Elevation <small>107°E (T) 36°53'38"N, 79°26'45"W ±364ft ▲ 701ft</small></p>	
GPS Location	O		GPS Location	O	
Field Station#	15599+50		Field Station#	15596+00	
Pic 3 Desc.	Observing p1 that requires maintenance		Pic 4 Desc.	Observing equipment crossing, stream, buffer and signage	
	 <p>South West Elevation <small>58°NE (T) 36°53'38"N, 79°26'45"W ±1269ft ▲ 734ft</small></p>			 <p>South West Elevation <small>66°NE (T) 36°53'39"N, 79°26'47"W ±19ft ▲ 736ft</small></p>	
GPS Location	O		GPS Location	O	
Field Station#	15596+60		Field Station#	15595+00	
Pic 5 Desc.	Observing buffer, signage and ECD's		Pic 6 Desc.	Observing CWD outlet, pipe, temporary stabilization and ECD's	

AFE	124300139	Date/Time	2/10/2021 9:57 AM	Report #	
Pictures					
GPS Location	O	GPS Location	O		
Field Station#	15594+00	Field Station#	15590+00		
Pic 7 Desc.	Observing water bar, temporary stabilization and erosion control blanket		Pic 8 Desc.	Observing temporary stabilization and water bar.	
Insert image here			Insert image here		
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.		Pic 10 Desc.			
Insert image here			Insert image here		
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			

A/E	124300139	Date/Time	2/10/2021 9:57 AM	Report #	
------------	-----------	------------------	-------------------	-----------------	--

Pictures					
-----------------	--	--	--	--	--

Insert image here			Insert image here		
-------------------	--	--	-------------------	--	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 13 Desc.		Pic 14 Desc.	

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 15 Desc.		Pic 16 Desc.	

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 17 Desc.		Pic 18 Desc.	



Visual Site Inspection Report

Project Name H-600 Pipeline Spread I		AFE 124300139	Spread H-600 Pipeline Spread I
Contractor Precision		Report # 19888	
Inspector John White		Date/Time 2/10/2021 11:04 AM	
Permit # TBD	Inspection Type VA SWPP	Station Begin	00+00
State VA	Inspection Area Full	Station End	00+00
County Pittsylvania	Ground Wet	Temperature (°F)	43.00
Municipality Chatham	Weather Cloudy	Rain Gauge (in)	0.70
Rain Accumulation Time (days)			6.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock	Communication			
Housekeeping	Acceptable			

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

AFE	124300139	Date/Time	2/10/2021 11:04 AM	Report #	19888
------------	-----------	------------------	--------------------	-----------------	-------

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

Performed SWPPP Inspection on the Blairs yard. The CFS around the perimeter of the yard requires maintenance at multiple locations. Other than what was identified and added to the punch list there were no issues to report at the time of inspection.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE 124300139		Date/Time 2/10/2021 11:04 AM		Report #	
Pictures					
<p>North Elevation 163°S (T) ● 36°41'28"N, 79°22'4"W ±154ft ▲ 746ft</p> 		<p>South Elevation 1°N (T) ● 36°41'29"N, 79°22'3"W ±45ft ▲ 753ft</p> 			
GPS Location O		GPS Location O			
Field Station# 00+00		Field Station# 00+00			
Pic 1 Desc. Observing stored materials		Pic 2 Desc. Observing CFS that requires maintenance			
<p>South West Elevation 28°NE (T) ● 36°41'30"N, 79°22'0"W ±213ft ▲ 746ft</p> 		<p>East Elevation 280°W (T) ● 36°41'26"N, 79°22'2"W ±213ft ▲ 739ft</p> 			
GPS Location O		GPS Location O			
Field Station# 00+00		Field Station# 00+00			
Pic 3 Desc. Observing CFS that requires maintenance		Pic 4 Desc. Observing CFS That Requires Maintenance			
<p>South East Elevation 312°NW (T) ● 36°41'21"N, 79°22'2"W ±269ft ▲ 734ft</p> 		<p>East Elevation 258°W (T) ● 36°41'23"N, 79°22'3"W ±265ft ▲ 736ft</p> 			
GPS Location O		GPS Location O			
Field Station# 00+00		Field Station# 00+00			
Pic 5 Desc. Observing CFS that requires maintenance		Pic 6 Desc. Observing CFS that requires maintenance			

AFE	124300139	Date/Time	2/10/2021 11:04 AM	Report #	
Pictures					
GPS Location	O	GPS Location	O		
Field Station#	00+00	Field Station#	00+00		
Pic 7 Desc.	Observing CFS that requires maintenance		Pic 8 Desc.	Observing CFS that requires maintenance	
		<p style="text-align: center;">Insert image here</p>			
GPS Location	O	GPS Location			
Field Station#	00+00	Field Station#			
Pic 9 Desc.	Observing CFS that requires maintenance		Pic 10 Desc.		
<p style="text-align: center;">Insert image here</p>			<p style="text-align: center;">Insert image here</p>		
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 11 Desc.		Pic 12 Desc.			

AFE 124300139	Date/Time 2/10/2021 11:04 AM	Report #
----------------------	-------------------------------------	-----------------

Pictures			
-----------------	--	--	--

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 13 Desc.		Pic 14 Desc.	

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 15 Desc.		Pic 16 Desc.	

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 17 Desc.		Pic 18 Desc.	



Visual Site Inspection Report

Project Name H-600 Pipeline Spread I		AFE 124300139	Spread H-600 Pipeline Spread I
Contractor Precision		Report # 19858	
Inspector Ben Davenport		Date/Time 2/10/2021 11:47 AM	
Permit # TBD	Inspection Type VA SWPP	Station Begin 13853+45	
State VA	Inspection Area Partial	Station End 13958+31	
County Franklin	Ground Muddy	Temperature (°F) 40.00	
Municipality N/A	Weather Cloudy	Rain Gauge (in) 0.00	
Rain Accumulation Time (days)			0.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Silt Fence (Filter Fabric Fence)	Communication	Routine maintenance. Replace dam	Addressed	2/10/2021
Equipment Bridge	Communication	See comments.		
Vegetative Stabilization (Temporary)	Acceptable			

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

- Available for work
- Received instruction from Lead EI for daily tasks
- Performed SWPPP inspection on portion of MVP Spread I section
- Inspection covered area between station# 13853+45–13958+31 (MVP-FR-303.01 to Foggy Ridge Rd)
- Cloudy with muddy ground conditions observed during inspection
- Observed condition of sections where ROW has been aerially seeded and stabilized
- Walked ROW checking on condition of ECDs and identifying potential environmental issues
- Made note of condition of erosion/subsidence occurring CIS S-CD6. Condition continues to worsen.
- Made note of condition of bridge crossing of S-II2; no change in status from previous inspection
- Bridge mats and wattles remain off ROW CIS S-II2
- Perimeter controls and ECD's were inspected; multiple issues identified and added to environmental punch list
- Inspection observed condition of RCEs, culverts, and access roads; no issues identified
- Observed contractor performing environmental maintenance
- Verified completion of punch list items in section
- Continue to monitor ROW for signs of erosion
- Multiple environmental/maintenance issues identified and added to punch list

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE 124300139		Date/Time 2/10/2021 11:47 AM		Report #	
Pictures					
					
<p>37°3'16" N 79°54'36" W 23°NE COURSE 207' GPS 985 Iron Ridge Rd, Rocky Mount, VA 24151, United States 02.10.2021 10:26:43 Accur +/-93.5 Ft ALT 1126 Ft</p>			<p>37°3'19" N 79°54'38" W 28°NE COURSE -1' GPS 985 Iron Ridge Rd, Rocky Mount, VA 24151, United States 02.10.2021 10:32:53 Accur +/-188.4 Ft ALT 1135 Ft</p>		
GPS Location 1		GPS Location 2			
Field Station# 13892+00		Field Station# 13889+00			
Pic 1 Desc. Routine maintenance. Replace damaged P1 silt fence along perimeter of ROW.		Pic 2 Desc. Routine maintenance. Replace row of P1 silt fence which has reached effective lifespan.			
					
<p>37°3'4" N 79°54'37" W 225°SW COURSE 279' GPS Rocky Mount, VA 24151, United States 02.10.2021 11:41:20 Accur +/-134.0 Ft ALT 1131 Ft</p>			<p>37°3'27" N 79°54'50" W 327°NW COURSE 52' GPS 985 Iron Ridge Rd, Rocky Mount, VA 24151, United States 02.10.2021 10:42:46 Accur +/-18.4 Ft ALT 1027 Ft</p>		
GPS Location 3		GPS Location 4			
Field Station# 13913+00		Field Station# 13875+16			
Pic 3 Desc. View of ROW CIS S-CD6. Bridge mats and wattles remain off ROW		Pic 4 Desc. Bank CIS S-CD6 continues to erode away at bridge mats			
					
<p>37°3'31" N 79°55'12" W 272°W COURSE 339' GPS Rocky Mount, VA 24151, United States 02.10.2021 10:54:36 Accur +/-108.7 Ft ALT 1027 Ft</p>			<p>37°2'55" N 79°54'1" W 153°SE COURSE 151' GPS 184 Foggy Ridge Rd, Rocky Mount, VA 24151, United States 02.10.2021 11:59:44 Accur +/-162.0 Ft ALT 1118 Ft</p>		
GPS Location 5		GPS Location 6			
Field Station# 13855+00		Field Station# 13944+00			
Pic 5 Desc. ROW aerially seeded and stabilized GAS MVP-FR-303.01		Pic 6 Desc. ROW aerially seeded and stabilized CIS Foggy Ridge Rd			

AFE 124300139	Date/Time 2/10/2021 11:47 AM	Report #
----------------------	-------------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 7 Desc.		Pic 8 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 9 Desc.		Pic 10 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 11 Desc.		Pic 12 Desc.	

AFE 124300139	Date/Time 2/10/2021 11:47 AM	Report #
----------------------	-------------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 13 Desc.		Pic 14 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 15 Desc.		Pic 16 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 17 Desc.		Pic 18 Desc.	



Visual Site Inspection Report

Project Name H-600 Pipeline Spread I		AFE 124300139	Spread H-600 Pipeline Spread I
Contractor Precision		Report # 19890	
Inspector Justin Burch		Date/Time 2/10/2021 12:04 PM	
Permit # TBD	Inspection Type VA SWPP	Station Begin 14694+77	
State VA	Inspection Area Full	Station End 14802+19	
County Franklin	Ground Wet	Temperature (°F) 43.00	
Municipality N/A	Weather Cloudy	Rain Gauge (in) 0.60	
			Rain Accumulation Time (days) 6.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock	Communication			
Vegetative Stabilization (Temporary)	Communication			
Waterbar	Acceptable			
Equipment Bridge	Acceptable			

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

AFE 124300139	Date/Time 2/10/2021 12:04 PM	Report # 19890
----------------------	-------------------------------------	-----------------------

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

- The EI performed a SWPPP inspection from 14694+77 to 14802+19 (Jacks Creek Road to access road MVP-FR-323). The contractor had an environmental crew foreman walk with the EI on his inspection. Four issues were submitted for the punch including two location where CFS stakes were broken, one location where a stockpile had eroded, and one location with erosion over 6" deep in a waterbar flow line. Other ECDs inspected were in compliance at the time of inspection.
- Since the last SWPPP inspection the inspection area has received two precipitation events totaling 0.60" of precipitation at Indian Cave road and 0.60" at Armstrong Road. See the rain log for details.
- The ROW ground condition is wet.
- Inspection area has no permanent vegetative stabilization.
- At the time of inspection temporary vegetative stabilization generally was adequately established to inhibit erosion. Two locations with erosion were identified on the punch list.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE 124300139		Date/Time 2/10/2021 12:04 PM		Report #	
Pictures					
GPS Location 0		GPS Location 0			
Field Station# 14794+75		Field Station# 14794+00			
Pic 1 Desc. CFS stakes are broken		Pic 2 Desc. CFS stakes are broken			
GPS Location 0		GPS Location 0			
Field Station# 14792+50		Field Station# 14765+00			
Pic 3 Desc. Stockpile is eroding and getting close to waterbar flow line		Pic 4 Desc. Erosion over 6" deep in waterbar flow line			
GPS Location 0		GPS Location 0			
Field Station# 14739+00		Field Station# 14727+00			
Pic 5 Desc. Waterbar in acceptable condition		Pic 6 Desc. Equipment bridge in acceptable condition			

AFE 124300139	Date/Time 2/10/2021 12:04 PM	Report #
----------------------	-------------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 7 Desc.		Pic 8 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 9 Desc.		Pic 10 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 11 Desc.		Pic 12 Desc.	

AFE 124300139	Date/Time 2/10/2021 12:04 PM	Report #
----------------------	-------------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 13 Desc.		Pic 14 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 15 Desc.		Pic 16 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 17 Desc.		Pic 18 Desc.	



Visual Site Inspection Report

Project Name H-600 Pipeline Spread I		AFE 124300139	Spread H-600 Pipeline Spread I
Contractor Precision		Report # 19893	
Inspector Ben Farmer		Date/Time 2/10/2021 1:47 PM	
Permit # TBD	Inspection Type VA SWPP	Station Begin	15142+66
State VA	Inspection Area Partial	Station End	15260+00
County Pittsylvania	Ground Damp	Temperature (°F)	40.00
Municipality Chatham	Weather Cloudy	Rain Gauge (in)	0.00
			Rain Accumulation Time (days) 0.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Silt Fence (Filter Fabric Fence)	Communication	P1 is degraded and needs to be rep	Addressed	2/10/2021
Compost Filter Sock	Acceptable			
Equipment Bridge	Acceptable			
Rock Construction Entrance	Acceptable			
Vegetative Stabilization (Temporary)	Acceptable			
Waterbar	Acceptable			

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

AFE 124300139	Date/Time 2/10/2021 1:47 PM	Report # 19893
----------------------	------------------------------------	-----------------------

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

SWPPP Inspection (Cloudy, 40F)
 Rain Gauge= 0.0"
 15142+66-15260+00

- EI began inspection at Rockcreek Rd.
- EI was accompanied by 2 laborers to address issues as they were discovered.
- RCE at Rockcreek Road is in good condition.
- P1 is degraded and needs to be replaced at 15164+00. Environmental crew has corrected this issue.
- CFS is in good condition throughout this section.
- Equipment bridge ECDs in place and functioning at all stream/wetland crossings.
- Temporary/permanent waterbars and end treatments are in good condition and functioning.
- Stockpiles remain stabilized.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE 124300139		Date/Time 2/10/2021 1:47 PM		Report #	
Pictures					
					
GPS Location See photo		GPS Location See photo			
Field Station# 15164+00		Field Station# 15164+00			
Pic 1 Desc. P1 is degraded and needs to be replaced.		Pic 2 Desc. Environmental crew has corrected this issue.			
					
GPS Location See photo		GPS Location See photo			
Field Station# 15142+66		Field Station# 15166+00			
Pic 3 Desc. RCE at Rockcreek Road is in good condition.		Pic 4 Desc. Stockpiles remain stabilized.			
					
GPS Location See photo		GPS Location See photo			
Field Station# 15167+95		Field Station# 15169+69			
Pic 5 Desc. Equipment bridge ECDs are in place at S-C7 stream crossing.		Pic 6 Desc. Temporary waterbars are functioning as intended.			

AFE 124300139	Date/Time 2/10/2021 1:47 PM	Report #
----------------------	------------------------------------	-----------------

Pictures



GPS Location	See photo	GPS Location	See photo
---------------------	-----------	---------------------	-----------

Field Station#	15234+00	Field Station#	15233+50
-----------------------	----------	-----------------------	----------

Pic 7 Desc.	Permanent waterbars are in good condition.	Pic 8 Desc.	Perimeter CFS is in good condition throughout this area.
--------------------	--	--------------------	--

Insert image here

Insert image here

GPS Location		GPS Location	
---------------------	--	---------------------	--

Field Station#		Field Station#	
-----------------------	--	-----------------------	--

Pic 9 Desc.		Pic 10 Desc.	
--------------------	--	---------------------	--

Insert image here

Insert image here

GPS Location		GPS Location	
---------------------	--	---------------------	--

Field Station#		Field Station#	
-----------------------	--	-----------------------	--

Pic 11 Desc.		Pic 12 Desc.	
---------------------	--	---------------------	--

AFE 124300139	Date/Time 2/10/2021 1:47 PM	Report #
----------------------	------------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 13 Desc.		Pic 14 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 15 Desc.		Pic 16 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 17 Desc.		Pic 18 Desc.	



Visual Site Inspection Report

Project Name H-600 Pipeline Spread I		AFE 124300139	Spread H-600 Pipeline Spread I
Contractor Precision		Report # 19894	
Inspector Charles Head		Date/Time 2/10/2021 2:02 PM	
Permit # TBD	Inspection Type VA SWPP	Station Begin 14311+57	
State VA	Inspection Area Full	Station End 14454+22	
County Franklin	Ground Muddy	Temperature (°F) 41.00	
Municipality N/A	Weather Cloudy	Rain Gauge (in) 0.00	
			Rain Accumulation Time (days) 1.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
3rd Party Damages	Communication	Replace CFS with orange CFS		
Compost Filter Sock	Communication	Repair damage		
Rock Construction Entrance	Acceptable			
Sensitive Resource Buffer	Acceptable			
Sensitive Resource Signage	Acceptable			
Silt Fence (Filter Fabric Fence)	Acceptable			
Silt Fence (Reinforce Filter Fence)	Acceptable			
Waterbar	Acceptable			

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

AFE 124300139	Date/Time 2/10/2021 2:02 PM	Report # 19894
----------------------	------------------------------------	-----------------------

6. **PCSM BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection. Maintenance issues observed during inspection can be found below and on daily punch list.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE 124300139		Date/Time 2/10/2021 2:02 PM	Report #
Pictures			
GPS Location	0	GPS Location	0
Field Station#	14313+00	Field Station#	14454+00
Pic 1 Desc.	Approximately 14313+00. Overview of ROW.	Pic 2 Desc.	Approximately 14454+00. Overview of road crossing and RCE.
GPS Location	0	GPS Location	0
Field Station#	14353+53	Field Station#	14380+00
Pic 3 Desc.	Approximately 14353+53. Overview of stream crossing, equipment bridge and ECDs at stream S-A38.	Pic 4 Desc.	Approximately 14380+00. Overview of ROW.
GPS Location	0	GPS Location	0
Field Station#	14395+50	Field Station#	14367+00
Pic 5 Desc.	Approximately 14395+50. CFS requires maintenance.	Pic 6 Desc.	Approximately 14367+00. LOD CFS displaced by third party.

AFE 124300139	Date/Time 2/10/2021 2:02 PM	Report #
----------------------	------------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 7 Desc.		Pic 8 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 9 Desc.		Pic 10 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 11 Desc.		Pic 12 Desc.	

AFE 124300139	Date/Time 2/10/2021 2:02 PM	Report #
----------------------	------------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 13 Desc.		Pic 14 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 15 Desc.		Pic 16 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 17 Desc.		Pic 18 Desc.	



Visual Site Inspection Report

Project Name H-600 Pipeline Spread I		AFE 124300139	Spread H-600 Pipeline Spread I
Contractor Precision		Report # 19901	
Inspector Logan Box		Date/Time 2/10/2021 4:06 PM	
Permit # TBD	Inspection Type VA SWPP	Station Begin 13415+51	
State VA	Inspection Area Partial	Station End 13525+99	
County Franklin	Ground Muddy	Temperature (°F) 40.00	
Municipality N/A	Weather Cloudy	Rain Gauge (in) 0.00	
			Rain Accumulation Time (days) 0.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable			
Silt Fence (Filter Fabric Fence)	Acceptable			
Waterbar	Acceptable			
Erosion Control Blanket	Acceptable			
Vegetative Stabilization (Permanent)	Acceptable			

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

AFE 124300139	Date/Time 2/10/2021 4:06 PM	Report # 19901
----------------------	------------------------------------	-----------------------

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

The EI Traveled and inspected all ECDs throughout the row, monitored vegetation growth throughout.

Inspected all stream and wetland crossings, checked equipment bridges and protection.

Monitored RCEs and vegetation stabilization on spoil piles .

Throughout today's inspections there were no environmental issues observed at the time of inspection.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE 124300139		Date/Time 2/10/2021 4:06 PM		Report #	
Pictures					
		<p>North East Elevation <small>214°SW (T) ● 37.089015, -80.005204 +9 m ▲ 370 m</small></p> 			
				<p>North West Elevation <small>144°SE (T) ● 37.090507, -80.020002 +4 m ▲ 485 m</small></p> 	
GPS Location 00000		GPS Location 0000		GPS Location 0000	
Field Station# 13496+76		Field Station# 13442+54		Field Station# 13442+54	
Pic 1 Desc. Vegetation photo , ECDs in place and functioning at road crossing .		Pic 2 Desc. Row photo taken by the EI during row inspection today , showing ECDs and water bars functioning . No issues observed at the time of inspection.		Pic 2 Desc. Row photo taken by the EI during row inspection today , showing ECDs and water bars functioning . No issues observed at the time of inspection.	
		<p>South West Elevation <small>46°NE (T) ● 37.089022, -80.005225 +6 m ▲ 368 m</small></p> 			
				<p>North Elevation <small>197°S (T) ● 37.092793, -80.025397 +4 m ▲ 431 m</small></p> 	
GPS Location 0000		GPS Location 0000		GPS Location 00000	
Field Station# 13498+00		Field Station# 13420+00		Field Station# 13420+00	
Pic 3 Desc. The EI observed area where stream bank was stabilized with erosion blanket recently and P1 moved back onto row to prevent being washed into the stream.		Pic 4 Desc. Work space monitored by the EI during row inspection.		Pic 4 Desc. Work space monitored by the EI during row inspection.	
		<p>North East Elevation <small>218°SW (T) ● 37.09072, -80.020172 +5 m ▲ 484 m</small></p> 			
				<p>East Elevation <small>263°W (T) ● 37.090366, -80.020561 +4 m ▲ 491 m</small></p> 	
GPS Location 0000		GPS Location 0000		GPS Location 0000	
Field Station# 13437+70		Field Station# 13436+36		Field Station# 13436+36	
Pic 5 Desc. Photo showing spoil pile stabilized during the EI's row inspection today.		Pic 6 Desc. Row photo showing ECDs in place and row stabilized, no issues observed at time of inspection.		Pic 6 Desc. Row photo showing ECDs in place and row stabilized, no issues observed at time of inspection.	

AFE 124300139	Date/Time 2/10/2021 4:06 PM	Report #
----------------------	------------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 7 Desc.		Pic 8 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 9 Desc.		Pic 10 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 11 Desc.		Pic 12 Desc.	

A/E	124300139	Date/Time	2/10/2021 4:06 PM	Report #	
Pictures					
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 13 Desc.	
Pic 13 Desc.		Pic 14 Desc.		Pic 14 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 15 Desc.	
Pic 15 Desc.		Pic 16 Desc.		Pic 16 Desc.	
Insert image here			Insert image here		
GPS Location		GPS Location		Field Station#	
Field Station#		Field Station#		Pic 17 Desc.	
Pic 17 Desc.		Pic 18 Desc.		Pic 18 Desc.	



Visual Site Inspection Report

Project Name H-600 Pipeline Spread I		AFE 124300139	Spread H-600 Pipeline Spread I
Contractor Precision		Report # 19927	
Inspector Charles Head		Date/Time 2/11/2021 10:06 AM	
Permit # TBD	Inspection Type VA SWPP	Station Begin 14454+22	
State VA	Inspection Area Full	Station End 14546+75	
County Franklin	Ground Muddy	Temperature (°F) 43.00	
Municipality N/A	Weather Light Rain	Rain Gauge (in) 0.00	
			Rain Accumulation Time (days) 1.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Cleanwater Diversion Pipe	Acceptable			
Compost Filter Sock	Acceptable			
Equipment Bridge	Acceptable			
Rock Construction Entrance	Acceptable			
Sensitive Resource Buffer	Acceptable			
Sensitive Resource Signage	Acceptable			
Silt Fence (Filter Fabric Fence)	Acceptable			
Silt Fence (Reinforce Filter Fence)	Acceptable			

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

AFE 124300139	Date/Time 2/11/2021 10:06 AM	Report # 19927
----------------------	-------------------------------------	-----------------------

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

SWPPP inspection of Spread I. Inspection was conducted of LOD and resource boundary ECDs, resources, road crossings, RCEs, water bars, sumps, end treatments, CWDs, stabilization and seeding activities, and general ROW conditions. BMPs listed above. Seeding and stabilization practices are progressing. Contractor has addressed and continues to address maintenance issues. Streams running clean and clear of sediment at time of inspection. No maintenance issues observed during inspection.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE	124300139	Date/Time	2/11/2021 10:06 AM	Report #	
Pictures					
					
GPS Location	0	GPS Location	0		
Field Station#	14546+33	Field Station#	14529+00		
Pic 1 Desc.	Approximately 14546+33. Overview of stream crossing, equipment bridge and ECDs at stream S-G17.		Pic 2 Desc.	Approximately 14529+00. Overview of ROW.	
					
GPS Location	0	GPS Location	0		
Field Station#	14524+75	Field Station#	14522+50		
Pic 3 Desc.	Approximately 14524+75. Overview of road crossing and RCEs.		Pic 4 Desc.	Approximately 14522+50. Over of ROW and MVP-ATWS-528.	
					
GPS Location	0	GPS Location	0		
Field Station#	14515+00	Field Station#	14457+00		
Pic 5 Desc.	Approximately 14515+00. Overview of ROW.		Pic 6 Desc.	Approximately 14457+00. Overview of ROW.	

AFE 124300139	Date/Time 2/11/2021 10:06 AM	Report #
----------------------	-------------------------------------	-----------------

Pictures			
-----------------	--	--	--

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 7 Desc.		Pic 8 Desc.	

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 9 Desc.		Pic 10 Desc.	

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 11 Desc.		Pic 12 Desc.	

AFE 124300139	Date/Time 2/11/2021 10:06 AM	Report #
----------------------	-------------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 13 Desc.		Pic 14 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 15 Desc.		Pic 16 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 17 Desc.		Pic 18 Desc.	



Visual Site Inspection Report

Project Name	H-600 Pipeline Spread I	AFE	124300139	Spread	H-600 Pipeline Spread I
Contractor	Precision			Report #	19930
Inspector	John White			Date/Time	2/11/2021 11:08 AM
Permit #	TBD	Inspection Type	VA SWPP	Station Begin	15647+03
State	VA	Inspection Area	Full	Station End	15772+27
County	Pittsylvania	Ground	Wet	Temperature (°F)	41.00
Municipality	Chatham	Weather	Light Rain	Rain Gauge (in)	0.70
				Rain Accumulation Time (days)	6.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock	Communication	Contractor repaired upon discovery		2/11/2021
Cleanwater Diversion Pipe	Acceptable			
Equipment Bridge	Acceptable			
Erosion Control Blanket	Acceptable			
Rock Filter Outlet	Acceptable			
Sediment Filter Log	Acceptable			
Sensitive Resource Buffer	Acceptable			
Sensitive Resource Signage	Acceptable			
Sump Pit	Acceptable			

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

AFE	124300139	Date/Time	2/11/2021 11:08 AM	Report #	19930
------------	-----------	------------------	--------------------	-----------------	-------

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

Performed SWPPP Inspection on this section. There were issues identified and repaired upon discovery by the Contractor. Other than that there were no issues to report at the time of Inspection.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE	124300139	Date/Time	2/11/2021 11:08 AM	Report #	
Pictures					
	 <p>North East Elevation <small>208°SW (T) ● 36°52'20"N, 79°24'31"W ±20869ft ▲ 853ft</small></p>		 <p>North East Elevation <small>212°SW (T) ● 36°52'18"N, 79°24'26"W ±236ft ▲ 868ft</small></p>	GPS Location	O
Field Station#	15748+00		Field Station#	15748+00	
Pic 1 Desc.	Observing CFS that required maintenance		Pic 2 Desc.	Observing CFS that received maintenance	
	 <p>South East Elevation <small>324°NW (T) ● 36°52'21"N, 79°24'31"W ±29ft ▲ 855ft</small></p>		 <p>South Elevation <small>357°N (T) ● 36°52'20"N, 79°24'31"W ±52ft ▲ 856ft</small></p>	GPS Location	O
Field Station#	15746+20		Field Station#	15746+20	
Pic 3 Desc.	Observing CFS that required maintenance		Pic 4 Desc.	Observing CFS that received maintenance	
	 <p>West Elevation <small>68°E (T) ● 36°52'20"N, 79°24'28"W ±16ft ▲ 848ft</small></p>		 <p>South West Elevation <small>62°NE (T) ● 36°52'20"N, 79°24'29"W ±3405ft ▲ 852ft</small></p>	GPS Location	O
Field Station#	15746+00		Field Station#	15746+00	
Pic 5 Desc.	Observing CFS that required maintenance		Pic 6 Desc.	Observing CFS that received maintenance	

AFE 124300139		Date/Time 2/11/2021 11:08 AM	Report #
Pictures			
	ert image here		ert image here
GPS Location	O	GPS Location	O
Field Station#	15751+00	Field Station#	15751+00
Pic 7 Desc.	Observing CFS that required maintenance	Pic 8 Desc.	Observing CFS that received maintenance
	ert image here		ert image here
GPS Location	O	GPS Location	O
Field Station#	15748+00	Field Station#	15748+00
Pic 9 Desc.	Observing CFS that required maintenance	Pic 10 Desc.	Observing CFS that received maintenance.
	ert image here		ert image here
GPS Location	O	GPS Location	O
Field Station#	15775+00	Field Station#	15658+43
Pic 11 Desc.	Observing temporary vegetation, sump and end treatment	Pic 12 Desc.	Observing buffer, signage, equipment crossing and ECD's

AFE 124300139	Date/Time 2/11/2021 11:08 AM	Report #
----------------------	-------------------------------------	-----------------


Pictures



GPS Location	○	GPS Location	○
---------------------	---	---------------------	---

Field Station#	15662+00	Field Station#	15679+00
-----------------------	----------	-----------------------	----------


Pic 13 Desc.	Observing water bar, erosion control blanket, sump and end treatment	Pic 14 Desc.	Observing temporary vegetation CWD outlet and ECD's
---------------------	--	---------------------	---



GPS Location		GPS Location	
---------------------	--	---------------------	--

Field Station#		Field Station#	
-----------------------	--	-----------------------	--

Pic 15 Desc.		Pic 16 Desc.	
---------------------	--	---------------------	--



GPS Location		GPS Location	
---------------------	--	---------------------	--

Field Station#		Field Station#	
-----------------------	--	-----------------------	--

Pic 17 Desc.		Pic 18 Desc.	
---------------------	--	---------------------	--



Visual Site Inspection Report

Project Name H-600 Pipeline Spread I		AFE 124300139	Spread H-600 Pipeline Spread I
Contractor Precision		Report # 19931	
Inspector Justin Burch		Date/Time 2/11/2021 11:11 AM	
Permit # TBD	Inspection Type VA SWPP	Station Begin 14802+19	
State VA	Inspection Area Full	Station End 14928+52	
County Franklin	Ground Wet	Temperature (°F) 41.00	
Municipality N/A	Weather Light Rain	Rain Gauge (in) 0.60	
Rain Accumulation Time (days)			6.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Waterbar	Acceptable			
Waterbar End Treatment	Acceptable			
Vegetative Stabilization (Temporary)	Communication			
Silt Fence (Reinforce Filter Fence)	Communication			

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

AFE 124300139	Date/Time 2/11/2021 11:11 AM	Report # 19931
----------------------	-------------------------------------	-----------------------

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

- The EI performed a SWPPP inspection from 14802+19 to 14928+52 (Access Road MVP-FR-323 to Ramsey Memorial Road). The contractor had an environmental crew foreman walk with the inspector on his inspection. Four issues were submitted for the punch list which included three locations where P1 silt fence requires maintenance/replacement and one location where erosion was developing under existing Curlex. Other ECDs inspected were in compliance at the time of inspection.
- Since the last SWPPP inspection only one precipitation event has occurred with 0.60" of precipitation at both Indian Cave Road and Armstrong Road. Light rain began at mid morning.
- The ROW ground condition is wet.
- At the time of inspection permanent vegetative stabilization was sufficiently established from 14810+00 to 14816+00. From 14920+00 to 14927+00 permanent vegetative stabilization has been established but the area has been grazed heavily by livestock resulting in diminished growth.
- At the time of inspection temporary vegetative stabilization was generally adequately established to inhibit erosion. One location with erosion was identified on the punch list.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE 124300139		Date/Time 2/11/2021 11:11 AM	Report #
Pictures			
Ⓞ 214°SW (M) ● 36°59'23"N, 79°37'51"W ±4632ft ▲ 882ft 		Ⓞ 207°SW (M) ● 36°58'6"N, 79°38'29"W ±22ft ▲ 791ft 	
GPS Location	0	GPS Location	0
Field Station#	15119+00	Field Station#	15119+00
Pic 1 Desc.	Waterbar in acceptable condition	Pic 2 Desc.	Waterbar end treatment in acceptable condition
Ⓞ 285°W (M) ● 36°58'12"N, 79°39'5"W ±29ft ▲ 888ft 		Ⓞ 29°NE (M) ● 36°58'3"N, 79°36'48"W ±15127ft ▲ 866ft 	
GPS Location	0	GPS Location	0
Field Station#	14887+72	Field Station#	14888+20
Pic 3 Desc.	Erosion is developing under existing Curlex	Pic 4 Desc.	P1 silt fence requiring replacement at stream buffer of S-AB8
Ⓞ 42°NE (M) ● 36°58'10"N, 79°38'51"W ±29ft ▲ 828ft 		Ⓞ 168°S (M) ● 36°58'19"N, 79°39'49"W ±331ft ▲ 948ft 	
GPS Location	0	GPS Location	0
Field Station#	14900+00	Field Station#	14851+50
Pic 5 Desc.	P1 silt fence requiring maintenance	Pic 6 Desc.	P1 silt fence requiring replacement from 14851+20 to 14851+70

AFE 124300139	Date/Time 2/11/2021 11:11 AM	Report #
----------------------	-------------------------------------	-----------------

Pictures			
-----------------	--	--	--

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 7 Desc.		Pic 8 Desc.	

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 9 Desc.		Pic 10 Desc.	

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 11 Desc.		Pic 12 Desc.	

AFE 124300139	Date/Time 2/11/2021 11:11 AM	Report #
----------------------	-------------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 13 Desc.		Pic 14 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 15 Desc.		Pic 16 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 17 Desc.		Pic 18 Desc.	



Visual Site Inspection Report

Project Name H-600 Pipeline Spread I		AFE 124300139	Spread H-600 Pipeline Spread I
Contractor Precision		Report # 19934	
Inspector Ben Farmer		Date/Time 2/11/2021 12:16 PM	
Permit # TBD	Inspection Type VA SWPP	Station Begin	15260+00
State VA	Inspection Area Partial	Station End	15370+62
County Pittsylvania	Ground Wet	Temperature (°F)	38.00
Municipality Chatham	Weather Light Rain	Rain Gauge (in)	0.00
Rain Accumulation Time (days)			0.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Silt Fence (Filter Fabric Fence)	Communication	P1 is damaged and needs to be rep	Addressed	2/11/2021
Cleanwater Diversion Berm	Acceptable			
Equipment Bridge	Acceptable			
Rock Construction Entrance	Acceptable			
Waterbar End Treatment	Acceptable			

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

AFE 124300139	Date/Time 2/11/2021 12:16 PM	Report # 19934
----------------------	-------------------------------------	-----------------------

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

SWPPP Inspection (Rain, 38 F)
 Rain Gauge= 0.0"
 15260+00-15370+62

- EI began inspection at Oxford Rd.
- EI was accompanied by 2 laborers to address issues as they were discovered.
- RCEs are in good condition at all road crossings.
- P1 is damaged at 15300+00 and needs to be replaced. Environmental crew has corrected this issue.
- CFS is degraded and needs to be replaced 15333+18-15342+50. This section has been redlined and environmental crew has installed P1 to replace CFS due to ROW conditions.
- Equipment bridge ECDs in place and functioning at all stream/wetland crossings.
- Temporary waterbars and end treatments are in good condition and functioning.
- CWDs are in good condition and functioning throughout this section.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE 124300139		Date/Time 2/11/2021 12:16 PM		Report #	
Pictures					
					
GPS Location See photo		GPS Location See photo			
Field Station# 15300+00		Field Station# 15300+00			
Pic 1 Desc. P1 is damaged and needs to be replaced.		Pic 2 Desc. Environmental crew has corrected this issue.			
					
GPS Location See photo		GPS Location See photo			
Field Station# 15338+00		Field Station# 15338+00			
Pic 3 Desc. CFS is degraded and needs to be replaced.		Pic 4 Desc. Environmental crew has replaced CFS with P1.			
					
GPS Location See photo		GPS Location See photo			
Field Station# 15296+00		Field Station# 15298+24			
Pic 5 Desc. RCEs are in good condition at all road crossings.		Pic 6 Desc. Waterbar end treatments are functioning as intended.			

AFE 124300139	Date/Time 2/11/2021 12:16 PM	Report #
----------------------	-------------------------------------	-----------------

Pictures



GPS Location	See photo	GPS Location	See photo
Field Station#	15302+00	Field Station#	15313+00
Pic 7 Desc.	CWDs are functioning as intended.	Pic 8 Desc.	Equipment bridge ECDs are in place at all stream and wetland crossings.

Insert image here

Insert image here

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 9 Desc.		Pic 10 Desc.	

Insert image here

Insert image here

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 11 Desc.		Pic 12 Desc.	

AFE 124300139	Date/Time 2/11/2021 12:16 PM	Report #
----------------------	-------------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 13 Desc.		Pic 14 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 15 Desc.		Pic 16 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 17 Desc.		Pic 18 Desc.	



Visual Site Inspection Report

Project Name H-600 Pipeline Spread I		AFE 124300139	Spread H-600 Pipeline Spread I
Contractor Precision		Report # 19892	
Inspector Ben Davenport		Date/Time 2/11/2021 1:20 PM	
Permit # TBD	Inspection Type VA SWPP	Station Begin 13958+31	
State VA	Inspection Area Partial	Station End 14062+17	
County Franklin	Ground Muddy	Temperature (°F) 41.00	
Municipality N/A	Weather Cloudy	Rain Gauge (in) 0.00	
Rain Accumulation Time (days)			0.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Silt Fence (Reinforced Filter Fabric Fence)	Communication	Routine maintenance.	Addressed	2/11/2021
Silt Fence (Filter Fabric Fence)	Acceptable			
Vegetative Stabilization (Temporary)	Acceptable			
Rock Construction Entrance	Acceptable			
Compost Filter Sock	Communication	See comments.		

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

AFE	124300139	Date/Time	2/11/2021 1:20 PM	Report #	19892
------------	-----------	------------------	-------------------	-----------------	-------

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

- Available for work
- Received instruction from Lead EI for daily tasks
- Light rain with muddy ground conditions during inspection
- Performed SWPPP inspection on portion of MVP Spread I section
- Covered territory between station# 13958+31–14062+17 (Foggy Ridge Rd to Bonbrook Mill RC2)
- Walked ROW making note of condition of ROW and environmental controls
- Made note of condition of aerial seeding and stabilizing throughout section
- Perimeter controls and ECD's were inspected; 2 issues identified
- Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified
- CFS triple stacks GAS S-KL36 continue to undermine in resource buffer (pictured below)
- Continue to monitor ROW for signs of erosion
- 2 items added to punch list

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE 124300139		Date/Time 2/11/2021 1:20 PM		Report #	
Pictures					
					
<p>37°33'7" N 79°52'49" W 116°SE COURSE 217' GPS 02.11.2021 12:11:53 110 Three Brooks Ln, Rocky Mount, VA 24151, United States Accur +/-23.0 Ft ALT 1109 Ft</p>			<p>37°33'8" N 79°52'48" W 124°SE COURSE 194' GPS 02.11.2021 12:13:34 209 Three Brooks Ln, Rocky Mount, VA 24151, United States Accur +/-53.9 Ft ALT 1077 Ft</p>		
GPS Location 1		GPS Location 2			
Field Station# 14032+00		Field Station# 14034+00			
Pic 1 Desc. Routine maintenance. SSF down along perimeter. Reattach geotech to fencing.		Pic 2 Desc. Routine maintenance. SSF down along perimeter. Reattach geotech to fencing.			
					
<p>37°3'8" N 79°53'8" W 265°W COURSE 342' GPS 02.11.2021 13:01:22 Rocky Mount, VA 24151, United States Accur +/-124.7 Ft ALT 991 Ft</p>			<p>37°3'12" N 79°53'4" W 296°NW COURSE 175' GPS 02.11.2021 12:57:49 Rocky Mount, VA 24151, United States Accur +/-87.4 Ft ALT 987 Ft</p>		
GPS Location 3		GPS Location 4			
Field Station# 13988+00		Field Station# 13998+25			
Pic 3 Desc. View of recently hydroseeded ROW. No issues observed.		Pic 4 Desc. Resource buffer GAS S-KL36. CFS in area continues to undermine at stream.			
					
<p>37°3'21" N 79°52'56" W 201°S COURSE 255' GPS 02.11.2021 11:59:05 160 Bonbrook Mill Rd, Rocky Mount, VA 24151, United States Accur +/-22742.8 Ft ALT 1096 Ft</p>			<p>37°3'16" N 79°52'58" W 241°SW COURSE 28' GPS 02.11.2021 12:30:54 18701-18767 Virgil H Goode Hwy, Rocky Mount, VA 24151, United States Accur +/-82.4 Ft ALT 1006 Ft</p>		
GPS Location 5		GPS Location 6			
Field Station# 14011+00		Field Station# 13996+96			
Pic 5 Desc. Contractor replaced P1 silt fence per punch list item.		Pic 6 Desc. Contractor repaired access road MVP-FR-306.02 by adding rock along road.			

AFE 124300139	Date/Time 2/11/2021 1:20 PM	Report #
----------------------	------------------------------------	-----------------

Pictures			
-----------------	--	--	--

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 7 Desc.		Pic 8 Desc.	

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 9 Desc.		Pic 10 Desc.	

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 11 Desc.		Pic 12 Desc.	

AFE 124300139	Date/Time 2/11/2021 1:20 PM	Report #
----------------------	------------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 13 Desc.		Pic 14 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 15 Desc.		Pic 16 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 17 Desc.		Pic 18 Desc.	



Visual Site Inspection Report

Project Name Transco Interconnect Station		AFE 124300113	Spread Transco Interconnect Sta
Contractor Kanahwa		Report # 19849	
Inspector John White		Date/Time 2/9/2021 11:28 AM	
Permit # TBD	Inspection Type VA SWPP	Station Begin	00+00
State VA	Inspection Area Full	Station End	00+00
County Pittsylvania	Ground Wet	Temperature (°F)	55.00
Municipality Chatham	Weather Cloudy	Rain Gauge (in)	0.70
Rain Accumulation Time (days)			6.00

1. Are the approved (stamped) E&S Plan and PCSM Plan present on site? Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) Yes
4. **E&S BMPs** (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

E&S BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Compost Filter Sock	Acceptable			
Housekeeping	Acceptable			
Rock Filter Outlet	Acceptable			
Sediment Basin	Acceptable			
Silt Fence (Filter Fabric Fence)	Acceptable			
Vegetative Stabilization (Temporary)	Acceptable			

- 5. Site Conditions**
- | | |
|---|-----|
| Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator. | No |
| Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements? | Yes |
| Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans? | Yes |
| Has a new slip/slide been observed? (If yes, complete Slide Report Form) | No |

AFE	124300113	Date/Time	2/9/2021 11:28 AM	Report #	19849
------------	-----------	------------------	-------------------	-----------------	-------

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired

7. Identify all remedial measures that have been taken since the previous inspection was conducted.

Comments (Reference above questions as appropriate.)

Performed SWPPP Inspection on the Transco Facility and Lay down yard. There were no issues to report at the time of Inspection.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE 124300113		Date/Time 2/9/2021 11:28 AM		Report #	
Pictures					
<p>South West Elevation</p> <p>⊙ 24°NE (T) ● 36°49'54"N, 79°20'39"W ±1128ft ▲ 640ft</p>  <p>09 Feb 2021, 10:18:28</p>				<p>South East Elevation</p> <p>⊙ 301°NW (T) ● 36°49'53"N, 79°20'38"W ±42ft ▲ 641ft</p>  <p>09 Feb 2021, 10:18:19</p>	
GPS Location ○		GPS Location ○			
Field Station# 00+00		Field Station# 00+00			
Pic 1 Desc. Observing temporary vegetation, sediment basin and rock overflow		Pic 2 Desc. Observing emergency overflow at the storm water pond			
<p>South Elevation</p> <p>⊙ 351°N (T) ● 36°49'52"N, 79°20'38"W ±19ft ▲ 642ft</p>  <p>09 Feb 2021, 10:18:12</p>				<p>South Elevation</p> <p>⊙ 352°N (T) ● 36°49'53"N, 79°20'41"W ±656ft ▲ 656ft</p>  <p>09 Feb 2021, 10:17:25</p>	
GPS Location ○		GPS Location ○			
Field Station# 00+00		Field Station# 00+00			
Pic 3 Desc. Observing emergency overflow at the storm water pond		Pic 4 Desc. Observing temporary vegetation, storm water pond and ECD's			
Insert image here			Insert image here		
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 5 Desc.		Pic 6 Desc.			

AFE 124300113	Date/Time 2/9/2021 11:28 AM	Report #
----------------------	------------------------------------	-----------------

Pictures

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 7 Desc.		Pic 8 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 9 Desc.		Pic 10 Desc.	

Insert image here	Insert image here
-------------------	-------------------

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 11 Desc.		Pic 12 Desc.	

AFE 124300113	Date/Time 2/9/2021 11:28 AM	Report #
----------------------	------------------------------------	-----------------

Pictures			
-----------------	--	--	--

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 13 Desc.		Pic 14 Desc.	

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 15 Desc.		Pic 16 Desc.	

Insert image here		Insert image here	
-------------------	--	-------------------	--

GPS Location		GPS Location	
Field Station#		Field Station#	
Pic 17 Desc.		Pic 18 Desc.	