Moun	V	ain Valley		Visu	ıal S	Site Ins	specti	on Re	epo	rt			
Project Nan	ne	H-600 Pipe	eline Spread	П	Al	FE 124300	139	Spre	ead	H-600 Pip	eline	Spread I	
Contract	or	Precision			-			Repo	ort # 38641				
Inspect	or	Ben Dave	nport					Date/Time 6/13/2022 1:59				PM	
Permit #	ТВІ	D		Inspection Type VA SWPP Station						n 14546	3+75		
State	VA			Inspection Area Partial Station End 14649+67									
County	Fra	nklin		Gr	Ground Dry Temperature (°F)						89.00		
Municipality	N/A	١		We	/eather Sunny Rain Gauge (in)						0.00		
					Rain Accumulation Time (days)						0.00		
1. Are the appro	ove	d (stampe	d) E&S Pla	n and PCSM Pl	an pre	sent on site	e?					Yes	
(If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)								No					
followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)								Yes					
4. E&S BMPs (is required.)	List	: BMPs and	d note if in	stalled and main	itained	as per the	plan. If o	corrective	e actio	n is need	ded,	a picture	
E8	&S I	BMPs		Compliance Level		Correctiv	e Action			ective Frame	R	Date epaired	
Plunge Pool			,	Acceptable									
Compost Filter So	ock		,	Acceptable									
Equipment Bridge)		,	Acceptable									
Sensitive Resource	ce E	Buffer	,	Acceptable									
Sensitive Resource	ce S	Signage	,	Acceptable									
Silt Fence (Filter I	Fab	ric Fence)		Acceptable									
Temporary Divers	sion	Berm		Acceptable									
Sump Pit				Acceptable									
Vegetative Stabili	zati	on (Tempo	ary)	Acceptable									
5. Site Condition	ons	5											
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.									No				
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?									Yes				
Are slopes 3:1 a							'					Yes	
Has a new slip/s	lide	been obs	erved? (If	yes, complete S	Slide R	eport Form	1)					No	

AFE 124300139	Date/Ti	me 6/13/2022 1:59 PM	Report # 386	641
6. PCSM BMPs (List BMPs and note if	installed and ma	nintained as per the plan. If corre	ctive action is ne	eded, a
picture is required.) PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Other	Acceptable	Permanent Vegetation		
7. Identify all remedial measures that h	ave been taken :	since the previous inspection was	conducted.	
Comments (Reference above questions	s as appropriate.)		
-Available for work -Received instruction from Lead EI for daily -Sunny with dry ground conditions during in -Performed SWPPP inspection on portion o -Covered territory between station# 14546+ -Walked ROW making note of condition of F -Verified the completion and accuracy of pu -Perimeter controls and ECDs were inspect -Inspection observed condition of equipment issues identified -Inspection observed condition of RCEs and -Inspection observed condition of water bars -Inspection observed condition of temporary -Continue to monitor ROW for signs of eros -No items added to environmental punch lis	spection f MVP Spread I se 75 — 14649+67 (7 ROW and environn nch list items in co ed; no issues iden at bridges and surre d culverts in section s, sumps, and end y stabilization and ion	Fobacco Rd to Hwy 40 crossing) nental controls overed area from previous inspections tified ounding ECD's around stream crossi n; no issues identified treatments along ROW; no issues identified	ngs and resource b	ouffers; no

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE 12430013	9	Date/Time	6/13/2022 1:59 PM	M	Report #	
		Pict	ures			
	NISTORIA	13.2022 12:56:41 15.1 Ft ALT 920 Ft		5° W 238° SW COURSE 11 de Hill, VA 24092, United S	HISTORY.	06.13.2022 12:57:42 ur +/-11.6 Ft ALT 919 Ft
GPS Location	1		GPS Location	2		
Field Station#			Field Station#	14558+01		
Pic 1 Desc.	Plunge pool performing intended	function.	Pic 2 Desc.	Natural drainage function; surroutional.	ge area perform unding ECDs in	ing intended place and
		13.2022 12:58:10 15.5 Ft ALT 918 Ft		66° W 148°5E COURSE 19 de Hilf, VA 24092, United 3		06.13.2022 13:02:18 ur +/-11.6 Ft ALT 993 Ft
GPS Location	3		GPS Location	4		
Field Station#	14561+00		Field Station#	14565+00		
Pic 3 Desc.	Temporary diversion berm stabiliz vegetated.	zed and	Pic 4 Desc.	Perimeter P1 s condition.	silt fence and CF	S in good
		13.2022 13:03:39 15.5 Ft ALT 880 Ft		116" W 195"S COURSE 18 Union Hall, VA 24176, Uni		06.13.2022 09:27:34 ur +/-15.3 Ft ALT 909 Ft
GPS Location	5		GPS Location	6		
Field Station#	14568+10		Field Station#	14602+00		
Pic 5 Desc.	Equipment bridge and surroundin place and functional at stream croresource buffer; signage visible a	ossing and	Pic 6 Desc.	Sump pit and (intended functi	CFS end treatmotions.	ent performing

AFE 124300139		Date/Time 6/13/2022 1:59 PM							
		Pictures							
	Insert image here		Insert image here						
GPS Location		GPS Location							
Field Station#		Field Station#							
Pic 7 Desc.		Pic 8 Desc.							
	Insert image here		Insert im	age here					
GPS Location		GPS Location							
Field Station#		Field Station#							
Pic 9 Desc.		Pic 10 Desc.							
	Insert image here		Insert im	age here					
GPS Location		GPS Location							
Field Station#		Field Station#							
Pic 11 Desc.		Pic 12 Desc.							

AFE 124300139		Date/Time	e 6/13/2022 1:59 PM Report #						
		Pict	ures						
	Insert image here		Insert image here						
GPS Location			GPS Location						
Field Station#			Field Station#						
Pic 13 Desc.			Pic 14 Desc.						
	Insert image here			Insert im	age here				
GPS Location			GPS Location						
Field Station#			Field Station#						
Pic 15 Desc.			Pic 16 Desc.						
	Insert image here			Insert im	age here				
GPS Location			GPS Location						
Field Station#			Field Station#			_			
Pic 17 Desc.			Pic 18 Desc.						

Mour Mour	tain Valley		Visu	ıal S	Site	Ins	specti	on R	epc	ort		
Project Nar	ne H-600 Pip	eline Spread I		Al	FE 12	4300	139	Spr	ead	H-600 Pipe	eline	Spread I
Contract	or Precision			•				Repo	ort#	38679		
Inspect	or Logan Bo	x						Date/T	ime	6/13/2022	3:51	I PM
Permit #	TBD		Inspection Type VA SWPP Station Begin 13670+00									
State	VA		Inspection	Area	Partia			Statio	on Er	nd 13748-	+30	
County	Franklin		Gr	Ground Dry Temperature (°F)							93.00	
Municipality	N/A		We	ather	Sunny	,			Rain	Gauge (i	in)	0.00
							Rain Ac	cumula	tion ⁻	Time (day	/s)	0.00
1. Are the appro	oved (stampe	ed) E&S Plan	and PCSM Pla	an pres	sent o	n site	9?					Yes
2. Are there act (If yes, notify			the limits of dermitting Coor							•		No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)							Yes					
4. E&S BMPs (is required.)	(List BMPs an	d note if insta	alled and main	tained	as pe	r the	plan. If c	corrective	e actio	on is need	led,	a picture
E	&S BMPs	C	Compliance Level		Corre	ectiv	e Action			rective Frame	R	Date epaired
Compost Filter So	ock	Ac	ceptable									
Equipment Bridge	Э	Ac	ceptable									
Timber Mat		Ac	ceptable									
Silt Fence (Filter	Fabric Fence)	Ac	ceptable									
Silt Fence (Reinfo	orce Filter Fen	ce) Ac	ceptable									
Rock Constructio	n Entrance	Ac	ceptable									
Sump Pit		Ac	ceptable									
Vegetative Stabili	ization (Tempo	orary) Ac	ceptable									
Waterbar		Ac	ceptable									
5. Site Conditi	ons											
Is an unauthoriz beyond defined a photo and imn	limits of distu	irbance result	ing from earth	disturl	bance	activ	ity or inef	-				No
Have inactive di	sturbed area	s (stockpiles,	final grade) be	en sta	bilized	d per	state req	uiremen	ts?			Yes
Are slopes 3:1 a												Yes
Has a new slip/s	slide been ob	served? (If ye	es, complete S	Slide R	eport l	orm	1)					No

AFE 124300139	Date/Time 6/13/2022 3:51 PM Report # 38679										
6. PCSM BMPs (List BMPs and note if	installed and ma	intained as per the plan. If cor	rective action is ne	eded, a							
picture is required.) PCSM BMPs	Compliance	Corrective Action	Corrective	Date							
	Level		Time Frame	Repaired							
7. Identify all remedial measures that h	ave been taken s	since the previous inspection w	as conducted.								
Comments (Reference above questions	s as appropriate.)										
Traveled and inspected all ECDs throughou	it the row, monitore	d vegetation growth throughout.									
Inspected all stream and wetland crossings	, checked equipme	nt bridges and protection.									
Monitored RCEs and ECDs at road crossing	gs during routine in	spection.									
Monitored sump pits and end treatment thro	oughout areas of ro	w.									
The EI observed a area of row where a land related activities.	d owner has mowed	d along side the private drive cross	sing. Documented as	non project							
During inspection today there were no envir	onmental issues ob	oserved at the time of inspection.									
Note: It is a condition of National Polluta	ant Discharge Elii	mination System and Erosion a	and Sediment perm	its that a							

maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE 12430013	Da	te/Time 6/1	3/2022 3:51 PM	Л	Report #	
		Pictur	es			
	0 307*NW (T) 4 37.088547, 79.950141 3.4 m ▲ 313 m			0.36 NE (T) = 37.08854.7	NE E 9,950361±4 m ▲ 314 m	
GPS Location	0000	GF	PS Location	0000	3 (23) 3 (23)	
Field Station#			eld Station#	13678+71		
Pic 1 Desc.	Monitored perimeter ECDs during rout inspection. No issues observed at the inspection.			during routine i	ation photo faci inspection toda erved on strear	y, good
	2 216 SW (T) ◆ 37.088567, 79.950332 ±4 m ▲ 318 m			297 W (T) ■ 37 (986421)	79.948838 ±3 m A 310 m	
GPS Location	0000	GF	PS Location	0000		
Field Station#	13678+71	Fie	eld Station#	13687+61		
Pic 3 Desc.	Stream observation photo facing down during routine, good vegetation on strebanks.		Pic 4 Desc.	has mowed pa	rt of the row ne	re a land owner ar private observed at the
	SE SW 50 7190°S (T) • 37.086574, 79.948971 ±3 m 🛦 311 m			O 33'N (T) = 37.074957, -7	NE	
GPS Location	00000	GF	PS Location	0000		
Field Station#	13678+42	Fie	eld Station#	13743+90		
Pic 5 Desc.	Photo showing mowing activities done land owner near private drive crossing Documented as non project related.	-	Pic 6 Desc.			showing good ssues observed

AFE 12430013	9	Date/Time	e 6/13/2022 3:51 PM Report #						
		Pict	ures						
S	ert image here		Insert image here						
GPS Location			GPS Location	0000					
Field Station#			Field Station#						
Pic 7 Desc.	Row photo showing stabilization above road crossings. ECDs in p functioning at the RCE.	on hill side place and	Pic 8 Desc.						
	Insert image here			Insert im	age here				
GPS Location			GPS Location						
Field Station#			Field Station#						
Pic 9 Desc.			Pic 10 Desc.						
	Insert image here			Insert im	age here				
GPS Location			GPS Location						
Field Station#			Field Station#						
Pic 11 Desc.			Pic 12 Desc.						


AFE 124300139		Date/Time 6/13/2022 3:51 PM	М	Report #					
		Pictures							
	Insert image here		Insert image here						
GPS Location		GPS Location							
Field Station#		Field Station#							
Pic 13 Desc.		Pic 14 Desc.							
	Insert image here		Insert im	age here					
GPS Location		GPS Location							
Field Station#		Field Station#							
Pic 15 Desc.		Pic 16 Desc.							
	Insert image here		Insert im	age here					
GPS Location		GPS Location							
Field Station#		Field Station#							
Pic 17 Desc.		Pic 18 Desc.							

Mour Mour	tain Valley		Visu	ıal S	Site	e Ins	specti	on R	ерс	ort		
Project Nar	ne H-600 Pipe	eline Spread I		Al	FE 1	24300	139	Spr	read	H-600 Pipe	eline	Spread I
Contract	or Precision			•	•			Repo	ort#	38678		
Inspect	or Charles H	ead						Date/T	ime	6/13/2022	11:2	29 AM
Permit #	TBD		Inspection Type VA SWPP Station Begi							in 14928	+52	
State	VA		Inspection	Area	Full			Statio	on Er	nd 15063	+85	
County	Franklin/Pittsy	lvania	Gr	ound	Dry			1	Гетр	erature (F)	88.00
Municipality	N/A		We	ather	Suni	ny			Rain	Gauge (in)	0.00
							Rain Ac	cumula	tion	Time (day	/s)	1.00
1. Are the appro	oved (stampe	d) E&S Plan	and PCSM Pla	an pre	sent	on site	9?					Yes
2. Are there act (If yes, notify			the limits of dermitting Cool)		No
3. Is Constructi followed? (If			e construction ental Permitting								g	Yes
4. E&S BMPs (is required.)	(List BMPs and	d note if insta	alled and main	tained	as p	er the	plan. If o	corrective	e acti	on is need	led,	a picture
E	&S BMPs	C	Compliance Level		Cor	rectiv	e Action			rective Frame	R	Date epaired
Cleanwater Diver	sion Pipe	Ac	ceptable									
Compost Filter So	ock	Ac	ceptable									
Equipment Bridge	Э	Ac	ceptable									
Rock Constructio	n Entrance	Ac	ceptable									
Sensitive Resour	ce Buffer	Ac	ceptable									
Silt Fence (Filter	Fabric Fence)	Ac	ceptable									
Sensitive Resour	ce Signage	Ac	ceptable									
Silt Fence (Reinfo	orce Filter Fend	ce) Ac	ceptable									
Waterbar		Ac	ceptable									
5. Site Conditi	ons											
Is an unauthoriz beyond defined a photo and imn	limits of distu nediately cont	rbance result tact MVP Env	ing from earth rironmental Pe	disturl rmittin	banc ig Co	e activordina	vity or inet	ffective E	BMP?			No
Have inactive di	sturbed areas	s (stockpiles,	final grade) be	en sta	abilize	ed per	state req	luiremen	ts?			Yes
Are slopes 3:1 a												Yes
Has a new slip/s	slide been obs	served? (If ye	es, complete S	Slide R	epor	t Form	1)					No

AFE 124300139		Date/Ti	me 6/13/2022 11:29 AM	Report # 38678		
6. PCSM BMPs (List BMPs and note if picture is required.)	installe	d and ma	intained as per the plan. If corre	ctive action is nee	eded, a	
PCSM BMPs	_	oliance evel	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Accepta	ıble	Permanent vegetation			
7. Identify all remedial measures that h	nave bee	en taken s	since the previous inspection was	conducted.		
Comments (Reference above questions	s as app	oropriate.)			
SWPPP inspection of Spread I. Inspection water bars, sumps, end treatments, CWDs, Seeding and stabilization practices are prog Streams running clean and clear of sediments.	stabiliza gressing.	tion and s Contracto	eeding activities, and general ROW or has addressed and continues to ac	conditions. BMPs li Idress maintenance	sted above. e issues.	

maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a



AFE 124300139)	Date/Time 6/13/2022 11:29 A	AM	Report #					
		Pictures							
	Insert image here		Insert image here						
GPS Location		GPS Location							
Field Station#		Field Station#							
Pic 7 Desc.		Pic 8 Desc.							
	Insert image here		Insert im	age here					
GPS Location		GPS Location							
Field Station#		Field Station#							
Pic 9 Desc.		Pic 10 Desc.							
	Insert image here		Insert im	age here					
GPS Location		GPS Location							
Field Station#		Field Station#							
Pic 11 Desc.		Pic 12 Desc.							

AFE 124300139		Date/Time 6/13/2022 11:29	AM	Report #	
		Pictures			
	Insert image here		Insert im	age here	
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 13 Desc.		Pic 14 Desc.			
	Insert image here		Insert im	age here	
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 15 Desc.		Pic 16 Desc.			
	Insert image here		Insert im	age here	
GPS Location		GPS Location			
Field Station#		Field Station#		<u> </u>	_
Pic 17 Desc.		Pic 18 Desc.			


Mour Mour	tain Valley	7	Visu	ıal S	Site	Ins	specti	on Re	epc	ort		
Project Nar	ne H-600 Pip	eline Spread I		Al	FE 1	24300	139	Spre	ead	H-600 Pipe	eline	Spread I
Contract	or Precision							Repo	rt #	38677		
Inspect	or Justin Bu	rch						Date/Ti	ime	6/13/2022	11:1	1 AM
Permit #	TBD		Inspection	Туре	VA S	WPP		Station	Beg	in 15370+	+62	
State	VA		Inspection	Area	Full			Statio	on Er	nd 15480-	+67	
County	Pittsylvania		Gr	ound	Dry			Т	emp	erature (º	F)	92.00
Municipality	Chatham		We	ather	Sunn	ny			Rain	Gauge (i	n)	0.00
			•		•		Rain Ac	cumulat	tion ⁻	Γime (day	s)	6.00
1. Are the appro	oved (stamp	ed) E&S Plan	and PCSM Pla	an pre	sent o	on site	∍?					Yes
2. Are there act (If yes, notify		-	the limits of dermitting Coo						ings?			No
3. Is Constructi followed? (If			e construction ental Permitting								g	Yes
4. E&S BMPs (is required.)	(List BMPs ar	nd note if insta	alled and main	tained	as pe	er the	plan. If o	corrective	actio	on is need	led,	a picture
E	&S BMPs	(Compliance Level		Cori	rectiv	e Action			rective Frame	R	Date epaired
Silt Fence (Reinfo	orce Filter Fer	ce) Co	mmunication									
Compost Filter So	ock	Co	mmunication									
Waterbar End Tre	eatment	Co	mmunication									
Equipment Bridge	Э	Ac	ceptable									
Housekeeping		Ac	ceptable									
Rock Constructio	n Entrance	Ac	ceptable									
Waterbar		Ac	ceptable									
5. Site Conditi	ons											
Is an unauthoriz beyond defined a photo and imn	limits of distu	urbance result	ing from earth	distur	bance	e activ	ity or ine	-				No
Have inactive di	sturbed area	s (stockpiles,	final grade) be	een sta	abilize	ed per	state req	uirement	s?			Yes
Are slopes 3:1 a	and greater s	tabilized with a	appropriate BN	MPs as	per	E&S p	olans?					Yes
Has a new slip/s	slide been ob	served? (If ye	es, complete S	Slide R	eport	Form	1)					No


picture is required.) PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
her	Acceptable	Permanent Vegetation		
Identify all remedial measures t	hat have been taken	since the previous inspection w	as conducted.	


Comments (Reference above questions as appropriate.)

- The EI performed a SWPPP inspection from 15370+62 to 15480+67 (Snowberry Road to Toshes Road). 33 punch list items were submitted consisting of 3 locations where P1 silt fence was deteriorated, 21 locations where the CFS on waterbar end treatments was deteriorated, and 9 locations where perimeter CFS and other CFS was deteriorated. See the punch list for locations and other details for these punch list items. Other inspected ECDs were observed as in compliance at the time of inspection.
- The contractor is currently working in this area addressing punch list items.
- The EI observed that the perimeter solar farm ECDs on the CIS of Toshes Road appeared to be in acceptable condition.
- Since the last SWPPP inspection the area has not received any rain.
- The ROW ground condition is dry.
- At the time of inspection permanent vegetative stabilization was sufficiently established to inhibit erosion from 15438+00 to 15445+00.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.









Moun	V	ain Valley		Visu	ıal S	Site Ins	specti	on Re	еро	rt		
Project Nan	ne	H-600 Pipe	line Spread	I	Α	FE 124300	139	Spr	ead	H-600	Pipeline	e Spread I
Contract	or	Precision			•	•		Repo	ort#	38685		
Inspect	or	Ben Farme	er					Date/T	ime	6/13/2	022 12:	58 PM
Permit #	ТВІ	D		Inspection	Туре	VA SWPP		Station	Begi	i n 14	062+17	
State	VA			Inspection	Area	Partial		Statio	on En	d 14	171+36	
County	Fra	nklin		Gr	ound	Dry		Т	Tempe	eratu	re (ºF)	77.00
Municipality	N/A	١		We	ather	Sunny			Rain	Gauç	ge (in)	0.00
							Rain Ac	cumula	0.00			
1. Are the appro	ove	d (stampe	d) E&S Pla	n and PCSM Pl	an pre	sent on site	e?					Yes
2. Are there act (If yes, notify			-	of the limits of d Permitting Coo					rings?			No
`	No,	notify MV	P Environn	nental Permitting	g Coor	dinator and	d explain i	n comme	ents.)			Yes
4. E&S BMPs (is required.)	List	BMPs and	d note if ins		itained	as per the	e plan. If o	corrective	e actio	n is r	needed,	a picture
E8	ß.	BMPs		Compliance Level		Correctiv	e Action		Corr Time	ectiv Fran		Date epaired
Cleanwater Divers	sion	Pipe	,	Acceptable								
Compost Filter So	ock		,	Acceptable								
Equipment Bridge	e		,	Acceptable								
Rock Construction	n Er	ntrance	,	Acceptable								
Sensitive Resource	ce E	Buffer	,	Acceptable								
Silt Fence (Filter I	Fab	ric Fence)	,	Acceptable								
Slope Drain Pipe			,	Acceptable								
Vegetative Stabili	zati	on (Tempoi	ary)	Acceptable								
Waterbar			,	Acceptable								
5. Site Condition	ons	3										
Is an unauthorized beyond defined la photo and imm	limi	ts of distur	bance resu	ulting from earth	distur	bance acti	vity or inet	-				No
Have inactive dis	stur	bed areas	(stockpiles	s, final grade) be	een sta	abilized per	state req	uirement	ts?			Yes
Are slopes 3:1 a	ınd	greater sta	abilized witl	n appropriate BN	MPs as	per E&S	olans?					Yes
Has a new slip/s	slide	been obs	erved? (If	yes, complete S	Slide R	eport Form	1)					No

AFE 124300139	Date/Ti	me 6/13/2022 12:58 PM	Report # 386	85								
PCSM BMPs (List BMPs and note if picture is required.)	installed and ma	aintained as per the plan. If correc	ctive action is ne	eded, a								
PCSM BMPs Compliance Level Corrective Action Corrective Time Frame Repaired												
Other	Acceptable	Permanent vegetation remains in go										
Identify all remedial measures that h	ave been taken	since the previous inspection was	conducted.									
omments (Reference above question	s as appropriate.)										
WPPP Inspection (Sunny, 77F) ain Gauge= 0.0" 4062+17-14171+36		-										
RCEs are in good condition at all road crosequipment bridge ECDs are in place and for the company of the condition at all road crosequipment bridge ECDs are in place and for the condition with condition at all stream and we condition but the condition at all stream and we condition at all road crosequipments are in good condition at all road crosequipments.	unctioning ontrols in place. etland buffers. dition and function	ing										
Slope drain is functioning as intended at 14 CFS is in good condition. Vegetation continues to fill in throughout th	is section											

inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required

as part of a permit condition this form may be used to meet those monitoring requirements.






AFE 124300139		Date/Time	6/13/2022 12:58 P	PM	Report #	
		Pict	ures			
	Insert image here			Insert im	age here	
GPS Location			GPS Location			
Field Station#			Field Station#			
Pic 13 Desc.			Pic 14 Desc.			
	Insert image here			Insert im	age here	
GPS Location			GPS Location			
Field Station#			Field Station#			
Pic 15 Desc.			Pic 16 Desc.			
	Insert image here			Insert im	age here	
GPS Location			GPS Location			
Field Station#			Field Station#		-	_
Pic 17 Desc.			Pic 18 Desc.			

Moun	V	ain Valley		Visu	ual S	Site Ins	specti	on R	еро	rt		
Project Nan	ne	H-600 Pipe	eline Spread	11	Al	FE 124300)139	Spr	read	H-6	00 Pipelir	e Spread I
Contract	or	Precision				•		Repo	ort#	386	74	
Inspect	or	John White)					Date/T	Time	6/13	3/2022 10	:21 AM
Permit #	ТВІ	D		Inspection	Туре	VA SWPP		Station	n Beg	in	15772+27	7
State	VA			Inspection	Area	Full		Stati	on Er	nd	15947+64	1
County	Pitt	sylvania		Gr	ound	Dry		٦	Temp	era	ture (ºF)	86.00
Municipality	Cha	atham		We	ather	Sunny			Rain	Ga	uge (in)	0.00
							Rain Ac	cumula	tion 1	6.00		
1. Are the appro	ove	d (stampe	d) E&S Pla	an and PCSM PI	an pre	sent on site	e?					Yes
2. Are there act (If yes, notify			-	of the limits of d I Permitting Coo					-	'		No
3. Is Construction followed? (If				the construction mental Permitting							et being	Yes
4. E&S BMPs (is required.)	List	: BMPs and	d note if in	stalled and main	ntained	as per the	e plan. If o	corrective	e actio	on is	s needec	l, a picture
E8	&S I	BMPs		Compliance Level		Correctiv	e Action		Corr Time			Date Repaired
Cleanwater Divers	sion	Pipe		Acceptable								
Compost Filter So	ock			Acceptable								
Equipment Bridge	e			Acceptable								
Housekeeping				Acceptable								
Plunge Pool				Acceptable								
Rock Construction	n Er	ntrance		Acceptable								
Rock Filter Outlet	•			Acceptable								
Rock-lined Chann	nel			Acceptable								
Vegetative Stabili	zati	on (Tempoi	ary)	Acceptable								
5. Site Condition	ons	<u> </u>										
Is an unauthorize beyond defined a photo and imm	limi	ts of distur	bance res	ulting from earth	distur	bance acti	vity or inet	-				
Have inactive dis	stur	bed areas	(stockpile	s, final grade) be	een sta	abilized per	state req	uiremen	its?			Yes
Are slopes 3:1 a						•						Yes
Has a new slip/s	slide	been obs	erved? (If	yes, complete S	Slide R	eport Form	٦)					No

AFE 124300139	Date/Tir	me 6/13/2022 10:21 AM	Report # 386	674
6. PCSM BMPs (List BMPs and note if picture is required.)	installed and ma	intained as per the plan. If corr	ective action is ne	eded, a
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
7. Identify all remedial measures that h	ave heen taken s	since the previous inspection wa	s conducted	
7. Idonary an romodial modeline that h	avo boon takon c	sinos uno proviodo inopositori we	ac deriadoted.	
Comments (Reference above questions				
Performed SWPPP Inspection on this section	on. There were no i	issues to report at the time of Inspe	ction.	
Note: It is a condition of National Polluta maintenance program be conducted to p	_			
weekly basis and after each stormwater replacement are needed or have been r	event. Please li	st in the space provided comme	ents to note if repair	irs or

inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required

as part of a permit condition this form may be used to meet those monitoring requirements.



AFE 124300139		Date/Time 6/13/2022 10:21 /	λM	Report #	
		Pictures			
	Insert image here		Insert im	age here	
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 7 Desc.		Pic 8 Desc.			
	Insert image here		Insert im	age here	
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 9 Desc.		Pic 10 Desc.			
	Insert image here		Insert im	age here	
GPS Location		GPS Location			
Field Station#		Field Station#			_
Pic 11 Desc.		Pic 12 Desc.			

AFE 124300139		Date/Time	6/13/2022 10:21 A	.M	Report #	
		Pict	ures			
	Insert image here			Insert im	age here	
GPS Location			GPS Location			
Field Station#			Field Station#			
Pic 13 Desc.			Pic 14 Desc.			
	Insert image here			Insert im	age here	
GPS Location			GPS Location			
Field Station#			Field Station#			
Pic 15 Desc.			Pic 16 Desc.			
	Insert image here			Insert im	age here	
GPS Location			GPS Location			
Field Station#			Field Station#			
Pic 17 Desc.			Pic 18 Desc.			

Mour Mour	nta V	ain alley		Visu	ıal S	Site I	ns	specti	on Re	epc	ort		
Project Nar	ne	H-602 Pipe	line Spread	I	Al	FE 124	300	139	Spr	ead	H-602 Pipe	eline	Spread I
Contract	or	Precision			•	•			Repo	rt #	38733		
Inspect	or	John White)						Date/T	ime	6/14/2022	10:4	19 AM
Permit #	ТВІ)		Inspection	Туре	VA SW	PP		Station	Beg	in 00+00		
State	VA			Inspection	Area	Full			Statio	on Er	nd 19+25		
County	Pitt	sylvania		Gr	ound	Wet			Т	emp	erature (º	F)	75.00
Municipality	Cha	atham		We	ather	Cloudy				Rain	Gauge (i	in)	0.20
								Rain Ac	cumulat	tion ⁻	Time (day	s)	6.00
1. Are the appro	ove	d (stampe	d) E&S Pla	n and PCSM Pl	an pre	sent on	site	e?					Yes
2. Are there act (If yes, notify			•	of the limits of d Permitting Coo						ings?	•		No
3. Is Constructi followed? (If		•		the construction				•		•	•	g	Yes
4. E&S BMPs (is required.)	(List	: BMPs and	note if ins	stalled and main	itained	as per	the	plan. If o	corrective	e acti	on is need	led,	a picture
E	&S E	BMPs		Compliance Level		Correc	ctiv	e Action			rective Frame	R	Date epaired
Compost Filter So	ock		,	Acceptable									
Equipment Bridge	9		,	Acceptable									
Housekeeping			,	Acceptable									
Sediment Filter L	og		,	Acceptable									
Sensitive Resour	ce B	uffer	ı	Acceptable									
Sensitive Resour	ce S	ignage	ı	Acceptable									
Silt Fence (Filter	Fabı	ric Fence)	ı	Acceptable									
Sump Pit				Acceptable									
Waterbar			,	Acceptable									
5. Site Conditi	ons	3											
Is an unauthoriz beyond defined a photo and imn	limit	ts of distur	bance resi	ulting from earth	disturl	bance a	activ	ity or inet					No
Have inactive di	stur	bed areas	(stockpile:	s, final grade) be	een sta	bilized	per	state req	uirement	ts?			Yes
Are slopes 3:1 a	and (greater sta	abilized wit	h appropriate BN	MPs as	per E8	kS p	olans?					Yes
Has a new slip/s	slide	been obs	erved? (If	yes, complete S	Slide R	eport Fo	orm	1)					No

PCSM BMPs (List BMPs and note picture is required.) PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date
		Corrective Action		
			Timo Tramo	Date Repaired
_				
Identify all remedial measures that	have been taken sin	ce the previous inspection w	as conducted.	
mments (Reference above question	ns as appropriate.)			
rformed SWPPP Inspection on this line.	. There were no issues	to report at the time of Inspecti	on.	

replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required

as part of a permit condition this form may be used to meet those monitoring requirements.



AFE 124300139)	Date/Time 6/14/2022 10:49 A	λM	Report #					
	Insert image here		Insert image here						
GPS Location		GPS Location							
Field Station#		Field Station#							
Pic 7 Desc.		Pic 8 Desc.							
	Insert image here		Insert im	age here					
GPS Location		GPS Location							
Field Station#		Field Station#							
Pic 9 Desc.		Pic 10 Desc.							
	Insert image here		Insert im	age here					
GPS Location		GPS Location							
Field Station#		Field Station#							
Pic 11 Desc.		Pic 12 Desc.							

AFE 124300139		Date/Time 6	6/14/2022 10:49 AM Report #							
	Pictures									
	Insert image here		Insert image here							
GPS Location		C	GPS Location							
Field Station#		ı	Field Station#							
Pic 13 Desc.			Pic 14 Desc.							
	Insert image here		,	Insert im	age here					
GPS Location		(GPS Location							
Field Station#			Field Station#							
Pic 15 Desc.			Pic 16 Desc.							
	Insert image here			Insert im	age here					
GPS Location			GPS Location							
Field Station#		-	Field Station#							
Pic 17 Desc.			Pic 18 Desc.							

Mour Mour	V	in alley		Visu	ıal S	Sit	e Ins	specti	on R	ерс	rt	İ	
Project Nar	Project Name H-600 Pipeline Spread I				AFE 124300139			Sp	Spread H-600 Pipelin			ne Spread I	
Contractor Precision				-			Report # 38781						
Inspector Frank Craycroft							Date/Time 6/14/2022 2:1				13 PM		
Permit #	TBD)		Inspection	Inspection Type		VA SWPP		Station Begin 0+00				
State	VA			Inspection	Area	Par	Partial		Station End 0+00				
County	Fran	nklin		Gr	ound	Dry			85.00				
Municipality	N/A			We	Weather		Sunny		Rain Gauge (in)				0.00
				•				Rain Ad	Accumulation Time (days)			1.00	
1. Are the appr	oved	l (stampe	d) E&S Plar	and PCSM Pla	an pre	sen	on sit	e?					Yes
2. Are there act			•	of the limits of d						_			No
3. Is Constructi followed? (If	on so	equence notify MV	outlined in tl P Environm	ne construction ental Permitting	notes g Coor	of t	he E&	S plan set d explain	or PCS	M plai nents.)			Yes
4. E&S BMPs (is required.)	(List	BMPs and	d note if inst	alled and main	tained	as	per the	e plan. If o	correctiv	e actio	on	is needed	l, a picture
	&S B	MPs		Compliance Level		Corrective Action				Cor			Date Repaired
Compost Filter So	ock		A	cceptable									
Housekeeping			А	cceptable									
Rock Constructio	n Ent	trance	А	cceptable									
Secondary Conta	Secondary Containment Acc			cceptable									
Timber Mat			А	cceptable									
Vegetative Stabili	izatio	n (Tempoi	rary) A	cceptable									
Waste Managem	ent		A	cceptable									
5. Site Conditi	ons								1				
Is an unauthoriz beyond defined a photo and imn	limits	s of distur	bance resul	lting from earth	distur	ban	ce acti	vity or ine					
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?									Yes				
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?										N/A			
Has a new slip/slide been observed? (If yes, complete Slide Report Form)								No					

AFE 124300139	Date/Ti	me 6/14/2022 2:13 PM	Report # 387	81
6. PCSM BMPs (List BMPs and note if picture is required.)	installed and ma	intained as per the plan. If corre	ective action is nee	eded, a
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
	20701		Timo Franco	Ropalica
7. Identify all remedial measures that h	ave been taken s	I since the previous inspection wa	s conducted.	
Comments (Reference above questions Conducted SWPPP inspection of LY-032, -C		,	ctional and in good	condition All
portable equipment and hazardous material debris and have adequate additional storage protection and were free of trash and vegeta	s were maintained e capacity in bulk o	within secondary containment. Site dumpsters. Stormwater drain inlets h	s were free of loose nad appropriate peri	trash and meter
Note: It is a condition of National Polluta	_			
maintenance program be conducted to provided to provided to provided to provided to the maintenance of the maintenance of the conducted to the maintenance of the mai				

MVP-34 REV 3 Page 2 of 5

replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required

as part of a permit condition this form may be used to meet those monitoring requirements.

AFE 12430013	9	Date/Time 6/14/2022 2:13 P	М	Report #
		Pictures		
	S SW		O 293'W (T) ■ 36.689483,	79.368903 ±12ft ▲ 644ft
GPS Location	0	GPS Location	0	
Field Station#		Field Station#		
Pic 1 Desc.	LY-048 Temporary vegetation	Pic 2 Desc.	LY-048 South	perimeter CFS
	© 225°SW (T) • 36.953277, 79.8977721 H19/T A 1093H			99.878581 ±23ft & 1109ft
GPS Location	0	GPS Location	0	
Field Station#		Field Station#		
Pic 3 Desc.	ANC-006 Southeast perimeter Cf	Pic 4 Desc.	ANC-006 Stori	mwater drain inlet protection
	SW 240 W 360 NW 330 D 2885°W (T) ● 36.947113, 79.880947 ±23ft ▲ 1061ft		SE 0 141*SE (T) = 36,946934	S 79.880811 ±14ft ▲ 1038ft
GPS Location	0	GPS Location	0	
Field Station#		Field Station#		
Pic 5 Desc.	LY-032 Equipment staging	Pic 6 Desc.	LY-032 Secon	dary containment

MVP-34 REV 3 Page 3 of 5

AFE 124300139	9	Date/Time	6/14/2022 2:13 PM	Л	Report #	
		Pict	ures			
37 SW 369 W37 O 265 W (T) * 36,946353,79,8794	ert image here		240 W © 319 NW (T)	NW 300 300 300 300 300 300 300 300 300 30	N NE 9	
GPS Location	0		GPS Location	0		
Field Station#			Field Station#			
Pic 7 Desc.	LY-033 Stormwater drain inlet pro	otection	Pic 8 Desc.	LY-033 Timbei	r mat staging a	rea
	Insert image here			Insert im	age here	
GPS Location			GPS Location			
Field Station#			Field Station#			
Pic 9 Desc.			Pic 10 Desc.			
	Insert image here			Insert im	age here	
GPS Location			GPS Location			
Field Station#			Field Station#			
Pic 11 Desc.			Pic 12 Desc.			

MVP-34 REV 3 Page 4 of 5

AFE 124300139		Date/Time 6/14/2	ime 6/14/2022 2:13 PM					
		Pictures	3					
	Insert image here		Insert image here					
GPS Location		GPS	Location					
Field Station#		Field	Station#					
Pic 13 Desc.		Pic ·	14 Desc.					
	Insert image here		,	Insert ima	age here			
GPS Location			Location					
Field Station#		Field	Station#					
Pic 15 Desc.		Pic ⁻	16 Desc.					
	Insert image here			Insert ima	age here			
GPS Location		GPS	Location					
Field Station#		Field	Station#					
Pic 17 Desc.		Pic ·	18 Desc.					

MVP-34 REV 3 Page 5 of 5

Moun	V	ain Valley		Visi	ual S	Site Ins	specti	on R	еро	rt		
Project Nan	ne	H-600 Pipe	eline Spread	d I	Α	FE 124300)139	Spr	ead	H-60	0 Pipelin	e Spread I
Contract	or	Precision				•		Repo	ort#	3868	8	
Inspect	or	Ben Dave	nport					Date/T	Date/Time 6/14/2022 1:53			3 PM
Permit #	ТВІ	D		Inspection	Туре	VA SWPP		Station	n Begi	in 1	4649+67	
State	VA			Inspection	Area	Partial		Statio	on En	1 1	4694+77	
County	Fra	nklin		Gı	round	Damp			Гетр	eratı	ure (ºF)	86.00
Municipality	N/A	٨		We	eather	Sunny			Rain	Gau	ıge (in)	0.40
							Rain Ac	n Accumulation Time (days)				1.00
1. Are the appro	ove	d (stampe	d) E&S Pla	an and PCSM P	lan pre	sent on site	e?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)										No		
 3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) 4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a pice.) 										Yes		
E&S BMPs (is required.)	List	: BMPs and	d note if in	stalled and mair	ntained	as per the	e plan. If o	corrective	e actio	on is	needed,	a picture
	&S I	BMPs		Compliance Level	Corrective Action				Correcti Time Fra			Date Repaired
Compost Filter So	ock			Communication	Routin	Routine maintenance						
Erosion Control B	Blanl	ket		Acceptable								
Waterbar				Acceptable								
Sump Pit				Acceptable								
Waterbar End Tre	eatm	nent		Acceptable								
Vegetative Stabili	zati	on (Permar	nent)	Acceptable								
Vegetative Stabili	zati	on (Tempoi	ary)	Acceptable								
Sensitive Resource	ce E	Buffer		Acceptable								
Sensitive Resource	ce S	Signage		Acceptable								
5. Site Condition	ons	<u> </u>										
Is an unauthorize beyond defined l a photo and imm	limi	ts of distur	bance res	ulting from earth	n distur	bance acti	vity or inet	•				No
Have inactive dis	stur	bed areas	(stockpile	s, final grade) b	een sta	abilized per	state req	uirement	ts?			Yes
Are slopes 3:1 a						•						Yes
Has a new slip/s	slide	been obs	erved? (If	yes, complete	Slide R	eport Form	า)					No

MVP-34 REV 3 Page 1 of 5

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Other	Acceptable	Permanent Vegetation		

7. IC	ientity	ali remediai	measures t	nat nave i	been taken	since the	previous	inspection	was	conauctea.
-------	---------	--------------	------------	------------	------------	-----------	----------	------------	-----	------------

Comments (Reference above questions as appropriate.)

- -Available for work
- -Received instruction from Lead EI for daily tasks
- -Checked rain gauges in covered area
- -Sunny with damp ground conditions during inspection
- -Performed SWPPP inspection on portion of MVP Spread I section
- -Covered territory between station# 14649+67 14694+77 (Hwy 40 crossing to Jacks Creek Rd)
- -Walked ROW making note of condition of ROW and environmental controls
- -Verified the completion and accuracy of punch list items in covered area from previous inspections
- -Perimeter controls and ECDs were inspected; 1 issue identified
- -Inspection observed condition of equipment bridges and surrounding ECD's around stream crossings and resource buffers; no issues identified
- -Inspection observed condition of RCEs and culverts in section; no issues identified
- -Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified
- -Inspection observed condition of temporary stabilization and vegetation in section; no issues identified
- -Continue to monitor ROW for signs of erosion
- -1 item added to environmental punch list in section
- -Rain Gauge Totals:
- +Farm View: 0.40 inches recorded
- +Timber Ridge: 0.30 inches recorded

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

MVP-34 REV 3 Page 2 of 5

AFE 12430013	9 Da	ate/Time	6/14/2022 1:53 PN	И	Report #	
		Pictu	ures			
	27" W 300"NW COURSE 189" GPS	State of the state	A CONTRACTOR OF THE PARTY OF TH	1/26" W 174"S COURSE 350" G no results found		06.14.2022 11:49:57 uur +/-13.0 Ft ALT 1006 Ft
GPS Location	1		GPS Location	2		
Field Station#	14650+00		Field Station#	14652+00		
Pic 1 Desc.	Routine maintenance. Perimeter CFS effective lifespan; recommend replacir with wattles where landowner crosses	ng CFS	Pic 2 Desc.	ROW stabilized a area.	and vegetate	d in final cleanup
	2/40" W 271"W COURSE 239" GPS 06.14.2022 d, Union Hall, VA 24176, United States Accur +/-15.5 Ft	THE RESIDENCE OF THE PARTY OF T		241" W 21"N COURSE 327 G I, Union Hall, VA 24176, United		06.14.2022 11:56:25 cur +/-15.5 Ft ALT 938 Ft
GPS Location	3		GPS Location	4		
Field Station#			Field Station#	14672+00		
Pic 3 Desc.	Sump pit and CFS end treatment performended functions.	forming	Pic 4 Desc.	Erosion control bl good condition.	lanket in thro	oat of water bar in
	41" W 333"NW COURSE 295' GPS 06.14.2022 J. Union Hall, VA 24176, United States Accur +/-15.5 Ft /			38" W 225"SW COURSE 2011 , Union Hall, VA 24176, United	NAME OF TAXABLE PARTY.	06.14.2022 11:55:08 cur +/-15.5 Ft ALT 973 Ft
GPS Location	5		GPS Location	6		
Field Station#	14689+36		Field Station#	14693+00		
Pic 5 Desc.	Sensitive resource buffer and signage and functional.	e in place		ROW stabilized a area.	and vegetate	d in temporary

MVP-34 REV 3 Page 3 of 5

AFE 124300139		Date/Time 6/14/2022 1:53 PM	И	Report #				
		Pictures						
	Insert image here		Insert image here					
GPS Location		GPS Location						
Field Station#		Field Station#						
Pic 7 Desc.		Pic 8 Desc.						
	Insert image here		Insert im	age here				
GPS Location		GPS Location						
Field Station#		Field Station#						
Pic 9 Desc.		Pic 10 Desc.						
	Insert image here		Insert im	age here				
GPS Location		GPS Location						
Field Station#		Field Station#						
Pic 11 Desc.		Pic 12 Desc.						

MVP-34 REV 3 Page 4 of 5

AFE 124300139		Date/Time 6	6/14/2022 1:53 PM	1	Report #			
		Pictu	ires					
	Insert image here		Insert image here					
GPS Location		(GPS Location					
Field Station#		ı	Field Station#					
Pic 13 Desc.			Pic 14 Desc.					
	Insert image here		,	Insert im	age here			
GPS Location		(GPS Location					
Field Station#			Field Station#					
Pic 15 Desc.			Pic 16 Desc.					
	Insert image here			Insert im	age here			
GPS Location			GPS Location					
Field Station#			Field Station#					
Pic 17 Desc.			Pic 18 Desc.					

MVP-34 REV 3 Page 5 of 5

Moun	V	ain Valley		Visu	ual S	Site Ins	specti	on Re	po	rt		
Project Nan	ne	H-600 Pipe	eline Spread	11	Al	FE 124300	139	Spre	ead	H-600 Pipe	eline	Spread I
Contract	or	Precision				•		Repor	eport # 38720			
Inspect	or	Logan Box						Date/Ti	e/Time 6/14/2022 3:23			3 PM
Permit #	ТВІ	D		Inspection	Туре	VA SWPP		Station	ion Begin 13748+30			
State	VA			Inspection	Area	Partial		Statio	n En	d 13853-	+45	
County	Fra	nklin		Gr	ound	Wet		Te	empe	erature (º	F)	85.00
Municipality	N/A	١		We	Weather Light Rain			Rain Gauge (in)			0.50	
							Rain Ac	cumulati	ion T	ime (day	rs)	1.00
1. Are the appro	ove	d (stampe	d) E&S Pla	an and PCSM PI	an pre	sent on sit	e?					Yes
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)										No		
followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)										No		
4. E&S BMPs (is required.)	(List	: BMPs and	d note if in	stalled and main	itained	as per the	e plan. If o	corrective	actio	n is need	led,	a picture
E8	&S I	BMPs		Compliance Level	Corrective Action					ective Frame	R	Date epaired
Compost Filter So	ock			Acceptable								
Equipment Bridge	9			Acceptable								
Erosion Control B	Blanl	ket		Acceptable								
Flume Pipe				Acceptable								
Rock Construction	n Er	ntrance		Acceptable								
Silt Fence (Filter I	Fab	ric Fence)		Acceptable								
Vegetative Stabili	zati	on (Tempoi	ary)	Acceptable								
Silt Fence (Reinfo	orce	Filter Fenc	e)	Acceptable								
Sump Pit				Acceptable								
5. Site Condition	ons	3										
Is an unauthorized beyond defined la photo and imm	limi	ts of distur	bance res	ulting from earth	distur	bance acti	vity or inet	-				No
Have inactive dis	stur	bed areas	(stockpile	s, final grade) be	een sta	abilized per	state req	uirements	s?			Yes
Are slopes 3:1 a						•						Yes
Has a new slip/s	slide	been obs	erved? (If	yes, complete S	Slide R	eport Form	า)					No

MVP-34 REV 3 Page 1 of 5

AFE 124300139	Date/Time	e 6/14/2022 3:23 PM	Report # 387	720					
. PCSM BMPs (List BMPs and no	ote if installed and main	tained as per the plan. If cor	rrective action is ne	eded, a					
picture is required.)	O		O - man ating	Data					
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired					
	20.0.		Timo Tra	Корин -					
	 		+						
	\bot			<u> </u>					
	+		+	 					
	+ +		+	 					
7. Identify all remedial measures t	that have been taken sin	ice the previous inspection w	vas conducted.						
Comments (Reference above que	stions as appropriate.)								
Traveled and inspected all ECDs throu	ughout the row, monitored	vegetation growth throughout.	_	_					
Traveled and inspected all ECDs throughout the row, monitored vegetation growth throughout. Inspected all stream and wetland crossings, checked equipment bridges and protection.									
Inspected all stream and wetland cros	sings, checked equipment	bridges and protection.							
Inspected all stream and wetland cros Monitored RCEs and ECDs at road cro									
·	ossings during routine insp	pection.							
Monitored RCEs and ECDs at road cre	ossings during routine insp nt throughout areas of row. served a area of row where	pection.	de the LOD near drive	≀way crossing					
Monitored RCEs and ECDs at road cre Monitored sump pits and end treatmer During row inspection today the EI obs	ossings during routine insp nt throughout areas of row. served a area of row where ctivities. overnight rain events, light	pection. a land owner has mowed insice train continued throughout the i							
Monitored RCEs and ECDs at road creatments Monitored sump pits and end treatments During row inspection today the EI observed by the EI observed as non project related accompleted row conditions after recent of	cossings during routine inspont throughout areas of row. served a area of row where ctivities. overnight rain events, light ainfall was 0.5" in the inspen	pection. e a land owner has mowed insice train continued throughout the rection area.							
Monitored RCEs and ECDs at road creatments Monitored sump pits and end treatments During row inspection today the EI observed as non project related accommended row conditions after recent of during inspection. Total measurable range.	cossings during routine inspont throughout areas of row. served a area of row where ctivities. overnight rain events, light ainfall was 0.5" in the inspen	pection. e a land owner has mowed insice train continued throughout the rection area.							
Monitored RCEs and ECDs at road creatments Monitored sump pits and end treatments During row inspection today the EI observed as non project related accommended row conditions after recent of during inspection. Total measurable range.	cossings during routine inspont throughout areas of row. served a area of row where ctivities. overnight rain events, light ainfall was 0.5" in the inspen	pection. e a land owner has mowed insice train continued throughout the rection area.							

weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a

MVP-34 REV 3 Page 2 of 5

AFE 12430	0139	Date/Time 6/14/2022 3:23 P	M Report #	ŧ
		Pictures		
	O 292°W (T) • 37.069243, -79.934373 ±6 m ▲ 309 m		0 71 NE (1) ■ 37.068975, 79.92402 ±3 m ▲ 313 m	
GPS Locati	on 0000	GPS Location	0000	
Field Statio	n# 13777+50	Field Station#		
Pic 1 Desc	Row photo showing stabilization area of row . No issues were obstime of inspection.		Photo showing where a lan mowed inside the LOD, do project related activities.	
	© 188°S (1) = 37.074765, -79.941001 ±3 m ▲ 313 m		© 341°NW (1) • 37.069581, 79.933974.44 m 2 311 m	
GPS Locati	on 0000	GPS Location	0000	
Field Static	n# 13748+97	Field Station#	13781+79	
Pic 3 Desc	Monitored ECDs at stream cross RCE crosses. All in place and fur the time of inspection.		Stream observation photo f during routine inspection. Mequipment bridge and ECD	lonitored
	© 154'SE(T)		E SE 10 0.118°E(T) • 37.056989, 79.923952 ±3 m • 215 m	
GPS Locati	on 0000	GPS Location	0000	
Field Static	n# 13781+79	Field Station#	13815+20	
Pic 5 Desc	Stream observation photo facing during routine inspection. Monito equipment bridge and ECDs duri	red Pic 6 Desc.	Row photo taken during light showing vegetation on hill senvironmental issues obsertions	sides. No

MVP-34 REV 3 Page 3 of 5

AFE 124300139		Date/Time	e 6/14/2022 3:23 PM Report #				
		Pict	ures				
	Insert image here			Insert im	age here		
GPS Location			GPS Location				
Field Station#			Field Station#				
Pic 7 Desc.			Pic 8 Desc.				
	Insert image here			Insert im	age here		
GPS Location			GPS Location				
Field Station#			Field Station#				
Pic 9 Desc.			Pic 10 Desc.				
	Insert image here			Insert im	age here		
GPS Location			GPS Location				
Field Station#			Field Station#			_	
Pic 11 Desc.			Pic 12 Desc.				

MVP-34 REV 3 Page 4 of 5

AFE 124300139		Date/Time 6/14/20	e 6/14/2022 3:23 PM Report #				
		Pictures					
	Insert image here			Insert ima	age here		
GPS Location		GPS I	_ocation				
Field Station#		Field	Station#				
Pic 13 Desc.		Pic 1	4 Desc.				
	Insert image here			Insert ima	age here		
GPS Location		GPS	_ocation				
Field Station#		Field	Station#				
Pic 15 Desc.		Pic 1	6 Desc.				
	Insert image here			Insert ima	age here		
GPS Location		GPS	_ocation				
Field Station#		Field	Station#			_	
Pic 17 Desc.		Pic 1	8 Desc.				

MVP-34 REV 3 Page 5 of 5

Moun	Mountain Valley Visual Site Inspection Report											
Project Nan	ne	H-603 Pipe	line Spread	1	Al	FE 124300	139	Sp	read	H-603 Pip	eline	Spread I
Contract	or	Precision			-			Report # 38731				
Inspect	or	John White)					Date/Time 6/14/2022 10:35 A			35 AM	
Permit #	ТВІ	D		Inspection	Type	VA SWPP		Statio	n Beg	in 00+00)	
State	VA			Inspection	Area	Full		Stati	ion Er	nd 24+53	}	
County	Pitt	sylvania		Gr	round Wet		•	Temp	erature (ºF)	75.00	
Municipality	Cha	atham		We	ather	Cloudy			Rain	Gauge ((in)	0.20
							Rain Ac	cumula	ation 7	Time (da	ys)	6.00
1. Are the appro	ove	d (stampe	d) E&S Pla	n and PCSM Pl	an pre	sent on sit	e?					Yes
` , , ,	the	MVP Env	ironmental	Permitting Coo	rdinato	or and expl	ain in com	nments.))			No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)							Yes					
4. E&S BMPs (is required.)	(List	BMPs and	d note if ins	stalled and main	itained	as per the	plan. If c	correctiv	e actio	on is need	ded,	a picture
E8	&S I	BMPs		Compliance Level		Correctiv	e Action			rective Frame	R	Date epaired
Compost Filter So	ock		,	Acceptable								
Housekeeping			,	Acceptable								
Sensitive Resource	ce E	Buffer	,	Acceptable								
Sensitive Resource	ce S	Signage	,	Acceptable								
Silt Fence (Filter I	Fab	ric Fence)	,	Acceptable								
Sump Pit			,	Acceptable								
Vegetative Stabili	zati	on (Tempoi	ary)	Acceptable								
Waterbar			,	Acceptable								
Waterbar End Tre	eatm	nent	,	Acceptable								
5. Site Condition	ons	<u> </u>										
Is an unauthoriz beyond defined a photo and imm	limi	ts of distur	bance resu	ulting from earth	distur	bance acti	vity or inef	-				No
Have inactive dis	stur	bed areas	(stockpiles	s, final grade) be	een sta	abilized per	state req	uiremer	nts?			Yes
Are slopes 3:1 a						•	'					Yes
Has a new slip/s	slide	been obs	erved? (If	yes, complete S	Slide R	eport Form	1)					No


MVP-34 REV 3 Page 1 of 5

PCSM BMPs (List BMPs and note picture is required.)		Date/Time 6/14/2022 10:35 AM		Report # 38731			
	if installed and main	tained as per the plan. If cor	rective action is ne	eded, a			
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired			
Interestita all access dial access and the st	lhava haan talan ah	41.					
Identify all remedial measures that	nave been taken sir	ice the previous inspection w	/as conducted.				
omments (Reference above questio	ons as appropriate.)						
rformed SWPPP Inspection on this line	e. There were no issues	to report at the time of Inspecti	ion.				

MVP-34 REV 3 Page 2 of 5

replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required

as part of a permit condition this form may be used to meet those monitoring requirements.



MVP-34 REV 3 Page 3 of 5

AFE 124300139)	Date/Time 6/14/2022 10:35 A	e 6/14/2022 10:35 AM Report #				
		Pictures					
	Insert image here		Insert im	age here			
GPS Location		GPS Location					
Field Station#		Field Station#					
Pic 7 Desc.		Pic 8 Desc.					
	Insert image here		Insert im	age here			
GPS Location		GPS Location					
Field Station#		Field Station#					
Pic 9 Desc.		Pic 10 Desc.					
	Insert image here		Insert im	age here			
GPS Location		GPS Location					
Field Station#		Field Station#					
Pic 11 Desc.		Pic 12 Desc.					

MVP-34 REV 3 Page 4 of 5

AFE 124300139		Date/Time	e 6/14/2022 10:35 AM Report #				
		Pictu	ures				
	Insert image here			Insert im	age here		
GPS Location			GPS Location				
Field Station#			Field Station#				
Pic 13 Desc.			Pic 14 Desc.				
	Insert image here			Insert im	age here		
GPS Location			GPS Location				
Field Station#			Field Station#				
Pic 15 Desc.			Pic 16 Desc.				
	Insert image here			Insert im	age here		
GPS Location			GPS Location				
Field Station#			Field Station#				
Pic 17 Desc.			Pic 18 Desc.				

MVP-34 REV 3 Page 5 of 5

Mour Mour	Valley	LC	Visu	ıal S	Site	e Ins	specti	on Re	Mountain Valley Visual Site Inspection Report						
Project Nar	ne H-600 Pi	peline Spread I		Al	FE	124300	139	Spr	ead ⊦	l-600 Pipel	ne Spread I				
Contract	or Precision	1						Report # 38747							
Inspect	or Glenn M	ke Renfro						Date/Time 6/14/2022 2:16 P			:16 PM				
Permit #	TBD		Inspection	Туре	VA	SWPP		Station	Begii	0000+00)				
State	VA		Inspection	Area Full		Statio	on End	0000+00)						
County	Franklin		Gr	round Wet		Т	empe	rature (°F	86.00						
Municipality	N/A		We	ather	Ligh	nt Rain			Rain	Gauge (in) 0.50				
	•		•				Rain Ac	cumulat	tion T	ime (days	6.00				
1. Are the appre	oved (stamp	ed) E&S Plan	and PCSM Pla	an pres	sent	on site	e?				Yes				
2. Are there act		•							ings?		No				
		nvironmental P							1 nlan						
3. Is Constructi followed? (If		e outlined in th IVP Environme								set being	Yes				
4. E&S BMPs (is required.)	(List BMPs a	nd note if insta	alled and main	tained	as	er the	plan. If o	corrective	actio	n is neede	d, a picture				
E	&S BMPs	C	Compliance Level		Со	rrectiv	e Action			ective Frame	Date Repaired				
Compost Filter So	ock	Ac	ceptable												
Housekeeping		Ac	ceptable												
Rock Constructio	n Entrance	Ac	ceptable												
Secondary Conta	inment	Ac	ceptable												
Other - Explain in	Comments	Ac	ceptable	Inlet pr	otec	tion for	catch basi	ins							
5. Site Conditi	ons														
Is an unauthoriz beyond defined a photo and imn	limits of dist	urbance result	ing from earth	disturl	ban	ce activ	vity or ine								
Have inactive di	sturbed area	as (stockpiles,	final grade) be	een sta	abiliz	ed per	state req	uirement	ts?		N/A				
Are slopes 3:1 a							'				N/A				
Has a new slip/s	slide been o	oserved? (If ye	es, complete S	Slide R	еро	rt Form	1)				No				

MVP-34 REV 3 Page 1 of 5

5. PCSM BMPs (List BMPs and note picture is required.)	if installed and ma	nintained as per the plan. If cor	rective action is ne	eded, a
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
_				
7. Identify all remedial measures that	have been taken s	since the previous inspection w	as conducted.	


Comments (Reference above questions as appropriate.)

-Performed SWPPP inspections of Spread I laydown yards MVP-LY-045 and MVP-LY-046 in Rocky Mount, Va.

- The locations have received .50" of rainfall since the last inspection and site conditions were wet.
- All perimeter ECD's were inspected and no issues were observed.
- The inlet protection for the catch basins at LY-046 were found to be in good condition.
- All secondary containment structures were inspected and no issues were identified during the time of inspection.
- The RCE at LY-045 was in acceptable condition.
- All equipment at both locations were inspected and no leaks were observed at the during the inspection.
- The General Construction permits and contact information are posted at the entrance of LY-046 as required.
- There ware no issues found to report during today's inspection.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

MVP-34 REV 3 Page 2 of 5



MVP-34 REV 3 Page 3 of 5

AFE 124300139	9	Date/Time	e 6/14/2022 2:16 PM Report #				
		Pictu	ıres				
South West Elevation			Insert image here				
GPS Location	See picture	1	GPS Location				
Field Station#			Field Station#				
Pic 7 Desc.	Perimeter ECD's on west side of employee parking area at LY-045		Pic 8 Desc.				
	Insert image here			Insert im	age here		
GPS Location			GPS Location				
Field Station#			Field Station#				
Pic 9 Desc.			Pic 10 Desc.				
	Insert image here			Insert im	age here		
GPS Location			GPS Location				
Field Station#			Field Station#				
Pic 11 Desc.			Pic 12 Desc.				

MVP-34 REV 3 Page 4 of 5

AFE 124300139		Date/Time 6/14/2022 2:16 Pf	ne 6/14/2022 2:16 PM Report #				
		Pictures					
	Insert image here		Insert im	age here			
GPS Location		GPS Location					
Field Station#		Field Station#					
Pic 13 Desc.		Pic 14 Desc.					
	Insert image here		Insert im	age here			
GPS Location		GPS Location					
Field Station#		Field Station#					
Pic 15 Desc.		Pic 16 Desc.					
	Insert image here		Insert im	age here			
GPS Location		GPS Location					
Field Station#		Field Station#					
Pic 17 Desc.		Pic 18 Desc.					

MVP-34 REV 3 Page 5 of 5


Moun	Mountain Valley Visual Site Inspection Report											
Project Nan	ne	H-600 Pipe	line Sprea	d I	Α	FE 124300	0139	Sp	oread	H-600 Pipe	eline	Spread I
Contract	Contractor Precision							Rep	ort #	38748		
Inspect	or	Ben Farme	r					Date/	3 PM			
Permit #	TBI)		Inspectio	n Type	VA SWPP		Statio				
State	VA			Inspection	n Area	Partial		Stat	tion E	n d 14311-	+57	
County	Fra	nklin		(round	Damp			Temperature (°F)			
Municipality	N/A			W	eather	Sunny			Rair	Gauge (i	in)	0.30
							Rain Ac	cumul	ation	Time (day	rs)	0.00
1. Are the appro	ove	d (stampe	d) E&S Pla	an and PCSM I	Plan pre	sent on sit	e?					Yes
2. Are there act (If yes, notify			-	of the limits of al Permitting Co					-	?		No
3. Is Construction followed? (If		•		the construction			•			,	g	Yes
4. E&S BMPs (is required.)	List	BMPs and	I note if in	stalled and ma	intained	as per the	e plan. If o	correcti	ve acti	on is need	led,	a picture
E8	&S E	BMPs		Compliance Level		Correctiv	e Action					Date epaired
Cleanwater Diver	sion	Pipe		Acceptable								
Compost Filter So	ock			Communication	Tree h	Tree has fallen across SSF/CFS end						
Equipment Bridge	Э			Acceptable								
Rock Construction	n En	ntrance		Acceptable								
Sensitive Resource	ce B	uffer		Acceptable								
Silt Fence (Filter I	Fabr	ric Fence)		Acceptable								
Silt Fence (Reinfo	orce	d Filter Fab	ric Fence)	Communication	Tree h	as fallen ac	ross SSF/0	CFS end				
Slope Drain Pipe				Acceptable								
Waterbar				Acceptable								
5. Site Condition	ons											
Is an unauthoriz beyond defined a photo and imm	limit	s of distur	bance res	sulting from ear	th distur	bance acti	vity or ine					No
Have inactive dis	stur	bed areas	(stockpile	es, final grade)	been sta	abilized per	r state req	uireme	nts?			Yes
Are slopes 3:1 a	ınd (greater sta	abilized wi	th appropriate I	BMPs as	per E&S	plans?					Yes
Has a new slip/s	slide	been obs	erved? (I	f yes, complete	Slide R	eport Forn	n)					No

MVP-34 REV 3 Page 1 of 5


AFE 124300139	Date/T	ime 6/14/2022 2:18 PM	Report # 387	748
6. PCSM BMPs (List BMPs and note	if installed and m	aintained as per the plan. If correc	ctive action is ne	eded, a
picture is required.) PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Other	Acceptable	Permanent vegetation remains in go		
		1		
		1		
		1		
		1		
7. Identify all remedial measures that	have been taken	since the previous inspection was	conducted.	
Comments (Reference above question	ns as appropriate	.)		
SWPPP Inspection (Sunny, 77F) Rain Gauge= 0.3" 14171+36-14311+57				
-RCEs are in good condition at all road cro-Equipment bridge ECDs are in good condition-CWDs are functioning as intendedTree has fallen across SSF/CFS end trea-Waterbars are in good condition through c-Slope drain is in good condition and funct-Resource buffers remain well vegetatedPerimeter CFS is in good condition through 1 is in good condition at all stream and 1 c-Topsoil berms remain stabilized	dition and functionin atment and needs to out this section. tioning at 14232+00 ghout this section	o be removed at 14177+00.		
*Issues identified in the field have been ac	ded to the punch li	st to be addressed by the contractor		

weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

MVP-34 REV 3 Page 2 of 5



MVP-34 REV 3 Page 3 of 5



MVP-34 REV 3 Page 4 of 5

AFE 124300139		Date/Time 6/14/2022 2:18 PM	И	Report #					
		Pictures							
	Insert image here		Insert image here						
GPS Location		GPS Location							
Field Station#		Field Station#							
Pic 13 Desc.		Pic 14 Desc.							
	Insert image here		Insert im	age here					
GPS Location		GPS Location							
Field Station#		Field Station#							
Pic 15 Desc.		Pic 16 Desc.							
	Insert image here		Insert im	age here					
GPS Location		GPS Location							
Field Station#		Field Station#							
Pic 17 Desc.		Pic 18 Desc.							

MVP-34 REV 3 Page 5 of 5

Moun	Visu	ual S	Site Ins	specti	on R	еро	rt					
Project Nan	ne	H-600 Pipe	eline Spread	П	Al	FE 124300)139	Spr	ead	H-60	0 Pipelin	e Spread I
Contract	or	Precision				•		Report # 38735				
Inspect	or	John White)					Date/T	ime	6/14/	2022 10:	56 AM
Permit #	ТВІ	D		Inspection	Туре	VA SWPP		Station	n Begi	in 1	5947+64	
State	VA			Inspection	Area	Full		Statio	on En	1 1	6027+46	
County	Pitt	sylvania		Gr	ound	Wet		Т	Гетр	eratı	ure (ºF)	75.00
Municipality	Cha	atham		We	ather	Cloudy			Rain	Gau	ıge (in)	0.20
				•			Rain Ac	cumula	tion T	Time	(days)	6.00
1. Are the appro	ove	d (stampe	d) E&S Pla	n and PCSM Pl	an pre	sent on site	e?					Yes
2. Are there act (If yes, notify				of the limits of d Permitting Coo								No
3. Is Construction followed? (If		•		the construction nental Permitting			•		•		being	Yes
4. E&S BMPs (is required.)	(List	: BMPs and	d note if in	stalled and main	itained	as per the	e plan. If o	corrective	e actio	on is	needed,	, a picture
E8	&S I	BMPs		Compliance Level		Correctiv	e Action		Corr Time			Date Repaired
Compost Filter So	ock		,	Acceptable								
Cleanwater Divers	sion	ı Pipe		Acceptable								
Equipment Bridge	e			Acceptable								
Housekeeping				Acceptable								
Rock Filter Outlet	:			Acceptable								
Sediment Filter Lo	og			Acceptable								
Sensitive Resource	ce E	Buffer		Acceptable								
Sensitive Resource	ce S	Signage		Acceptable								
Vegetative Stabili	zati	on (Tempoi	ary)	Acceptable								
5. Site Condition	ons	<u> </u>										
Is an unauthorize beyond defined l a photo and imm	limi	ts of distur	bance res	ulting from earth	distur	bance acti	vity or inet	•				No
Have inactive dis	stur	bed areas	(stockpile	s, final grade) be	een sta	abilized per	state req	uirement	ts?			Yes
Are slopes 3:1 a						•						Yes
Has a new slip/s	slide	been obs	erved? (If	yes, complete S	Slide R	eport Form	า)					No


MVP-34 REV 3 Page 1 of 5

AFE 124300139	Date/Tin	ne 6/14/2022 10:56 AM	Report # 387	Report # 38735				
PCSM BMPs (List BMPs and note if i picture is required.)	nstalled and mai	intained as per the plan. If cor	rective action is ne	eded, a				
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired				
= 11 - 466 - 11 Hel management had be	to be a section of	· · · · · · · · · · · · · · · · · · ·						
7. Identify all remedial measures that ha	ave been taken s	ince the previous inspection w	/as conducted.					
Comments (Reference above questions Performed SWPPP Inspection on this section			eastion					
r enormed own i'r imspection on tilis sectior	i. There were no i	ssues to report at the time of map	ection.					
Note: It is a condition of National Polluta	nt Discharge Elir	mination System and Erosion a	and Sediment perm	its that a				
maintenance program be conducted to p weekly basis and after each stormwater								

MVP-34 REV 3 Page 2 of 5

replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required

as part of a permit condition this form may be used to meet those monitoring requirements.



MVP-34 REV 3 Page 3 of 5

AFE 124300139	9	Date/Time 6/14	1/2022 10:56 A							
		Picture	es							
	Vest Elevation 19'43"N, 79°20'56"W ±118ft ▲ 628ft 14 Jin 2022 10'22.40		Insert image here							
GPS Location	0	GP	S Location							
Field Station#			eld Station#							
Pic 7 Desc.	Observing temporary stabilization sump and end treatment	n,water bar,	ic 8 Desc.							
	Insert image here		· · ·	Insert im	age here					
GPS Location			S Location							
Field Station#		Fie	eld Station#							
Pic 9 Desc.		Pio	c 10 Desc.							
	Insert image here			Insert im	age here					
GPS Location		GP	S Location							
Field Station#		Fie	eld Station#							
Pic 11 Desc.		Pic	c 12 Desc.							

MVP-34 REV 3 Page 4 of 5

AFE 124300139		Date/Time	e 6/14/2022 10:56 AM Report #						
		Pictu	ıres						
	Insert image here		Insert image here						
GPS Location		(GPS Location						
Field Station#			Field Station#						
Pic 13 Desc.			Pic 14 Desc.						
	Insert image here		,	Insert im	age here				
GPS Location			GPS Location						
Field Station#			Field Station#						
Pic 15 Desc.			Pic 16 Desc.						
	Insert image here			Insert im	age here				
GPS Location		(GPS Location						
Field Station#			Field Station#						
Pic 17 Desc.			Pic 18 Desc.						

MVP-34 REV 3 Page 5 of 5

Mour Mour	nta V	ain Valley		Visu	ıal S	ite In	specti	on R	ерс	ort		
Project Nar	ct Name H-600 Pipeline Spread I AFE 124300139								read	H-600 P	ipeline	e Spread I
Contract	or	Precision	Precision							38717		
Inspect	or	Charles He	ad					Date/Time 6/14/2022 8:48				8 AM
Permit #	ТВІ	D		Inspection	Туре	VA SWPF)	Statio	n Beg	in 1506	3+85	
State	VA			Inspection	Area	Full		Stat	ion Er	nd 1514	2+66	
County	Pitt	sylvania		Gr	ound	Damp			Temp	erature	(°F)	70.00
Municipality	Cha	atham		We	ather	Cloudy			Rain	Gauge	(in)	0.30
							Rain Ac	cumula	ation ⁻	Time (d	ays)	1.00
1. Are the appro	ove	d (stampe	d) E&S Pla	n and PCSM PI	an pre	sent on si	te?					Yes
2. Are there act			•						_)		No
3. Is Constructi				Permitting Coo						n sat ha	ina	
				nental Permittin							iiig	Yes
4. E&S BMPs (is required.)	(List	: BMPs and	I note if ins	talled and mair	ntained	as per th	e plan. If o	correctiv	e acti	on is ne	eded,	a picture
E	&S I	BMPs		Compliance Level	Corrective Action				rective Frame	R	Date epaired	
3rd Party Damag	es		C	Communication	Repair	CFS dam	aged by live	estock/w				
Compost Filter So	ock		C	Communication	Repair	livestock/\	wildlife dama	age				
Equipment Bridge	9		A	Acceptable								
Rock Constructio	n Er	ntrance	A	Acceptable								
Sensitive Resour	ce B	Buffer	A	Acceptable								
Sensitive Resour	ce S	Signage	A	Acceptable								
Silt Fence (Filter	Fab	ric Fence)	A	Acceptable								
Waterbar			A	Acceptable								
5. Site Conditi	ons	3										
ls an unauthoriz beyond defined a photo and imn	limi	ts of distur	bance resu	ılting from earth	disturl	oance act	tivity or inef	-				No
Have inactive di	stur	bed areas	(stockpiles	s, final grade) be	een sta	bilized pe	er state req	uiremer	nts?			Yes
Are slopes 3:1 a	ınd	greater sta	abilized with	appropriate Bl	MPs as	per E&S	plans?					Yes
Has a new slip/s	slide	been obs	erved? (If	yes, complete S	Slide R	eport For	m)					No


MVP-34 REV 3 Page 1 of 5

AFE 124300139		Date/Ti	me 6/14/2022 8:48 AM	Report # 38717			
6. PCSM BMPs (List BMPs and note if picture is required.)	installed	d and ma	intained as per the plan. If corre	ctive action is nee	eded, a		
PCSM BMPs	-	liance vel	Corrective Action	Corrective Time Frame	Date Repaired		
Other	Acceptat	ole	Permanent vegetation				
7. Identify all remedial measures that h	ave bee	n taken s	since the previous inspection was	conducted.			
Comments (Reference above questions	s as appı	ropriate.)				
SWPPP inspection of Spread I. Inspection water bars, sumps, end treatments, CWDs, Seeding and stabilization practices are prog Streams running clean and clear of sedimer below and on daily punch list.	stabilizat gressing.	ion and s Contracto	eeding activities, and general ROW or has addressed and continues to ac	conditions. BMPs list	sted above. e issues.		

MVP-34 REV 3 Page 2 of 5

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required

as part of a permit condition this form may be used to meet those monitoring requirements.



AFE 124300139		Date/Time	6/14/2022 8:48 AN	Л	Report #				
		Pict	ures						
	Insert image here		Insert image here						
GPS Location			GPS Location						
Field Station#			Field Station#						
Pic 7 Desc.			Pic 8 Desc.						
	Insert image here			Insert im	age here				
GPS Location			GPS Location						
Field Station#			Field Station#						
Pic 9 Desc.			Pic 10 Desc.						
	Insert image here			Insert im	age here				
GPS Location			GPS Location						
Field Station#			Field Station#						
Pic 11 Desc.			Pic 12 Desc.						

AFE 124300139		Date/Time 6/14/202	2 8:48 AM	Report #						
		Pictures								
	Insert image here		Insert image here							
GPS Location		GPS Lo	ocation							
Field Station#		Field S	tation#							
Pic 13 Desc.		Pic 14	Desc.							
	Insert image here			nage here						
GPS Location		GPS Lo	ocation							
Field Station#		Field S	tation#							
Pic 15 Desc.		Pic 16	Desc.							
	Insert image here		Insert in	nage here						
GPS Location		GPS Lo	ocation							
Field Station#		Field S	tation#							
Pic 17 Desc.		Pic 18	Desc.							


Moun	V	ain Valley		Vis	ual S	Site Ins	specti	on Re	еро	rt		
Project Nan	ne	H-600 Pipe	eline Spread	d I	Α	FE 124300)139	Spr	ead	H-60	0 Pipelin	e Spread I
Contract	or	Precision			•	•		Repo	ort#	3872	:5	
Inspect	or	Justin Burd	h					Date/T	ime	6/14/	/2022 10:	:09 AM
Permit #	ТВІ	D		Inspectio	n Type	VA SWPP		Station	n Begi	in 1	5480+67	•
State	VA			Inspectio	n Area	Area Full S			on En	nd 1	5584+23	3
County	Pitt	sylvania		G	Fround	Damp		Т	Гетр	erati	ure (ºF)	73.00
Municipality	Cha	atham		W	eather	Cloudy			Rain	Gau	uge (in)	0.20
					Rain Ac				tion T	Гime	(days)	6.00
1. Are the appro	ove	d (stampe	d) E&S Pla	an and PCSM F	Plan pre	sent on sit	e?					Yes
2. Are there act (If yes, notify				of the limits of Il Permitting Co					vings?			No
followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)								Yes				
4. E&S BMPs (is required.)	List	BMPs and	d note if in	stalled and ma	intained	as per the	e plan. If o	corrective	e actio	on is	needed	, a picture
E8	&S I	BMPs		Compliance Level		Corrective Action			Corr Time			Date Repaired
Rock Construction	n Er	ntrance		Acceptable								
Vegetative Stabili	zati	on (Tempoi	ary)	Acceptable								
Silt Fence (Reinfo	orce	d Filter Fab	ric Fence)	Acceptable								
Equipment Bridge)			Acceptable								
Waterbar				Acceptable								
Waterbar End Tre	eatm	nent		Acceptable								
Silt Fence (Reinfo	orce	Filter Fenc	e)	Acceptable								
Cleanwater Divers	sion	Berm		Acceptable								
Sump Pit				Acceptable								
5. Site Condition	ons	5										
Is an unauthorize beyond defined l a photo and imm	limi	ts of distur	bance res	ulting from ear	th distur	bance acti	vity or ine	-				
Have inactive dis	stur	bed areas	(stockpile	es, final grade)	been sta	abilized pei	state req	uirement	ts?			Yes
Are slopes 3:1 a	nd	greater sta	abilized wi	th appropriate E	BMPs as	s per E&S	plans?					Yes
Has a new slip/s	lide	been obs	erved? (I	f yes, complete	Slide R	eport Form	า)					No

AFE	124300139	Date/Ti	ime 6/14/2022 10:09 AM	Report # 387	725
	SM BMPs (List BMPs and note if ture is required.)	installed and m	aintained as per the plan. If cor	rective action is ne	eded, a
	PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Other		Acceptable	Permanent Vegetation		
7. lde	entify all remedial measures that h	ave been taken	since the previous inspection w	as conducted.	•

Comments (Reference above questions as appropriate.)

- The EI performed a SWPPP inspection from 15480+67 to 15584+23 (Toshes Road to Anderson Mill Road 1). No issues were submitted for the punch list due to the inspected ECDs being in compliance at the time of inspection.
- The EI observed that the solar farm ECDs adjacent to the ROW on both sides of Climax Road appeared to be in acceptable condition and that site work is ongoing between Toshes Road and Climax Road.
- The EI did not observe that any contractor activity has occurred in the area since the last SWPPP inspection.
- Since the last SWPPP inspection the area has received one rain event with totals of 0.10" at Snowberry Road and 0.20" at Anderson Mill Road 2.
- The ROW ground condition is damp.
- At the time of inspection permanent vegetative stabilization was adequately established to inhibit erosion from 15482+00 to 15495+00
- At the time of inspection temporary vegetative stabilization was adequately established to inhibit erosion.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.



AFE 124300	139	Date/Time 6/14/2022 10:09 A	AM Report #				
		Pictures					
◆ 94°E (T)	17 N 636946 4084848 ±36ft ▲ 789ft 15540+00 06-14-2022, 07;44:11		17 N 637245 4084670 ±13ft ▲ 855ft 15553+00 06-14-2022, 07;48:25				
GPS Location	n 0	GPS Location	0				
Field Station	# 15540+00	Field Station#	15553+00				
Pic 7 Desc	P1 silt fence in acceptable condi	Pic 8 Desc.	Clean water diversion berm an vegetative stabilization in acce conditions	nd temporary eptable			
GPS Location	15576+00 06-14-2022, 09:16:13	GPS Location	15513+00 06-14-2022, 07:29:36				
Field Station		Field Station#					
Pic 9 Desc.	Sump pit in acceptable condition	1	Solar farm perimeter ECDs ap acceptable conditions	pear to be in			
○ 112°E (T)	17 N 635648 4086026 ±88ft ▲ 908ft 15481+00 06-14-2022, 09:27:04		Insert image here				
GPS Location	n 0	GPS Location	GPS Location				
Field Station	# 15481+00	Field Station#	Field Station#				
Pic 11 Desc	Solar farm perimeter ECDs appearance acceptable conditions	Pic 12 Desc.					

AFE 124300139		Date/Time	6/14/2022 10:09 A	.M	Report #				
		Pictu	ures						
	Insert image here		Insert image here						
GPS Location			GPS Location						
Field Station#			Field Station#						
Pic 13 Desc.			Pic 14 Desc.						
	Insert image here		,	Insert im	age here				
GPS Location			GPS Location						
Field Station#			Field Station#						
Pic 15 Desc.			Pic 16 Desc.						
	Insert image here			Insert im	age here				
GPS Location			GPS Location						
Field Station#			Field Station#						
Pic 17 Desc.			Pic 18 Desc.						

Moun	V	ain Valley		Visu	ual S	Site Ins	specti	on Re	epo	rt		
Project Nan	ne	H-600 Pipe	eline Spread	d I	Al	FE 124300)139	Spre	ead	H-600 P	ipeline	e Spread I
Contract	or	Precision			•	•		Repo	ort#	38742		
Inspect	or	Ben Dave	nport					Date/Ti	te/Time 6/15/2022 1:35			5 PM
Permit #	ТВІ	D		Inspection	Туре	VA SWPP		Station	Begi	i n 1431	1+57	
State	VA			Inspection	n Area Partial			Statio	on En	d 1445	54+22	
County	Fra	nklin		Gr	Ground Dry			Т	empe	erature	(°F)	91.00
Municipality	N/A	١		We	ather	ather Sunny			Rain	Gauge	(in)	0.00
					Rain Ad				tion T	ime (d	ays)	0.00
1. Are the appro	ove	d (stampe	d) E&S Pla	an and PCSM PI	and PCSM Plan present on site?						Yes	
			_	of the limits of d I Permitting Coo					ings?			No
 3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) 4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a pice.) 								Yes				
4. E&S BMPs (is required.)	List	: BMPs and	d note if in	stalled and main	itained	as per the	e plan. If o	corrective	e actio	n is ne	eded,	a picture
E8	&S I	BMPs		Compliance Level	Corrective Action					ective Frame	R	Date epaired
Vegetative Stabili	zati	on (Tempoi	rary)	Acceptable								
Waterbar				Acceptable								
Temporary Divers	sion	Berm		Acceptable								
Compost Filter Sc	ock			Acceptable								
Sump Pit				Acceptable								
Waterbar End Tre	eatm	nent		Acceptable								
Equipment Bridge)			Acceptable								
Sensitive Resource	ce B	Buffer		Acceptable								
Sediment Filter Lo	og			Acceptable								
5. Site Condition	ons	5										
Is an unauthorize beyond defined l a photo and imm	limi	ts of distur	bance res	ulting from earth	distur	bance acti	vity or inet	-				No
Have inactive dis	stur	bed areas	(stockpile	s, final grade) be	een sta	abilized per	state req	uirement	ts?			Yes
Are slopes 3:1 a						•						Yes
Has a new slip/s	lide	been obs	erved? (If	yes, complete S	Slide R	eport Form	า)					No

AFE 124300139	Date/Ti	me 6/15/2022 1:35 PM	Report # 387	'42
6. PCSM BMPs (List BMPs and note if picture is required.)	installed and ma	aintained as per the plan. If corre	ctive action is nee	eded, a
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Other	Acceptable	Permanent Vegetation		
7. Identify all remedial measures that h	nave been taken :	since the previous inspection was	conducted.	
Comments (Reference above question	s as appropriate.)		
-Available for work -Received instruction from Lead EI for daily -Sunny with dry ground conditions during in -Performed SWPPP inspection on portion of -Covered territory between station# 14311+ -Walked ROW making note of condition of File -Verified the completion and accuracy of purperimeter controls and ECD's were inspectedInspection observed condition of equipment issues identified -Inspection observed condition of water barInspection observed condition of temporary -Continue to monitor ROW for signs of erosNo items added to environmental punch lis	spection of MVP Spread I se of MVP Spread I se of — 14454+22 (I ROW and environn onch list items in co ted; no issues ider of bridges and surre d culverts in section of stabilization and ion	Farm View Rd to Webster Rd) nental controls overed area from previous inspections ntified ounding ECD's around stream crossi n; no issues identified I treatments along ROW; no issues id	ngs and resource b	ouffers; no

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE 1243001	39	Date/Time 6/15	5/2022 1:35 PN	M Re	port #	
		Picture	es			
		3.2022 07:22:25 5. Ft ALT 1231 Ft		18" W 160"S COURSE 168 GPS Slade Hill, VA 24092, United States	06.15.2022 Accur +/-15.1 Ft /	
GPS Location	1 1	GP	S Location	2		
Field Station	# 14330+00	Fie	eld Station#	14337+00		
Pic 1 Desc.	ROW stabilized and vegetated in t area.		ic 2 Desc.	Temporary diversion vegetated.	berm stabilized a	and
		5.2022 07:26:20 .5 Ft ALT 1168 Ft		17" W 30"NE COURSE 302' GPS A 24092, United States	06.15.2022 Accur +/-15.4 Ft	
GPS Location	3	GP	S Location	4		
Field Station	# 14351+00	Fie	eld Station#	14391+47		
Pic 3 Desc.	Sump pit and CFS end treatment pintended functions.	~	ic 4 Desc.	Equipment bridge ar place and functional resource buffer.		
		3.2022 09:34:32 1.1 Ft. ALT 1051 Ft		43° W 116°SE COURSE 145° GPS A 24092, United States	06.15.2022 Accur +/-11.6 Ft A	
GPS Location	1 5	GP	S Location	6		
Field Station	# 14414+00	Fie	eld Station#	14421+89		
Pic 5 Desc.	Slope drain inlet in good condition.		ic 6 Desc.	Equipment bridge ar place and functional resource buffer.	nd surrounding E0 at stream crossir	CDs in ng and


AFE 124300139)	Date/Time 6/15/2022 1:35 PM	И	Report #						
		Pictures								
	Insert image here		Insert image here							
GPS Location		GPS Location								
Field Station#		Field Station#	Field Station#							
Pic 7 Desc.		Pic 8 Desc.								
	Insert image here		Insert im	age here						
GPS Location		GPS Location								
Field Station#		Field Station#								
Pic 9 Desc.		Pic 10 Desc.								
	Insert image here		Insert im	age here						
GPS Location		GPS Location	GPS Location							
Field Station#		Field Station#								
Pic 11 Desc.		Pic 12 Desc.								

AFE 124300139		Date/Time	6/15/2022 1:35 PN	Л	Report #					
		Pict	ures							
	Insert image here		Insert image here							
GPS Location			GPS Location							
Field Station#			Field Station#							
Pic 13 Desc.			Pic 14 Desc.							
	Insert image here			Insert im	age here					
GPS Location			GPS Location							
Field Station#			Field Station#							
Pic 15 Desc.			Pic 16 Desc.							
	Insert image here			Insert im	age here					
GPS Location			GPS Location							
Field Station#		_	Field Station#		-	_				
Pic 17 Desc.			Pic 18 Desc.							

Mour Mour	ntain Valley		Visu	ıal S	Site	Ins	specti	on R	epc	ort		
Project Nar	ne H-600 Pip	eline Spread I		Al	F E 12	4300	139	Spr	ead	H-600 Pipe	eline	Spread I
Contract	or Precision				•			Repo	ort#	38795		
Inspect	tor Justin Bur	ch						Date/T	ime	6/15/2022	12:5	5 PM
Permit #	TBD		Inspection	Туре	VA SV	VPP		Station	n Beg	in 15142-	⊦66	
State	VA		Inspection	Area	Full			Stati	on Er	nd 15260-	+ 00	
County	Pittsylvania		Gr	ound	Dry			7	Гетр	erature (º	F)	85.00
Municipality	Chatham		We	ather	Sunny				Rain	Gauge (i	n)	0.10
			Rain Accumula						tion ⁻	Гime (day	s)	6.00
1. Are the appro	oved (stampe	ed) E&S Plan	and PCSM Pla	an pres	sent or	n site	e?					Yes
2. Are there act (If yes, notify			the limits of d ermitting Coo									No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCS followed? (If No, notify MVP Environmental Permitting Coordinator and explain in commentations are constructed in the construction notes of the E&S plan set or PCS followed?									•	,	g	Yes
4. E&S BMPs (is required.)	(List BMPs an	d note if insta	Illed and main	tained	as pei	the	plan. If o	corrective	e actio	on is need	ed,	a picture
E	&S BMPs	C	Compliance Level		Corrective Action					rective Frame	R	Date epaired
Waterbar		Aco	ceptable									
Waterbar End Tre	eatment	Acc	ceptable									
Vegetative Stabili	ization (Perma	nent) Ac	ceptable									
Silt Fence (Filter	Fabric Fence)	Acc	ceptable									
Compost Filter So	ock	Aco	ceptable									
Equipment Bridge	e	Acc	ceptable									
5. Site Conditi	ons											
Is an unauthoriz beyond defined a photo and imn	limits of distu	rbance resulti	ng from earth	disturl	bance	activ	ity or ine	-				No
Have inactive di	sturbed areas	s (stockpiles,	final grade) be	een sta	bilizec	per	state req	uiremen	ts?			Yes
Are slopes 3:1 a	and greater st	abilized with a	appropriate BN	MPs as	per E	&S p	olans?					Yes
Has a new slip/s	slide been ob	served? (If ye	es, complete S	Slide R	eport F	orm	1)					No

	ote if installed and ma	aintained as per the plan. If co	11 11 1									
5. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)												
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired								
ther	Acceptable	Permanent Vegetation										
Identify all remedial measures	that have been taken	since the previous inspection w	as conducted.									
omments (Reference above que	stions as appropriate	.)										
The EI performed a SWPPP inspelist items were submitted due to the The EI did not observe that any consince the last SWPPP inspection to Snowberry Road. The ROW ground condition is dry. At the time of inspection permaner 15153+00 and from 15173+00 to 150.	e inspected ECDs being ntractor activity has occ he area has received or nt vegetative stabilization	g in compliance at the time of insponsivers of the last SW ne rain event with totals of 0.30" at	ection. /PPP inspection. Armstrong Road and	0.10" at								

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.



AFE 124300139)	Date/Time	6/15/2022 12:55 P	PM	Report #	
		Pict	ures			
● 98°E (T) ● 17 N	15162+00 06-15-2022, 10:55:23		• 96°E (T) ● 17	N 627003 4089736 06-15-	±13ft ▲ 774ft 15162+00 2022, 10:27:28	
GPS Location	0		GPS Location	0		
Field Station#			Field Station#			
Pic 7 Desc.	Equipment bridge in acceptable c	condition	Pic 8 Desc.	P1 silt fence in	acceptable co	ndition
	Insert image here			Insert im	age here	
GPS Location			GPS Location			
Field Station#			Field Station#			
Pic 9 Desc.			Pic 10 Desc.			
	Insert image here			Insert im	age here	
GPS Location			GPS Location			
Field Station#			Field Station#			
Pic 11 Desc.			Pic 12 Desc.			


AFE 124300139		Date/Time 6/15/2022 12:55	PM	Report #				
		Pictures						
	Insert image here		Insert image here					
GPS Location		GPS Location						
Field Station#		Field Station#						
Pic 13 Desc.		Pic 14 Desc.						
	Insert image here		Insert im	age here				
GPS Location		GPS Location						
Field Station#		Field Station#						
Pic 15 Desc.		Pic 16 Desc.						
	Insert image here		Insert im	age here				
GPS Location		GPS Location						
Field Station#		Field Station#						
Pic 17 Desc.		Pic 18 Desc.						

Moun	V	ain Valley		Visu	ual S	Site Ins	specti	on R	еро	rt		
Project Nan	ne	H-600 Pipe	eline Spread	11	Al	FE 124300	139	Spr	ead	H-60	00 Pipelin	e Spread I
Contract	or	Precision				•		Repo	ort#	3877	79	
Inspect	or	John White)					Date/T	ate/Time 6/15/2022 9:07			7 AM
Permit #	ТВІ	D		Inspection	Туре	VA SWPP		Station	n Begi	in 1	15584+23	3
State	VA			Inspection	Area	Full		Statio	on En	ıd 1	15647+03	3
County	Pitt	sylvania		Gr	ound	Dry		T	Гетр	erat	ure (ºF)	80.00
Municipality	Cha	atham		We	ather	Cloudy			Rain	Ga	uge (in)	0.20
							Rain Ac	cumula	tion 1	Γime	e (days)	6.00
1. Are the appro	ove	d (stampe	d) E&S Pla	an and PCSM PI	an pre	sent on site	e?					Yes
2. Are there act (If yes, notify				of the limits of d I Permitting Coo								No
3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)						Yes						
4. E&S BMPs (is required.)	List	BMPs and	d note if in	stalled and main	itained	as per the	plan. If o	corrective	e actio	on is	needed	, a picture
E8	&S I	BMPs		Compliance Level		Correctiv	e Action		Corr Time			Date Repaired
Cleanwater Divers	sion	n Pipe		Acceptable								
Compost Filter Sc	ock			Acceptable								
Equipment Bridge)			Acceptable								
Housekeeping				Acceptable								
Rock Construction	n Er	ntrance		Acceptable								
Rock Filter Outlet				Acceptable								
Sediment Filter Lo	og			Acceptable								
Sensitive Resource	ce E	Buffer		Acceptable								
Vegetative Stabili	zati	on (Tempoi	rary)	Acceptable								
5. Site Condition	ons	<u> </u>										
Is an unauthorize beyond defined I a photo and imm	limi	ts of distur	bance res	ulting from earth	distur	bance acti	vity or inet	-				
Have inactive dis	stur	bed areas	(stockpile	s, final grade) be	een sta	abilized per	state req	uirement	ts?			Yes
Are slopes 3:1 a						•	'					Yes
Has a new slip/s	lide	been obs	erved? (If	yes, complete S	Slide R	eport Form	1)					No

AFE 124300139	Date/Ti	me 6/15/2022 9:07 AM	22 9:07 AM Report # 38779			
6. PCSM BMPs (List BMPs and note picture is required.)	if installed and ma	aintained as per the plan. If cor	rective action is ne	eded, a		
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired		
			+			
7. Identify all remedial measures that	have been taken	since the previous inspection w	as conducted.			
(Deference above questio						
Comments (Reference above question Performed SWPPP Inspection on this section			action			
Note: It is a condition of National Pollumaintenance program be conducted to	_					
veekly basis and after each stormwate						

replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required

as part of a permit condition this form may be used to meet those monitoring requirements.



AFE 124300139		Date/Time 6/15/2022 9:07 AM	М	Report #				
		Pictures						
	Insert image here		Insert image here					
GPS Location		GPS Location						
Field Station#		Field Station#						
Pic 7 Desc.		Pic 8 Desc.						
	Insert image here		Insert im	age here				
GPS Location		GPS Location						
Field Station#		Field Station#						
Pic 9 Desc.		Pic 10 Desc.						
	Insert image here		Insert im	age here				
GPS Location		GPS Location						
Field Station#		Field Station#						
Pic 11 Desc.		Pic 12 Desc.						

AFE 124300139		Date/Time 6/15/20	22 9:07 AM	Report #				
		Pictures						
	Insert image here		Insert image here					
GPS Location		GPS L	ocation					
Field Station#		Field	Station#					
Pic 13 Desc.		Pic 14	1 Desc.					
	Insert image here			t image here				
GPS Location		GPS L	ocation					
Field Station#		Field	Station#					
Pic 15 Desc.		Pic 16	6 Desc.					
	Insert image here		Inser	t image here				
GPS Location		GPS L	ocation					
Field Station#		Field	Station#					
Pic 17 Desc.		Pic 18	3 Desc.					

Moun	ita V	ain alley		Visı	ual S	Site Ins	specti	on R	Repo	ort		
Project Nan	ne	H-600 Pipe	line Sprea	d I	Al	FE 124300	0139	Sp	read	H-600 Pipe	eline	Spread I
Contract	or	Precision				·		Rep	ort #	38794		
Inspect	or	Ben Farme	r					Date/	Time	6/15/2022	12:5	53 PM
Permit #	TBI)		Inspection	Туре	VA SWPP		Statio	n Beg	j in 13853-	+45	
State	VA			Inspection	n Area	Partial		Stat	ion E	nd 13958-	+31	
County	Fra	nklin		Gı	round	Dry			Temp	erature (^c	F)	75.00
Municipality	N/A			We	eather	Sunny			Rair	Gauge (i	in)	0.00
							Rain Ac	cumul	ation	Time (day	/s)	0.00
1. Are the appro	ove	d (stampe	d) E&S Pla	an and PCSM P	lan pre	sent on sit	e?					Yes
2. Are there act (If yes, notify			•	of the limits of o					_	>		No
		•		the construction			•			,	g	Yes
4. E&S BMPs (is required.)	(List	BMPs and	I note if in	stalled and mair	ntained	as per the	e plan. If o	correctiv	ve acti	on is need	led,	a picture
E8	&S E	BMPs		Compliance Level	Corrective Action					orrective ne Frame R		Date epaired
Cleanwater Diver	sion	Pipe		Acceptable								
Compost Filter So	ock			Acceptable								
Equipment Bridge)			Acceptable								
Rock Construction	n En	itrance		Acceptable								
Sensitive Resource	ce B	uffer		Acceptable								
Silt Fence (Filter I	Fabr	ric Fence)		Communication	P1 fab	ric needs to	be reattac	hed				
Silt Fence (Reinfo	orce	d Filter Fab	ric Fence)	Communication	SSF fa	bric needs	to be reatta	ached				
Slope Drain Pipe				Acceptable								
Sediment Trap				Acceptable								
5. Site Condition	ons											
Is an unauthoriz beyond defined a photo and imm	limit	s of distur	bance res	sulting from earth	n distur	bance acti	vity or inet	-				No
Have inactive dis	stur	bed areas	(stockpile	es, final grade) b	een sta	abilized per	r state req	uiremei	nts?			Yes
Are slopes 3:1 a	ınd (greater sta	abilized wi	th appropriate B	MPs as	per E&S	plans?					Yes
Has a new slip/s	slide	been obs	erved? (I	f yes, complete	Slide R	eport Forn	า)					No

AFE 124300139	Date/Ti	ime 6/15/2022 12:53 PM	Report # 387	'94						
6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)										
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired						
Other	Acceptable	Permanent vegetation remains in go								
	+									
	_									
7. Identify all remedial measures th	nat have been taken	since the previous inspection was	conducted.							


Comments (Reference above questions as appropriate.)


SWPPP Inspection (Sunny, 75F) Rain Gauge= 0.0" 13853+45-13958+31

- -Resource buffers remain well vegetated at all stream and wetland crossings.
- -CWDs are in good condition and functioning as intended
- -Equipment bridge ECDs are in good condition and functioning.
- -P1 is in good condition at all stream and wetland buffers
- -Perimeter P1 fabric needs to be reattached at 13920+00.
- -SSF fabric needs to be reattached at 13892+00.
- -Steep slope at 13889+00 remains stabilized.
- -RCEs are in good condition at all road crossings.
- -Topsoil berms remain stabilized.
- -Sediment trap at 13897+00 is in good condition with no evidence of discharge.
- -Waterbars/end treatments are in good condition.
- -Slope drain is functioning at 13955+00.
- -Vegetation continues to fill in throughout this section.

*Issues identified in the field have been added to the punch list to be addressed by the contractor.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.






AFE 12430013	9	Date/Time	6/15/2022 12:53 F	PM	Report #			
		Pict	ures					
20 ≥ 247°SW(T) LAT: 37	SW 210 300 NW 330 058395 LON: -79.917733 ±26ft ▲ 1021ft		Insert image here					
	See photo		GPS Location					
Field Station#			Field Station#					
Pic 13 Desc.	Resource buffers remain well veg	getated	Pic 14 Desc.					
	Insert image here			Insert im	age here			
GPS Location			GPS Location					
Field Station#			Field Station#					
Pic 15 Desc.			Pic 16 Desc.					
	Insert image here			Insert im	age here			
GPS Location			GPS Location					
Field Station#			Field Station#					
Pic 17 Desc.			Pic 18 Desc.					

Moun	V	ain Valley		Visu	ıal S	Site Ins	specti	on Re	epo	rt			
Project Nan	ne	H-600 Pipe	eline Spread	I	Al	FE 124300	139	Spre	ead	1-600 Pipe	eline	Spread I	
Contract	or	Precision			•	•		Repor	rt # 3	8780			
Inspect	or	Charles He	ead					Date/Ti	me 6	6/15/2022	9:13	3 AM	
Permit #	ТВ	D		Inspection	Туре	VA SWPP		Station	Begi	n 14694+	-77		
State	VA			Inspection	Area	Full		Statio	n En	d 14802+	-19		
County	Fra	ınklin		Gr	ound	Damp		Te	empe	rature (º	F)	79.00	
Municipality	N/A	4		We	ather	Sunny		ı	Rain	Gauge (i	n)	0.00	
							Rain Ac	cumulati	ion T	ime (day	s)	1.00	
1. Are the appro	ove	d (stampe	d) E&S Plai	n and PCSM Pl	an pre	sent on site	e?					Yes	
2. Are there act (If yes, notify			•	of the limits of d Permitting Coo					ngs?			No	
3. Is Construction followed? (If		•		the construction nental Permitting			•		•	set being	9	Yes	
4. E&S BMPs (is required.)	(List	t BMPs and	d note if ins		itained	as per the	e plan. If o	corrective	actio	n is need	ed,	a picture	
E8	&S I	BMPs		Compliance Level		Correctiv	e Action			ective Frame			
Compost Filter So	ock		A	Acceptable									
Equipment Bridge	9		A	Acceptable									
Rock Construction	n Er	ntrance	A	Acceptable									
Sensitive Resource	ce E	Buffer	A	acceptable									
Sensitive Resource	ce S	Signage	A	acceptable									
Silt Fence (Filter I	Fab	ric Fence)	A	acceptable									
Silt Fence (Reinfo	orce	Filter Fenc	e) A	acceptable									
Waterbar			A	cceptable									
5. Site Condition	ons	3						l					
ls an unauthoriz beyond defined a photo and imm	limi	ts of distur	bance resu	ılting from earth	distur	bance activ	vity or inet	-				No	
Have inactive dis	stur	bed areas	(stockpiles	s, final grade) be	een sta	abilized per	state req	uirements	s?			Yes	
Are slopes 3:1 a	ınd	greater sta	abilized with	appropriate BN	MPs as	per E&S	olans?					Yes	
Has a new slip/s	slide	e been obs	erved? (If	yes, complete S	Slide R	eport Form	n)					No	

AFE 124300139	Date/Ti	ne 6/15/2022 9:13 AM	Report # 38780				
6. PCSM BMPs (List BMPs and note if	installed and ma	intained as per the plan. If corre	ctive action is nee	eded, a			
picture is required.) PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired			
	2010.						
7. Identify all remedial measures that h	ave been taken s	since the previous inspection was	conducted.				
Comments (Reference above questions	s as appropriate.)					
SWPPP inspection of Spread I. Inspection water bars, sumps, end treatments, CWDs, Seeding and stabilization practices are prog Streams running clean and clear of sedimer	stabilization and s ressing. Contracto	eeding activities, and general ROW or has addressed and continues to ac	conditions. BMPs list Idress maintenance	sted above. e issues.			

inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required



AFE 124300139		Date/Time 6/15/2022 9:13 AM	Report #					
Pictures								
	Insert image here		Insert image here					
GPS Location		GPS Location						
Field Station#		Field Station#						
Pic 7 Desc.		Pic 8 Desc.						
	Insert image here		Insert im	age here				
GPS Location		GPS Location						
Field Station#		Field Station#						
Pic 9 Desc.		Pic 10 Desc.						
	Insert image here		Insert im	age here				
GPS Location		GPS Location						
Field Station#		Field Station#						
Pic 11 Desc.		Pic 12 Desc.						


AFE 124300139		6/15/2022 9:13 AN	Л	Report #					
Pictures									
	Insert image here	Insert image here							
GPS Location			GPS Location						
Field Station#			Field Station#						
Pic 13 Desc.			Pic 14 Desc.						
	Insert image here			Insert im	age here				
GPS Location			GPS Location						
Field Station#			Field Station#						
Pic 15 Desc.			Pic 16 Desc.						
	Insert image here			Insert im	age here				
GPS Location			GPS Location						
Field Station#			Field Station#						
Pic 17 Desc.			Pic 18 Desc.						

Mountain Valley					ual Site Inspection Report							
Project Name H-600 Pipeline Spread I				AFE 124300139			Spr	pread H-600 Pipeline Spre			Spread I	
Contractor Precision								Repo	ort#	38830		
Inspector John White							Date/Time 6/16/2022 8:07				7 AM	
Permit #	TBD		Inspection	Inspection Type VA SWPP				Station Begin 15647+03				
State	VA		Inspection	Area	Full	Full Sta		Stati	tion End 15772+27		+27	
County	Pittsylvania		Gr	ound	Dry	Dry		7	Temperature (°F)			80.00
Municipality	Chatham		We	ather	Sunny			Rain Gauge (in)			0.20	
				Rain A			Rain Ac	ccumulation Time (days)				6.00
1. Are the appro	oved (stam _l	ed) E&S Plar	and PCSM Pla	an pre	sent c	n site	e?					Yes
2. Are there act (If yes, notify			of the limits of d Permitting Cool)		No
3. Is Constructi followed? (If			ne construction ental Permitting								g	Yes
4. E&S BMPs (is required.)	(List BMPs a	nd note if inst	called and main	tained	as pe	er the	plan. If o	corrective	e acti	on is need	led,	a picture
E	&S BMPs		Compliance Level		Corrective Action					rective Frame	R	Date epaired
Cleanwater Diver	sion Pipe	А	cceptable									
Compost Filter So	ock	А	cceptable									
Equipment Bridge	Э	A	cceptable									
Housekeeping Ac		cceptable										
Rock Construction Entrance Ac		cceptable										
Rock Filter Outlet Ac		cceptable										
Sensitive Resource Buffer Ac		cceptable										
Sensitive Resour	ce Signage	A	cceptable									
Vegetative Stabili	ization (Temր	oorary) A	cceptable									
5. Site Conditions												
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.									No			
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?							Yes					
•		te BMPs as per E&S plans?					Yes					
Has a new slip/slide been observed? (If yes, complete Slide Report Form)								No				

AFE 124300139	Date/T	ime 6/16/2022 8:07 AM	Report # 388	Report # 38830		
6. PCSM BMPs (List BMPs and note picture is required.)	if installed and m	aintained as per the plan. If cor	rective action is ne	eded, a		
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired		
	+					
	+					
7. Identify all remedial measures that	t have been taken	since the provious inspection w	ran conducted			
Comments (Reference above question	ons as appropriate	2.)				
Performed SWPPP Inspection on this sec	JUON. THEIE WEIG HO) issues to report at the time of map	ection.			
Note: It is a condition of National Pollumaintenance program be conducted to	_					
veekly basis and after each stormwat						

replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required

as part of a permit condition this form may be used to meet those monitoring requirements.



AFE 124300139		Date/Time 6/16/2022 8:07 AM	М	Report #						
		Pictures								
	Insert image here		Insert image here							
GPS Location		GPS Location								
Field Station#		Field Station#								
Pic 7 Desc.		Pic 8 Desc.								
	Insert image here		Insert im	age here						
GPS Location		GPS Location								
Field Station#		Field Station#								
Pic 9 Desc.		Pic 10 Desc.								
	Insert image here		Insert im	age here						
GPS Location		GPS Location								
Field Station#		Field Station#								
Pic 11 Desc.		Pic 12 Desc.								

AFE 124300139		Date/Time 6/16/2	022 8:07 AM		Report #					
		Pictures	S							
	Insert image here		Insert image here							
GPS Location		GPS	Location							
Field Station#		Field	Station#							
Pic 13 Desc.		Pic ·	14 Desc.							
	Insert image here			Insert ima	age here					
GPS Location		GPS	Location							
Field Station#		Field	Station#							
Pic 15 Desc.		Pic ·	16 Desc.							
	Insert image here			Insert ima	age here					
GPS Location		GPS	Location							
Field Station#		Field	Station#							
Pic 17 Desc.		Pic ·	18 Desc.							


Moun	V	ain Valley		Vis	sual S	Site Ins	specti	on Re	еро	rt			
Project Nan	ne	H-600 Pipe	line Sprea	l b	Α	FE 124300	0139	Spr	ead	H-600	Pipeline	e Spread I	
Contract	or	Precision			•			Repo	ort#	38832			
Inspect	or	Justin Burd	h			Date/Time 6/16/2			6/16/2	022 8:1	0 AM		
Permit #	ТВІ	D		Inspection	n Type	VA SWPP		Station	n Begi	i n 15	260+00		
State	VA			Inspection	on Area	Area Full			on En	d 15	370+62		
County	Pitt	sylvania			Ground	ound Dry			Гетре	eratur	re (ºF)	85.00	
Municipality	Cha	atham		V	Veather	er Sunny			Rain	Gauç	ge (in)	0.10	
	·					Rain Acc				cumulation Time (days)			
1. Are the appro	ove	d (stampe	d) E&S Pla	an and PCSM	Plan pre	sent on sit	e?					Yes	
2. Are there act (If yes, notify				of the limits o					vings?			No	
3. Is Construction followed? (If		•		the constructi mental Permit			•		•		eing	Yes	
E&S BMPs (is required.)	List	BMPs and	d note if in	stalled and ma	aintainec	l as per the	e plan. If o	corrective	e actic	n is n	eeded,	a picture	
				Compliance	<u>. </u>				Corr	ective	e	Date	
E8	4S I	BMPs		Level		Corrective Action			Time			Repaired	
Waterbar				Acceptable									
Waterbar End Tre	eatm	nent		Acceptable									
Vegetative Stabili	zati	on (Permar	ient)	Acceptable									
Equipment Bridge)			Acceptable									
Compost Filter So	ock			Acceptable									
Other - Explain in	Со	mments		Communication	Repair	temporary	fence						
Silt Fence (Reinfo	orce	Filter Fenc	e)	Acceptable									
Silt Fence (Reinfo	orce	d Filter Fab	ric Fence)	Acceptable									
Cleanwater Divers	sion	Berm		Acceptable									
5. Site Condition	ons	3											
Is an unauthorize beyond defined a photo and imm	limi	ts of distur	bance res	ulting from ea	rth distur	bance acti	vity or ine	-				No	
Have inactive dis	stur	bed areas	(stockpile	es, final grade)	been sta	abilized pei	r state req	uirement	ts?			Yes	
Are slopes 3:1 a	nd	greater sta	abilized wi	th appropriate	BMPs a	s per E&S	plans?					Yes	
Has a new slip/s	lide	been obs	erved? (I	f yes, complete	e Slide R	eport Form	า)					No	

picture is required.) PCSM BMPs Compliance Corrective Action Corrective Date											
FCSIVI BIVIFS	Level	Corrective Action	Time Frame	Repaired							
Other	Acceptable	Permanent Vegetation									
7 Identify all remedial measures that	have heen taken	since the previous inspection was	s conducted								
7. Identify all remedial measures that	have been taken	since the previous inspection was	s conducted.								

Comments (Reference above questions as appropriate.)

- The EI performed a SWPPP inspection from 15260+00 to 15370+62 (Pigg River HDD Exit to Snowberry Road). One punch list item was submitted consisting of a broken post on a barbed wire gate. Other inspected ECDs were observed as being in compliance at the time of inspection.
- Since the last SWPPP the contractor has worked in the area and addressed punch list items and performed seeding and mulching.
- Since the last SWPPP inspection the area has received one rain event with totals of 0.30" at Armstrong Road and 0.10" at Snowberry Road.
- The ROW ground condition is dry.
- At the time of inspection permanent vegetative stabilization was adequately established to inhibit erosion from 15355+00 to 15370+00
- At the time of inspection temporary vegetative stabilization was adequately established to inhibit erosion.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.



AFE 124	4300139		Date/Time	6/16/2022 8:10 AM	И	Report #	
			Pict	ures			
© 300°	NW (T) © 1	7 N 632120 4087541 ±19ft ▲ 715ft 15349+00 06-16-2022, 08:48-11		• 188°S (T) • 17	7 N 631590 4088004 06-16-1	±42ft ▲ 709ft 15327+00 2022, 08:55:30	
GPS Loc	ation	0		GPS Location	0		
Field Sta	ation#	15349+00		Field Station#			
Pic 7 De		Waterbar end treatment in accept condition	table	Pic 8 Desc.	CFS and equip conditions	oment bridge in	acceptable
		7 N 631212 4088101 ±22ft ▲ 664ft 15313+50 06-16-2022, 09:40:36				3±36ft \$ 660ft 15312+50 2022 09 40 54	
GPS Loc	ation	0		GPS Location	0		
Field Sta		15313+50		Field Station#			
Pic 9 De		P1 silt fence in acceptable condit	ion	Pic 10 Desc.	Super silt fence	e in acceptable	condition
© 287	7°W (T) ● 1	7 N 631071 4088193 ±13ft ▲ 760ft 15307+00 06-16-2022, 10:13:38			Insert im	age here	
GPS Loc	ation			GPS Location			
Field Sta	ation#	15307+00		Field Station#			
Pic 11 D		Clean water diversion berm in accondition	ceptable	Pic 12 Desc.			

AFE 124300139		Date/Time	6/16/2022 8:10 AN	Л	Report #					
		Pict	ures							
	Insert image here		Insert image here							
GPS Location			GPS Location							
Field Station#			Field Station#							
Pic 13 Desc.			Pic 14 Desc.							
	Insert image here			Insert im	age here					
GPS Location			GPS Location							
Field Station#			Field Station#							
Pic 15 Desc.			Pic 16 Desc.							
	Insert image here			Insert im	age here					
GPS Location			GPS Location							
Field Station#			Field Station#							
Pic 17 Desc.			Pic 18 Desc.							

Moun	V	ain Valley		Vi	isual (Site Ins	specti	on R	ерс	ort			
Project Nan	ne	H-600 Pipe	eline Sprea	l b	А	FE 124300	0139	Sp	read	H-6	600 Pipelir	ne Spread I	
Contract	or	Precision			•	•		Rep	ort#	388	316		
Inspect	or	Ben Dave	nport						Time	6/1	6/2022 1::	26 PM	
Permit #	ТВІ	D		Inspect	ion Type	VA SWPP		Statio	n Beg	in	14454+2	2	
State	VA			Inspect	ion Area	Area Partial St			ion Er	nd	14546+7	5	
County	Fra	ınklin			Ground	ound Dry			Temp	era	ture (°F)	92.00	
Municipality	N/A				Weather	eather Sunny			Rain Gauge (in)				
					Rain Ac				ccumulation Time (days)				
1. Are the appro	ove	d (stampe	d) E&S Pla	an and PCSN	/l Plan pre	sent on sit	e?					Yes	
2. Are there act (If yes, notify			-						-)		No	
3. Is Construction followed? (If											et being	Yes	
E&S BMPs (is required.)	(List	BMPs and	d note if in	stalled and n	naintained	d as per the	e plan. If o	correctiv	e actio	on i	is needed	l, a picture	
	&S I	BMPs		Compliand Level	e	Corrective Action			Cor			Date Repaired	
Equipment Bridge)			Communication	on Routin	Routine maintenance; cattle dan							
Compost Filter So	ock			Acceptable									
Sump Pit				Acceptable									
Waterbar				Acceptable									
Waterbar End Tre	eatm	nent		Acceptable									
Slope Drain Pipe				Acceptable									
Silt Fence (Reinfo	orce	d Filter Fab	ric Fence)	Acceptable									
Vegetative Stabili	zati	on (Tempoi	ary)	Acceptable									
Temporary Divers	sion	Berm		Acceptable									
5. Site Condition	ons	8										_	
Is an unauthorize beyond defined a photo and imm	limi	ts of distur	bance res	sulting from e	arth distui	rbance acti	vity or ine	-					
Have inactive dis	stur	bed areas	(stockpile	es, final grade	e) been st	abilized pe	r state req	uiremer	nts?			Yes	
Are slopes 3:1 a							•					Yes	
Has a new slip/s	slide	been obs	erved? (I	f yes, comple	te Slide F	Report Forn	า)					No	

AFE	124300139		Date/Ti	me 6/16/2022 1:26 PM	Report # 388	16			
	CSM BMPs (List BMPs and note if ture is required.)	install	ed and ma	intained as per the plan. If corre	ective action is nee	eded, a			
	PCSM BMPs		pliance evel	Corrective Action	Corrective Time Frame	Date Repaired			
Other		Accept	able	Permanent Vegetation					
7. Ide	entify all remedial measures that h	ave be	en taken s	since the previous inspection was	s conducted.				
Com	ments (Reference above questions	s as ap	propriate.)					
-Rece -Sunn -Perfo -Cove -Walk -Verifii -Perim -Inspe identif -Inspe -Inspe -Conti -1 iten	able for work ived instruction from Lead EI for daily y with dry ground conditions during in rmed SWPPP inspection on portion or red territory between station# 14454+ ed ROW making note of condition of Fed the completion and accuracy of puteter controls and ECDs were inspect ction observed condition of equipmential cition observed condition of RCEs and ction observed condition of water barriction observed condition of temporary on the possible of the possibl	spection f MVP s 22 — 1 ROW ar nch list ed; no i at bridge d culver s, sump stabilia ion s section	Spread I se 4546+75 (Vand environmitems in consistent services and surrouts in section set, and endication and van	Webster Rd to Tobacco Rd) nental controls vered area from previous inspection tified bunding ECDs around stream crossin n; no issues identified treatments along ROW; no issues identified vegetation in section; no issues identified	ngs and resource b	uffers; 1 issue			

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE 12430013	9 Date/	Time 6/16/2022 1:26 P	M Report #
	F	Pictures	
	35° W 214°SW COURSE 50° GPS 06.15.2022 09:52 Accur +/-15.8 Ft ALT 8°		936"W 27"NE COURSE 339" GPS 06.15.2022 09:52:47 Accur +/-11.6 Ft ALT 863 Ft
GPS Location	1	GPS Location	2
Field Station#		Field Station#	
Pic 1 Desc.	Routine maintenance. Repair side boards equipment bridge. Likely from cattle dama		Sump pit and CFS end treatment performing intended functions.
	33" W 350"N COURSE 249" GPS 06.15,2022 09:50 a Hill, VA 24092, United States Accur +/-19.0 Ft ALT 9:		5'25" W 356"N COURSE 333" GPS 06.15.2022 09:45:50 ie Hill, VA 24092, United States Accur +/-149.3 Ft ALT 988 Ft
GPS Location	3	GPS Location	4
Field Station#	14500+00	Field Station#	14513+00
Pic 3 Desc.	Slope drain tile in good condition.	Pic 4 Desc.	ROW stabilized and vegetated in temporary area; perimeter SSF in place and functional.
THE RESIDENCE OF THE PARTY OF T	8'19" W 56"NE COURSE 53' GPS 06.15.2022 09-44 Accur +/-15.5 Ft ALT-10		518" W 340"N COURSE 220 GPS 06.15.2022 09:30:48 de Hill, VA 24092, United States Accur +/-15.1 Ft ALT 1065 Ft
GPS Location	5	GPS Location	6
Field Station#	14521+00	Field Station#	14523+00
Pic 5 Desc.	Slope drain outlet in good condition.	Pic 6 Desc.	Temporary diversion berm stabilized and vegetated.

AFE 124300139		Date/Time	6/16/2022 1:26 PN	Л	Report #				
		Pictu	ıres						
	Insert image here		Insert image here						
GPS Location			GPS Location						
Field Station#			Field Station#						
Pic 7 Desc.			Pic 8 Desc.						
	Insert image here			Insert im	age here				
GPS Location			GPS Location						
Field Station#			Field Station#						
Pic 9 Desc.			Pic 10 Desc.						
	Insert image here			Insert im	age here				
GPS Location			GPS Location						
Field Station#			Field Station#		-	_			
Pic 11 Desc.			Pic 12 Desc.						

AFE 124300139)	Date/Time 6/16/2022 1:26 P	М	Report #					
		Pictures							
	Insert image here		Insert image here						
GPS Location		GPS Location							
Field Station#		Field Station#							
Pic 13 Desc.		Pic 14 Desc.							
	Insert image here		Insert im	age here					
GPS Location		GPS Location							
Field Station#		Field Station#							
Pic 15 Desc.		Pic 16 Desc.							
	Insert image here		Insert im	age here					
GPS Location		GPS Location							
Field Station#		Field Station#							
Pic 17 Desc.		Pic 18 Desc.							

Mour Mour	ntain Valley		Visu	ıal S	Site	Ins	specti	on R	ерс	ort		
Project Nar	ne H-600 Pipe	eline Spread I		Al	FE 12	24300	139	Spr	read	H-600 Pipe	eline	Spread I
Contract	or Precision							Repo	ort#	38848		
Inspect	or Charles H	ead						Date/T	ime	6/16/2022	11:4	I4 AM
Permit #	TBD		Inspection	Туре	VA S	WPP		Station	n Beg	in 14802-	+19	
State	VA		Inspection	Area	Full			Stati	on Er	nd 14928-	+52	
County	Franklin		Gr	ound	Dry			1	Гетр	erature (º	F)	90.00
Municipality	N/A		We	ather	Sunn	у			0.00			
					•		Rain Ac	cumula	tion	Гime (day	rs)	1.00
1. Are the appre	oved (stampe	ed) E&S Plan	and PCSM Pla	an pre	sent c	on site	∋?					Yes
2. Are there act (If yes, notify			the limits of d ermitting Coo									No
followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.)										Yes		
4. E&S BMPs (is required.)	(List BMPs an	d note if insta	illed and main	tained	as pe	er the	plan. If o	corrective	e acti	on is need	led,	a picture
E	&S BMPs	C	Compliance Level		Corrective Action					rective Frame	R	Date epaired
Compost Filter So	ock	Acc	ceptable									
Equipment Bridge	Э	Acc	ceptable									
Erosion Control E	Blanket	Acc	ceptable									
Rock Constructio	n Entrance	Ace	ceptable									
Sensitive Resour	ce Buffer	Acc	ceptable									
Sensitive Resour	ce Signage	Acc	ceptable									
Silt Fence (Filter	Fabric Fence)	Aco	ceptable									
Silt Fence (Reinfo	orce Filter Fend	ce) Ac	ceptable									
Waterbar		Acc	ceptable									
5. Site Conditi	ons											
Is an unauthoriz beyond defined a photo and imn	limits of distu	rbance resulti	ing from earth	distur	bance	e activ	ity or ine	-				No
Have inactive di	sturbed areas	s (stockpiles, t	final grade) be	een sta	abilize	d per	state req	uiremen	ts?			Yes
Are slopes 3:1 a												Yes
Has a new slip/s	slide been obs	served? (If ye	es, complete S	Slide R	eport	Form	1)					No


AFE 124300139	Date/Ti	me 6/16/2022 11:44 AM	Report # 38848		
6. PCSM BMPs (List BMPs and note if picture is required.)	installed and ma	aintained as per the plan. If correc	ctive action is nee	eded, a	
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired	
Other	Acceptable	Permanent vegetation			
7. Identify all remedial measures that ha	ave been taken	since the previous inspection was	conducted.		
Comments (Reference above questions	as appropriate.)			
SWPPP inspection of Spread I. Inspection w water bars, sumps, end treatments, CWDs, seeding and stabilization practices are progressreams running clean and clear of sedimen	stabilization and s ressing. Contracto	seeding activities, and general ROW or has addressed and continues to ad	conditions. BMPs lis	sted above. e issues.	

as part of a permit condition this form may be used to meet those monitoring requirements.

MVP-34 REV 3

Page 2 of 5

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required




AFE 124300139		Date/Time	6/16/2022 11:44 A	М	Report #		
		Pictu	ıres				
	Insert image here		Insert image here				
GPS Location			GPS Location				
Field Station#			Field Station#				
Pic 7 Desc.			Pic 8 Desc.				
	Insert image here		· · · · · · · · · · · · · · · · · · ·	Insert im	age here		
GPS Location		Į,	GPS Location				
Field Station#			Field Station#				
Pic 9 Desc.			Pic 10 Desc.				
	Insert image here			Insert im	age here		
GPS Location			GPS Location				
Field Station#			Field Station#				
Pic 11 Desc.			Pic 12 Desc.				

AFE 124300139		Date/Time	ate/Time 6/16/2022 11:44 AM Report #					
		Pictu	ures					
	Insert image here		Insert image here					
GPS Location			GPS Location					
Field Station#			Field Station#					
Pic 13 Desc.			Pic 14 Desc.					
	Insert image here		,	Insert im	age here			
GPS Location			GPS Location					
Field Station#			Field Station#					
Pic 15 Desc.			Pic 16 Desc.					
	Insert image here			Insert im	age here			
GPS Location			GPS Location					
Field Station#			Field Station#					
Pic 17 Desc.			Pic 18 Desc.					

Moun	ain Valley		Vis	sual S	Site Ins	specti	on Re	epo	rt			
Project Nan	ne	H-600 Pipe	eline Sprea	d I	А	FE 124300)139	Spre	ead⊦	H-600 Pipe	eline	Spread I
Contract	or	Precision			•	•		Repor	rt # 3	88852		
Inspect	or	Ben Farme	er					Date/Ti	ate/Time 6/16/2022 12:44 F			14 PM
Permit #	ТВІ	D		Inspection	n Type	VA SWPP		Station	Begi	n 13958-	+31	
State	VA			Inspection Area Partial Station E				n En	d 14062-	+17		
County	Fra	nklin		(Ground Dry Temperature (°F)				PF)	80.00		
Municipality	N/A	١		V	Veather	eather Sunny Rain Gauge (in)				in)	0.00	
				•		Rain Accumulation Time (days)				rs)	0.00	
1. Are the appro	ove	d (stampe	d) E&S Pla	an and PCSM	PCSM Plan present on site?					Yes		
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) 3. In Construction acqueroes outlined in the construction potes of the ESS plan set or PCSM plan set heing.							No					
 3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) 4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a p 							Yes					
4. E&S BMPs (is required.)	List	: BMPs and	d note if in	stalled and ma	intained	as per the	plan. If o	corrective	actio	n is need	led,	a picture
E8	&S I	BMPs		Compliance Level		Correctiv	e Action			ective Frame	R	Date epaired
Cleanwater Divers	sion	ı Pipe		Acceptable								
Compost Filter Sc	ock			Acceptable								
Equipment Bridge)			Acceptable								
Rock Construction	n Er	ntrance		Acceptable								
Sensitive Resource	ce B	Buffer		Acceptable								
Silt Fence (Filter F	Fab	ric Fence)		Acceptable								
Silt Fence (Reinfo	orce	d Filter Fab	ric Fence)	Acceptable								
Slope Drain Pipe				Acceptable								
Waterbar				Acceptable								
5. Site Condition	ons	3										
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.										No		
Have inactive dis	stur	bed areas	(stockpile	es, final grade)	been sta	abilized pei	state req	uirements	s?			Yes
Are slopes 3:1 a						•						Yes
Has a new slip/s	lide	been obs	erved? (I	f yes, complete	Slide R	eport Form	n)					No

AFE 124300139	Date/Ti	ime 6/16/2022 12:44 PM	Report # 388	352
•	ote if installed and m	aintained as per the plan. If correc	ctive action is ne	eded, a
picture is required.) PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Other	Acceptable	Permanent vegetation remains in go		
7. Identify all remedial measures t	that have been taken	since the previous inspection was	conducted.	
Comments (Reference above que	stions as appropriate	.)		
SWPPP Inspection (Sunny, 80F) Rain Gauge= 0.0" 13958+31-14062+17				
-EI began inspection at Foggy Ridge F-This section remains stabilizedCWD/CWD inlets are in good conditional con	on and functioning as into with controls in place. and wetland buffers. arging onto ROW at 140 ted. mains stabilized with controls as intended. d at 14058+00 14059+00.	000+00		
Note: It is a condition of National F	Pollutant Discharge E	limination System and Erosion and	d Sediment perm	nits that a

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.





AFE 124	4300139)	Date/Time	6/16/2022 12:44 F	PM	Report #	
			Pict	ures			
© 345°N (T	NW	N NE 80 NE		E 120 SE	S 180 180 65854 LON: -79.8767	210 SW 240 (65 ±26ft ▲ 1198ft	
GPS Loc	cation	See photo		GPS Location	See photo		
Field Sta	ation#	14057+00		Field Station#	14060+00		
Pic 13 D	Desc.	Slope drain is in good condition		Pic 14 Desc.	Rock check da	ms are function	ning as intended.
		Insert image here			Insert ima	age here	
GPS Loc	cation			GPS Location			
Field Sta	ation#			Field Station#			
Pic 15 D	Desc.			Pic 16 Desc.			
		Insert image here			Insert ima	age here	
GPS Loc	cation			GPS Location			
Field Sta	ation#			Field Station#			
Pic 17 D	Desc.			Pic 18 Desc.			


Moun	V	ain Valley		V	/isual :	Site Ins	specti	on Re	epo	rt		
Project Nan	ne	H-600 Pipe	eline Sprea	d I	A	FE 124300	0139	Spre	ead	1-600 Pipe	eline	Spread I
Contract	or	Precision			•	•		Repor	rt # 3	8869		
Inspect	or	Justin Burd	h					Date/Ti	Date/Time 6/17/2022 6:33 AM			3 AM
Permit #	ТВІ	D		Inspec	ction Type	VA SWPP		Station	Begi	n 15370+	-62	
State	VA			Inspection Area Full Station End 15480+					-67			
County	Pitt	sylvania			Ground	Fround Wet Temperature (°F)				90.00		
Municipality	Cha	atham			Weather	eather Sunny Rain Gauge (in)				n)	0.90	
							Rain Ac	cumulati	ion T	ime (day	s)	4.00
1. Are the appro	ove	d (stampe	d) E&S Pla	an and PCS	SM Plan pre	esent on sit	e?					Yes
(If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.)								No				
 3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) 4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a p 							Yes					
4. E&S BMPs (is required.)	List	BMPs and	d note if in	stalled and	maintaine	d as per the	e plan. If o	corrective	actio	n is need	ed,	a picture
E8	&S I	BMPs		Compliar Level		Correctiv	e Action			ective Frame	R	Date epaired
Compost Filter So	ock			Acceptable								
Waterbar End Tre	eatm	nent		Acceptable								
Silt Fence (Reinfo	orce	Filter Fenc	e)	Acceptable								
Silt Fence (Reinfo	orce	d Filter Fab	ric Fence)	Acceptable								
Cleanwater Divers	sion	n Pipe		Acceptable								
Waterbar				Acceptable								
Vegetative Stabili	zati	on (Tempoi	ary)	Acceptable								
Cleanwater Divers	sion	n Berm		Acceptable								
Equipment Bridge)			Acceptable								
5. Site Condition	ons	<u> </u>										
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.										No		
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?									Yes			
Are slopes 3:1 a												Yes
Has a new slip/s	lide	been obs	erved? (I	f yes, comp	lete Slide F	Report Forn	า)					No

AFE 124300139	Date/Ti	me 6/17/2022 6:33 AM	Report # 38869			
PCSM BMPs (List BMPs and note if picture is required.)	installed and ma	intained as per the plan. If correc	ctive action is nee	eded, a		
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired		
Other	Acceptable	Permanent Vegetation				
7 Identify all remedial measures that he	ave heen taken s	since the previous inspection was	conducted			

Comments (Reference above questions as appropriate.)

- The EI performed a SWPPP inspection from 15370+62 to 15480+67 (Snowberry Road to Toshes Road). No punch list items
 were submitted due to the inspected ECDs being in compliance at the time of inspection.
- The EI observed that stream S-G4 (15426+53) was turbid entering the ROW. This is a result of an upstream disturbance not related to MVP activities.
- The contractor has been in this area addressing punch list items and performing seeding and mulching since the last SWPPP inspection.
- The EI observed that the perimeter solar farm ECDs on the CIS of Toshes Road appeared to be in acceptable condition.
- Since the last SWPPP inspection the area has received two rain events with totals of 0.90" at Snowberry Road and 1.10" at Anderson Mill Road 2.
- The ROW ground condition is wet.
- At the time of inspection permanent vegetative stabilization was sufficiently established to inhibit erosion from 15438+00 to 15445+00.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.



AFE 12430013	9	Date/Time 6/17/2022 6:33 A	M	Report #				
		Pictures	ctures					
● 18°N (T) ● 17	7 N 633797 4086847 ±59ft ▲ 827ft 15409+00 06-17-2022, 10:23:43	© 291°W (T)	© 291°W (T) ● 17 N 635854 4090163 ±15213ft ▲ 788ft 15420+00 06-17-2022, 10:40:59					
GPS Location	0	GPS Location	0					
Field Station#		Field Station#						
Pic 7 Desc.	Waterbar in acceptable condition	Pic 8 Desc.	Mulching in ac	ceptable condit	tion			
	7 N 634180 4086686 ±45ft ▲ 819ft 15423+00 06-17-2022, 10:42:43		计划的	15426+54 2022, 10:52:38				
GPS Location		GPS Location						
Field Station# Pic 9 Desc.	15423+00 Clean water diversion berm in accondition	reptable Pic 10 Desc.	15426+54 Equipment brid	dge in acceptab	ole condition			
●182°S(T) ● 17	N 634754 4087635 ±9055ft ▲ 771ft 15426+54 06-17-2022, 10:48:35		Insert im	age here				
GPS Location	0	GPS Location						
Field Station#		Field Station#						
Pic 11 Desc.	Stream entering ROW is turbid fro disturbance not related to MVP ac	om upstream pic 12 Desc.						

AFE 124300139		Date/Time 6/17/2022 6:33 Al	М	Report #				
		Pictures						
	Insert image here		Insert image here					
GPS Location		GPS Location						
Field Station#		Field Station#						
Pic 13 Desc.		Pic 14 Desc.						
	Insert image here		Insert im	age here				
GPS Location		GPS Location						
Field Station#		Field Station#						
Pic 15 Desc.		Pic 16 Desc.						
	Insert image here		Insert im	age here				
GPS Location		GPS Location						
Field Station#		Field Station#						
Pic 17 Desc.		Pic 18 Desc.						

Moun	V	ain Valley		Visı	ual S	Site Ins	specti	on Re	epo	rt		
Project Nan	ne	H-600 Pipe	eline Sprea	d I	Α	FE 124300	139	Spre	ead	H-600 Pipe	eline	Spread I
Contract	or	Precision				•		Repo	rt # 3	38846		
Inspect	or	Ben Dave	nport					Date/Ti	te/Time 6/17/2022 2:15 PM			5 PM
Permit #	ТВІ	D		Inspection	Туре	VA SWPP		Station	Begi	n 14546-	+75	
State	VA			Inspection Area Partial Station End 146					d 14649-	+67		
County	Fra	nklin		Gı	Fround Dry Temperature (°F)				93.00			
Municipality	N/A	١		We	eather Sunny Rain Gauge (in)				in)	0.10		
					Rain Accumulation Time (days)				rs)	1.00		
1. Are the appro	ove	d (stampe	d) E&S Pla	an and PCSM P	CSM Plan present on site?					Yes		
2. Are there activities occurring outside of the limits of disturbance shown on the plan drawings? (If yes, notify the MVP Environmental Permitting Coordinator and explain in comments.) 3. In Construction acquerous sufficient in the construction pates of the ESS plan set or DCSM plan set being								No				
 3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) 4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a p 							Yes					
4. E&S BMPs (is required.)	List	: BMPs and	d note if in	stalled and mair	ntained	as per the	plan. If o	corrective	actio	n is need	led,	a picture
E8	&S I	BMPs		Compliance Level		Correctiv	e Action			ective Frame	R	Date epaired
Rock Construction	n Er	ntrance		Acceptable								
Secondary Contain	inm	ent		Acceptable								
Silt Fence (Reinfo	orce	d Filter Fab	ric Fence)	Acceptable								
Vegetative Stabili	zati	on (Tempoi	ary)	Acceptable								
Temporary Divers	sion	Berm		Acceptable								
Compost Filter Sc	ock			Acceptable								
Waterbar				Acceptable								
Sump Pit				Acceptable								
Waterbar End Tre	eatm	nent		Acceptable								
5. Site Condition	ons	3										
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.										No		
Have inactive dis	stur	bed areas	(stockpile	es, final grade) b	een sta	abilized per	state req	uirements	s?			Yes
Are slopes 3:1 a	nd	greater sta	abilized wi	th appropriate Bl	MPs as	per E&S	olans?					Yes
Has a new slip/s	lide	been obs	erved? (I	f yes, complete s	Slide R	eport Form	1)					No

AFE	124300139	Date/Time	6/17/2022 2:15 PM	Report #	38846

6. PCSM BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a picture is required.)

PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Other	Acceptable	Permanent Vegetation		

7.	Identi	y al	l remedi	al r	measures	that	have	been ta	aken :	since t	he p	revious	inspect	ion was	cond	lucted	ı.
----	--------	------	----------	------	----------	------	------	---------	--------	---------	------	---------	---------	---------	------	--------	----

Comments (Reference above questions as appropriate.)

- -Available for work
- -Received instruction from Lead EI for daily tasks
- -Checked rain gauges in covered area
- -Sunny with dry ground conditions during inspection
- -Performed SWPPP inspection on portion of MVP Spread I section
- -Covered territory between station# 14546+75 14649+67 (Tobacco Rd to Hwy 40 crossing)
- -Walked ROW making note of condition of ROW and environmental controls
- -Verified the completion and accuracy of punch list items in covered area from previous inspections
- Perimeter controls and ECDs were inspected; no issues identified
- -Inspection observed condition of equipment bridges and surrounding ECD's around stream crossings and resource buffers; no issues identified
- -Inspection observed condition of RCEs and culverts in section; no issues identified
- -Inspection observed condition of water bars, sumps, and end treatments along ROW; no issues identified
- -Inspection observed condition of temporary stabilization and vegetation in section; no issues identified
- -Continue to monitor ROW for signs of erosion
- -No items added to environmental punch list in section
- -Rain Gauge Totals:
- +Farm View: 0.10 inches recorded
- +Timber Ridge: no rain measured

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

AFE 124300139	9	Date/Time	6/17/2022 2:15 PM	Л R	eport #	
		Pict	ures			
37019"N 793		7.2022 10:10:21 5.1 Ft ALT 951 Ft	370'18" N 79'45 Sorry	9° W 342°N COURSE 236° GPS no results found	06.17.2022 10: Accur +/-15.5 Ft ALT	A CONTRACTOR OF THE PARTY OF TH
GPS Location	1		GPS Location	2		
Field Station#			Field Station#			
Pic 1 Desc.	RCE at Tobacco Rd in good condi	ition.	Pic 2 Desc.	Perimeter SSF in p	lace and functional.	
753 Simmons Creek Rd,	Union Hall, VA 24176, United States Accur +/-15	7.2022 11:41:32 5.5 Ft ALT 959 Ft	753 Simmons Creek Rd,	4'22" W 11°N COURSE 32' GPS Union Hall, VA 24176, United State	06.17.2022 11: Accur +/-15.5 Ft ALT	MARINE CONTRACTOR
GPS Location	3		GPS Location	4		
Field Station# Pic 3 Desc.	14585+00 Sump pit and CFS end treatment pintended functions.	performing	Field Station# Pic 4 Desc.		n berm stabilized and	d
		7.2022 11:43:18 5.5 Ft ALT 951 Ft		"17" W 182°S COURSE 135 GPS Union Hall, VA 24176, United State	06.17.2022 11: as Accur +/-15.5 Ft ALT	
GPS Location	5		GPS Location	6		
Field Station#	14599+00		Field Station#	14601+00		
Pic 5 Desc.	Portajon properly contained in sec containment.	condary	Pic 6 Desc.		ng intended function; tated in temporary ar	

AFE 124300139		Date/Time 6/17/2022 2:15 F	PM	Report #	
		Pictures			
	Insert image here		Insert im	age here	
GPS Location		GPS Location			
Field Station#		Field Station#	!		
Pic 7 Desc.		Pic 8 Desc.			
	Insert image here		_	age here	
GPS Location		GPS Location			
Field Station#		Field Station#	!		
Pic 9 Desc.		Pic 10 Desc.			
	Insert image here		Insert im	age here	
GPS Location		GPS Location			
Field Station#		Field Station#	!		
Pic 11 Desc.		Pic 12 Desc.			

AFE 124300139		Date/Time 6/17/2	2022 2:15 PM	1	Report #	
		Picture	S			
	Insert image here			Insert im	age here	
GPS Location		GPS	Location			
Field Station#		Field	d Station#			
Pic 13 Desc.		Pic	14 Desc.			
	Insert image here			Insert im	age here	
GPS Location		GPS	Location			
Field Station#		Field	d Station#			
Pic 15 Desc.		Pic	16 Desc.			
	Insert image here			Insert im	age here	
GPS Location		GPS	Location			
Field Station#		Field	d Station#			
Pic 17 Desc.		Pic	18 Desc.			

Moun	V	ain Valley		Visu	ual S	Site Ins	specti	on Re	epo	rt		
Project Nan	ne	H-600 Pipe	eline Spread	d I	Al	FE 124300)139	Spre	ead	H-600	Pipeline	e Spread I
Contract	or	Precision						Repo	rt#	38880		
Inspect	or	Logan Box		Date/T					ime (6/17/2	022 4:0	1 PM
Permit #	ТВІ	D		Inspection	Туре	VA SWPP		Station	Begi	n 13	670+00	
State	VA			Inspection	Area	Partial		Statio	on En	d 13	748+30	
County	Fra	nklin		Gr	ound	Damp		Temperature (°F)				95.00
Municipality	N/A	١		We	eather Sunny Rain Gauge (in)				0.50			
							Rain Ac	cumulat	tion T	ime ((days)	1.00
1. Are the appro	ove	d (stampe	d) E&S Pla	an and PCSM PI	an pre	sent on site	e?					Yes
			-	of the limits of c I Permitting Coo					ings?			No
,	No,	notify MV	P Environ	mental Permittin	g Coor	dinator and	d explain i	in comme	ents.)			Yes
4. E&S BMPs (is required.)	(List	: BMPs and	d note if in	stalled and mair	ntained	as per the	e plan. If o	corrective	actio	n is r	needed,	a picture
E8	&S I	BMPs		Compliance Level		Correctiv	e Action		Corr Time	ectiv Fran		Date epaired
Compost Filter Sc	ock			Acceptable								
Equipment Bridge	Э			Acceptable								
Erosion Control B	Blanl	ket		Acceptable								
Rock-lined Chanr	nel			Acceptable								
Silt Fence (Filter I	Fab	ric Fence)		Acceptable								
Silt Fence (Reinfo	orce	Filter Fenc	e)	Acceptable								
Sump Pit				Acceptable								
Vegetative Stabili	zati	on (Tempoi	rary)	Acceptable								
Rock Construction	n Er	ntrance		Acceptable								
5. Site Condition	ons	<u> </u>										
Is an unauthorize beyond defined a photo and imm	limi	ts of distur	bance res	ulting from earth	distur	bance acti	vity or inet	-				No
Have inactive dis	stur	bed areas	(stockpile	s, final grade) be	een sta	abilized per	state req	uirement	ts?			Yes
Are slopes 3:1 a						•						Yes
Has a new slip/s	slide	been obs	erved? (If	yes, complete S	Slide R	eport Form	า)					No

0 D0011 D11D /1: D11D	Date/Tim	ne 6/17/2022 4:01 PM	Report # 388	380
	te if installed and mai	ntained as per the plan. If co	rective action is ne	eded, a
picture is required.)	Compliance		Corrective	Date
PCSM BMPs	Level	Corrective Action	Time Frame	Repaired
7. Identify all remedial measures th				
Comments (Reference above quest	tions as appropriate.)			
		d vegetation growth throughout.		
Fraveled and inspected all ECDs through	ghout the row, monitored			
Traveled and inspected all ECDs througnspected all stream and wetland crossi	ghout the row, monitored	nt bridges and protection.		
Traveled and inspected all ECDs througnspected all stream and wetland crossing Monitored RCEs and ECDs at road crossing stream and stream and ecoson at road crossing stream and ECDs at road crossing stream and ECDs at road crossing stream and ecoson at road crossing stream at road croad crossing stream at road crossing stream at road crossing stre	ghout the row, monitored ings, checked equipments ssings during routine ins	nt bridges and protection.		
Traveled and inspected all ECDs througnspected all stream and wetland crossing Monitored RCEs and ECDs at road crossing Monitored sump pits and end treatment	ghout the row, monitored ings, checked equipmer ssings during routine ins throughout areas of rov	nt bridges and protection. spection.		
Traveled and inspected all ECDs througnspected all stream and wetland crossing Monitored RCEs and ECDs at road crossing Monitored sump pits and end treatment	ghout the row, monitored ings, checked equipmer ssings during routine ins throughout areas of rov	nt bridges and protection. spection.		
Traveled and inspected all ECDs througnspected all stream and wetland crossing Monitored RCEs and ECDs at road crossing Monitored sump pits and end treatment	ghout the row, monitored ings, checked equipmer ssings during routine ins throughout areas of rov	nt bridges and protection. spection.		
Traveled and inspected all ECDs through Inspected all stream and wetland crossing Monitored RCEs and ECDs at road cross Monitored sump pits and end treatment	ghout the row, monitored ings, checked equipmer ssings during routine ins throughout areas of rov	nt bridges and protection. spection.		
Traveled and inspected all ECDs through Inspected all stream and wetland crossing Monitored RCEs and ECDs at road cross Monitored sump pits and end treatment	ghout the row, monitored ings, checked equipmer ssings during routine ins throughout areas of rov	nt bridges and protection. spection.		
Comments (Reference above quest Traveled and inspected all ECDs throug Inspected all stream and wetland crossi Monitored RCEs and ECDs at road cross Monitored sump pits and end treatment During inspection today there were no e	ghout the row, monitored ings, checked equipmer ssings during routine ins throughout areas of rov	nt bridges and protection. spection.		

weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a

AFE 1	124300139)	Date/Time	6/17/2022 4:01 Pi	М	Report #	
			Pict	ures			
		S SW PF W 20 236 SW (T) + 37 083021, 79 945745 ±4 m ▲ 291 m			O 28*N(T) * 37.082996.	NE 79.946042 ±5 m & 319 m	
GPS Lo	ocation	0000		GPS Location	0000		
Field S		13704+05		Field Station#			
Pic 1		Monitored ECDs around wetland are in place and functioning.	ea , ECDs	Pic 2 Desc.	row inspection	np pits and end today. All ECD the time of insp	treatment during as in place and ection.
		© 226 SW(T) • 37.078574, 79.940328 ±S m. a. 342 m				NE 79,940593 ±3 m ▲ 320 m	
GPS Lo	ocation	0000		GPS Location	0000		
Field S	Station#	13732+00		Field Station#	13742+14		
Pic 3	Desc.	Monitored sump pit and end treatmer row travel today. No issues were obthe time of inspection.		Pic 4 Desc.		servation photo nowing good co	
		N NE			0 323*NW (T) • 37.08448,	.79,947479 ±3 m ▲ 316 m	
GPS Lo	ocation	0000		GPS Location	0000		
Field S	Station#	13695+90		Field Station#	13697+00		
Pic 5		Monitored ECDs throughout during inspection today. No issues observe time of inspection.		Pic 6 Desc.	were in place i wetland crossi	ipment mats ar in low area of rongs area. No is	ow and over

AFE 124300139	9	Date/Time	6/17/2022 4:01 PM	М	Report #	
		Pict	ures			
0 230°SW (T) • 37.079016, 379.941	rt image here		N NE 0 29 N (T) * 37 079036, 79 9418		age here	
GPS Location	0000		GPS Location	0000		
Field Station#			Field Station#			
Pic 7 Desc.	Stream observation photo facing during routine. No environmental observed at the time of inspection	issues	Pic 8 Desc.	Stream observ during routine i issues observe	inspection. No	environmental
0 4°N (T) • 37.08048, -79.94222	rt image here			Insert im	age here	
GPS Location			GPS Location			
Field Station#			Field Station#			
Pic 9 Desc.	Row photo showing vegetation g stabilization noted during routine today.	rowth , good inspection	Pic 10 Desc.			
	Insert image here			Insert im	age here	
GPS Location			GPS Location			
Field Station#			Field Station#			
Pic 11 Desc.			Pic 12 Desc.			


AFE 124300139		Date/Time 6/17	/2022 4:01 PN	Л	Report #	
		Picture	es			
	Insert image here			Insert im	age here	
GPS Location		GP	S Location			
Field Station#		Fie	ld Station#			
Pic 13 Desc.		Pio	c 14 Desc.			
	Insert image here		,	Insert im	age here	
GPS Location		GP	S Location			
Field Station#		Fie	ld Station#			
Pic 15 Desc.		Pic	c 16 Desc.			
	Insert image here			Insert im	age here	
GPS Location		GP	S Location			
Field Station#		Fie	ld Station#			
Pic 17 Desc.		Pio	c 18 Desc.			

Mour Mour	tain Valley	,	Visu	ıal S	Site	Ins	specti	on R	ерс	ort		
Project Nar	ne H-600 Pip	eline Spread I		Al	FE 1	24300	139	Spr	read	H-600 Pipe	eline	Spread I
Contract	or Precision			•				Repo	ort#	38884		
Inspect	or John Whi	te						Date/T	ime	6/17/2022	10:4	I2 AM
Permit #	TBD		Inspection	Туре	VA S	WPP		Station	n Beg	in 15772-	+27	
State	VA		Inspection	Area	Full			Stati	on Er	nd 15947-	+64	
County	Pittsylvania		Gr	ound	Wet			1	Гетр	erature (º	F)	91.00
Municipality	Chatham		We	eather Sunny Rain Gauge (in)						1.40		
							Rain Ac	cumula	tion	Time (day	rs)	4.00
1. Are the appro	oved (stamp	ed) E&S Plan	and PCSM Pla	an pres	sent (on site	9?					Yes
2. Are there act (If yes, notify			the limits of d ermitting Coo)		No
3. Is Constructi followed? (If	•		e construction ental Permitting				•		•		g	Yes
4. E&S BMPs (is required.)	(List BMPs ar	nd note if insta	alled and main	tained	as p	er the	plan. If c	corrective	e acti	on is need	led,	a picture
E	&S BMPs	C	Compliance Level		Cor	rectiv	e Action			rective Frame	R	Date epaired
Cleanwater Diver	sion Pipe	Ac	ceptable									
Compost Filter So	ock	Ac	ceptable									
Equipment Bridge	Э	Ac	ceptable									
Housekeeping		Ac	ceptable									
Rock Constructio	n Entrance	Ac	ceptable									
Rock Filter Outlet	t	Ac	ceptable									
Rock-lined Chanr	nel	Ac	ceptable									
Sensitive Resour	ce Buffer	Ac	ceptable									
Vegetative Stabili	ization (Temp	orary) Ac	ceptable									
5. Site Conditi	ons											
Is an unauthoriz beyond defined a photo and imn	limits of distonediately cor	urbance result stact MVP Env	ing from earth rironmental Pe	disturl rmittin	bance ig Co	e activ	vity or inef ator.	ffective E	BMP?			No
Have inactive di	sturbed area	s (stockpiles,	final grade) be	en sta	abilize	ed per	state req	uiremen	ts?			Yes
Are slopes 3:1 a												Yes
Has a new slip/s	slide been ob	served? (If ye	es, complete S	Slide R	eport	Form	1)					No

AFE 124300139	Date/Ti	me 6/17/2022 10:42 AM	Report # 388	84					
6. PCSM BMPs (List BMPs and note if in	nstalled and ma	intained as per the plan. If correc	ctive action is nee	eded, a					
picture is required.) PCSM BMPs	Compliance	Corrective Action	Corrective	Date					
	Level		Time Frame	Repaired					
7. Identify all remedial measures that ha	ve been taken s	since the previous inspection was	conducted.						
Comments (Reference above questions as appropriate.) Performed SWPPP Inspection on this section. Checked rain gauges, Anderson Mill #2=1.0", Mill Creek =.8", Transco =.8". There were no issues to report at the time of Inspection.									
Note: It is a condition of National Pollutar	nt Discharge Eli	mination System and Erosion and	d Sediment permi	its that a					

weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required as part of a permit condition this form may be used to meet those monitoring requirements.

maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a



AFE 124300139		Date/Time	6/17/2022 10:42 A	M	Report #	
		Pict	ures			
	Insert image here			Insert im	age here	
GPS Location			GPS Location			
Field Station#			Field Station#			
Pic 7 Desc.			Pic 8 Desc.			
	Insert image here			Insert im	age here	
GPS Location			GPS Location			
Field Station#			Field Station#			
Pic 9 Desc.			Pic 10 Desc.			
	Insert image here			Insert im	age here	
GPS Location			GPS Location			
Field Station#			Field Station#			
Pic 11 Desc.			Pic 12 Desc.			


AFE 124300139		Date/Time 6/17/2022 10:42 A	ΑM	Report #	
		Pictures			
	Insert image here		Insert im	age here	
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 13 Desc.		Pic 14 Desc.			
	Insert image here		Insert im	age here	
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 15 Desc.		Pic 16 Desc.			
	Insert image here		Insert im	age here	
GPS Location		GPS Location			
Field Station#		Field Station#			
Pic 17 Desc.		Pic 18 Desc.			


Moun	V	ain Valley		Visu	ıal S	Site Ins	specti	on Re	epo	rt		
Project Nan	ne	H-600 Pipe	eline Spread	П	Al	FE 124300	139	Spre	ead	H-600 Pip	peline	e Spread I
Contract	or	Precision			•	•		Repo	rt#	38887		
Inspect	or	Ben Farme	er					Date/Ti	Date/Time 6/17/2022 11:35 AM			
Permit #	ТВІ	D		Inspection	Туре	VA SWPP		Station	Begi	n 14062	2+17	
State	VA			Inspection	Area	Partial		Statio	on En	d 1417	1+36	
County	Fra	nklin		Gr	ound	Damp		Т	empe	erature	(°F)	75.00
Municipality	N/A	١		We	eather Sunny Rain Gauge (in)						0.20	
					Rain Accumulation Time (days)						0.00	
1. Are the appro	ove	d (stampe	d) E&S Pla	n and PCSM Pl	an pre	sent on site	e?					Yes
` .	the	MVP Env	rironmenta	Permitting Coo	rdinato	or and expl	ain in com	nments.)				No
 3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) 4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a pice.) 								Yes				
4. E&S BMPs (is required.)	List	BMPs and	d note if in	stalled and main	itained	as per the	plan. If o	corrective	e actio	n is nee	ded,	a picture
E8	&S I	BMPs		Compliance Level		Correctiv	e Action			ective Frame	R	Date epaired
Cleanwater Divers	sion	Pipe	,	Acceptable								
Compost Filter So	ock		,	Acceptable								
Equipment Bridge)			Acceptable								
Rock Construction	n Er	ntrance	,	Acceptable								
Sensitive Resource	ce E	Buffer		Acceptable								
Silt Fence (Filter I	Fab	ric Fence)	,	Acceptable								
Slope Drain Pipe			,	Acceptable								
Vegetative Stabili	zati	on (Tempoi	ary)	Acceptable								
Waterbar				Acceptable								
5. Site Condition	ons	3										
Is an unauthorized beyond defined la photo and imm	limi	ts of distur	bance res	ulting from earth	distur	bance activ	vity or inet	-				No
Have inactive dis	stur	bed areas	(stockpile	s, final grade) be	een sta	abilized per	state req	uirement	ts?			Yes
Are slopes 3:1 a	nd	greater sta	abilized wit	h appropriate BN	MPs as	per E&S	olans?					Yes
Has a new slip/s	lide	been obs	erved? (If	yes, complete S	Slide R	eport Form	1)					No

AFE 124300139	Date/Ti	ime 6/17/2022 11:35 AM	Report # 388	387
•	ote if installed and m	aintained as per the plan. If correc	ctive action is ne	eded, a
picture is required.)				5 /
PCSM BMPs	Compliance Level	Corrective Action	Corrective Time Frame	Date Repaired
Other	Acceptable	Permanent vegetation remains in go		
. Identify all remedial measures	that have been taken	since the previous inspection was	conducted.	•
Comments (Reference above que	estions as appropriate)		
SWPPP Inspection (Sunny, 75F)	.stions as appropriate	.,		
Rain Gauge= 0.2" 4062+17-14171+36				
RCEs are in good condition at all roa Equipment bridge ECDs are in place				
CWDs are functioning as intended. MVP-FR-309.05 is in good condition P1 is in good condition at all stream Resource buffers remain well vegeta Waterbars/end treatments are in good Slope drain is functioning as intende CFS is in good condition. Vegetation continues to fill in through	and wetland buffers. Ited. od condition and function d at 14157+00.	ning		
MVP-FR-309.05 is in good condition P1 is in good condition at all stream Resource buffers remain well vegeta Waterbars/end treatments are in good Slope drain is functioning as intende CFS is in good condition.	and wetland buffers. Ited. od condition and function d at 14157+00.	ning		
MVP-FR-309.05 is in good condition P1 is in good condition at all stream Resource buffers remain well vegeta Waterbars/end treatments are in good Slope drain is functioning as intende CFS is in good condition.	and wetland buffers. Ited. od condition and function d at 14157+00.	ning		
MVP-FR-309.05 is in good condition P1 is in good condition at all stream Resource buffers remain well vegeta Waterbars/end treatments are in good Slope drain is functioning as intendenced in good condition. Vegetation continues to fill in through	and wetland buffers. Inted. Inted: Inter Inted: I	limination System and Erosion and	1 Sediment perm	its that a

replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required

as part of a permit condition this form may be used to meet those monitoring requirements.






AFE 124300139		Date/Time	6/17/2022 11:35 A	М	Report #	
		Pictu	ıres			
	Insert image here			Insert im	age here	
GPS Location			GPS Location			
Field Station#			Field Station#			
Pic 13 Desc.			Pic 14 Desc.			
	Insert image here		,	Insert im	age here	
GPS Location			GPS Location			
Field Station#			Field Station#			
Pic 15 Desc.			Pic 16 Desc.			
	Insert image here			Insert im	age here	
GPS Location			GPS Location			
Field Station#			Field Station#			
Pic 17 Desc.			Pic 18 Desc.			

Mour Mour	ntain Valley		Visu	ıal S	Site	Ins	specti	on R	epc	ort		
Project Nar	me H-600 Pipe	eline Spread I		Al	FE 1:	24300	139	Spr	ead	H-600 Pipe	eline	Spread I
Contract	or Precision			•				Repo	ort#	38893		
Inspect	or Charles He	ead						Date/T) PM			
Permit #	TBD		Inspection	Туре	VA S	WPP		Station	n Beg	in 14928-	+52	
State	VA		Inspection	Area	Full			Statio	on Er	nd 15063-	+85	
County	Franklin/Pittsy	Ivania	Gr	ound	Dry			1	Гетр	erature (PF)	92.00
Municipality	N/A		We	eather Sunny Rain Gauge (in)						0.25		
				Rain Accumulation Time (days)						1.00		
1. Are the appro	oved (stampe	d) E&S Plan	and PCSM Pla	an pre	sent o	on site	9?					Yes
2. Are there act (If yes, notify			the limits of dermitting Cool						vings?			No
 3. Is Construction sequence outlined in the construction notes of the E&S plan set or PCSM plan set being followed? (If No, notify MVP Environmental Permitting Coordinator and explain in comments.) 4. E&S BMPs (List BMPs and note if installed and maintained as per the plan. If corrective action is needed, a p 							Yes					
4. E&S BMPs (is required.)	(List BMPs and	d note if insta	alled and main	tained	as pe	er the	plan. If c	corrective	e actio	on is need	led,	a picture
E	&S BMPs	C	Compliance Level		Corr	ectiv	e Action			rective Frame	R	Date epaired
Cleanwater Diver	sion Pipe	Ac	ceptable									
Compost Filter So	ock	Ac	ceptable									
Equipment Bridge	е	Ac	ceptable									
Rock Constructio	n Entrance	Ac	ceptable									
Sensitive Resour	ce Buffer	Ac	ceptable									
Sensitive Resour	ce Signage	Ac	ceptable									
Silt Fence (Filter	Fabric Fence)	Ac	ceptable									
Silt Fence (Reinfo	orce Filter Fend	ce) Ac	ceptable									
Waterbar		Ac	ceptable									
5. Site Conditi	ons											
Is an unauthoriz beyond defined a photo and imn	limits of disturnediately cont	rbance resulti act MVP Env	ing from earth rironmental Pe	disturl ermittin	bance g Co	e activordina	vity or inef ator.	ffective E	BMP?			No
Have inactive di	sturbed areas	s (stockpiles,	final grade) be	een sta	bilize	d per	state req	uiremen	ts?			Yes
Are slopes 3:1 a					•							Yes
Has a new slip/s	slide been obs	served? (If ye	es, complete S	Slide R	eport	Form	1)					No

AFE 124300139	Date	/Time 6/17/2022 1:00 PM	Report # 38893			
6. PCSM BMPs (List BMPs and note if picture is required.)	installed and	maintained as per the plan. If corre	ctive action is nee	eded, a		
PCSM BMPs	Complianc Level	e Corrective Action	Corrective Time Frame	Date Repaired		
Other	Acceptable	Permanent vegetation				
7. Identify all remedial measures that h	nave been tak	en since the previous inspection was	conducted.			
Comments (Reference above question	s as appropria	ite.)				
SWPPP inspection of Spread I. Inspection water bars, sumps, end treatments, CWDs, Seeding and stabilization practices are prog Streams running clean and clear of sediments.	stabilization ar gressing. Contra	nd seeding activities, and general ROW of actor has addressed and continues to ac	conditions. BMPs li dress maintenance	sted above. e issues.		

as part of a permit condition this form may be used to meet those monitoring requirements.

Note: It is a condition of National Pollutant Discharge Elimination System and Erosion and Sediment permits that a maintenance program be conducted to provide for the operation and maintenance of all BMPs to be inspected on a weekly basis and after each stormwater event. Please list in the space provided comments to note if repairs or replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required



AFE 124300139		Date/Time	6/17/2022 1:00 PN	Л	Report #	
		Pict	ures			
	Insert image here			Insert im	age here	
GPS Location			GPS Location			
Field Station#			Field Station#			
Pic 7 Desc.			Pic 8 Desc.			
	Insert image here			Insert im	age here	
GPS Location			GPS Location			
Field Station#			Field Station#			
Pic 9 Desc.			Pic 10 Desc.			
	Insert image here			Insert im	age here	
GPS Location			GPS Location			
Field Station#			Field Station#			
Pic 11 Desc.			Pic 12 Desc.			


AFE 124300139		Date/Time	6/17/2022 1:00 PN	Л	Report #	
		Pict	ures			
	Insert image here			Insert im	age here	
GPS Location			GPS Location			
Field Station#			Field Station#			
Pic 13 Desc.			Pic 14 Desc.			
	Insert image here			Insert im	age here	
GPS Location			GPS Location			
Field Station#			Field Station#			
Pic 15 Desc.			Pic 16 Desc.			
	Insert image here			Insert im	age here	
GPS Location			GPS Location			
Field Station#			Field Station#			
Pic 17 Desc.			Pic 18 Desc.			

Mountain Valley			Visual Site Inspection Report									
Project Name Transco Interconnect			terconnect S	Station AFE 124300113				Sp	pread Transco Interconnect St			onnect Sta
Contractor Kanahwa			• •				Rep	Report # 38732				
Inspector John White								Date/Time 6/14/2022 10:4			4 AM	
Permit #	Permit # TBD			Inspection	Inspection Type VA SWPP			Station Begin 00+00				
State	VA			Inspection	Inspection Area		Full		Station End 00+00			
County	Pitt	sylvania		Ground Wet				Temperature (°F)				75.00
Municipality	Cha	atham		We	eather Cloudy Rain Gauge (in)				n)	0.20		
							Rain Ac	Rain Accumulation Time (days)			s)	6.00
1. Are the appro	ove	d (stampe	d) E&S Plar	n and PCSM Pl	an pre	sent on sit	e?					Yes
2. Are there act (If yes, notify			-	of the limits of d Permitting Coo					-	•		No
3. Is Construction followed? (If				he construction ental Permitting			•)	Yes
4. E&S BMPs (is required.)	List	BMPs and	d note if ins	talled and main	tained	as per the	e plan. If o	correctiv	e acti	on is need	ed,	a picture
E8	&S I	BMPs		Compliance Level		Corrective Action				rective Frame	R	Date epaired
Compost Filter Sc	ock		А	cceptable								
Housekeeping			Д	cceptable								
Rock Check Dam	Rock Check Dam			cceptable								
Rock Filter Outlet	Rock Filter Outlet Accep			cceptable								
Rock Construction Entrance			Д	cceptable								
Sediment Basin			А	cceptable								
Sediment Filter Log			Д	cceptable								
Silt Fence (Filter F	Silt Fence (Filter Fabric Fence)		cceptable									
Vegetative Stabili	on (Tempoi	rary) A	cceptable									
5. Site Conditions												
Is an unauthorized discharge (such as sediment, gravel, oil, HDD fluid, etc.) occurring to waters, wetlands, or beyond defined limits of disturbance resulting from earth disturbance activity or ineffective BMP? If yes, take a photo and immediately contact MVP Environmental Permitting Coordinator.								No				
Have inactive disturbed areas (stockpiles, final grade) been stabilized per state requirements?							Yes					
Are slopes 3:1 and greater stabilized with appropriate BMPs as per E&S plans?							Yes					
Has a new slip/slide been observed? (If yes, complete Slide Report Form)								No				

AFE 124300113	Dat	e/Time 6/	14/2022 10:44 AM		Report # 387	7 32
PCSM BMPs (List BMPs and note if picture is required.)	f installed an	d maintain	ed as per the plan. I	If correcti	ve action is ne	eded, a
PCSM BMPs	Complian Level	се	Corrective Action		Corrective Time Frame	Date Repaired
7. Identify all remedial measures that h	nave heen ta	en since t	he previous inspect	ion was co	anducted	
7. Identify all remedial measures that i	lave been ta	Nem since i	пе ргечюца парест	ion was co	onducted.	
Comments (Reference above question						
Performed SWPPP Inspection on the Trans	sco Facility an	d Lay down	yard. There were no i	ssues to re	eport at the time	of Inspection.
Note: It is a condition of National Pollut	-					
maintenance program be conducted to weekly basis and after each stormwate						

replacement are needed or have been made for BMPs as a result of the inspection. Failure to conduct the required inspection may result in permit suspension or the imposition of civil penalties. If supplemental monitoring is required

as part of a permit condition this form may be used to meet those monitoring requirements.



AFE 124300113		Date/Time 6/14/2022 10:44 A	ΑM	Report #			
		Pictures					
	Insert image here		Insert image here				
GPS Location		GPS Location					
Field Station#		Field Station#					
Pic 7 Desc.		Pic 8 Desc.					
	Insert image here		Insert im	age here			
GPS Location		GPS Location					
Field Station#		Field Station#					
Pic 9 Desc.		Pic 10 Desc.					
	Insert image here		Insert im	age here			
GPS Location		GPS Location					
Field Station#		Field Station#					
Pic 11 Desc.		Pic 12 Desc.					

AFE 124300113		Date/Time	6/14/2022 10:44 A	M	Report #			
		Pict	ures					
	Insert image here		Insert image here					
GPS Location			GPS Location					
Field Station#			Field Station#					
Pic 13 Desc.			Pic 14 Desc.					
	Insert image here			Insert im	age here			
GPS Location			GPS Location					
Field Station#			Field Station#					
Pic 15 Desc.			Pic 16 Desc.					
	Insert image here			Insert im	age here			
GPS Location			GPS Location					
Field Station#			Field Station#			_		
Pic 17 Desc.			Pic 18 Desc.					