# **Baseline Assessment – Stream Attributes**

# Reach S-A60 (Pipeline ROW) Perennial Spread F Monroe County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope
	>4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Low flow
Wolman Pebble Count	<b>√</b>
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓

# Spread F Stream S-A60 (Pipeline ROW) Monroe County



Photo Type: CP, DS Location, Orientation, Photographer Initials: Center of Right of Way, Downstream View, AJ



Location, Orientation, Photographer Initials: Center of Right of Way, Upstream View, AJ

# Spread F Stream S-A60 (Pipeline ROW) Monroe County



Photo Type: LDB, DS Location, Orientation, Photographer Initials: Left Descending Bank, Downstream View, AJ



Photo Type: LDB, US Location, Orientation, Photographer Initials: Left Descending Bank, Upstream View, AJ

# Spread F Stream S-A60 (Pipeline ROW) Monroe County



Photo Type: RDB, DS Location, Orientation, Photographer Initials: Right Descending Bank, Downstream View, AJ



Photo Type: RDB, US View Location, Orientation, Photographer Initials: Right Descending Bank, Upstream View, AJ

 $<sup>&</sup>quot;Q:\label{lem:conditions} \begin{subarray}{l} $"Q:\label{lem:conditions} ASSESSMENT\ AND\ SURVEY\ PLAN\ 0002\ -\ Pre-Crossing\ Monitoring\ Spread\ F\ S-A60" \end{subarray}$ 

#### West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mo	ountain Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	37.558698 Lon.		-80.709966	WEATHER:	WEATHER: Clear/Sunny 22 °C		DATE:	
(12.1) 00(120.10)				(iii Decimai Degrees)									9/6/2021
IMPACT STREAM/SITE ID			S-A6	S-A60 Slate Run  MITIGATION STREAM CLASS./SITE ID AND SITE DESCRIPTION: (watershed size {acreage}, unaltered or impairments)				Comments:					
(watershed size {acreage},	unanered of impair	ments)				(watershed Size (acreage), unatter	eu or impai	innents)					
OTDEAN INDACT LENGTH		FORM O	-	MIT GOODDINATES.	11 -4	I an			DDECIDITATION DAGT 40 LIDO			Midiradia a Lauraha	
STREAM IMPACT LENGTH:	87	FORM O		MIT COORDINATES: (in Decimal Degrees)	Lat.	Lon.			PRECIPITATION PAST 48 HRS:			Mitigation Length:	
			,	, ,				- "			T T		
Column No. 1- Impact Existing	Condition (Deb	oit)	Column No. 2- Mitigation Existing	Condition - Baseline (Credit)		Column No. 3- Mitigation Projected Post Completion (Credi		'ears	Column No. 4- Mitigation Project Post Completion (C		rs	Column No. 5- Mitigation Project	ed at Maturity (Credit)
Stream Classification:	Pere	nnial	Stream Classification:			Stream Classification:		0	Stream Classification:	0		Stream Classification:	0
Percent Stream Channel Slo	ре	1.83	Percent Stream Channel	Slope		Percent Stream Channel Slope		0	Percent Stream Channel Slo	ре	0	Percent Stream Channel SI	ope 0
HGM Score (attach da	ata forms):		HGM Score (attac	h data forms):		HGM Score (attach data fo	orms):		HGM Score (attach dat	a forms):		HGM Score (attach da	ata forms):
		Average		Average				Average			Average		Average
Hydrology			Hydrology			Hydrology			Hydrology			Hydrology	
Biogeochemical Cycling		0	Biogeochemical Cycling	0		Biogeochemical Cycling		0	Biogeochemical Cycling		0	Biogeochemical Cycling	0
Habitat PART I - Physical, Chemical and	Biological Indic	ators	Habitat PART I - Physical, Chemical	and Biological Indicators		PART I - Physical, Chemical and Biolo	ogical Ind	licators	Habitat PART I - Physical, Chemical and B	iological Indica	ators	Habitat  PART I - Physical, Chemical and	Biological Indicators
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	-					-							
	Points Scale Range	Site Score		Points Scale Range Site Score		Points Sc	cale Range	Site Score		Points Scale Range	Site Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all strea	ns classifications)		PHYSICAL INDICATOR (Applies to all streams classific	cations)		PHYSICAL INDICATOR (Applies to all streams of	lassifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)
USEPA RBP (High Gradient Data Sheet)  1. Epifaunal Substrate/Available Cover	0.00	2	USEPA RBP (Low Gradient Data Sheet)  1. Epifaunal Substrate/Available Cover			USEPA RBP (High Gradient Data Sheet)  1. Epifaunal Substrate/Available Cover 0-20	. 1		USEPA RBP (High Gradient Data Sheet)  1. Epifaunal Substrate/Available Cover	0-20		USEPA RBP (High Gradient Data Sheet)  1. Epifaunal Substrate/Available Cover	
Epiraunai Substrate/Available Cover     Embeddedness	0-20 0-20	6	Epiraurial Substrate/Available Cover     Pool Substrate Characterization	0-20 0-20		Epilaunai Substrate/Available Cover     Cover     Embeddedness     Cover     Cove			Epilaunai Substrate/Available Cover     Embeddedness	0-20		Epilaunal Substrate/Available Cover     Embeddedness	0-20 0-20
3. Velocity/ Depth Regime	0-20	1	3. Pool Variability	0-20		3. Velocity/ Depth Regime 0-20			3. Velocity/ Depth Regime	0-20		Velocity/ Depth Regime	0-20
4. Sediment Deposition	0-20	7	4. Sediment Deposition	0-20		4. Sediment Deposition 0-20			Sediment Deposition	0-20		Sediment Deposition	0-20
5. Channel Flow Status	0-20 0-1	4	5. Channel Flow Status	0-20		5. Channel Flow Status 0-20	0.1		5. Channel Flow Status	0-20		5. Channel Flow Status	0-20
6. Channel Alteration	0-20	18	6. Channel Alteration	0-20		6. Channel Alteration 0-20	0-1		6. Channel Alteration	0-20		6. Channel Alteration	0-20
7. Frequency of Riffles (or bends)	0-20	1	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends) 0-20	)		7. Frequency of Riffles (or bends)	0-20		<ol><li>Frequency of Riffles (or bends)</li></ol>	0-20
8. Bank Stability (LB & RB)	0-20	11	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB) 0-20			8. Bank Stability (LB & RB)	0-20		Bank Stability (LB & RB)	0-20
9. Vegetative Protection (LB & RB)	0-20	14	Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB) 0-20			Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20
10. Riparian Vegetative Zone Width (LB & RB)	0-20	6	10. Riparian Vegetative Zone Width (LB & RB)			10. Riparian Vegetative Zone Width (LB & RB) 0-20			10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20
Total RBP Score	Marginal	71	Total RBP Score	Poor 0			Poor	0	Total RBP Score	Poor	0	Total RBP Score	Poor 0
Sub-Total  CHEMICAL INDICATOR (Applies to Intermitter	at and Darannial Ct	0.355	Sub-Total  CHEMICAL INDICATOR (Applies to Intermit	tent and Decembed Streems)		Sub-Total  CHEMICAL INDICATOR (Applies to Intermittent and Pe	roppial Ctr	Tagma)	Sub-Total  CHEMICAL INDICATOR (Applies to Intermittent	and Darannial Str	O O	Sub-Total  CHEMICAL INDICATOR (Applies to Intermitter	et and Barannial Streams)
		icanis)					steriillar Oti	eams)		and refermination	eams)		·
WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (General Specific Conductivity	ai)		WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (General Specific Conductivity	
Specific Conductivity			Specific conductivity						Specific Conductivity			Specific Conductivity	
300-399 - 70 points	0-90	310.4		0-90		0-90	)			0-90			0-90
pH			pH			pH			pH			pH	
	0-80	6.93		5-90 0-1		5-90	0-1			5-90 0-1			5-90 0-1
6.0-8.0 = 80 points	0-00	0.93		3-30		3-30	_			5-50			3-30
DO			DO	0		DO			DO			DO	
>5.0 = 30 points	10-30	5.06		10-30		10-30	0			10-30			10-30
Sub-Total	tant and Dassanial	0.9	Sub-Total	0		Sub-Total  BIOLOGICAL INDICATOR (Applies to Intermittent ar	ad Dagang	O	Sub-Total  BIOLOGICAL INDICATOR (Applies to Intermi	tant and Danson	O	Sub-Total  BIOLOGICAL INDICATOR (Applies to Interm	0
BIOLOGICAL INDICATOR (Applies to Intermit	terit and Ferenina	Streams)	BIOLOGICAL INDICATOR (Applies to Inter	initient and Perennial Streams)			iu reieiiii	lai Streams)		tent and Ferenin	iai Streams)		ittent and Pereninal Streams)
WV Stream Condition Index (WVSCI)	1 1		WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)	
0	0-100 0-1			0-100 0-1		0-100	0 0-1			0-100 0-1			0-100 0-1
Sub-Total		0	Sub-Total	0		Sub-Total	·	0	Sub-Total		0	Sub-Total	0
PART II - Index and U	nit Score		PART II - Index a	nd Unit Score		PART II - Index and Unit S	core		PART II - Index and Un	t Score		PART II - Index and U	nit Score
Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index Line	ear Feet	Unit Score	Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score
0.628	87	54.5925	0	0 0		0	0	0	0	0	0	0	0 0

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME Slat	te Run	LOCATION S-A60	LOCATION S-A60							
STATION#	RIVERMILE	STREAM CLASS Perenni	al							
LAT_37.558698	LONG80.709966	_ COUNTY Monroe								
STORET#		AGENCY Edge/Potesta	AGENCY Edge/Potesta							
INVESTIGATORS A.	J/MB									
FORM COMPLETED	<sup>PBY</sup> AJ	DATE 09/06/2021 TIME 10:49 AM	REASON FOR SURVEY Preliminary Assessment							
WEATHER CONDITIONS		Past 24 hours in (steady rain)	Has there been a heavy rain in the last 7 days?  Yes No  Air Temperature 22 0 C							

WEATHER CONDITIONS	Now    Past 24   Has there been a heavy rain in the last 7 days?   Yes   No     Storm (heavy rain) rain (steady rain) showers (intermittent) %   Cloud cover clear/sunny   No     We will be a storm in the last 7 days?   Yes   No     Air Temperature   22   0 C     Other   Other     O
SITE LOCATION/MAP	Draw a map of the site and indicate the freas sampled (or at such a photograph)
	Field Field
	50m ==== 50m
	Field Field
	Forest DS Forest
STREAM CHARACTERIZATION	Stream Subsystem  Perennial Intermittent Tidal Coldwater Warmwater  Stream Origin Glacial Non-glacial montane Swamp and bog  Stream Type Coldwater Warmwater  Catchment Area km²

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Predon Fores Field Agric	Pasture Industria	duse rcial al	Local Watershed NPS  □ No evidence □ Son □ Obvious sources □ Local Watershed Eros □ None □ Moderate	ne potential sources	
RIPARIA VEGETA (18 meter	TION	Indicat Tree Domina	e the dominant type and s S nnt species present	record the do hrubs nweed, wings	minant species present ☐Grasses ☐ Ho tem, jewelweed	erbaceous	
INSTREA FEATURI		Estimal Sampli Area in Estimal Surface (at thal	km² (m²x1000)  ted Stream Depth  Velocity  m	m m² km² m		lly shaded	
LARGE V DEBRIS	VOODY	LWD Density	m² of LWDm	n²/km² ( <b>LWD</b> /	reach area)		
AQUATIO VEGETA		Roote Float	e the dominant type and ed emergent Re ing Algae Algae unt species present filat of the reach with aquat	noted submerge stached Algae mentous	nt Rooted floating	Free floating	
WATER (	QUALITY	Specific Dissolv pH 6.9	rature 18.9 C c Conductance 310.4 us/cm ed Oxygen 5.06 mg/L 13 su ty 2.7 ntu strument Used YSI			Chemical Other  Globs Flecks	
SEDIMEN SUBSTRA		Odors Norm Chen Othe Oils	nical Anaerobic	Petroleum None	Looking at stones which	h are not deeply embedded,	
INC		STRATE	COMPONENTS	ľ	ORGANIC SUBSTRATE C		
Substrate Type	Diamet		% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area	
Bedrock Boulder	> 256 mm (10")	1		Detritus	sticks, wood, coarse plant materials (CPOM)	50	
Cobble Gravel	64-256 mm (2.5 2-64 mm (0.1"-:	1000000	20 40	Muck-Mud	d black, very fine organic (FPOM)		
Sand	0.06-2mm (gritt	y)	20	Marl	grey, shell fragments		
Silt	0.004-0.06 mm		20	]			
Clay	< 0.004 mm (sli	ck)		1			

### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S	late Run	LOCATION S-A60							
STATION #	RIVERMILE	STREAM CLASS Intermittent							
LAT 37.558698	LONG80.709966	_ COUNTY Monroe							
STORET#		AGENCY Edge/Potesta							
INVESTIGATORS	AJ/MB								
FORM COMPLETE AJ	ED BY	DATE 09/06/2021 REASON FOR SURVEY Preliminary Assessment							

	Habitat	Condition Category										
	Parameter	Optimal	Suboptimal	Marginal	Poor							
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.							
	<sub>SCORE</sub> 3 <b>▼</b>	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0							
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.							
ted i	score 6 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 🚳	5 4 3 2 1 0							
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime N/A	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).							
ıram	score 1 <b></b>	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 10 0							
P <sub>2</sub>	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.							
	score 7 <b></b>	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0							
	5. Channel Flow Status N/A	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.							
	SCORE 4	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0							

### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	Category						
	Parameter Parameter	Optimal	Suboptimal	Marginal	Poor					
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.					
	<sub>SCORE</sub> 18 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
ing reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.					
sampl	SCORE 1	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 10 0					
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank)  Note: determine left or right side by facing development.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.					
e eva	SCORE 5	Left Bank 10 9	8 7 6	<b>5</b> 4 3	2 1 0					
to b	SCORE 6	Right Bank 10 9	8 7 6	5 4 3	2 1 0					
Parameter	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.					
	SCORE 7	Left Bank 10 9	8 🕖 6	5 4 3	2 1 0					
	SCORE 7 ▶,	Right Bank 10 9	8 🕖 6	5 4 3	2 1 0					
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.					
	SCORE 3	Left Bank 10 9	8 7 6	5 4 🐧	2 1 0					
	SCORE 3	Right Bank 10 9	8 7 6	5 4 🐧	2 1 0					

71

#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET


Platyhelminthes         0         1         2         3         4         Hemiptera         0         1         2         3         4         Trichoptera         0         1         2         3         4           Turbellaria         0         1         2         3         4         Coleoptera         0         1         2         3         4           Hirudinea         0         1         2         3         4         Lepidoptera         0         1         2         3         4           Oligochaeta         0         1         2         3         4         Corydalidae         0         1         2         3         4           Isopoda         0         1         2         3         4         Tipulidae         0         1         2         3         4           Decapoda         0         1         2         3         4         Empididae         0         1         2         3         4           Gastropoda         0         1         2         3         4         Simuliidae         0         1         2         3         4           Bivalvia         0 <td< th=""><th colspan="7">STREAM NAME Slate Run</th><th colspan="11">LOCATION S-A60</th></td<>	STREAM NAME Slate Run							LOCATION S-A60															
Note	STATION#	RIVERMILE STREAM CLASS Intermittent																					
No benthics taken. No suitable   habitat and minimal flow	LAT 37.558698	LONG -80.709966							COUNTY Monroe														
No benthics taken. No suitable   habitat and minimal flow	STORET#							A	GEN	NCY	Edg	je/P	ote	sta									
HABITAT TYPES	INVESTIGATORS A	J/ME	3						2,44,200.0	100001.00					Т	LO	ΤI	NUMBER					
Collection	FORM COMPLETED	BY	A	J				50,500		-	_	1				RE	AS	SON FOR SURVEY Pre	elimir	nary	Asse	essn	nent
How we're the samples collected?	HABITAT TYPES	15 V	dica Co Sub	ite tl obbl merg	he po le_2 ged N	ercen 20 % Macro	tage 6 🔽	of eac Snag	h h:	abitat	t typ	e pr ☑V	esen eget	it ated Other	Bai	nks_	90	% \sum_Sand_20	%				
How we're the samples collected?	SAMPLE	G	ear	used	Е	D-fi	rame	□ki	ck-r	net		Î		the									
Indicate the number of jabs/kicks taken in each habitat type.	COLLECTION																						
Comments		1	ow v	vere	tne	samp	oies c	опест	ear	ı	w	ıaınş	3	L	IIC	om o	an	k Irom boat					
QUALITATIVE LISTING OF AQUATIC BIOTA   Indicate estimated abundance:   0 = Absent/Not Observed,   1 = Rare,   2 = Common,   3 = Abundant,   4 = Dominant   2   3   4   Slimes   0   1   2   3   4   Macroinvertebrates   0   1   2   3   4   Mac		║□	Cob	ble				Snags			- [	٦v	eget	ated	Bai	nks		Sand )	_				
Periphyton		N	lo	be	ent	hic	cs t	tak	en	ı. N	Ю	SL	uita	ab	le	h	а	bitat and mi	nir	na	ıl f	lo۱	Ν.
FIELD OBSERVATIONS OF MACROBENTHOS   Indicate estimated abundance:   0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)	<b>Dominant</b> Periphyton					0	1	2					Sli	mes		100			5.400.00		-	100	
Porifera   0   1   2   3   4   Anisoptera   0   1   2   3   4   Hemiptera   0   1   2   3   4   Coleoptera   0   1   2   3   4   Corydalidae   Corydae   Corydalidae   Corydalidae   Corydalidae   Corydalidae   Coryd								mest.							inv	erte	br	ates	100	100	170		
Porifera   O   1   2   3   4   Anisoptera   O   1   2   3   4   Ephemeroptera   O   1   2   3   4   Ephemeroptera   O   1   2   3   4   Anisoptera   O   1   2   3   4   Ephemeroptera   O   1   2   3   4   Ephemeropter	Macrophytes					0	1	2	3	4			Fis	h					0	1	2	3	4
Hydrozoa         0         1         2         3         4         Zygoptera         0         1         2         3         4         Ephemeroptera         0         1         2         3         4           Platyhelminthes         0         1         2         3         4         Hemiptera         0         1         2         3         4           Turbellaria         0         1         2         3         4         Coleoptera         0         1         2         3         4           Hirudinea         0         1         2         3         4         Lepidoptera         0         1         2         3         4           Oligochaeta         0         1         2         3         4         Corydalidae         0         1         2         3         4           Amphipoda         0         1         2         3         4         Empididae         0         1         2         3         4           Decapoda         0         1         2         3         4         Simuliidae         0         1         2         3         4           Gastropoda         0	Indicate estimated	l abı	und	anc	e:	0 = org	Abse anisi	ent/N ms), 3	ot ( 3= /	Obse		ıt (>	>10	org	gani	ism	s),	, 4 = Dominant (>5				ıs)	
Platyhelminthes         0         1         2         3         4         Hemiptera         0         1         2         3         4         Trichoptera         0         1         2         3         4           Turbellaria         0         1         2         3         4         Coleoptera         0         1         2         3         4           Hirudinea         0         1         2         3         4         Lepidoptera         0         1         2         3         4           Oligochaeta         0         1         2         3         4         Corydalidae         0         1         2         3         4           Isopoda         0         1         2         3         4         Tripulidae         0         1         2         3         4           Decapoda         0         1         2         3         4         Empididae         0         1         2         3         4           Gastropoda         0         1         2         3         4         Simuliidae         0         1         2         3         4           Bivalvia         0 <t< td=""><td></td><td></td><td>1</td><td></td><td></td><td></td><td></td><td>_</td><td></td><td></td><td></td><td></td><td>1</td><td></td><td></td><td></td><td>- 1</td><td></td><td></td><td>1</td><td></td><td></td><td>4</td></t<>			1					_					1				- 1			1			4
Turbellaria         0         1         2         3         4         Coleoptera         0         1         2         3         4         Other         0         1         2         3         4           Hirudinea         0         1         2         3         4         Lepidoptera         0         1         2         3         4           Oligochaeta         0         1         2         3         4         Sialidae         0         1         2         3         4           Isopoda         0         1         2         3         4         Tipulidae         0         1         2         3         4           Decapoda         0         1         2         3         4         Empididae         0         1         2         3         4           Gastropoda         0         1         2         3         4         Simuliidae         0         1         2         3         4           Bivalvia         0         1         2         3         4         Tabinidae         0         1         2         3         4	•																- 1						4
Hirudinea 0 1 2 3 4 Lepidoptera 0 1 2 3 4 Sialidae 0 1 2 3 4 Isopoda 0 1 2 3 4 Corydalidae 0 1 2 3 4 Amphipoda 0 1 2 3 4 Empididae 0 1 2 3 4 Empididae 0 1 2 3 4 Gastropoda 0 1 2 3 4 Simuliidae 0 1 2 3 4 Bivalvia 0 1 2 3 4 Tabinidae 0 1 2 3 4	•							_									- 1	-					4
Oligochaeta         0         1         2         3         4         Sialidae         0         1         2         3         4           Isopoda         0         1         2         3         4         Corydalidae         0         1         2         3         4           Amphipoda         0         1         2         3         4         Tipulidae         0         1         2         3         4           Decapoda         0         1         2         3         4         Empididae         0         1         2         3         4           Gastropoda         0         1         2         3         4         Simuliidae         0         1         2         3         4           Bivalvia         0         1         2         3         4         Tabinidae         0         1         2         3         4								_									- 1	Other	0	1	2	3	4
Isopoda         0         1         2         3         4         Corydalidae         0         1         2         3         4           Amphipoda         0         1         2         3         4         Tipulidae         0         1         2         3         4           Decapoda         0         1         2         3         4         Empididae         0         1         2         3         4           Gastropoda         0         1         2         3         4         Simuliidae         0         1         2         3         4           Bivalvia         0         1         2         3         4         Tabinidae         0         1         2         3         4										ì							- 1						
Amphipoda       0       1       2       3       4       Tipulidae       0       1       2       3       4         Decapoda       0       1       2       3       4       Empididae       0       1       2       3       4         Gastropoda       0       1       2       3       4       Simuliidae       0       1       2       3       4         Bivalvia       0       1       2       3       4       Tabinidae       0       1       2       3       4	-												-				- 1						
Decapoda       0       1       2       3       4       Empididae       0       1       2       3       4         Gastropoda       0       1       2       3       4       Simuliidae       0       1       2       3       4         Bivalvia       0       1       2       3       4       Tabinidae       0       1       2       3       4	-							-		5							- 1						
Gastropoda 0 1 2 3 4 Simuliidae 0 1 2 3 4 Bivalvia 0 1 2 3 4 Tabinidae 0 1 2 3 4							_ ^										- 1						
Bivalvia 0 1 2 3 4 Tabinidae 0 1 2 3 4	-							•															
	-																						
	Divalvia	U	1	2	3	7	ı					0	1	2	3		- 1						





Inches	PARTICLE	Millimeters	
	Silt / Clay	< .062	S/C
	Very Fine	.062125	0
	Fine	.12525	SA
	Medium	2550	A N
	Coarse	50 - 1.0	D
.0408	Very Coarse	1.0 - 2	
.0816	Very Fine	2-4	200
.1622	Fine	4 - 5.7	
.2231	Fine	5.7 - 8	G
.3144	Medium	8 - 11.3	R
.4463	Medium	11.3 - 16	A.
.6389	Coarse	16 - 22.6	ME M
.89 - 1.3	Coarse	22.6 - 32	U
1.3 - 1.8	Very Coarse	32 - 45	7000
1.8 - 2.5	Very Coarse	45 - 64	FL.
2.5 - 3.5	Small	64 - 90	Ho?
3.5 - 5.0	Small	90 - 128	COMB
5.0 - 7.1	Large	128 - 180	Z L
7.1 - 10.1	Large	180 - 256	at 1
10.1 - 14.3	Small	256 - 362	BOD
14.3 - 20	Small	362 - 512	Ž Ž
20 - 40	Medium	512 - 1024	5
40 - 80	Large-Vry Large	1024 - 2048	B.
	Bedrock		BDRA.

	NOTES:


Bankfull Channel	▼	
Material	Size Range (mm	Count
silt/clay	0 - 0.062	15
very fine sand	0.062 - 0.125	0
fine sand	0.125 - 0.25	0
medium sand	0.25 - 0.5	0
coarse sand		0
very coarse sand	1 - 2	28
very fine gravel	2 - 4	1
fine gravel	4 - 6	2
fine gravel	6 - 8	0
medium gravel	8 - 11	4
medium gravel	11 - 16	7
coarse gravel	16 - 22	10
coarse gravel	22 - 32	11
very coarse gravel	32 - 45	4
very coarse gravel	45 - 64	4
small cobble	64 - 90	6
medium cobble	90 - 128	4
large cobble	128 - 180	4
very large cobble	180 - 256	0
small boulder	256 - 362	0
small boulder	362 - 512	0
medium boulder	512 - 1024	0
large boulder		0
very large boulder	2048 - 4096	0
tota	al particle count:	100
bedrock		
clay hardpan		
detritus/wood		
a, unotar	total count:	100
Note:		







AS-BUILT TABLE: S-A60 CROSS SECTION A					
	PRE-CROSSING			AŞ-BUILT	
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.
TS-L	13638088.6671	1724456.8985'	1620.786'		
BS-L	13638087.3006	1724456.87201	1620.246'		
THW	13638084.3106	1724455.8023'	1619.675'		
BS-R	13638082.5059	1724455.8214	1619.701'		
TS-R	-	•	-		



## SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 十

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 14, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

# S-A60 BASELINE CROSS-SECTION A



CROSS SECTION LEGEND — EXISTING GRADE

CROSS SECTION
H: 1"=10'
V: 1"=5'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

PRE-CROSSING

CAD File No.



Drawing No