Baseline Assessment – Stream Attributes

Reach S-CV17 (Pipeline ROW) Ephemeral Spread F Summers County, West Virginia


Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Ephemeral Stream (<4% slope)
RBP Physical Characteristics Form	✓
Water Quality Data	N/A – No flow
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A –No flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓

^{*}Modified RBP - No flow

Spread F Stream S-CV17 (Pipeline ROW) Summers County



Photo Type: DS Edge of ROW, US View
Location, Orientation, Photographer Initials: Downstream Edge of Right of Way, Upstream View, TF/EW/WP



Location, Orientation, Photographer Initials: Downstream Edge of Right of Way, Downstream View, TF/EW/WP

Spread F Stream S-CV17 (Pipeline ROW) Summers County



Photo Type: Center ROW, US View
Location, Orientation, Photographer Initials: Center Right of Way, Upstream View, TF/EW/WP



Photo Type: Center ROW, DS View Location, Orientation, Photographer Initials: Center of Right of Way, Downstream View, TF/EW/WP

Spread F Stream S-CV17 (Pipeline ROW) Summers County



Photo Type: US Edge of ROW, US View Location, Orientation, Photographer Initials: Upstream Edge of Right of Way, Upstream View, TF/EW/WP



Photo Type: US Edge ROW, DS View
Location, Orientation, Photographer Initials: Upstream Edge of Right of Way, Downstream View, TF/EW/WP

"Q:\Charleston\2021 Projects\21-0244- MVP- STREAM AND WETLAND CONDITIONS ASSESSMENT AND SURVEY PLAN\002 - Pre-Crossing Monitoring\Spread F\S-CV17"

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		MOUNTAIN	VALLEY PIPELINE	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	37.681865 Lon.	-80.730095	WEATHER:	Sunny	DATE:	9/8/21
IMPACT STREAM/SITE ID (watershed size {acreage}			UNT to Greenbri	er River (S-CV17)		MITIGATION STREAM CLASS./SITE ID A (watershed size {acreage}, unaltered				Comments:	
STREAM IMPACT LENGTH:	76	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.	Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:	
Column No. 1- Impact Existin	g Condition (Debit)	Column No. 2- Mitigation Existing Co	ondition - Baseline (Credit)		Column No. 3- Mitigation Projected at Post Completion (Credit)	Five Years	Column No. 4- Mitigation Proje Post Completion (C		Column No. 5- Mitigation Projec	ted at Maturity (Credit)
Stream Classification:	Ephemo	eral	Stream Classification:		5	Stream Classification:	0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel SI	lope	2.3	Percent Stream Channel Slo	pe		Percent Stream Channel Slope	0	Percent Stream Channel Slo	pe 0	Percent Stream Channel S	Slope 0
HGM Score (attach d	lata forms):		HGM Score (attach d	lata forms):	Ī	HGM Score (attach data form	ns):	HGM Score (attach da	ta forms):	HGM Score (attach o	data forms):
		Average		Average			Average		Average		Average
Hydrology			Hydrology			lydrology		Hydrology		Hydrology	
Biogeochemical Cycling Habitat		0	Biogeochemical Cycling Habitat	0		Biogeochemical Cycling Habitat	0	Biogeochemical Cycling Habitat	0	Biogeochemical Cycling Habitat	0
PART I - Physical, Chemical and	d Biological Indicat	ors	PART I - Physical, Chemical and	Biological Indicators	İ	PART I - Physical, Chemical and Biologic	cal Indicators	PART I - Physical, Chemical and E	Biological Indicators	PART I - Physical, Chemical and	d Biological Indicators
	Points Scale Range	Site Score		Points Scale Range Site Score		Points Scale	Range Site Score		Points Scale Range Site Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all stream	s classifications)		PHYSICAL INDICATOR (Applies to all streams of	classifications)	F	PHYSICAL INDICATOR (Applies to all streams classification	ons)	PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all stream	ns classifications)
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)		Į.	JSEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)	
Epifaunal Substrate/Available Cover	0-20	4=	Epifaunal Substrate/Available Cover	0-20		. Epifaunal Substrate/Available Cover 0-20		Epifaunal Substrate/Available Cover	0-20	Epifaunal Substrate/Available Cover	0-20
Embeddedness Velocity/ Depth Regime	0-20	17	2. Pool Substrate Characterization	0-20 0-20		2. Embeddedness 0-20 3. Velocity/ Depth Regime 0-20		Embeddedness Velocity/ Depth Regime	0-20 0-20	Embeddedness Velocity/ Depth Regime	0-20 0-20
4. Sediment Deposition	0-20	16	Pool Variability Sediment Deposition	0-20	3	B. Velocity/ Depth Regime 0-20 I. Sediment Deposition 0-20		Velocity/ Depth Regime Sediment Deposition	0-20	4. Sediment Deposition	0-20
5. Channel Flow Status	0-20	10	5. Channel Flow Status	0-20	-	5. Channel Flow Status 0-20		5. Channel Flow Status	0-20	5. Channel Flow Status	0-20
6. Channel Alteration	0-20 0-1	16	6. Channel Alteration	0-20 0-1		6. Channel Alteration 0-20	0-1	6. Channel Alteration	0-20 0-1	6. Channel Alteration	0-20 0-1
7. Frequency of Riffles (or bends)	0-20	10	7. Channel Sinuosity	0-20	7	7. Frequency of Riffles (or bends) 0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20
8. Bank Stability (LB & RB)	0-20	18	8. Bank Stability (LB & RB)	0-20	2	B. Bank Stability (LB & RB) 0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20
9. Vegetative Protection (LB & RB)	0-20	18	9. Vegetative Protection (LB & RB)	0-20	9	9. Vegetative Protection (LB & RB) 0-20		9. Vegetative Protection (LB & RB)	0-20	9. Vegetative Protection (LB & RB)	0-20
10. Riparian Vegetative Zone Width (LB & RB)	0-20	18	10. Riparian Vegetative Zone Width (LB & RB)	0-20	1	Riparian Vegetative Zone Width (LB & RB) 0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20	10. Riparian Vegetative Zone Width (LB & RB)	0-20
Total RBP Score	Optimal	103	Total RBP Score	Poor 0	Ī	Total RBP Score Poo	or 0	Total RBP Score	Poor 0	Total RBP Score	Poor 0
Sub-Total CHEMICAL INDICATOR (Applies to Intermitte		0.858333333 ams)	Sub-Total CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)	li i	Sub-Total CHEMICAL INDICATOR (Applies to Intermittent and Perer	nnial Streams)	Sub-Total CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Streams)	Sub-Total CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)
		,		,		• • • • • • • • • • • • • • • • • • • •	,		·		•
WVDEP Water Quality Indicators (Genera Specific Conductivity	11)		WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (General) Specific Conductivity		WVDEP Water Quality Indicators (General) Specific Conductivity		WVDEP Water Quality Indicators (General Specific Conductivity	11)
Specific Conductivity	_		Specific Colludetivity	I	-			Specific Colludetivity		Specific Conductivity	
100-199 - 85 points	0-90			0-90		0-90			0-90		0-90
pH .		43	pH	0	F	Н		pH		pH	
	0-80			5-90 0-1		5-90	0-1		5-90 0-1		5-90 0-1
5.6-5.9 = 45 points								= -			
DO			DO		- 1	00		DO		DO	
	10-30			10-30		10-30			10-30		10-30
Sub-Total			Sub-Total	0	9	Sub-Total	0	Sub-Total	0	Sub-Total	0
BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial St	reams)	BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)	E	BIOLOGICAL INDICATOR (Applies to Intermittent and I	Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Inter	mittent and Perennial Streams)
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		<u> </u>	WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)	
n	0-100 0-1			0-100 0-1		0-100	0-1		0-100 0-1		0-100 0-1
Sub-Total	'	0	Sub-Total	0	5	Sub-Total	0	Sub-Total	0	Sub-Total	0
PART II - Index and l	Unit Score		PART II - Index and I	Jnit Score	ſ.	PART II - Index and Unit Scor	·e	PART II - Index and Ur	nit Score	PART II - Index and	Unit Score
. , act in mask und			The state of the s			The state of the s		. , act ii iii.acx and or		Tract ii iiidox dilu	
					ļ.						
Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index Linear	Feet Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit Score
					-						
0.829	76 6	3.01666667	0	0 0		0 0	0	0	0 0	0	0 0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET

		(FRONT)						
STREAM NAMES-CV	17	LOCATION UNT to Green	brier River Spread F					
STATION #	RIVERMILE	STREAM CLASS Ephemeral						
LAT 37.681186	LONG -80.73009	_ COUNTY Summe	ers					
STORET#		AGENCYPotesta/Edge	e					
INVESTIGATORSTF/E	ΞW	10.00						
FORM COMPLETED B	*TF	DATE 9-8-2021 TIME 1030	REASON FOR SURVEY Preliminary Assessment					
WEATHER CONDITIONS	ra show	orm (heavy rain) nin (steady rain) wers (intermittent) %cloud cover clear/sunny	Has there been a heavy rain in the last 7 days? Yes No Air Temperature 70 0 C Other					
SITE LOCATION/MA	P Draw a map of the	site and indicate the areas sar	mpled (or attach a photograph) Row Herb W					

Stream Subsystem
Perennial Intermittent Tidal

Stream Origin
Glacial
Non-glacial montane
Swamp and bog

STREAM CHARACTERIZATION

Dry - Eph Stream

Lalb

Spring-fed
Mixture of origins
Other

ROW

✓Warmwater

 km^2

Stream Type Coldwater

Catchment Area_

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Predon Fores Field Agric Resid	Pasture Industri	rcial	Local Watershed NPS □ No evidence □ Son □ Obvious sources □ Local Watershed Eros □ None □ Moderate	ne potential sources		
RIPARIA VEGETA (18 meter	TION	☐ Tree:	e the dominant type and s S nnt species present GO	erbaceous				
INSTREA FEATURI		Estimate Sampling Area in Estimate Surface (at that	mg Reach Area km² (m²x1000) ted Stream Depth e Velocity n/a m	ft m ft m 1 ¹ /2 m² km² ft m		lly shaded □Shaded 7.0 ft m epresented by Stream Run		
LARGE WOODY DEBRIS LWD 0 m² Density of LWD 0 m²/km² (LWD/ reach area)								
Indicate the dominant type and record the dominant species present Rooted emergent Rooted submergent Rooted floating Free floating								
WATER (QUALITY	Specific Dissolv pH Turbid	c Conductance ed Oxygen ity strument Used			Chemical Other		
SEDIMEN SUBSTRA		Odors Norm Chen Other	nical Anaerobic	Petroleum None	Epoking at stones which	□ Paper fiber □ Sand □ Other □ Sand th are not deeply embedded, ck in color?		
INC		STRATE dd up to 1	COMPONENTS		ORGANIC SUBSTRATE C			
Substrate Type	Diamet		% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area		
Bedrock			0	Detritus	sticks, wood, coarse plant	0		
Boulder	> 256 mm (10")	١	0		materials (CPOM)	U		
Cobble	64-256 mm (2.5	"-10")	10	Muck-Mud	black, very fine organic (FPOM)	0		
Gravel	2-64 mm (0.1"-2	2.5")	70		(FFOM)	U		
Sand	0.06-2mm (gritt	y)	18	Marl	grey, shell fragments	0		
Silt	0.004-0.06 mm		2]				
Clay	< 0.004 mm (sli	ck)	0					

STREAM WAS DRY AT TIME OF ASSESSMENT.

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAMES-CV17		LOCATION UNT to Greenbrier River Spread F						
STATION #	RIVERMILE	STREAM CLASS Ephemeral	V					
LAT 37.681186	LONG -80.73009	COUNTY Summers	▼					
STORET#		AGENCYPotesta/Edge						
INVESTIGATORS	TF/EW							
FORM COMPLETE TF	ED BY	DATE 9-8-2021 TIME 1030 AM PM REASON FOR SURVEY Preliminary Assessment						

Г	Habitat		Condition	ı Category			
	Parameter	Optimal	Suboptimal	Marginal	Poor		
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.		
	✓ N/A	stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).				
	_{SCORE} 0 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
ı sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.		
ed ir	SCORE 17 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime N/A	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).		
ıram	_{SCORE} 0 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
P ₂	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.		
	_{SCORE} 16▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
	5. Channel Flow Status N/A	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.		
	SCORE U	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		

Modified RBP

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	_{SCORE} 16▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
ing reach	7. Frequency of Riffles (or bends) N/A	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
sampl	score 0 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstreem.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
eva	SCORE 9	Left Bank 10 9	8 7 6	5 4 3	2 1 0
to be	SCORE 9	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameter	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE 9	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 9	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE 9	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 9	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total Score 103

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STATION#	STREAM NAMES-CV17							LOCATION UNT to Greenbrier River Spread F											
	RIV	ERMI	LE_			STE	STREAM CLASS Ephemeral							▼					
LAT 37.691186	LON	G -80.73	3009			СО	UNT	Υ	Sur	nme	ers								•
STORET#						AG	ENC	YPote	sta/	Ede	ge								
INVESTIGATORSTF	-/EW								00000			I	TO.	NUMBER					
FORM COMPLETED		F				DA TIN		9-8-2021	2			F	REAS	SON FOR SURVEY	Prelimina	ry As	sessn	nent	
HABITAT TYPES		obble	e	9/	ώ 🔲	of each Snags _ s_		itat type	$\neg v_{\epsilon}$	egeta	ited	Bank	KS	% □Sand_)%					
SAMPLE COLLECTION																			
GENERAL COMMENTS	Sul	omerg	ed M	lacro	phyte	ss oh st			<u> </u>	0	ther	()					
QUALITATIVE L Indicate estimated Dominant									, 1	= R	are	, 2	= C	ommon, 3= Abu	ındant,	4:	=		
Periphyton						2 3				Slin					0	1		3	-
Filamentous Algae				0	1	2 3	4			Mad	croi	nver	tebr	ates	0	1	2	3	4
			e:	0 0 ACI 0 =	1 1 ROB Abse	2 3 2 3 ENTH	4 4 HOS	bserved	l, 1	Mad Fish	eroin 1	e (1-	-3 o		0 0	1 1 n (3	2 2	3	4 4 4

SITE ID: 5- (VI)	Spread F
DATE: Of SEPTEMBER 2011	
COLLECTOR(S): E. WEUVET	


Wolman Pet		Reach Wide)								NOTES:
50	29	35	6	St	2	4	0.81	66	30	
92	68	79	10	75	LIN	129	pt	13	8	
27	48	30	33	102	45	ug	110	21.	50	
8	9	SI	12	18	12	144	33	62	1361	
1/	21	25	58	27	65	10	38	28	25	
190	57	58	21	36	51.	11	8	30	62	
1/	751	3)	617	9.1	SI.	hul	16	28	6	
2	11	2.5	51	-3-07	1 1/	16	1//	8	2.0	
11	211	112	014	25	28	SI	13	SI	U	
100	7.6	25	16	118	12	100	17	10	17	

Count	 				 NOTES:
-		 	 		
-	 	 	-		


Inches	FARTH L.	Millimetera	
	Sithicity	1,040	SiC
	very Fine	182 - 12 5	10
	Fine	125 - 25	SA
	Veduce	25 - 51	N
	Dearse	50 - 10	N D
04. 58	Very Operse	10-2	
08 - 16	Very Fine	2 - 4	
18 - 22	Fine	4 - 5 7	
22 - 31	= 17+	57.4	G
31 - 44	Medium	6.413	R
44 - 63	Medium	11.2 - 16	J₽₽
57 - 99	Cloarse	16 - 22 6	E
32-12	Coarse	22 6 - 32	P
13.18	Very Coarse	32 - 45	
19:25	Verv Coarse	45 - 44	
25.35	Small	64 - 90	587
35750	Smail	95 - 128	Z
51-71	Large	126 - 180	
11-101	Large	160 - 256	马题
10.1 - 14.8	Sma	256 - 363	(9)
143-20	9na1	362 - 512	
20 - 40	Medium	512 - 1924	
41,90	Large Vry Large	1024 - 2048	3
	Bedrook		EPEX


 	NOTES:				
					•


Bankfull Channel	
Material Size Range (mm)	Count
silt/clay 0 - 0.062	5
very fine sand 0.062 - 0.125	
fine sand 0.125 - 0.25	
medium sand 0.25 - 0.5	
coarse sand 0.5 - 1	
very coarse sand 1 - 2	
very fine gravel 2 - 4	3
fine gravel 4 - 6	
fine gravel 6 - 8	4
medium gravel 8 - 11	6
medium gravel 11 - 16	13
coarse gravel 16 - 22	9
coarse gravel 22 - 32	22
very coarse gravel 32 - 45	9
very coarse gravel 45 - 64	15
small cobble 64 - 90	5
medium cobble 90 - 128	7
large cobble 128 - 180	1
very large cobble 180 - 256	
small boulder 256 - 362	
small boulder <u>362 - 512</u>	
medium boulder 512 - 1024	1
large boulder 1024 - 2048	
very large boulder 2048 - 4096	
total particle count:	100
bedrock	
clay hardpan	
detritus/wood	
artificial	
total count:	100
Note:	



S-CV17







LEGEND

STUDY AREA (EASEMENT)


EXISTING SURVEY-LOCATED THALWEG

1176.87 **十** EXISTING SURVEYED GROUND SHOT ELEVATION

SURVEY NOTES:


- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS AND COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-CV17 BASELINE CROSS-SECTION A



DISTANCE ALONG CROSS—SECTION (FT)

S-CV17 BASELINE CROSS-SECTION B



DISTANCE ALONG CROSS-SECTION (FT)

CROSS SECTION LEGEND — EXISTING GRADE

NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM UPSTREAM FROM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM UPSTREAM IMPACT LIMITS

PRE-CROSSING

Drawn Checked BB/JLY Approved

Scale: **SEPT. 2021**Date:

21-0244-005 Project No.

Drawing No