Baseline Assessment – Stream Attributes

Reach S-D25 (Timber Mat Crossing) Intermittent Spread F Monroe County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	✓
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A –Low flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓



Location, Orientation, Photographer Initials: Downstream Edge of Right of Way, Upstream View, AK/TA/SM



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of Right of Way, Downstream View, AK/TA/SM



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of Right of Way, Upstream View, AK/TA/SM



Location, Orientation, Photographer Initials: Upstream Edge of Right of Way, Downstream View, AK/TA/SM



Photo Type: CP, US View Location, Orientation, Photographer Initials: Center of Right of Way, Upstream View, AK/TA/SM



Location, Orientation, Photographer Initials: Center Point of Right of Way, Downstream View, AK/TA/SM

"Q:\Charleston\2021 Projects\21-0244- MVP- STREAM AND WETLAND CONDITIONS ASSESSMENT AND SURVEY PLAN\002 - Pre-Crossing Monitoring\Spread F\S-D25"

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		M	ountain Valley Pi	peline		COORDINATES:	Lat.	37.538768	Lon.	-80.	.718855	WEATHER:	Showers 75°F		DATE:	0/20	/04
(*2.1, Oopt 2010)					(III De	cimal Degrees)										8/30	/21
IMPACT STREAM/SITE ID				S-D25 U	NT to Hans Creek			MITIGATION STREAM			CRIPTION:				Comments:		
(watershed size {acreage},	unaltered or impairn	ments)						(watershed	d size {acreage}, unaltered	or impairments)							
STREAM IMPACT LENGTH:	22	FORM C		RESTORATION (Levels I-III)		OORDINATES: cimal Degrees)	Lat.		Lon.			PRECIPITATION PAST 48 HRS:			Mitigation Length:		
		MITTOATI	J		(
Column No. 1- Impact Existing	Condition (Deb	oit)	C	column No. 2- Mitigation Existin	g Condition - Base	eline (Credit)			itigation Projected at Completion (Credit)	Five Years		Column No. 4- Mitigation Proje Post Completion (C			Column No. 5- Mitigation Project	ted at Maturity	(Credit)
Stream Classification:	Interm	nittent	Stream	Classification:				Stream Classification:		0		Stream Classification:	0		Stream Classification:		0
Percent Stream Channel Slo	ppe	4.4		Percent Stream Channel	Slope			Percent Stream 0	Channel Slope		0	Percent Stream Channel Slo	ope 0		Percent Stream Channel S	lope	0
HGM Score (attach da	ata forms):			HGM Score (atta	ch data forms):			HGM Sco	ore (attach data forr	ns):		HGM Score (attach da	ta forms):		HGM Score (attach d	lata forms):	
	I	Average				Average				Ave	erage		Average				Average
Hydrology	0.64	Aveluge	Hydrolo	gy		Average		Hydrology		Ave	crugo	Hydrology	Aveiage		Hydrology		Aveluge
Biogeochemical Cycling	0.45	0.473333333	Biogeo	chemical Cycling		0		Biogeochemical Cycling			0	Biogeochemical Cycling	0		Biogeochemical Cycling		0
Habitat PART I - Physical, Chemical and I	0.33 Biological Indica	ators	Habitat	PART I - Physical, Chemica	I and Biological Inc	licators		Habitat PART I - Physical, C	Chemical and Biologi	cal Indicators		Habitat PART I - Physical, Chemical and I	Biological Indicators		Habitat PART I - Physical, Chemical and	l Biological Ind	icators
	Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale	Range Site	e Score		Points Scale Range Site Score			Points Scale Ran	ge Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSIC	AL INDICATOR (Applies to all stre	ams classifications)			PHYSICAL INDICATOR (Applies	to all streams classificati	ons)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	s classifications)	
	olassinoations)									0113)			diassilicationsy			3 ciassinoations)	
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20	13		RBP (Low Gradient Data Sheet unal Substrate/Available Cover	0-20			USEPA RBP (High Gradient Da 1. Epifaunal Substrate/Available				USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20	
2. Embeddedness	0-20	17	2. Pool S	Substrate Characterization	0-20			2. Embeddedness	0-20			2. Embeddedness	0-20		2. Embeddedness	0-20	
3. Velocity/ Depth Regime	0-20	8		/ariability	0-20			Velocity/ Depth Regime	0-20			Velocity/ Depth Regime	0-20		Velocity/ Depth Regime	0-20	
4. Sediment Deposition	0-20	13		nent Deposition	0-20			4. Sediment Deposition	0-20			4. Sediment Deposition	0-20		4. Sediment Deposition	0-20	
5. Channel Flow Status	0-20 0-1	14		nel Flow Status	0-20 0-1			5. Channel Flow Status	0-20	0-1		5. Channel Flow Status	0-20 0-1		5. Channel Flow Status	0-20 0-	1
6. Channel Alteration	0-20	19		nel Alteration	0-20			6. Channel Alteration	0-20			6. Channel Alteration	0-20		6. Channel Alteration	0-20	
7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB)	0-20 0-20	18		nel Sinuosity Stability (LB & RB)	0-20 0-20			7. Frequency of Riffles (or bends 8. Bank Stability (LB & RB)	0-20 0-20			7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB)	0-20		Frequency of Riffles (or bends) Bank Stability (LB & RB)	0-20 0-20	
9. Vegetative Protection (LB & RB)	0-20	17		ative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RI				9. Vegetative Protection (LB & RB)	0-20 0-20	_	9. Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB)	0-20	12		rian Vegetative Zone Width (LB & RB				Riparian Vegetative Zone Width				10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20	
Total RBP Score	Suboptimal	140		BP Score	Poor	0		Total RBP Score	Po	or	0	Total RBP Score	Poor 0		Total RBP Score	Poor	0
Sub-Total	,	0.7	Sub-Tota			0		Sub-Total		-	0	Sub-Total	0		Sub-Total		Ö
CHEMICAL INDICATOR (Applies to Intermitten	nt and Perennial Str	reams)	СНЕМІС	CAL INDICATOR (Applies to Interm	ittent and Perennial St	reams)		CHEMICAL INDICATOR (Applies	to Intermittent and Pere	nnial Streams)		CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial	Streams)
WVDEP Water Quality Indicators (General))		WVDEP	Water Quality Indicators (Gene	eral)			WVDEP Water Quality Indicato	rs (General)			WVDEP Water Quality Indicators (General)	1		WVDEP Water Quality Indicators (General	I)	
Specific Conductivity			Specific	Conductivity		0		Specific Conductivity				Specific Conductivity			Specific Conductivity		
	0-90	462.5			0-90				0-90				0-90			0-90	
400-499 - 60 points		.02.0															
рн	0-1		рН		0-1			рн		0-1		рн	0-1		рн	0-	1
6.0-8.0 = 80 points	0-80	7.94			5-90				5-90				5-90			5-90	
DO	10-30		DO		10-30			DO	10-30			DO	10-30		DO	10-30	
>5.0 = 30 points Sub-Total	10-30	5.7 0.85	Sub-Tota	al	10-30	0		Sub-Total	10-30		0	Sub-Total	10-30		Sub-Total	10-30	0
BIOLOGICAL INDICATOR (Applies to Intermitt	tent and Perennial			GICAL INDICATOR (Applies to Inte	rmittent and Perennial	Streams)		BIOLOGICAL INDICATOR (App.	lies to Intermittent and	Perennial Streams	is)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Intern	nittent and Perer	nnial Streams)
WV Stream Condition Index (WVSCI)			WV Stre	eam Condition Index (WVSCI)				WV Stream Condition Index (W	/VSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		
	0-100 0-1				0-100 0-1				0-100	0-1			0-100 0-1			0-100 0-	1
Sub-Total		0	Sub-Tota	al		0		Sub-Total			0	Sub-Total	0		Sub-Total		0
PART II - Index and Ui	nit Score			PART II - Index	and Unit Score			PART II	- Index and Unit Sco	re		PART II - Index and Ur	nit Score		PART II - Index and U	Jnit Score	
Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linea	Feet Unit	Score	Index	Linear Feet Unit Score	•	Index	Linear Fee	t Unit Score
0.624	22	13.73166667		0	0	0		0	C		0	0	0 0		0	0	0

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: Preliminary Assessment 0244 MVP

Location: UNT to Hans Creek

Sampling Date: 8/30/2021 Choose Site on Data Form Before Project

Subclass for this SAR:

Intermittent Stream

Uppermost stratum present at this SAR: SAR number: S-D25

Shrub/Herb Strata

Functional Results Summary:

Please Fill Out Site and Timing Information on Data Form

Function	Functional Capacity Index
Hydrology	0.64
Biogeochemical Cycling	0.45
Habitat	0.33

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex	
V _{CCANOPY}	Percent canpoy over channel.	Not Used, <20%	Not Used	
V _{EMBED}	Average embeddedness of channel.	2.50	0.64	
V _{SUBSTRATE}	Median stream channel substrate particle size.	2.00	1.00	
V _{BERO}	Total percent of eroded stream channel bank.	0.00	1.00	
V _{LWD}	Number of down woody stems per 100 feet of stream.	0.00	0.00	
V _{TDBH}	Average dbh of trees.	Not Used	Not Used	
V _{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10	
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	0.00	0.00	
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00	
V _{DETRITUS}	Average percent cover of leaves, sticks, etc.	10.00	0.12	
V _{HERB}	Average percent cover of herbaceous vegetation.	90.00	1.00	
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.91	0.96	

			High-G		Headwat Data She			Appalachia tor	a		
	Team:	ABK/TA/SN	1					Latitude/UTI	M Northing:	37.538768	
Pro	ject Name:			nt 0244 MVF)			Longitude/U7	-		
	-	UNT to Har					•	-	pling Date:		
SA	R Number:			Length (ft):	55	Stream Ty	/pe: In	termittent Stream			_
	Top Strata:	Shi	rub/Herb Str	ata	(determined	d from perce	ent calcul	lated in V _{CCANO}	_{PY})		
Site a	and Timing:	Project/Miti	igation Site (c	ircle one)		~	Before Pr	oject			•
Sample	Variables										
1		equidistant 20%, enter	points along at least one	g the stream value betw	n. Measure een 0 and 1	only if tree/s 9 to trigger	sapling c	Measure at no to over is at least ta choice.)			Not Used, <20%
ı				nts at each _l							ŀ
	5	0	0	0	0	0	0				
2	V_{EMBED}							ver than 30 rou			2.5
along the stream. Select a particle from the bed. Before moving it, determine the percentage of the surface and area surrounding the particle that is covered by fine sediment, and enter the rating										2.0	
								r composed of			
		•		bed is com				•	o oouiiii	, acc a	
					•			caled from Plat	tts, Megaha	n, and	Measure
		Minshall 19	•			- 21221 Periti			,	, =	at least
	should be ne number	Rating	Rating Des	scription							30 points
	ne number ntries for	5			overed, sur	rounded, or	buried by	y fine sedimen	t (or bedroc	k)	
	edness and	4	5 to 25 per	cent of surfa	ce covered	, surrounde	d, or buri	ed by fine sedi	ment		
	trate Size	3						ried by fine sec			
		2						ried by fine sec		:al af \	
	Liet the reti	1			coverea, su	irrounaea, c	n buried i	by fine sedime	iii (or anific	iai surface)	!
i	List the rati				4						ŀ
	1	1	3	4	1						
	1	5	3	4	5						
	1	5	1	1	5						
	2	1	2	1	5						
0	1	1 Madian atra	3	3	ortiola air-	Mogavija	ot no form	or thon 20 reserv	عامله	tont naints	
3	V _{SUBSTRATE}			i substrate p the same po				er than 30 roug	gniy equidis	tant points	2.00 in
	-								, , -	<u> </u>	
	•					•	w (bedroo	ck should be co	ounted as 9	9 in,	
		concrete as		or finer par		o III):					ŀ
	0.08	4.00	2.00	2.10	0.08						
	0.08	4.00	0.40	3.50	99.00						
	0.08	5.00	0.08	0.08	99.00						
	4.50	0.08	4.50	0.08	99.00						
	0.08	0.08	3.50	3.50							
4	V_{BERO}							per of feet of e			
			-	entage will b	e calculated	If both ba	nks are	eroded, total e	rosion for th	e stream	0 %
		may be up				_			•		
			Left Bank:	0	tt	F	Right Bar	nk: 0	ft		

Sample	ple Variables 5-9 within the entire riparian/buffer zone adjacent to the stream channel (25 feet from each bank).										
5	V_{LWD}	stream read	ch. Enter tl	ly stems (at lea he number fror will be calcula	n the enti						0.0
						downed w	oody stems:		0		
6	V_{TDBH}			measure only			ng cover is a	at least 20%	b). Trees ar	e at least 4	Not Used
		,	•	neter. Enter tre				h			
		the stream		nents of individ	iuai trees	(at least 4 i	n) within the	butter on e	each side of		
			Left Side					Right Side			
7	\/	Number of	anaga (at l	east 4" dbh and	d 26" toll)	por 100 for	at of atroom	Enter num	har of anage	on ooch	
,	V_{SNAG}			d the amount p				Enter num	ber or snags	s on each	0.0
			Left Side:				Right Side:		0		
8	V_{SSD}			nd shrubs (woo							0.0
	if tree cover is <20%). Enter number of saplings and shrubs on each side of the stream, and the amount per 100 ft of stream will be calculated.							0.0			
	.,		Left Side:				Right Side:		0		
9	V_{SRICH}			ecies richness stratum. Checl							0.00
				and the subind					otrata. Op	00.00	0.00
		Grou	p 1 = 1.0			Group 2 (-1.0)					
	Acer rubru	ım		Magnolia trip	etala		Ailanthus a	ltissima		Lonicera ja	ponica
	Acer saccl	harum		Nyssa sylvati	ica		Albizia julib	orissin		Lonicera ta	ntarica
	Aesculus f	flava		Oxydendrum a	arboreum		Alliaria peti	iolata		Lotus corni	iculatus
	Asimina tri	iloba		Prunus serot	ina		Alternanthe	era		Lythrum sa	licaria
	Betula alleg	ghaniensis		Quercus alba	1		philoxeroid	es		Microstegiur	m vimineum
	Betula lent	ta		Quercus coco	cinea		Aster tatari	cus		Paulownia	tomentosa
	Carya alba	9		Quercus imb	ricaria		Cerastium	fontanum		Polygonum o	cuspidatum
	Carya glab	ora		Quercus prin	us		Coronilla va	aria		Pueraria m	ontana
	Carya ova	lis		Quercus rubr	a		Elaeagnus u	mbellata		Rosa multi	flora
	Carya ova	ta		Quercus velu	ıtina		Lespedeza	bicolor		Sorghum h	alepense
	Cornus flo	rida		Sassafras alk	oidum		Lespedeza	cuneata		Verbena bi	rasiliensis
	Fagus gra	ndifolia		Tilia america	na		Ligustrum ol	otusifolium			
	Fraxinus a			Tsuga canad	ensis		Ligustrum s	sinense			
	Liriodendroi	n tulipifera		Ulmus americ							
	Magnolia a										
<u> </u>	-								_	_	
		0	Species in	Group 1				0	Species in	Group 2	

-	e Variables The four sul			•			•		r zone withi า.	n 25 feet fro	om each	
10	V _{DETRITUS}	.		of leaves, s Enter the p		•		•	s <4" diamet lot.	er and	10.00 %	
			Left	Side			Righ	t Side				
		5	10	5		10	20	10				
4.4	1/	A				- t - ti (4	-i- 000() F			
11	V_{HERB}	include woo	ody stems a percentage	it least 4" db	h and 36" t	all. Because	there may	be several	is <20%). [layers of ground v	ound cover	90 %	
				Side			Righ	t Side				
		95	90	95		90	80	90				
-	e Variable 1											
12	V _{WLUSE}	Weighted A	Average of F	Runoff Score	e for waters	hed:					0.91	
			Land	Use (Choos	e From Dro	p List)			Runoff Score	% in Catch- ment	Running Percent (not >100)	
	Forest and n	ative range (>	75% ground	cover)				•	1	90.14	90.14	
	Open space	(pasture, lawr	ns, parks, etc.), grass cover	<50%			•	0.1	9.86	100	
	▼											
	▼											
								_				
								-	,			
								_				
	S	S-D25						tes:				
V	ariable	Value	VSI		•			-	National L			
V _C	CANOPY	Not Used, <20%	Not Used						pplementar d stream im			
VE	MBED	2.5	0.64									
Vs	UBSTRATE	2.00 in	1.00									
V_B	ERO	0 %	1.00									
VL	WD	0.0	0.00									
V _{TI}	рвн	Not Used	Not Used									
Vs	NAG	0.0	0.10									
Vs	SD	0.0	0.00									
Vs	RICH	0.00	0.00									
V_D	ETRITUS	10.0 %	0.12									
V_{H}	ERB	90 %	1.00									
V_{w}	LUSE	0.91	0.96									

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAMES-D2	25 UNT to Hans Creek	LOCATION Monroe/F
STATION#_	RIVERMILE	STREAM CLASS Intermittent
LAT 37.538768	LONG80.718855	COUNTY Monroe
STORET#		AGENCYPotesta/Edge
INVESTIGATORSAB		
FORM COMPLETED	^{BY} A. Kincaid	DATE 8/30/2021 TIME 1130 AM Preliminary Assessment
WEATHER CONDITIONS	rain (rain (shower %c	Past 24 Has there been a heavy rain in the last 7 days?
SITE LOCATION/MA	AP Draw a map of the sit	te and indicate the areas sampled (or attach a photograph)
	Mo	RDB WY RDB WY
STREAM CHARACTERIZATIO	Stream Subsystem Perennial Int Stream Origin Glacial Non-glacial montand Swamp and bog	ermittent Tidal Stream Type Coldwater Warmwater Catchment Area km² Wixture of origins Other

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

☐ Agricultural ☐ Residential			t Commer Pasture Industria cultural Other	duse rcial al	Local Watershed NPS □ No evidence □ Son □ Obvious sources □ Local Watershed Eros □ None □ Moderate	ne potential sources		
RIPARIA VEGETA (18 meter	N TION buffer)			record the do hrubs asses	minant species present ☐ Grasses ☐ He	erbaceous		
Area in km² (m²x1000) Estimated Stream Depth oso Surface Velocity oso m (at thalweg) Stream Dry				m 2m² km² m	High Water Mark			
LARGE WOODY DEBRIS LWD 0 m² Density of LWD o m²/km² (LWD/ reach area)								
AQUATIO VEGETA		☐Roote ☐Floati	e the dominant type and ed emergent Re ing Algae At ant species present of the reach with aquat	ooted submerge tached Algae	nt Rooted floating	☐Free floating		
WATER (QUALITY	Specific Dissolv pH 7.84 S	cature 21.3 C c Conductance 462.5 us/or ed Oxygen 5.7 mg/L su ity 21.0 ntu strument Used YSI/Turbidit	ty Meter		Chemical Other		
SEDIMEN SUBSTRA		Odors Normal Sewage Petroleum None Other Oils Absent Slight Moderate Profuse			Looking at stones which are the undersides bla	Sludge		
INC			COMPONENTS	ľ	ORGANIC SUBSTRATE O			
Substrate	(should a Diamet	dd up to 1 er	% Composition in	Substrate	(does not necessarily add Characteristic	wp to 100%) % Composition in Sampling Area		
Bedrock			Sampling Reach 70	Type Detritus	sticks, wood, coarse plant	4.0		
Boulder	> 256 mm (10"))	5		materials (CPOM)	10		
Cobble	64-256 mm (2.5	"-10")	5 Muck-Muc		black, very fine organic	0		
Gravel	2-64 mm (0.1"-2	2.5")	5		(FPOM)	U		
Sand	0.06-2mm (gritt	y)	0	Marl	grey, shell fragments	0		
Silt	0.004-0.06 mm		15					
Clay	< 0.004 mm (sli	ck)	0	1				

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAMES	-D25 UNT to Hans Creek	LOCATION					
STATION #	RIVERMILE	STREAM CLASS Intermittent					
LAT 37.538768	LONG80.718855	COUNTY Monroe					
STORET#		AGENCY Potesta/Edge					
INVESTIGATORS	ABK/TA/SM						
FORM COMPLETE A. Kincaid	ED BY	DATE 3/30/2021 TIME 1130 AM PM REASON FOR SURVEY Preliminary Assessment					

	Habitat	Condition Category													
	Parameter	Optimal	Suboptimal	Marginal	Poor										
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.										
	SCORE 13▼	20 19 18 17 16	15 14 (13) 12 11	10 9 8 7 6	5 4 3 2 1 0										
sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.										
led ir	SCORE 17▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0										
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime N/A	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).										
ıram	_{SCORE} 8 ▼	20 19 18 17 16	15 14 13 12 11	10 9 🚷 7 6	5 4 3 2 1 0										
Par	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.										
	_{SCORE} 13▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0										
	5. Channel Flow Status N/A	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.										
	SCORE 14	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0										

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	ı Category			
	Habitat Parameter	Optimal	Suboptimal	Marginal	Poor		
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.		
	SCORE 19▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Parameters to be evaluated broader than sampling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.		
	SCORE 9	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
	8. Bank Stability (score each bank) Note: determine left or right side by facing decorations.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.		
e eva	SCORE 9	Left Bank 10	8 7 6	5 4 3	2 1 0		
to b	SCORE 9	Right Bank 10	8 7 6	5 4 3	2 1 0		
Parameters to	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.		
	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
	SCORE 9 ▼,	Right Bank 10	8 7 6	5 4 3	2 1 0		
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.		
	SCORE 6	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
	SCORE 6 ▼)	Right Bank 10 9	8 7 6	5 4 3	2 1 0		

Total Score 140


BENTHIC MACROINVERTEBRATE FIELD DATA SHEET


STREAM NAMES-D25 UNT to Hans Creek				LOCATION													
STATION # RIVERMILE					STREAM	STREAM CLASS Intermittent											
LAT 37.538768 LONG -80.718855					COUNTY	COUNTY Monroe								•			
STORET#						AGENCY	Potesta	/Ec	lge								
INVESTIGATORSA	BK/	ΓA/S	SM				.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0.111.301		1	LOT	NUMBER					
FORM COMPLETE) BY	Α.	K	inc	aid	DATE 8/30 TIME 113	72021 10 AM			I	REAS	SON FOR SURVEY	eliminar	y Ass	essm	ent	
HABITAT TYPES	∥□	C	obbl	e	%	of each habitat	ΠĪV	ege1	tated	Banl	ks	%	%				
SAMPLE	G	ear	used		D-frame	kick-net											
COLLECTION	1						wadin					k 🔲 from boa					
	1																
	∥□	Cob	ble		mber of Lacrophy	jabs/kicks take Snags es	$\Box v$	eget	bitat tated Other	Ban	ks	Sand)	_				
GENERAL	N	o b	en	thi	c san	ple collec	ted d	ue	to	no	su	itable habitat,	low	/ W	ate	r	
COMMENTS																	
Indicate estimated Dominant Periphyton	d abı	und	anc	e: (2 3 4			Raro mes	e, 2	= C	ommon, 3= Abuno		1		3	4
Filamentous Algae					0 1	2 3 4		Ma	croi	nve	rtebr	ates	0	1	2	3	4
Macrophytes					0 1	2 3 4		Fis	h				0	1	2	3	4
FIELD OBSERV. Indicate estimated			anc	e:	0 = Ab organi	ent/Not Obse ms), 3= Abur			org	anis	sms)	rganisms), 2 = Coi , 4 = Dominant (>:	50 oı		ism		
Porifera	0	1	2	3		nisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3		goptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3		emiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3		oleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3		pidoptera	0	1	2	3	4						
Oligochaeta Isopoda	0	1 1	2	3		alidae orydalidae	0	1	2	3	4						
150poua	U	1	_	3		n vuandae				- 2							
-	Ω	1	2	3		-	0	1		3	4						
Amphipoda	0	1	2	3	4 T	pulidae	0	1	2	3	4						
Amphipoda Decapoda	0	1	2	3	4 T 4 E	pulidae npididae	0 0	1 1	2	3	4 4						
Amphipoda					4 T 4 E 4 S	pulidae	0	1	2	3	4						


SITE ID;	S-Dzg	<u> </u>	TAU	to Ha	Macco	eek		Mon	mel			
DATE:	21301	21	Λ .									
COLLECTO	r(s): AU	MCa	10/5	S. Mc	Kinke	4			~			
	bble Count (Re	ach Wide)	10 pm 6							NOTES:		
BUCK	RUCK	BUKK	1.062	51	2062		PDKK	BDRY	BORY			
SDK K	ROKK	RDKK	2.062	5,	1.06Z	1.462	BOKK	BORK	BDEK			
BORK	BREV	RY	6.062	34	64	71	BDEK	86	DIKK		Inches	PAF
L.062	BIRK	67	6.062	50	13	11	BORK	SIC	BORK			Silt
6.062	-07	BONV	4.062	5	75	10/2	NICH	SIC	PORK	1		Ve
4.062		BORK	7	31	5	1.062	4	SIC	TIXY	-		1.6
BDEK			0	25					000	-		0
	- 77	BORL	1.0		2.062		FORK	BORY	SIC	-	0408	Very
261	BORK	6	9	15	1.062			PORK	SIC		.0816	Ve
BORK	EDEK	9	17	11	6.062	1.062	BORK	RDPL	101		.1622	
BDRV	BORK	111	BORK	12	1.062			BDPL	RORK.		2231	
				-		-					31 - 44	18
Riffle Pebbl	le Count			CUBIC	Carl Carl					NOTES:	.4453	1.0
											.6389	Ç
											.89 - 1.3	C
										-	1.3 - 1.8	Vary
				-						_	2.5 - 3.5	Very
											3.5-5.0	1
											5.0 - 7.1	ı
											7.1 - 10.1	1
											10.1 - 14.3	
										-	14,3 - 20	1 5
											20 - 40 40 - 80	1 arms
											40-00	Larga- Be
											*	
					11.0				*			
										NOTES:		
									l	1		
										1		
						-				-		
V					1							


Inches	PARTICLE	Millimeters	
	Silt / Clay	< .062	S/C
	Very Fine	.962125	_
	Fine	.12525	SA
	Medium	.2550	N.
	Coarse	.50 - 1.0	ND
0408	Very Coarse	1.0 - 2	
.0816	Very Fine	2-4	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)
.1622	Fine	4 - 5.7	
2231	Fine	5.7 - 8	GR
31 - 44	Medium	8 - 11.3	R
.4453	Medium	11.3 - 16	
.6389	Coarse	16 - 22.5	E E
.89 - 1.3	Coarse	22.6 - 32	
1.3 - 1.8	Very Coarse	32 - 45	1 to 1 to 2 to 3
1,8 - 2.5	Very Coarse	45 - 64	
2.5 - 3.5	Small	64 - 90	H'ak
3.5 - 5.D	Small	90 - 128	COL
5.0 - 7.1	Large	128 - 180	31K
7.1 - 10.1	Large	180 - 256	6
10.1 - 14.3	Small	256 - 362	8
14,3 - 20	Şinali	362 - 512	νŬ
20 - 40	Medium	512 - 1024	P
40 - 80	Larga-Vry Large	1024 - 2048	R
	Bedrock		BDRK

i e		
Bankfull Channel	•	
Material	Size Range (mm)	Count
silt/clay	0 - 0.062	28
very fine sand		
fine sand	0.125 - 0.25	
medium sand	0.25 - 0.5	
coarse sand	0.5 - 1 1 - 2	
very coarse sand	1 - 2	
very fine gravel	2 - 4	
fine gravel	4 - 6	3
fine gravel	6 - 8	3
medium gravel	8 - 11	2
medium gravel	11 - 16	7
coarse gravel	16 - 22	
coarse gravel	22 - 32	3
very coarse gravel	32 - 45	1
very coarse gravel	45 - 64	3
small cobble	64 - 90	2
medium cobble	90 - 128	1
large cobble	128 - 180	
very large cobble	180 - 256	
small boulder_	256 - 362	2
small boulder	362 - 512	
medium boulder	512 - 1024	
large boulder	1024 - 2048	
very large boulder	2048 - 4096	
total	l particle count:	55
	•	
bedrock ·		45
clay hardpan -		
detritus/wood -		
artificial -		
	total count:	100
Note:		









LEGEND

STUDY AREA (EASEMENT) EXISTING SURVEY-LOCATED THALWEG


1176.87 +

EXISTING SURVEYED GROUND SHOT ELEVATION

SURVEY NOTES:


- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS AND COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-D25 BASELINE CROSS-SECTION A



DISTANCE ALONG CROSS-SECTION (FT)

S-D25 BASELINE CROSS-SECTION B



DISTANCE ALONG CROSS-SECTION (FT)

CROSS SECTION LEGEND — EXISTING GRADE

NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM UPSTREAM FROM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM UPSTREAM IMPACT LIMITS

PRE-CROSSING

Drawing No

Checked

BB/JLY Approved

NOTED

Scale:

SEPT. 2021

Date:

21-0244-005 Project No.