Baseline Assessment – Stream Attributes

Reach S-E45 (Pipeline ROW) Ephemeral Spread F Monroe County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	✓
RBP Physical Characteristics Form	✓
Water Quality Data	N/A – No flow
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – No flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	√
Longitudinal Profile and Cross Sections	✓

- Modified RBP – No water

Spread F Stream S-E45 (Pipeline ROW) Monroe County



Photo Type: DS, US View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, AK/RA



Photo Type: US, DS View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, AK/RA



Location, Orientation, Photographer Initials: Downstream Edge of Right of Way, Upstream View, AK/RA



Location, Orientation, Photographer Initials: Downstream Edge of Right of Way, Downstream View, AK/RA



Photo Type: CP, US View
Location, Orientation, Photographer Initials: Center Point of Right of Way, Upstream View, AK/RA



Photo Type: CP, DS View Location, Orientation, Photographer Initials: Center Point of Right of Way, Downstream View, AK/RA

Spread F Stream S-E45 (Pipeline ROW) Monroe County



Photo Type: View of Streams from TMB Location, Orientation, Photographer Initials: View of Streams from Timber Mat Bridge, AK/RA

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountai	n Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	37.453798 Lon.	-80.664266	WE	EATHER:	Clear/Sunny 80 °F	DATE:	8/23/2021
IMPACT STREAM/SITE II (watershed size {acreage}			S-E45 UNT	to Dry Creek		MITIGATION STREAM CLASS./SITE ID (watershed size (acreage), unaltere		:			Comments:	
STREAM IMPACT LENGTH:	108	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.	Lon.		PRECIPITAT	ION PAST 48 HRS:		Mitigation Length:	
Column No. 1- Impact Existin	ng Condition (Debi	it)	Column No. 2- Mitigation Existing Co	ondition - Baseline (Credit)		Column No. 3- Mitigation Projected a Post Completion (Credit		Colum	nn No. 4- Mitigation Proje Post Completion (C		Column No. 5- Mitigation Projec	cted at Maturity (Credit)
Stream Classification:	Ephem	neral	Stream Classification:			Stream Classification:	0	Stream Classifica	tion:	0	Stream Classification:	0
Percent Stream Channel S	Blope	10.4	Percent Stream Channel Slo	ре		Percent Stream Channel Slope	0	Perce	ent Stream Channel Slo	pe 0	Percent Stream Channel S	Slope 0
HGM Score (attach o	data forms):		HGM Score (attach o	lata forms):		HGM Score (attach data for	rms):		HGM Score (attach da	ta forms):	HGM Score (attach o	data forms):
		Average		Average			Average			Average		Average
Hydrology	0.49		Hydrology			Hydrology		Hydrology			Hydrology	
Biogeochemical Cycling Habitat	0.45 0.5	0.48	Biogeochemical Cycling Habitat	0		Biogeochemical Cycling Habitat	0	Biogeochemical C	Cycling	0	Biogeochemical Cycling Habitat	0
PART I - Physical, Chemical and		itors	PART I - Physical, Chemical and	Biological Indicators		PART I - Physical, Chemical and Biolog	gical Indicators	PART I -	Physical, Chemical and I	Biological Indicators	PART I - Physical, Chemical and	d Biological Indicators
	Points Scale Range	Site Score		Points Scale Range Site Score		Points Scal	ale Range Site Score			Points Scale Range Site Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all stream	ns classifications)		PHYSICAL INDICATOR (Applies to all streams of	classifications)		PHYSICAL INDICATOR (Applies to all streams classification)	ations)	PHYSICAL INDICA	ATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all stream	ns classifications)
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)			Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)	
Epifaunal Substrate/Available Cover	0-20	40	Epifaunal Substrate/Available Cover Declared to the Cover	0-20		Epifaunal Substrate/Available Cover 0-20			ate/Available Cover	0-20	Epifaunal Substrate/Available Cover	0-20
Embeddedness Velocity/ Depth Regime	0-20	16	Pool Substrate Characterization Pool Variability	0-20 0-20	ŀ	2. Embeddedness 0-20 3. Velocity/ Depth Regime 0-20		 Embeddedness Velocity/ Depth F 	Pogimo	0-20 0-20	Embeddedness Velocity/ Depth Regime	0-20 0-20
4. Sediment Deposition	0-20	17	4. Sediment Deposition	0-20	li li	4. Sediment Deposition 0-20		4. Sediment Depos		0-20	4. Sediment Deposition	0-20
5. Channel Flow Status	0-20		5. Channel Flow Status	0-20		5. Channel Flow Status 0-20		5. Channel Flow St		0-20	5. Channel Flow Status	0-20
6. Channel Alteration	0-20	19	6. Channel Alteration	0-20		5. Channel Alteration 0-20		6. Channel Alteration	on	0-20	6. Channel Alteration	0-20
7. Frequency of Riffles (or bends)	0-20		7. Channel Sinuosity	0-20	ľ	7. Frequency of Riffles (or bends) 0-20		Frequency of Rif	fles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20
8. Bank Stability (LB & RB)	0-20	16	8. Bank Stability (LB & RB)	0-20		B. Bank Stability (LB & RB) 0-20		Bank Stability (LI	B & RB)	0-20	8. Bank Stability (LB & RB)	0-20
Vegetative Protection (LB & RB)	0-20	16	Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB) 0-20		Vegetative Prote		0-20	Vegetative Protection (LB & RB)	0-20
10. Riparian Vegetative Zone Width (LB & RB)		16	10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB) 0-20			ve Zone Width (LB & RB)	0-20	10. Riparian Vegetative Zone Width (LB & RB)	
Total RBP Score Sub-Total	Optimal	100 0.833333333	Total RBP Score Sub-Total	Poor 0	ŀ	Total RBP Score P Sub-Total	oor 0	Total RBP Score Sub-Total		Poor 0	Total RBP Score Sub-Total	Poor 0
CHEMICAL INDICATOR (Applies to Intermitte			CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)	ŀ	CHEMICAL INDICATOR (Applies to Intermittent and Per	rennial Streams)		ATOR (Applies to Intermitten	t and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)
WVDEP Water Quality Indicators (Genera	al)		WVDEP Water Quality Indicators (General)		ļ	WVDEP Water Quality Indicators (General)		WVDEP Water Qu	ality Indicators (General)		WVDEP Water Quality Indicators (Genera	al)
Specific Conductivity			Specific Conductivity	0		Specific Conductivity		Specific Conducti			Specific Conductivity	
	0-90			0-90	ľ	0-90				0-90		0-90
100-199 - 85 points	1 0 00			0 00	L.	0.00				0.00		0 00
рН			pH		Į.	pH		pH		0.4	рН	0.1
5.6-5.9 = 45 points	0-80			5-90		5-90	0-1			5-90		5-90
DO			no		li li	no		DO			DO	
	10-30			10-30	ľ	10-30				10-30		10-30
	10-30			10-30								
Sub-Total BIOLOGICAL INDICATOR (Applies to Interm	nittent and Perennial S	Streams)	Sub-Total BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)		Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and	d Perennial Streams)	Sub-Total BIOLOGICAL IND	ICATOR (Applies to Interm	0 ittent and Perennial Streams)	Sub-Total BIOLOGICAL INDICATOR (Applies to Inter	mittent and Perennial Streams)
WV Stream Condition Index (WVSCI)		,	WV Stream Condition Index (WVSCI)	,	ŀ	WV Stream Condition Index (WVSCI)	,		tion Index (WVSCI)	,	WV Stream Condition Index (WVSCI)	,
TT Carean Condition mack (WV3CI)	0.400		TO CHEATH CONGRESSION HILLER (WVSCI)	0.400	ll.	` '	0.4	TTV Stream Condi	don muck (***301)	0.400	oneam condition maex (wwsci)	0.400
0	0-100 0-1			0-100 0-1		0-100	0-1			0-100 0-1		0-100 0-1
Sub-Total		0	Sub-Total	0	Ŀ	Sub-Total	0	Sub-Total		0	Sub-Total	0
			<u> </u>									
PART II - Index and	Unit Score		PART II - Index and I	Unit Score	ſ	PART II - Index and Unit Sc	ore		PART II - Index and Ur	nit Score	PART II - Index and	Unit Score
Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index	ar Feet Unit Score		Index	Linear Feet Unit Score	Index	Linear Feet Unit Score
0.648	108	70.02	0	0 0	ļ	0	0 0		0	0 0	0	0 0

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: Preliminary Assessment (0244-MVP)

Location: Monroe/F Sampling Date: 8/23/2021

Sampling Date: 8/23/2021 Project Site Before Project

Subclass for this SAR:

Ephemeral Stream

Uppermost stratum present at this SAR: SAR number: S-E45

Tree/Sapling Strata

Functional Results Summary: Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.49
Biogeochemical Cycling	0.45
Habitat	0.50

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V _{CCANOPY}	Percent canpoy over channel.	70.00	0.76
V _{EMBED}	Average embeddedness of channel.	2.23	0.54
V _{SUBSTRATE}	Median stream channel substrate particle size.	0.60	0.30
V_{BERO}	Total percent of eroded stream channel bank.	0.00	1.00
V_{LWD}	Number of down woody stems per 100 feet of stream.	13.33	1.00
V_{TDBH}	Average dbh of trees.	0.00	0.00
V _{SNAG}	Number of snags per 100 feet of stream.	2.67	1.00
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	Not Used	Not Used
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
V _{DETRITUS}	Average percent cover of leaves, sticks, etc.	18.75	0.23
V _{HERB}	Average percent cover of herbaceous vegetation.	Not Used	Not Used
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.31	0.33

			High-G	radient Field F	Headwat Data She					a		
	Team·	ABK/RA		i ieiu L	Jala One	ot and o	aicu		. ∟atitude/UTI	M Northing:	37 453798	
Pro			Δssessme	nt (0244-MV	/P)					-	-80.664266	
1 10	-	Monroe/F	710000011101	111 (0244 1010	1)			_	-	pling Date:		
									Odii	ipinig Date.	0/20/2021	
SA	R Number:	S-E45	Reach	Length (ft):	75	Stream Ty	/pe:	Ephe	meral Stream	Í		~
	Top Strata:	Tree	e/Sapling St	rata	(determine	d from perce	ent ca	lculate	ed in V _{CCANO}	_{PY})		
Site a	and Timing:	Project Site				•	Before	e Proje	ct			•
Sample	Variables	1-4 in strea	ım channel									
1	equidistant points along the stream. Measure only if tree/sapling cover is at least 20%. (If less than 20%, enter at least one value between 0 and 19 to trigger Top Strata choice.)											
	List the per	cent cover r	measureme	nts at each	point below:							i.
	70	100	80	90	40	0	6	55	100	85		
2	V_{EMBED}			ss of the stre								2.2
				ect a particle								2.2
	surface and area surrounding the particle that is covered by fine sediment, and enter the rating according to the following table. If the bed is an artificial surface, or composed of fine sediments, use a											
				bed is com						iiie seuiiii	enis, use a	
				for gravel, c	-					ts Manaha	n and	
		Minshall 19		ioi giavei, c	obbie and b	oulder parti	0103 (1	Cocan	sa nomi i lai	its, ivicgaria	ii, aiid	
		Rating	Rating Des	crintion								
		5		of surface of	covered, sur	rounded, or	burie	d by fi	ne sedimen	t (or bedroo	k)	
		4		cent of surfa							,	
		3		rcent of sur								
		2		rcent of sur								
		1		t of surface	covered, su	ırrounded, c	or buri	ed by	fine sedime	nt (or artific	ial surface)	
	List the rati	ngs at each	point below	I:								ı
	1	2	4	1	2	1						
	3	1	4	1	1	1						
	1	4	2	1	3	1						
	1	4	4	4	3	1						
	1	1	4	4	2	4						
3	$V_{SUBSTRATE}$			l substrate						ghly equidis	tant points	0.00
		along the s	tream; use t	the same po	oints and pa	rticles as us	ed in	V_{EMBE}	D·			0.60 in
	Enter partic	cle size in in	ches to the	nearest 0.1	inch at eacl	h point belo	w (bed	drock	should be co	ounted as 9	9 in,	
	asphalt or concrete as 0.0 in, sand or finer particles as 0.08 in):											
	3.60		0.08	2.50	3.10	22.25	5.	00				
	0.08	4.75	0.50	0.08	10.50	0.08						
	0.08	0.08	0.75	0.08	3.70	0.30						
	0.08	1.00	0.70	0.08	5.10	0.08						
	0.08	5.00	0.75	1.20	0.08	0.08						
4				d stream cha			otal ni	ımhar	of feet of or	roded bank	on each	
7	V_{BERO}											0 %
	side and the total percentage will be calculated If both banks are eroded, total erosion for the stream may be up to 200%.								0 /0			

Left Bank:

0 ft

Right Bank:

0 ft

Sample	e Variables	5-9 within	the entire	riparian/buff	er zone ad	jacent to th	e stream c	hannel (25	feet from e	ach bank).	
5	V_{LWD}	stream rea	ch. Enter t	dy stems (at I he number fr	om the enti						13.3
		per 100 ree	et of stream	will be calcu		downed wo	ody stems:	1	0		
6	V_{TDBH}	Average db	oh of trees	(measure onl			-	at least 20%). Trees ar	e at least 4	0.0
		inches (10	cm) in dian	neter. Enter	tree DBHs i	n inches.	0.0				
				nents of indiv	idual trees	(at least 4 i	n) within the	buffer on e	ach side of		
		the stream	Left Side				1				
			Leit Side			Right Side					
7	V_{SNAG}			east 4" dbh a d the amoun				Enter num	ber of snag	s on each	2.7
		Side of the									2.1
8	V_{SSD}	Number of	Left Side	: 2 nd shrubs (w			Right Side:		0 f stream (m	ascure only	
O	V SSD			Enter numb							Not Used
	amount per 100 ft of stream will be calculated						D: 1 (0: 1				
9	V _{SRICH}	Riparian ve	Left Side	ecies richne			Right Side:		ocies preser	nt from	
Ü	SKICH	Group 1 in	the tallest	stratum. Che	eck all exoti	c and invasi	ve species p	oresent in a			0.00
				and the subir	ndex will be	calculated	from these of		- (
	Acer rubru		p 1 = 1.0	Manualiatu	in - t - l -	Group 2 (-1.0) ☐ Ailanthus altissima ☐ Lonicera ja					
	Acer sacci			Magnolia tr Nyssa sylva	•		Albizia julib			Lonicera ja Lonicera ta	
	Aesculus f			Oxydendrum			Alliaria peti			Lotus corni	
	Asimina tri			Prunus ser			Alternanthe			Lythrum sa	
	Betula alleg			Quercus ali			philoxeroid			Microstegiun	
	Betula len	-		Quercus co	occinea		Aster tatari	cus		Paulownia	
	Carya alba	3		Quercus im	bricaria		Cerastium	fontanum		Polygonum o	cuspidatum
	Carya glab	ora		Quercus pr	inus		Coronilla va	aria		Pueraria m	ontana
	Carya ova	lis		Quercus ru	bra		Elaeagnus u	mbellata		Rosa multin	flora
	Carya ova	ta		Quercus ve	elutina		Lespedeza	bicolor		Sorghum h	alepense
	Cornus flo	rida		Sassafras a	albidum		Lespedeza	cuneata		Verbena br	rasiliensis
	Fagus gra	ndifolia		Tilia amerio	ana		Ligustrum ok	otusifolium			
	Fraxinus a	mericana		Tsuga cana	adensis		Ligustrum s	sinense			_
	Liriodendroi	n tulipifera		Ulmus ame	ricana						
	Magnolia a	acuminata									
		0	Species in	Group 1				0	Species in	Group 2	

	ample Variables 10-11 within at least 8 subplots (40" x 40", or 1m x 1m) in the riparian/buffer zone within 25 feet from each ank. The four subplots should be placed roughly equidistantly along each side of the stream.										
10			rcent cover	of leaves, s	ticks, or oth	ner organic r	material. W	oody debri	s <4" diamet	er and	18.75 %
				Side			-	Side			
		40	25	20	15	10	20	5	15		
4.4	\ <u>'</u>	A				- t - ti (i- 000() D		
11	V_{HERB}								is <20%). Dayers of gro		
		vegetation	percentages						r of ground v		Not Used
		at each sub		Side			Right	Side			
		60	75	80	85	90	80	95	85		
Sample	e Variable 1	2 within the	entire cat	chment of	the stream.						
12 V _{WLUSE} Weighted Average of Runoff Score for watershed:											0.31
			Land	Use (Choos	e From Dro	n List)			Runoff	% in Catch-	Running Percent
										ment	(not >100)
	Forest and native range (<50% ground cover)									35	35
	Open space (pasture, lawns, parks, etc.), grass cover 50% - 75%								0.2	65	100
								-	,		
	▼										
	_							_	,		
	_										
		-E45					No	tes:			
1/.			\	Land Cov	ar Analysis	was comp			National La	and Cover	Databasa
	ariable	Value	VSI						pplementary		
	CANOPY	70 %	0.76	Watershe	d boundari	es are bas	ed off field	delineate	d stream im	pacts.	
VE	MBED	2.2	0.54								
V _{SI}	JBSTRATE	0.60 in	0.30								
V _{BI}	ERO	0 %	1.00								
V_{L}	WD	13.3	1.00								
V _{TI}	овн	0.0	0.00								
Vsi	NAG	2.7	1.00								
Vs	SD	Not Used	Not Used								
Vsi	RICH	0.00	0.00								
V _{DI}	ETRITUS	18.8 %	0.23								
V _{HI}	ERB	Not Used	Not Used								
V _w	LUSE	0.31	0.33								

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAMES-E45 U	JNT to Dry Creek	LOCATION Monroe/F				
STATION#R	IVERMILE	STREAM CLASS Epheme	ral	4		
LATLC	ONG	COUNTY Monroe		•		
STORET#		AGENCYPotesta/Edge				
INVESTIGATORSABK/F	RA					
FORM COMPLETED BY	A. Kincaid	DATE 8/23/2021 TIME 1200 PM	REASON FOR SURVEY Preliminary Assessment			
WEATHER CONDITIONS	Now	Past 24 hours	Has there been a heavy rain in the last 7 days?			
	rain (shower:	(heavy rain) (steady rain) s (intermittent) loud cover ear/sunny	Air Temperature 80 °F 0 C Other			
SITE LOCATION/MAP	Draw a map of the sit	te and indicate the areas samp	edid (or attach a photograph)			
STREAM CHARACTERIZATION	Stream Subsystem	ermittent Tidal	Stream Type Coldwater Warmwater			
CHARACTERIZATION	Stream Origin Glacial Non-glacial montand Swamp and bog	Spring-fed	Catchment Areakm ²			

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

	WATERSHED FEATURES Predominant Surrounding La Forest Field/Pasture Indust			ercial No evidence Some potential sources					
		Agric Resid	ultural	aı 	Obvious sources Local Watershed Eros	ion			
			1200-11120-1		✓ None	Heavy			
RIPARIA VEGETA (18 meter	TION		e the dominant type and S S ant species present Brid	record the do hrubs er/Shrubs	minant species present ☑ Grasses ☑ Ho	erbaceous			
INSTREA FEATURI		Estimat Samplii Area in	ng Reach Area km² (m²x1000) led Stream Depth	ft _m ft _m t^2 _m² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle % Pool %	epresented by Stream Run 0 %			
		(at thal	Velocity 0m	ı/sec	Channelized Yes				
		Stream	Dry 🗸		Dam Present ☐ Yes	☑No			
LARGE V DEBRIS	VOODY		m² of LWDn	n²/km² (LWD /	reach area)				
AQUATIO VEGETA	AQUATIC VEGETATION Dry stream Dry stream Dominant species present Rooted emergent Rooted submergent Attached Algae Rooted floating Free floating								
WATER (QUALITY	Temper	rature 0 C		Water Odors				
		Specific Conductance			Normal/None □Sewage □Petroleum □Fishy	Chemical Other			
		Dissolved Oxygen			Water Surface Oils	Water Surface Oils			
		рН			Slick Sheen None Other	Globs Flecks			
		Turbidity WQ Instrument Used			Turbidity (if not measu ☐ Clear ☐ Slightly tu ☐ Opaque ☐ Stained	Turbidity (if not measured) Clear Slightly turbid Turbid Opaque Stained			
SEDIMEN SUBSTRA		Odors Norm Chem	nical Anaerobic	Petroleum None	Deposits ☐ Sludge ☐ Sawdust☐ Relict shells ☐	☐Paper fiber ☐Sand Other			
		Oils Absen	nt Slight Modera	te Profu	are the undersides blace	ch are not deeply embedded, ck in color?			
2000.00									
INC		STRATE dd up to 1	COMPONENTS (00%)		ORGANIC SUBSTRATE C (does not necessarily add				
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area			
Bedrock			0	Detritus	sticks, wood, coarse plant materials (CPOM)	20			
Boulder	> 256 mm (10"))	2		materials (er oni)	20			
Cobble	64-256 mm (2.5	"-10")	5	Muck-Mud	black, very fine organic (FPOM)	1			
Gravel	2-64 mm (0.1"-2	2.5")	10		(=====)	0			
Sand	0.06-2mm (gritt	y)	40	Marl	grey, shell fragments	0			
Silt	0.004-0.06 mm		43						
Clay	< 0.004 mm (sli	ck)	0		l	I			

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAMES-E45 UNT to Dry Creek	LOCATION			
STATION # RIVERMILE	STREAM CLASS Ephemeral			
LAT LONG	COUNTY Monroe			
STORET#	AGENCYPotesta/Edge			
INVESTIGATORSABK/RA				
FORM COMPLETED BY A. Kincaid	DATE 3/23/2021 REASON FOR SURVEY Preliminary Assessment			

	Habitat		Condition	Category	}	
	Parameter	Optimal	Suboptimal	Marginal	Poor	
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.	
	V N/A	stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).			
	_{SCORE} 0 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.	
ted ir	SCORE 16 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime N/A	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).	
aram	_{SCORE} 0 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
P.	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.	
	SCORE 17▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
	5. Channel Flow Status N/A	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.	
	SCORE U	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	

Modified RBP

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat	Condition Category										
	Parameter Parameter	Optimal	Suboptimal	Marginal	Poor							
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.							
	SCORE 19▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0							
ampling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.							
	SCORE 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0							
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing demonstrate.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.							
e eva	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0							
to p	SCORE 8 ▼	Right Bank 10 9	8 7 6	5 4 3	2 1 0							
Parameters to	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.							
	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0							
	SCORE 8 ▼,	Right Bank 10 9	8 7 6	5 4 3	2 1 0							
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.							
	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0							
	SCORE 8 ▼)	Right Bank 10 9	8 7 6	5 4 3	2 1 0							

Total Score 100

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET


STREAM NAMES-							LOC	CATIO	ON											
STATION #	R	IVE	RM	ILE_			STR	EAM	CLA	SS E	Ephe	eme	ral						$\overline{}$	▼
LAT_							COL	JNTY	ť	Mo	onro	е							$\overline{}$	•
STORET#							AGI	ENCY	Pote	esta	/Ed	lge								
INVESTIGATORSA	BK/I	RA											1	LOT	NUMBER					
FORM COMPLETE) BY	Α.	Ki	inc	aid	d	1000000000	ΓΕ <u>*</u>		2				REA:	SON FOR SURVEY	eliminar	y Ass	sessm	ent	
HABITAT TYPES	In	dica C	ate the obble of the observation	ne pe eged N	ercen % Macro	tage of 6 Sophytes	each nags_	habit %	at typ	e pr □V	esen eget	nt tated Other	Ban	ks	% Sand%	%				
SAMPLE																				
COLLECTION	1					oles coll									nk from boa					
	1																			
		dica Cob Sub	te the ble_ merg	ged N	ımbe - Aacro	r of jab □Sn phytes	os/kick ags	s tak —	en in	each □V	hal eget	bitat tated Other	type Ban (e. ks	Sand)					
GENERAL COMMENTS	N	o b	en	thi	C S	ampl	es t	ake	en d	lue	to	la	ck	of I	nabitat					
																				_
QUALITATIVE I Indicate estimated Dominant									erve	d, 1	_]	Rare	e, 2	= C	ommon, 3= Abuno	dant,	4 =	=		
Periphyton					0	1 2	2 3	4			Sli	mes				0	1	2	3	4
Filamentous Algae	:				0	1 2	2 3	4						rtebi	rates	0	1	2	3	4
Macrophytes					0	1 2	2 3	4			Fis	h				0	1	2	3	4
FIELD OBSERV Indicate estimated	d ab	und	anc	e:	0 = org	Absen anisms	it/Not s), 3=	Obs Abu		nt (>10	org	anis	sms)	rganisms), 2 = Coi , 4 = Dominant (>:				ıs)	
Porifera	0	1	2	3	4	Anis	opter	a		0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4		ptera			0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4		iptera			0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4		opter			0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4		dopte	ra		0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Siali				0	1	2	3	4						
Isopoda	0	1	2	3	4		dalid	ae		0	1	2	3	4						
Amphipoda	0	1	2	3	4	_	lidae			0	1	2	3	4						
Decapoda	0	1	2	3	4		idida			0	1	2	3	4						
Gastropoda	0	1	2	3	4		ıliida			0	1	2	3	4						
Bivalvia	0	1	2	3	4		nidae · .			0	1	2	3	4						
						Culc	ıdae			0	_1_	2	3	4						


	017212	1		7					100	
ATE:	812312									
OLLECTO	R(S):	3K/F	H							
		1								
a la	bble Count (Re	No.	100	18	Lda	77	.7	056	10/7	NOTES:
50	1062	2062	2062	18	1017	32	13	355 2.0/2	600	Abundance of Detritosin stream
017	12062	71	13	13	1000	86	16		2062	OI TEST STEPTIM
.662		125	29	65	1000	765	2,062	11	2002	Detrivosin a securi
-062		34	260	100	1.062	70		13	2062	
290.		15	39	2002	2062	33	21	34	2062	U8-709
.062			17	2062	2062	5	2062	10	2062	00.7
-062			2.062	6.062	<062	6.062	12	L.06	2002	
	2.062		2.062	2007	5002	5062	23	34	2062	
062	4.062		2.062	500.2	5.062	< 062	45	6.062		
.062	- C.ObZ	2.062	4.062	4.SE	1.060	4.002	64	4.062	120	
fle Pabh	le Count		L. C.				I AA G ING			NOTES
										NOTES:
								74		
ANI H	- CONTO - 1	THE PARTY OF	. 12	-	-	- ×-10				
0.00			C 03-000							NOTES:


S-E45
SITE ID: Spread F

Inches	PARTICLE	Millimeters	
	SiM/Clay	< .062	S/C
	Very Fine	.062125	
	Fine	.12525	SA
	Medium	.2550	N
	Coarse	.50 - 1.0	O
04 - 08	Very Goarse	1.0 - 2	
.0816	Very Fine	2-4	ELSS IT
.1622	Fine	4 - 5.7	
.2231	Fine	5.7 - 8	G
.3144	Medium	8 - 11,3	R
.4463	Medium	11.3 - 15	NV.
.5389	Goarse	16 - 22.5	OF S
.89 - 1.3	Coarse	22.6 - 32	
1.3 - 1.8	Very Coarse	32 - 45	(K 51)
1.8 - 2.5	Very Coarse	45-54	
2.5 - 3,5	Small	64 - 90	Heli
3,5 - 5,0	Small	90 - 128	COB
5.0 - 7.1	Large	126 - 180	
7.1-10.1	Large	180 - 256	8
10.1 - 14.3	Small	256 - 362	(8)
14.3 - 20	Small	362 - 512	ΙΨ
20 - 40	Medium	512 - 1024	S P
40 - 80	Large-Vry Large	1024 - 2048	R
	Bedrock		BDRK


Bankfull Channel	
Material Size Ra	ange (mm) Count
silt/clay 0 ·	- 0.062 63
very fine sand 0.062	
fine sand 0.125	
medium sand 0.25	- 0.5
coarse sand 0.5	
very coarse sand 1 ·	- 2
very fine gravel 2	
fine gravel 4	- 6 1
fine gravel 6	-
	- 11 2
modium graver	- 16 8
<u></u>	- 22 5
coarse gravel 22	
, <u> </u>	- 45 7
very coarse gravel 45	
small cobble 64	
	- 128 3
	- 180 1
, 0	- 256
small boulder 256	
small boulder 362	
	- 1024
large boulder 1024	
very large boulder 2048	- 4096
total partic	le count: 100
bedrock	
clay hardpan	
detritus/wood	
artificial	
tot	al count: 100
Note:	







AS-BUILT TABLE: S-E45 CROSS SECTION A							
	PI	AS-BUILT					
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.		
TS-L	13599949.7974	1737797.0548	2023.472'				
BS-L	-	-	-				
THW	13599951.3394	1737796.4893'	2023.111'				
BS-R	-	-	_	·	·		
TS-R	13599952.2930	1737796.7759	2023.254'				



SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 十

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 13, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-E45 BASELINE CROSS-SECTION A



CROSS SECTION LEGEND — EXISTING GRADE

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

PRE-CROSSING

CAD File No.

Drawing No