#### **Baseline Assessment – Stream Attributes**

# Reach S-G44 (Pipeline ROW) Ephemeral Spread F Monroe County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	✓
RBP Physical Characteristics Form	✓
Water Quality Data	N/A – No flow
RBP Habitat Form*	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – No flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓

<sup>\*</sup>Modified RBP - No flow



Location, Orientation, Photographer Initials: Downstream Edge of Right of Way, Upstream View, AK/WP/RA/EW



Photo Type: DS, DS View
Location, Orientation, Photographer Initials: Downstream Edge of Right of Way, Downstream View,
AK/WP/RA/EW





Photo Type: CP, US View Location, Orientation, Photographer Initials: Center Point, Upstream View, AK/WP/RA/EW



Photo Type: CP, DS View Location, Orientation, Photographer Initials: Center Point, Downstream View, AK/WP/RA/EW



Location, Orientation, Photographer Initials: Downstream Edge of Right of Way, Upstream View, AK/WP/RA/EW



Location, Orientation, Photographer Initials: Downstream Edge of Right of Way, Downstream View, AK/WP/RA/EW

"Q:\Charleston\2021 Projects\21-0244- MVP- STREAM AND WETLAND CONDITIONS ASSESSMENT AND  $SURVEY\ PLAN\ 002$  -  $Pre-Crossing\ Monitoring\ Spread\ F\ S-G44"$ 

#### West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		МО	UNTAIN VA	ALLEY PIPELINE		COORDINATES: cimal Degrees)	Lat.	37.47487	Lon.	-80.6762	267	WEATHER:		Sunny	DATE:	8/26/21
IMPACT STREAM/SITE ID (watershed size {acreage},				UNT t	o Hans Creek (S-G44			MITIGATION STREAM CLASS (watershed size {acrea			PTION:				Comments:	
STREAM IMPACT LENGTH:	86	FORM MITIGA		RESTORATION (Levels I-II		OORDINATES: cimal Degrees)	Lat.		Lon.			PRECIPITATION PAST 48 HRS:			Mitigation Length:	
Column No. 1- Impact Existing	Condition (De	ebit)		Column No. 2- Mitigation Ex	isting Condition - Base	line (Credit)		Column No. 3- Mitigation F Post Completi		ve Years		Column No. 4- Mitigation Proj Post Completion (		ears	Column No. 5- Mitigation Project	ed at Maturity (Credit)
Stream Classification:	Ephe	emeral		Stream Classification:				Stream Classification:		0		Stream Classification:		0	Stream Classification:	0
Percent Stream Channel Slo	рре	6.2		Percent Stream Char	nnel Slope			Percent Stream Channel S	Slope	0		Percent Stream Channel Slo	ope	0	Percent Stream Channel S	lope 0
HGM Score (attach da	ata forms):			HGM Score (	attach data forms):			HGM Score (attac	h data forms	):		HGM Score (attach da	ata forms):		HGM Score (attach d	ata forms):
		Average				Average				Average	<b>9</b>			Average		Average
Hydrology	0.53			Hydrology				Hydrology				Hydrology			Hydrology	
Hydrology Biogeochemical Cycling Habitat	0.48 0.25	0.42		Biogeochemical Cycling Habitat		0		Biogeochemical Cycling Habitat		0		Biogeochemical Cycling Habitat		0	Biogeochemical Cycling Habitat	0
PART I - Physical, Chemical and		cators		PART I - Physical, Chen	nical and Biological Inc	licators		PART I - Physical, Chemical	and Biologica	I Indicators		PART I - Physical, Chemical and	Biological Indi	cators	PART I - Physical, Chemical and	Biological Indicators
	Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale	Range Site Score			Points Scale Range	Site Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)			PHYSICAL INDICATOR (Applies to all	streams classifications)			PHYSICAL INDICATOR (Applies to all stream	ns classification	s)		PHYSICAL INDICATOR (Applies to all streams	s classifications)		PHYSICAL INDICATOR (Applies to all streams	s classifications)
USEPA RBP (High Gradient Data Sheet)				USEPA RBP (Low Gradient Data Sh				USEPA RBP (High Gradient Data Sheet)				USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)	
Epifaunal Substrate/Available Cover	0-20	40		Epifaunal Substrate/Available Cove				Epifaunal Substrate/Available Cover	0-20			Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20
Embeddedness     Velocity/ Depth Regime	0-20 0-20	16		Pool Substrate Characterization     Pool Variability	0-20 0-20			Embeddedness     Velocity/ Depth Regime	0-20 0-20			Embeddedness     Velocity/ Depth Regime	0-20 0-20		Embeddedness     Velocity/ Depth Regime	0-20
Velocity Depart Regime     Sediment Deposition	0-20	6		4. Sediment Deposition	0-20			4. Sediment Deposition	0-20			Velocity Depart regime     Sediment Deposition	0-20		4. Sediment Deposition	0-20
5. Channel Flow Status	0-20			5. Channel Flow Status	0-20			5. Channel Flow Status	0-20			5. Channel Flow Status	0-20		5. Channel Flow Status	0-20
6. Channel Alteration	0-20	19		6. Channel Alteration	0-20			6. Channel Alteration	0-20	0-1		6. Channel Alteration	0-20		6. Channel Alteration	0-20
7. Frequency of Riffles (or bends)	0-20			7. Channel Sinuosity	0-20			7. Frequency of Riffles (or bends)	0-20			7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20
8. Bank Stability (LB & RB)	0-20	16		8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20
Vegetative Protection (LB & RB)	0-20	12		Vegetative Protection (LB & RB)	0-20			Vegetative Protection (LB & RB)	0-20			<ol><li>Vegetative Protection (LB &amp; RB)</li></ol>	0-20		<ol><li>Vegetative Protection (LB &amp; RB)</li></ol>	0-20
10. Riparian Vegetative Zone Width (LB & RB)	0-20	16		10. Riparian Vegetative Zone Width (LB &				10. Riparian Vegetative Zone Width (LB & RB)	0-20			10. Riparian Vegetative Zone Width (LB & RB)			10. Riparian Vegetative Zone Width (LB & RB)	0-20
Total RBP Score	Suboptimal			Total RBP Score	Poor	0		Total RBP Score	Poor	0		Total RBP Score	Poor	0	Total RBP Score	Poor 0
Sub-Total  CHEMICAL INDICATOR (Applies to Intermitten	nt and Perennial S	0.708333333 Streams)		Sub-Total  CHEMICAL INDICATOR (Applies to In	termittent and Perennial St	reams)		Sub-Total  CHEMICAL INDICATOR (Applies to Intermit	ent and Perenni	al Streams)		Sub-Total  CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial S	Streams)	Sub-Total  CHEMICAL INDICATOR (Applies to Intermitte	nt and Perennial Streams)
WVDEP Water Quality Indicators (General)	)			WVDEP Water Quality Indicators (G	ieneral)			WVDEP Water Quality Indicators (Gener	al)			WVDEP Water Quality Indicators (General	)		WVDEP Water Quality Indicators (General	)
Specific Conductivity				Specific Conductivity		0		Specific Conductivity	,			Specific Conductivity	,		Specific Conductivity	,
	0-90			•	0-90				0-90			•	0-90		•	0-90
100-199 - 85 points	0-30				0-30				0-30				0-30			0-30
pH	0.1	46		рН	0-1	0		pH		0-1		рН	0.1		рН	0-1
5.6-5.9 = 45 points	0-80				5-90				5-90	0-1			5-90			5-90
DO		677		DO				DO				DO			DO	
	10-30				10-30				10-30				10-30			10-30
	10-30				10-30				10-30				10-30			10-30
Sub-Total				Sub-Total		0		Sub-Total		0		Sub-Total		0	Sub-Total	0
BIOLOGICAL INDICATOR (Applies to Intermit	tent and Perennia	l Streams)		BIOLOGICAL INDICATOR (Applies to	Intermittent and Perennial	Streams)		BIOLOGICAL INDICATOR (Applies to Inte	mittent and Pe	rennial Streams)		BIOLOGICAL INDICATOR (Applies to Intern	nittent and Peren	nial Streams)	BIOLOGICAL INDICATOR (Applies to Intern	nittent and Perennial Streams)
WV Stream Condition Index (WVSCI)	T T			WV Stream Condition Index (WVSC				WV Stream Condition Index (WVSCI)	1 1			WV Stream Condition Index (WVSCI)	T T		WV Stream Condition Index (WVSCI)	
0	0-100 0-1				0-100 0-1				0-100	0-1			0-100 0-1			0-100 0-1
Sub-Total	•	0		Sub-Total		0		Sub-Total		0		Sub-Total	•	0	Sub-Total	0
PART II - Index and U	nit Score		1 1	DART II Ind	lex and Unit Score			PART II - Index ar	d Unit Score		I	PART II - Index and U	nit Score		PART II - Index and U	Init Score
FAILT II - IIIUeX aliu U	III. GCO/E			FART II - III0	ox and omit ocole			FAILT II - IIIUUX AI	ia omi ocore			FANT II - IIIUUX AIIU U	000/6		FAINT II - III dex and t	July Stolle
Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear F	eet Unit Scor	re	Index	Linear Feet	Unit Score	Index	Linear Feet Unit Scor
0.587	86	50.48916667		0	0	0		0	0	0		0	0	0	0	0 0

#### FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V<sub>CCANOPY</sub> (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: Preliminary Assessment

Location: UNT to Hans Creek/Monroe/F

Sampling Date: 8/26/2021 Project Site Before Project

Subclass for this SAR:

**Ephemeral Stream** 

Uppermost stratum present at this SAR: SAR number: S-G44

Shrub/Herb Strata

Functional Results Summary: Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.53
Biogeochemical Cycling	0.48
Habitat	0.25

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V <sub>CCANOPY</sub>	Percent canpoy over channel.	Not Used, <20%	Not Used
$V_{EMBED}$	Average embeddedness of channel.	2.71	0.72
V <sub>SUBSTRATE</sub>	Median stream channel substrate particle size.	0.38	0.19
$V_{BERO}$	Total percent of eroded stream channel bank.	0.00	1.00
$V_{LWD}$	Number of down woody stems per 100 feet of stream.	0.00	0.00
$V_{TDBH}$	Average dbh of trees.	Not Used	Not Used
$V_{SNAG}$	Number of snags per 100 feet of stream.	0.00	0.10
V <sub>SSD</sub>	Number of saplings and shrubs per 100 feet of stream.	3.45	0.05
V <sub>SRICH</sub>	Riparian vegetation species richness.	0.00	0.00
V <sub>DETRITUS</sub>	Average percent cover of leaves, sticks, etc.	64.17	0.78
$V_{HERB}$	Average percent cover of herbaceous vegetation.	35.83	0.48
V <sub>WLUSE</sub>	Weighted Average of Runoff Score for Catchment.	0.91	0.96

			High-G	radient   Field F	Headwat Data She					a		
	Team:	ABK/WP/R	Δ/Ε\Λ/	i icia E	otta Onc	ot and o	aiou		- _atitude/UTN	M Northing:	37 47487	
Dro	ject Name:			nt					ongitude/UT			7
FIC	-		ns Creek/Mo					L	-	-		
	Location.	UNT IO Hai	is Creek/ivic	JIIIO <del>U</del> /F					Saiii	pling Date:	0/20/2021	
SA	R Number:	S-G44	Reach	Length (ft):	58	Stream Ty	/pe:	Ephe	meral Stream			~
	Top Strata:	Shi	rub/Herb Sti	rata	(determined	d from perce	ent ca	lculate	ed in V <sub>CCANO</sub>	<sub>PY</sub> )		
Site a	and Timing:	Project Site				•	Before	e Proje	ct			•
Sample	Variables	1-4 in strea	m channel									
equidistant points along the stream. Measure only intree/sabiling cover is at least 20%. These than									Not Used, <20%			
Ī	List the per	cent cover r	neasureme	nts at each	point below:							1
	0	0	0	0	0	0	(	)				
2	2 V <sub>EMBED</sub> Average embeddedness of the stream channel. Measure at no fewer than 30 roughly equidistant points along the stream. Select a particle from the bed. Before moving it, determine the percentage of the											
				unding the p								
				ing table. If bed is com						fine sedime	ents, use a	
		Embedded Minshall 19	•	for gravel, c	obble and b	oulder parti	cles (r	escale	ed from Plat	ts, Megaha	n, and	Measure at least
		Rating	Rating Des									30 points
		5		of surface of							k)	
		4		cent of surfa								
		3		rcent of sur								
		2		rcent of sur							al aurfaga)	
	List the rati	·		t of surface	covered, sc	irrouriaea, c	or burie	eu by	ille sealille	nt (or artino	ai Suriace)	ļ
ĺ					Е							1
	3	4	1	4	5							
	3	1	4	4	5							
	1	1	5	1	1							
	1	4	1	4	1							
3	2 V <sub>SUBSTRATE</sub>			3 I substrate p						ghly equidis	tant points	0.00
		along the s	tream; use t	the same po	ints and pa	rticles as us	ed in	$V_{EMBEI}$	D•			0.38 in
	Enter partic	le size in in	ches to the	nearest 0.1	inch at eacl	n point belo	w (bed	drock	should be co	ounted as 9	9 in,	
				l or finer par			•					
	0.50	1.00	0.08	0.90	0.13							ľ
	4.75	0.08	3.25	0.50	0.50							
	0.08	0.08	1.50	0.08	0.08							
	0.08	4.50	0.08	1.50	0.08							
					0.00							
1	0.75	0.08	0.75	0.25	annol best	Entarth - 1	otol :-	umb = :	of foot of	odod barali	on oach	
4	$V_{BERO}$			d stream cha entage will b								0 %
		may be up	-	Jinago Will L	Jaiodiai6	Doi: Da	al	5 510	aoa, ioiai Gi	201011101 (11	o on our	0 /6

Left Bank:

0 ft

Right Bank:

0 ft

Sample	e Variables	5-9 within t	the entire i	iparian/buffer zone	adjacent to t	the stream ch	nannel (25	feet from e	ach bank).	
5	$V_{LWD}$	stream read	ch. Enter t	ly stems (at least 4 in he number from the e will be calculated.						0.0
					of downed v	voody stems:	(	0		
6	$V_{TDBH}$			measure only if V <sub>CCA</sub>		ling cover is a	it least 20%	). Trees ar	e at least 4	Not Used
		,	•	neter. Enter tree DBH		to Vicinity to the c	h			
		the stream		nents of individual tre	es (at least 4	in) within the	buffer on e	ach side of		
			Left Side				Right Side			
7	\/	Number of	onogo (ot l	east 4" dbh and 36" ta	all) por 100 fo	ot of otroom	Enternum	bor of anoge	on oach	
7	$V_{SNAG}$			d the amount per 100			Enter num	ber or snags	s on each	0.0
			Left Side			Right Side:		0		
8	$V_{SSD}$			nd shrubs (woody ste Enter number of sap						3.4
				tream will be calculat		iubs on each	side of the .	stream, and	uic	J. <del>T</del>
			Left Side			Right Side:		0		
9	$V_{SRICH}$			pecies richness per 10 stratum. Check all ex						0.00
				and the subindex will				otrata. Op	.00.00	0.00
		Grou	p 1 = 1.0			Group 2 (-1.0)				
	Acer rubru	ım		Magnolia tripetala		Ailanthus a	ltissima		Lonicera ja	ponica
	Acer sacci	harum		Nyssa sylvatica		Albizia julib	rissin		Lonicera ta	tarica
	Aesculus t	flava		Oxydendrum arboreul	m	Alliaria peti	olata		Lotus corni	iculatus
	Asimina tri	iloba		Prunus serotina		Alternanthe	era		Lythrum sa	licaria
	Betula alleg	ghaniensis		Quercus alba		philoxeroide	es		Microstegiur	n vimineum
	Betula leni	ta		Quercus coccinea		Aster tatario	cus		Paulownia	tomentosa
	Carya alba	9		Quercus imbricaria		Cerastium t	fontanum		Polygonum (	cuspidatum
	Carya glab	ora		Quercus prinus		Coronilla va	aria		Pueraria m	ontana
	Carya ova	lis		Quercus rubra		Elaeagnus ui	mbellata		Rosa multi	flora
	Carya ova	ta		Quercus velutina		Lespedeza	bicolor		Sorghum h	alepense
	Cornus flo	rida		Sassafras albidum		Lespedeza	cuneata		Verbena bi	rasiliensis
	Fagus gra	ndifolia		Tilia americana		Ligustrum ob	otusifolium			
	Fraxinus a			Tsuga canadensis		Ligustrum s	sinense			
	Liriodendroi	n tulipifera		Ulmus americana						
	Magnolia a									
	-							_	_	
		0	Species in	Group 1			0	Species in	Group 2	

				subplots (40 ed roughly ed						in 25 feet fro	om each
10	V <sub>DETRITUS</sub>	Average pe	rcent cover	of leaves, stic Enter the per	cks, or oth	ner organic i	material. W	oody debr	is <4" diame	ter and	64.17 %
			Left	Side			Righ	t Side		]	
		90	80	20		90	80	25			
11	V	Average pe	rcontago co	over of herbac	POOLIC VOO	otation (mor	acuro only if	troo covo	r ic <20%)	Do not	
11	$V_{HERB}$	include woo	ody stems a percentage: oplot.	t least 4" dbh s up through 2	and 36" ta	all. Because	there may Enter the pe	be severa rcent cove	l layers of gr	ound cover	36 %
				Side				Side	_	4	
		10	20	80		10	20	75			
				chment of th							
12	V <sub>WLUSE</sub>	Weighted A	verage of F	Runoff Score f	or watersl	hed:					0.91
			Land	Use (Choose	From Dro	p List)			Runoff Score	% in Catch- ment	Running Percent (not >100)
	Forest and native range (>75% ground cover)							1	89.47	89.47	
	Open space (pasture, lawns, parks, etc.), grass cover <50%							0.1	10.53	100	
	▼ ▼							,			
								_			
								_			
									7		
								-	-		
	S	-G44					No	tes:	_		
Va	ariable	Value	VSI	Land Cover	Analysis	was comp	leted using	the 201	9 National L	and Cover	Database
V <sub>C</sub>	CANOPY	Not Used, <20%	Not Used	(NLCD), fro Watershed							
VEI	MBED	2.7	0.72								
Vs	UBSTRATE	0.38 in	0.19								
$V_{B}$	ERO	0 %	1.00								
VL	WD	0.0	0.00								
$V_{TI}$	DBH	Not Used	Not Used								
Vsi	NAG	0.0	0.10								
Vs	SD	3.4	0.05								
	RICH	0.00	0.00								
	ETRITUS	64.2 %	0.78								
	ERB	36 %	0.48								
	LUSE	0.91	0.96								

### PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

		(FRONT)	
STREAM NAMES-	G44 UNT to Hans Creek	LOCATION Monroe/F	
STATION #	RIVERMILE	STREAM CLASS Epheme	ral
LAT 37,47487	LONG -80.676267	COUNTY Monroe	<u>~</u>
STORET#	13	AGENCYPotesta/Edge	
INVESTIGATORSA	ABK/WP/RA/EW		
FORM COMPLETE	A. Kincaid	DATE 8/26/2021 TIME 1540 PM	REASON FOR SURVEY Preliminary Assessment
WEATHER CONDITIONS  SITE LOCATION/N	rain ( showers 60 %	n (heavy rain) (steady rain) s (intermittent) cloud cover ear/sunny  te and indicate the areas samp	Has there been a heavy rain in the last 7 days?  Yes No  Air Temperature 85 °F ° C  Other  Oled (or attach a photograph)
			V V

Spring-fed
Mixture of origins
Other

Stream Type Coldwater

Catchment Area\_

Warmwater

 $km^2$ 

Stream Subsystem
Perennial Intermittent ITidal

Stream Origin
Glacial
Non-glacial montane
Swamp and bog

STREAM CHARACTERIZATION

## PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

FEATURES		✓ Fores	Pasture Industri	rcial al	Local Watershed NPS  □ No evidence ☑ Sor □ Obvious sources	
		Agric Resid	ential Gther_		Local Watershed Eros  ✓ None	
RIPARIA VEGETA (18 meter	TION			record the do hrubs asses	minant species present ☐ Grasses	erbaceous
Estimated Stream Width 1.5 ft Sampling Reach Area 87 ft^4 Area in km² (m²x1000) Estimated Stream Depth 0 Surface Velocity 0 m/s (at thalweg) Stream Dry			154	Canopy Cover  Partly open □Part  High Water Mark □  Proportion of Reach R  Morphology Types  Riffle %  Pool %  Channelized □Yes  Dam Present □Yes	epresented by Stream Run  No	
LARGE V DEBRIS	VOODY	LWD Density		n²/km² ( <b>LWD</b> /	reach area)	
AQUATIC VEGETATION  Indicate the dominant type and record the dominant species present Rooted emergent Floating Algae  Dominant species present Portion of the reach with aquatic vegetation    Accord the dominant species present   Rooted floating   Free floating						
WATER (	QUALITY	Specific Dissolv pH Turbid	cature C conductance_ ed Oxygen sity strument Used		Water Odors   Normal/None	Chemical   Other
SEDIMEN SUBSTRA	NT/ ATE	Odors Norm Chem Other  Oils Absen	nical Anaerobic	Petroleum None	Epoking at stones which are the undersides black	Paper fiber Sand Other th are not deeply embedded, ck in color?
INC		STRATE dd up to 1	COMPONENTS		ORGANIC SUBSTRATE C	
Substrate Type	Diamet		% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock			0	Detritus	sticks, wood, coarse plant	20
Boulder	> 256 mm (10")	)	0	1	materials (CPOM)	20
Cobble	64-256 mm (2.5	5"-10")	5	Muck-Mud	black, very fine organic	0
Gravel	2-64 mm (0.1"-2	2.5")	30	1	(FPOM)	l 0
Sand	0.06-2mm (gritt	y)	0	Marl	grey, shell fragments	0
Silt	0.004-0.06 mm		65	1		
Clay	< 0.004 mm (sli	ck)	0	1		

#### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAMES-	G44 UNT to Hans Creek	LOCATION						
STATION #	RIVERMILE	STREAM CLASS Ephemeral						
LAT 37.47487	LONG -80.676267	COUNTY Monroe						
STORET#		AGENCYPotesta/Edge						
INVESTIGATORS#	BK/WP/RA/EW							
FORM COMPLETE A. Kincaid	D BY	DATE 3/26/2021 TIME 1540 PM AM PM REASON FOR SURVEY Preliminary Assessment						

	Habitat	in the second se	Condition	ı Category			
	Parameter	Optimal	Suboptimal	Marginal	Poor		
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.		
	✓ N/A	stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).				
	<sub>SCORE</sub> 0 <b>▼</b>	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.		
ted ir	SCORE 16 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime  N/A	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).		
aram	<sub>SCORE</sub> 0 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
ä	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.		
	<sub>SCORE</sub> 6 <b>▼</b>	20 19 18 17 16	15 14 13 12 11	10 9 8 7 🔞	5 4 3 2 1 0		
	5. Channel Flow Status N/A	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.		
	SCORE U	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		

Embeddedness scores based on sections of stream with gravel/cobble substrate. Most of the substrate were fines.

#### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	ı Category			
	Parameter	Optimal	Suboptimal	Marginal	Poor		
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.		
	SCORE 19▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
g reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.		
ampl	SCORE 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank)  Note: determine left or right side by facing decrease.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.		
e eva	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
to b	SCORE 8	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
Parameters to	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.		
	SCORE 6	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
	SCORE 6	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.		
	$\frac{8}{\text{SCORE}} \frac{8}{8} \boxed{\checkmark},$	Left Bank 10 9	<b>8</b> 7 6	5 4 3	2 1 0		

Total Score 85 Modified RBP


#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET


STREAM NAMES-G	644 UNT to Hans Cr	reek LOCATION					
STATION #	RIVERMILE	STREAM CLASS Ephemera	al	▼			
LAT 37.47487	LONG -80.676287	COUNTY Monroe		~			
STORET#	20	AGENCYPotesta/Edge					
INVESTIGATORSA	BK/WP/RA/EW		LOT NUMBER				
FORM COMPLETED BY A. Kincaid  DATE TIME 1540 PM  REASON FOR SURVEY Preliminary Assessment							
HABITAT TYPES	Indicate the percentage of each habitat type present     Cobble % Snags% Vegetated Banks% Sand%       Submerged Macrophytes%     Other ( )%						
SAMPLE COLLECTION	Gear used D-frame kick-net Other  How were the samples collected? wading from bank from boat  Indicate the number of jabs/kicks taken in each habitat type.  Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other (						
GENERAL COMMENTS	No benthics due to no habitat./no water						
QUALITATIVE LISTING OF AQUATIC BIOTA Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant							
Periphyton		1 2 3 4 Slimes	0 1				
Filamentous Algae	_		o 1				
	ATIONS OF MACRO abundance: 0 = A organ	Absent/Not Observed, 1 = Rare nisms), 3= Abundant (>10 orga	0 1 e (1-3 organisms), 2 = Common (3 anisms), 4 = Dominant (>50 orga	3-9			
Porifera	0 1 2 3 4	Anisoptera 0 1 2	3 4 Chironomidae 0 1	2 3 4			
Hydrozoa		Zygoptera 0 1 2	3 4 Ephemeroptera 0 1	2 3 4			
Platyhelminthes	0 1 2 3 4	Hemiptera 0 1 2	3 4 Trichoptera 0 1	2 3 4			
Turbellaria		Coleoptera 0 1 2	3 4 Other 0 1	2 3 4			
Hirudinea		Lepidoptera 0 1 2	3 4				
Oligochaeta		Sialidae 0 1 2	3 4				
Isopoda		Corydalidae 0 1 2	3 4				
Amphipoda		Tipulidae 0 1 2	3 4				
Decapoda		Empididae 0 1 2	3 4				
Gastropoda		Simuliidae 0 1 2	3 4				
Bivalvia		Tabinidae 0 1 2 Culcidae 0 1 2	3 4 3 4				


SITE ID: S-6L			Mor	noe	S	oreao	F		
ATE: 826/2 DLLECTOR(S): A		/WP/E	W						EO. HGH Form
Volman Pebble Count (F	Reach Wide)			K. S. John	100		7-14-17	SILURY) CO.	NOTES:
8 20	120	79	20	5					50% Solo Silt Silt
0.061 29	0.062		14	3					30 10 3011 8017
129 0.062			0.062						Vzin 4.75:n
0.0620.062		19	41	0.062					Myin tin silt silt
5 43		1	35	14					75% 10%
19 9	9	13	50	10					u F
10 0.062		12	19	et l					2506 5114 51/4 3/4
0.862 3	0.062		25	6					4.5 5114 5114 3/4 25% 0% 3.25 1.5 51/4 0.75 10% 0% 0%
0.062 21	0.062	и	15	3					3.48 1.S Silf 0.78
4 54	8	15	130	10					10% 0% 0%
									9 in 1/2 in silt t.5 in 10% 20% 10% 10% 10% 10% 10% 10% 51 51 51 50% 0% 0% 0%
									NOTES:
	_								
					-				
			-						
						-			


Inches	PARTICLE	Millimeters	
	Silt / Clay	< .062	S/C
	Very Fine	.062125	_
	Fine	.12525	S
	Medium	.2550	SAZD
	Coarse	.50 - 1.0	D
.0408	Very Coarse	1.0-2	
.0816	Very Fine	2-4	(45d)
.1622	Fine	4 - 5.7	
22 - 31	Fine	5.7 - 8	GR
.3144	Medium	8-11.3	R
.4463	Medium	11,3 - 16	2
63 - 89	Goarse	16-22.6	SE E
.89 - 1.3	Coarse	22.5 - 32	U
1,3 - 1,8	Very Coarse	32 - 45	
1.8 - 2.5	Very Coarse	45 - 64	SEA.
2.5 - 3.5	Small	64 - 90	<b>马</b> 马
3.5 - 5.0	llsm3	90 - 128	Ŏ R
5.0 - 7.1	Larce	128 - 180	BER
7.1-10.1	Large	160 - 256	
10,1 - 14,3	Small	256 - 362	8
14.3 - 20	Small	362 - 512	QU.
20-40	Medium	512 - 1024	ğ
40 - 80	Large-Vry Large	1024 - 2048	(E)
	Radenck		RDRK

Bankfull Channel	
Material Size Range (mm	Count
silt/clay 0 - 0.062	25
very fine sand 0.062 - 0.125	
fine sand 0.125 - 0.25	
medium sand 0.25 - 0.5	
coarse sand 0.5 - 1	
very coarse sand 1 - 2	2
very fine gravel 2 - 4	5
fine gravel 4 - 6	7
fine gravel 6 - 8	3
medium gravel 8 - 11	14
medium gravel 11 - 16	13
coarse gravel 16 - 22	9
coarse gravel 22 - 32	7
very coarse gravel 32 - 45	5
very coarse gravel 45 - 64	3
small cobble 64 - 90	2
medium cobble 90 - 128	2
large cobble 128 - 180	3
very large cobble 180 - 256	
small boulder 256 - 362	
small boulder <u>362 - 512</u>	
medium boulder 512 - 1024	
large boulder 1024 - 2048	
very large boulder 2048 - 4096	
total particle count:	100
bedrock	
clay hardpan	
detritus/wood	
artificial	
total count:	100
Note:	









# LEGEND

STUDY AREA (EASEMENT)

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION 1176.87 +

#### SURVEY NOTES:

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS AND COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

# S-G44 BASELINE CROSS-SECTION A

CENTER OF PIPE 2032 2032

DISTANCE ALONG CROSS-SECTION (FT)

CROSS SECTION LEGEND — EXISTING GRADE

NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM UPSTREAM FROM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM UPSTREAM IMPACT LIMITS

PRE-CROSSING

Checked

Scale:

SEPT. 2021 Date:

Drawing No