#### **Baseline Assessment – Stream Attributes**

# Reach S-H67 (Pipeline ROW) Perennial Spread E Nicholas County, West Virginia

Data	Included					
Photos	✓					
SWVM Form	✓					
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope >4%)					
RBP Physical Characteristics Form	✓					
Water Quality Data	✓					
RBP Habitat Form	✓					
RBP Benthic Form	✓					
Benthic Identification Sheet	N/A – No Habitat					
Wolman Pebble Count	✓					
Reference Reach Software Pebble Count Data	✓					
Longitudinal Profile and Cross Sections	✓					

#### Spread E Stream S-H67 (Pipeline ROW) Nicholas County




Photo Type: DS Edge ROW, US View
Location, Orientation, Photographer Initials: Downstream Edge of Right of Way, Upstream View, EW/AG/WP




Photo Type: DS Edge ROW, DS View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, EW/AG/WP

### Spread E Stream S-H67 (Pipeline ROW) Nicholas County



Photo Type: C ROW, US View Location, Orientation, Photographer Initials: Center Right of Way, Upstream View, EW/AG/WP



Photo Type: C ROW, DS View Location, Orientation, Photographer Initials: Center of Right of Way, Downstream View, EW/AG/WP



Photo Type: US Edge ROW, US View
Location, Orientation, Photographer Initials: Upstream Edge of Right of Way, Upstream View, EW/AG/WP



Photo Type: US Edge ROW, DS View
Location, Orientation, Photographer Initials: Upstream Edge Right of Way, Downstream View, EW/AG/WP

"Q:\Charleston\2021 Projects\21-0244- MVP- STREAM AND WETLAND CONDITIONS ASSESSMENT AND SURVEY PLAN\002 - Pre-Crossing Monitoring\Spread E\S-H67"

#### West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name:		M	Iountain Valley P	ipeline		COORDINATES:	Lat.	38.12058	Lon.	5 5 5 5 5 5	-80.736772	WEATHER:	Clear/S	unny, 65 °F	DATE:		
(v2.1, Sept 2015)					(in De	cimal Degrees)										9/2	2/21
IMPACT STREAM/SITE ID				S-H67 U	NT to Hominy Cree	k		MITIGATION STREA							Comments:		
(watershed size {acreage},	unaltered or impairm	nents)						(watershe	ed size {acreage}, unaltered	d or impairmen	ts)						
STREAM IMPACT LENGTH:	85	FORM		DECTORATION (Levels I III)		OORDINATES:	Lat.		Lon.			PRECIPITATION PAST 48 HRS:			Mitigation Length:		
		MITIGATI	ION:	RESTORATION (Levels I-III)	(in De	cimal Degrees)											
Column No. 1- Impact Existing	Condition (Deb	oit)		Column No. 2- Mitigation Existi	ng Condition - Base	eline (Credit)			Mitigation Projected a		3	Column No. 4- Mitigation P			Column No. 5- Mitigation Proje	ected at Maturi	ty (Credit)
		•		•	-				t Completion (Credit)			Post Completion				_	
Stream Classification:	Peren	nnial	Stream	Classification:				Stream Classification:		0		Stream Classification:	0		Stream Classification:		0
Percent Stream Channel Slo	ope	8.1		Percent Stream Channe	el Slope			Percent Stream	Channel Slope		0	Percent Stream Channel	Slope	0	Percent Stream Channel	Slope	0
HGM Score (attach da	ata forms):			HGM Score (att	ach data forms):			HGM Sc	ore (attach data for	ms):		HGM Score (attach	data forms):		HGM Score (attach	data forms):	
	1	Average				Average					Average		1	Average			Average
Hydrology		Average	Hydrol	oav		Average		Hydrology			Average	Hydrology		Average	Hydrology		Average
Biogeochemical Cycling		0		chemical Cycling		0		Biogeochemical Cycling			0	Biogeochemical Cycling		0	Biogeochemical Cycling		0
Habitat	Di la cialitati		Habitat		I District			Habitat	Olemin I and Birth	· · · · · · · · · · · · · · · · · · ·		Habitat	18:1:1:11:1:1		Habitat	- I District	
PART I - Physical, Chemical and I	Biological indica	ators		PART I - Physical, Chemic	ai and Biological in	dicators		PART I - Physical,	Chemical and Biolog	jicai indicato	ors	PART I - Physical, Chemical a	na Biologicai indicato	ors	PART I - Physical, Chemical a	id Biological II	ndicators
	Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale	e Range	Site Score		Points Scale Range	Site Score		Points Scale	Range Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSIC	CAL INDICATOR (Applies to all str	eams classifications)			PHYSICAL INDICATOR (Applie	s to all streams classifica	tions)		PHYSICAL INDICATOR (Applies to all stre	ams classifications)		PHYSICAL INDICATOR (Applies to all stream	ms classifications	s)
USEPA RBP (High Gradient Data Sheet)	<del></del>			RBP (Low Gradient Data Shee	7			USEPA RBP (High Gradient D				USEPA RBP (High Gradient Data Sheet			USEPA RBP (High Gradient Data Sheet		
Epifaunal Substrate/Available Cover     Epifaunal Substrate/Available Cover	0-20	8		unal Substrate/Available Cover	0-20			Epifaunal Substrate/Available     Endeddadada				Epifaunal Substrate/Available Cover     Enhanded and a service of the servic	0-20		Epifaunal Substrate/Available Cover     Epifaunal Substrate/Available Cover	0-20	
Embeddedness     Velocity/ Depth Regime	0-20 0-20	10 6		Substrate Characterization Variability	0-20 0-20			Embeddedness     Velocity/ Depth Regime	0-20 0-20			Embeddedness     Velocity/ Depth Regime	0-20 0-20		Embeddedness     Velocity/ Depth Regime	0-20 0-20	
4. Sediment Deposition	0-20	14		ment Deposition	0-20			4. Sediment Deposition	0-20			4. Sediment Deposition	0-20		Veledity/ Depart tegins     Sediment Deposition	0-20	
5. Channel Flow Status	0-20	9		nnel Flow Status	0-20			5. Channel Flow Status	0-20			5. Channel Flow Status	0-20		5. Channel Flow Status	0-20	
6. Channel Alteration	0-20	20	6. Char	nnel Alteration	0-20			6. Channel Alteration	0-20	0-1		6. Channel Alteration	0-20		6. Channel Alteration	0-20	0-1
7. Frequency of Riffles (or bends)	0-20	15	7. Char	nnel Sinuosity	0-20			7. Frequency of Riffles (or bend	s) 0-20			7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	18	8. Bank	Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	16		etative Protection (LB & RB)	0-20			<ol><li>Vegetative Protection (LB &amp; F</li></ol>				<ol><li>Vegetative Protection (LB &amp; RB)</li></ol>	0-20		<ol><li>Vegetative Protection (LB &amp; RB)</li></ol>	0-20	
10. Riparian Vegetative Zone Width (LB & RB)	0-20	8		arian Vegetative Zone Width (LB & R				10. Riparian Vegetative Zone Widt				10. Riparian Vegetative Zone Width (LB & RB			10. Riparian Vegetative Zone Width (LB & RB		
Total RBP Score Sub-Total	Suboptimal	124 0.62		BP Score	Poor	0		Total RBP Score	P	oor	0	Total RBP Score Sub-Total	Poor	0	Total RBP Score Sub-Total	Poor	0
CHEMICAL INDICATOR (Applies to Intermitten	nt and Perennial Stre		Sub-To	cal INDICATOR (Applies to Interi	mittent and Perennial S	treams)		Sub-Total  CHEMICAL INDICATOR (Applie	es to Intermittent and Pere	ennial Streams	s)	CHEMICAL INDICATOR (Applies to Interm	ittent and Perennial Strea	ıms)	CHEMICAL INDICATOR (Applies to Interm	ittent and Perenni	al Streams)
WVDEP Water Quality Indicators (General)	<u> </u>		WA/DEI	Water Quality Indicators (Ger	annell)			WVDEP Water Quality Indicate	ara (Canaral)			WVDEP Water Quality Indicators (Gene	aral)		WVDEP Water Quality Indicators (Gene	ural)	
Specific Conductivity				c Conductivity	lerai)	(1)		Specific Conductivity	ors (General)			Specific Conductivity	erai)		Specific Conductivity	(al)	
opcome conductivity		44.0	Орссии	o conductivity				opecine conductivity	0-90			opecine conductivity			opecine conductivity		
<=99 - 90 points	0-90	14.3			0-90				0-90				0-90			0-90	
рН		5	рН			(1)		рН				рН			pH		
3.6-4.5 = 5 points	0-80	4.58			5-90				5-90	0-1			5-90 0-1			5-90	0-1
0.0-4.3 = 3 points			DO		<u> </u>			DΩ				no			no	_	
	10-30	8.79			10-30				10-30				10-30			10-30	
>5.0 = 30 points	10-30				10-30				10-30				10-30			10-30	
Sub-Total  BIOLOGICAL INDICATOR (Applies to Intermitt	tent and Perennial S	0.625	Sub-To	tal  GICAL INDICATOR (Applies to Interest to Interest)	ermittent and Perennia	Streams)		Sub-Total  BIOLOGICAL INDICATOR (Ap)	nline to Intermittent and	l Poronnial St	troams)	Sub-Total  BIOLOGICAL INDICATOR (Applies to International Control of In	tormittent and Peronnial	Stroams	Sub-Total  BIOLOGICAL INDICATOR (Applies to Int	ormittont and Do	ronnial Stroame)
WV Stream Condition Index (WVSCI)	tent and referman	oueams)		eam Condition Index (WVSCI)	emilitent and referma	Streams)		WV Stream Condition Index (		i retellillar St	ireallis)	WV Stream Condition Index (WVSCI)	erinitent and Ferenman	Streams)	WV Stream Condition Index (WVSCI)	militent and Fe	renna Sueams)
WV Stream Condition mack (WVSCI)	0-100 0-1		W 3ti	eam condition maex (****ooi)	0-100 0-1			VV Stream Condition index (	0-100	0-1		VV dream donation maex (VV doi)	0-100 0-1		WV diream condition mack (WVCCI)	0-100	0-1
0	0-100 0-1				0-100 0-1			0.1.7.1.1	0-100	0-1		0.1.7.1.1	0-100 0-1		0.1.7.1.1	0-100	· ·
Sub-Total		U	Sub-To	tai		0		Sub-Total			U	Sub-Total		U	Sub-Total		0
PART II - Index and Ui	nit Score			DART II Indov	and Unit Score			DADT	II - Index and Unit Sco	ore	II	PART II - Index an	d Unit Score	П	PART II - Index an	d Unit Score	
FACT II - IIIdex and Oi	int Score			I AIXI II - IIIUex	una onit ocore			FART	ii - iiidex and onit oct			i Alti ii - iiidex aiii	d dilit doore		ACT II - IIIdex all	. Olat Georg	
	T	11-11-0			1111111									11.11.0			
Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linea	r Feet	Unit Score	Index	Linear Feet	Unit Score	Index	Linear F	eet Unit Score
0.623	85	52.9125		0	0	0		0		0	0	0	0	0	0	0	0

## PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME \$	S-H67	LOCATION UNT to Hom	niny Creek/ Spread E	
STATION #	RIVERMILE	_ STREAM CLASS Pere	ennial	▼
LAT 38.12058	LONG -80.736772	COUNTY Nichol	las	▼
STORET#		AGENCY Potesta/Ed	ge	
INVESTIGATORS	AG, EW, WP		2940	
FORM COMPLET	E. Weaver	DATE 09/02/2021 TIME 1000	REASON FOR SURVEY Preliminary	Assessment
WEATHER CONDITIONS	ra show	orm (heavy rain) ini (steady rain) wers (intermittent) %cloud cover clear/sunny		st 7 days?
SITE LOCATION	45	responsed surposed in the same of the same	Timber mo-	

Spring-fed
Mixture of origins
Other

Stream Origin
Glacial
Non-glacial montane
Swamp and bog

Catchment Area km<sup>2</sup>

## PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Predon Fores Field Agric Resid	Pasture Industria	duse rcial al	Local Watershed NPS  No evidence ✓ Son Obvious sources  Local Watershed Eros ✓ None ☐ Moderate	ne potential sources
RIPARIA VEGETA (18 meter	N TION buffer)		e the dominant type and s S ant species present ferns, bi		minant species present ☐Grasses ☐Ho	erbaceous
INSTREA FEATURI		Estimate Sampling Area in Estimate Surface (at that	ted Stream Depth 0.2n	mm²km²m		ly shaded Shaded  ss_m m epresented by Stream Run_5  No No
LARGE V DEBRIS	VOODY	LWD Density	0.5 m² of LWDm	n <sup>2</sup> /km <sup>2</sup> (LWD/	reach area)	
AQUATIO VEGETA		☐Roote ☐Floati		ooted submerge tached Algae	nt  □Rooted floating	Free floating
WATER (	QUALITY	Specific Dissolv pH 458 s Turbid	rature 16.0 C c Conductance 14.3 us/cm ed Oxygen 6.79 mg/t dity 6.88 rdu strument Used YSI			Chemical Other  Globs Flecks
SEDIMEN SUBSTRA		Odors  Norm Chen Other  Oils	nical Anaerobic	Petroleum None	Epoking at stones which	Paper fiber Sand Other th are not deeply embedded, k in color?
INC	DRGANIC SUB	STRATE	COMPONENTS	ľ	ORGANIC SUBSTRATE O	OMPONENTS
Substrate	(should a Diamet	dd up to 1 er	% Composition in	Substrate	(does not necessarily add  Characteristic	% Composition in
Type			Sampling Reach	Type	-ti-l d1t	Sampling Area
Bedrock Boulder	> 256 mm (10")	)	0 5	Detritus	sticks, wood, coarse plant materials (CPOM)	5
Cobble	64-256 mm (2.5		15	Muck-Mud	black, very fine organic	0
Gravel	2-64 mm (0.1"-2	2.5")	2	1	(FPOM)	l O
Sand	0.06-2mm (gritt	y)	10	Marl	grey, shell fragments	0
Silt	0.004-0.06 mm		68	1		[ ً
Clay	< 0.004 mm (sli	ck)	0	1		

#### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-I	167	LOCATION	
STATION #	RIVERMILE	STREAM CLASS Perennial	•
LAT 38.12058	_ LONG -80.736772	_ COUNTY Nicholas	
STORET#		AGENCYPotesta/Edge	
INVESTIGATORS A	G, EW, WP		
FORM COMPLETED  E. Weaver	BY	DATE 09/02/2021 REASON FOR SURVEY Preliminary Assessment	

	Habitat		Condition	Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	<sub>SCORE</sub> 8 <b>▼</b>	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
ı sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted ir	SCORE 10 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime N/A	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
ıram	<sub>SCORE</sub> 6 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
r.	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	score 14 <b>▼</b>	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status N/A	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE 9	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

#### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	SCORE 20▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
ing reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
ampl	score 15▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank)  Note: determine left or right side by facing development.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
eva	SCORE 9	Left Bank 10 9	8 7 6	5 4 3	2 1 0
to b	SCORE 9	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 8	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE 4	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 4 ✓)	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total Score \_\_\_\_\_

#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-	H67						LOC	CATIC	ON											
STATION #	R	IVE	RM	LE_			STR	EAM	CLA	SS F	ere	nnia	al							▼
LAT 38.12058	L	ONO	j -80.7	36772			COI	JNTY	ť	Nic	chol	as								•
STORET#							AGI	ENCY	Pote	esta	/Ed	ge								_
INVESTIGATORS A	IG. I	ΞW	. WI	<b>5</b>				30.00 E-00.00 F-			2		1	LOT	NUMBER					
FORM COMPLETE	) BY	Ε.	W	/ea	ave	er	DAT TIM	re of	9/02/2021 030	2			1	REA:	SON FOR SURVEY Pr	elimina	ry Ass	essm	ent	
HABITAT TYPES	In	dica C Sub	ate the	ne pe e_ ged N	ercen % Macro	tage of 6 Sophytes	each nags_	habita	at typ	e pr □V	esen eget	it ated Other	Ban	ks	%	%				
SAMPLE COLLECTION	G	ear	used		D-fi		kick	-net				other			ık □from boa	=				
	l In	dica	ite th	ie nu	ımbe	r of iab	s/kicl	ks tak	en in	each	hal	bitat	type	e.	Sand					
GENERAL COMMENTS	no	b b	ent	thic	c cc	ollect	ed	due	to	un	fav	ora	abl	ес	ollecting cond	litior	าร			
QUALITATIVE I Indicate estimated Dominant									erveo	d, 1	= ]	Rare	e, 2	= C	ommon, 3= Abun	dant,	4 =	=		
Periphyton					0	1 2	2 3	4			Sli	mes				0	1	2	3	4
Filamentous Algae					0	1 2	2 3	4			Ma	croi	nve	rtebi	rates	0	1	2	3	4
Macrophytes					0	1 2	2 3	4			Fis	h				0	1	2	3	4
		und	anc	e:	0 = org	Absen anisms	it/Noi s), 3=	t Obs Abu				org	anis	sms)	rganisms), 2 = Co , 4 = Dominant (>				ıs)	
Porifera	0	1		3	4	Anis				0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4		ptera			0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4		iptera			0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4		opter			0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	_	dopte	ra		0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Siali				0	1	2	3	4						
Isopoda	0	1	2	3	4		dalid	ae		0	1	2	3	4						
Amphipoda	0	1	2	3	4	_	lidae			0	1	2	3	4						
Decapoda	0	1	2	3	4		idida			0	1	2	3	4						
Gastropoda	0	1	2	3	4		ıliida			0	1	2	3	4						
Bivalvia	0	1	2	3	4		nidae			0	1	2	3	4						
						Culc	ıaae			0			- 3	4						

SITE ID: J TO /
-----------------

Sprrad E

DATE: 02 SLOKINGER 2021

COLLECTOR(S): AG, FW


Wolman Pel	bble Count (R	each Wide)				STATE OF	1/2000		AL.	NOTES:
SI	3-8	SI	SI	122	SI	SI	FS	25	260	
CS		245	SI	SI	245	SI	180	SI	ST	
SI	FS	SI	ZI	270	SE	SI	195	SI	SI	
SI	SI	SI	FS	78	210	B	13	SI	F3	
410	2±	Ullo	27	40	SI	410	410	SI	SI	
FS	SI	15	SI	5	FS	SI	SE	SI	SI	
155	15	SI	SI	ST	155	SI	SC	195	FS	
SI	SI	SI	SIL	9C	SI	Ĩ	SI	SE	SE	
ST	55	SE	55	SI	SI	SI	SI	T2	SI	
10	FS	SI	1)	FS	FS	21	10	160	ns	

Riffle Pebble Count				NOTES:
	K			
			<del>                                     </del>	
	0			

Inches	PARTICLE	Millimeters	
	Silt / Clay	< .062	S/C
	Very Fine	.062125	~
	Fine	.12525	S
	Medium	.2550	SAND
	Coarse	.50 - 1.0	(D)
0408	Very Coarse	1.0 - 2	
.0816	Very Fine	2-4	
.1622	Fine	4 - 5.7	
.2231	Fine	5.7 - 8	G
31 - 44	Medium	8-11,3	R
A463	Medium	11.3 - 16	V.
.6389	Coarse	16 - 22.6	g E
.89 - 1.3	Coarse	22.6 - 32	U
1.3 - 1.6	Very Coarse	32 - 45	-
1.8 - 2.5	Very Coarse	45-64	
2.5 - 3.5	Smaff	54-90	Hali
3.5 + 5.0	Small	50 - 128	
5.0 - 7.1	Large	128 - 180	3" 8
7,1 - 10.1	Large	180 - 256	8
10.1 - 14.3	Small	256 - 362	(8)
14,3 - 20	Small	362 - 512	Ϋ́
20 - 40	Medium	512 - 1024	SP.
40 - 80	Large-Vry Large	1024 - 2048	R
	Bedrock		BDRK


		NOTES:


Bankfull Channel					
Material Size Range (mm)	Count				
silt/clay 0 - 0.062	59				
very fine sand 0.062 - 0.125					
fine sand 0.125 - 0.25	17				
medium sand 0.25 - 0.5					
coarse sand 0.5 - 1	1				
very coarse sand 1 - 2					
very fine gravel 2 - 4					
fine gravel 4 - 6					
fine gravel 6 - 8					
medium gravel 8 - 11	4				
medium gravel 11 - 16					
coarse gravel 16 - 22					
coarse gravel 22 - 32	1				
very coarse gravel 32 - 45	1				
very coarse gravel 45 - 64					
small cobble 64 - 90	1				
medium cobble 90 - 128	2				
large cobble 128 - 180	4				
very large cobble 180 - 256 small boulder 256 - 362	3				
small boulder 362 - 512	5				
medium boulder 512 - 1024					
large boulder 1024 - 2048					
very large boulder 2048 - 4096					
total particle count:	100				
bedrock					
clay hardpan					
detritus/wood					
artificial					
total count:	100				
Note:					



S-H67

# S-H67 BASELINE THALWEG PROFILE 2554 2552 2550 2546 0+50 0+54 DISTANCE ALONG CROSS—SECTION (FT) PROFILE LEGEND PROFILE H: 1"=10' **EXISTING STREAM PROFILE** SCALE: V: 1"=5' INVERT ALONG THALWEG





# LEGEND


EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION 1176.87 +

#### SURVEY NOTES:


- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS AND COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

## S-H67 BASELINE CROSS-SECTION A



DISTANCE ALONG CROSS-SECTION (FT)

## S-H67 BASELINE CROSS-SECTION B



DISTANCE ALONG CROSS-SECTION (FT)

CROSS SECTION LEGEND — EXISTING GRADE

NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM UPSTREAM FROM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM UPSTREAM IMPACT LIMITS

PRE-CROSSING

Checked

Scale:

**SEPT. 2021**Date:

21-0244-005 Project No.

Drawing No