Baseline Assessment – Stream Attributes

Reach S-H71 (Pipeline ROW) Perennial Spread E Nicholas County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	✓
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓

Spread E Stream S-H71 (Pipeline ROW) Nicholas County



Photo Type: DS Edge ROW, US View Location, Orientation, Photographer Initials: Downstream Edge of Right of Way, Upstream View, CH/AG/EW/WP



Photo Type: DS Edge ROW, DS View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, CH/AG/EW/WP

Spread E Stream S-H71 (Pipeline ROW) Nicholas County




Photo Type: C ROW, US View Location, Orientation, Photographer Initials: Center Right of Way, Upstream View, CH/AG/EW/WP



Photo Type: C ROW, DS View
Location, Orientation, Photographer Initials: Center of Right of Way, Downstream View, CH/AG/EW/WP



Photo Type: US Edge ROW, US View
Location, Orientation, Photographer Initials: Upstream Edge of Right of Way, Upstream View, CH/AG/EW/WP



Photo Type: DS Edge ROW, DS View

Location, Orientation, Photographer Initials: Downstream Edge Right of Way, Downstream View, CH/AG/EW/WP

"Q:\Charleston\2021 Projects\21-0244- MVP- STREAM AND WETLAND CONDITIONS ASSESSMENT AND SURVEY PLAN\002 - Pre-Crossing Monitoring\Spread E\S-H71"

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		N	Iountain V	/alley Pipeline		COORDINATES: cimal Degrees)	Lat.	38.12432	Lon.	-80.7358		WEATHER:	80 % Cloud Cover, 85 °F	DATE:	8/30/21
IMPACT STREAM/SITE ID (watershed size {acreage},				S-H71 UNT to	Hominy Creek	k		MITIGATION STREAM CLASS./I (watershed size {acreage}			ł:			Comments:	
STREAM IMPACT LENGTH:	93	FORM MITIGAT	_	RESTORATION (Levels I-III)		OORDINATES: cimal Degrees)	Lat.		Lon.			PRECIPITATION PAST 48 HRS:		Mitigation Length:	
Column No. 1- Impact Existing	g Condition (De	ebit)		Column No. 2- Mitigation Existing C	ondition - Base	line (Credit)		Column No. 3- Mitigation Pro Post Completion		fears		Column No. 4- Mitigation Proje Post Completion (Column No. 5- Mitigation Projecto	ed at Maturity (Credit)
Stream Classification:	Per	ennial		Stream Classification:				Stream Classification:		0	1	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel Slo	ope	0.21		Percent Stream Channel Slo	ре			Percent Stream Channel Slo	ope	0	1	Percent Stream Channel Slo	ope 0	Percent Stream Channel Sl	lope 0
HGM Score (attach d	ata forms):			HGM Score (attach o	data forms):			HGM Score (attach	data forms):			HGM Score (attach da	ata forms):	HGM Score (attach da	ata forms):
		Average				Average				Average	1		Average		Average
Hydrology Biogeochemical Cycling Habitat		0		Hydrology Biogeochemical Cycling Habitat		0		Hydrology Biogeochemical Cycling Habitat		0		Hydrology Biogeochemical Cycling Habitat	0	Hydrology Biogeochemical Cycling Habitat	0
PART I - Physical, Chemical and	Biological Indi	icators		PART I - Physical, Chemical and	d Biological Ind	icators		PART I - Physical, Chemical an	d Biological Inc	licators		PART I - Physical, Chemical and	Biological Indicators	PART I - Physical, Chemical and	Biological Indicators
	Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale Range	Site Score	1		Points Scale Range Site Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams	s classifications)			PHYSICAL INDICATOR (Applies to all streams	classifications)			PHYSICAL INDICATOR (Applies to all streams	classifications)			PHYSICAL INDICATOR (Applies to all streams	s classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)
USEPA RBP (High Gradient Data Sheet)	<u> </u>			USEPA RBP (Low Gradient Data Sheet)	T T			USEPA RBP (High Gradient Data Sheet)				USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)	
Epifaunal Substrate/Available Cover Embeddedness	0-20 0-20	15		Epifaunal Substrate/Available Cover Pool Substrate Characterization	0-20 0-20			Epifaunal Substrate/Available Cover Embeddedness	0-20 0-20			Epifaunal Substrate/Available Cover Embeddedness	0-20 0-20	Epifaunal Substrate/Available Cover Embeddedness	0-20 0-20
3. Velocity/ Depth Regime	0-20	10		3. Pool Variability	0-20			Z. Embeddedness S. Velocity/ Depth Regime	0-20			3. Velocity/ Depth Regime	0-20	Velocity/ Depth Regime	0-20
Velocity Depart Regime Sediment Deposition	0-20	9		4. Sediment Deposition	0-20			Velocity Depart Regime Sediment Deposition	0-20			4. Sediment Deposition	0-20	Velocity Bepti Regime Sediment Deposition	0-20
5. Channel Flow Status	0-20	16		5. Channel Flow Status	0-20			5. Channel Flow Status	0-20			5. Channel Flow Status	0-20	5. Channel Flow Status	0-20
6. Channel Alteration	0-20	20		6. Channel Alteration	0-20			6. Channel Alteration	0-20			6. Channel Alteration	0-20	6. Channel Alteration	0-20
7. Frequency of Riffles (or bends)	0-20	16		7. Channel Sinuosity	0-20			7. Frequency of Riffles (or bends)	0-20		1	7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20
Bank Stability (LB & RB)	0-20	16		8. Bank Stability (LB & RB)	0-20			Bank Stability (LB & RB)	0-20		1	8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20
Vegetative Protection (LB & RB)	0-20	16		Vegetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20			Vegetative Protection (LB & RB)	0-20	Vegetative Protection (LB & RB)	0-20
10. Riparian Vegetative Zone Width (LB & RB)	0-20	8		10. Riparian Vegetative Zone Width (LB & RB)	0-20			10. Riparian Vegetative Zone Width (LB & RB)	0-20			10. Riparian Vegetative Zone Width (LB & RB)	0-20	10. Riparian Vegetative Zone Width (LB & RB)	0-20
Total RBP Score	Suboptimal			Total RBP Score	Poor	0		Total RBP Score	Poor	0		Total RBP Score	Poor 0	Total RBP Score	Poor 0
Sub-Total CHEMICAL INDICATOR (Applies to Intermitted	nt and Perennial S	0.665 Streams)		Sub-Total CHEMICAL INDICATOR (Applies to Intermittent	t and Perennial Str	eams)		Sub-Total CHEMICAL INDICATOR (Applies to Intermitter	at and Perennial St	o reams)		Sub-Total CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Streams)	Sub-Total CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Streams)
WVDEP Water Quality Indicators (General		su dumo,		WVDEP Water Quality Indicators (General)		Same,		WVDEP Water Quality Indicators (General)		.came,		WVDEP Water Quality Indicators (General	·	WVDEP Water Quality Indicators (General)	•
Specific Conductivity	,			Specific Conductivity		0		Specific Conductivity				Specific Conductivity		Specific Conductivity	
. 00 00 11	0-90	25.5		-	0-90				0-90				0-90		0-90
<=99 - 90 points				nH				nH				nH		рН	
5.6-5.9 = 45 points	0-80	5.77			5-90 0-1			p	5-90 0-1				5-90	<u></u>	5-90 0-1
DO 0.0 0.0 40 points				DO		0		DO				DO		DO	
>5.0 = 30 points	10-30	8.38			10-30				10-30				10-30		10-30
Sub-Total		0.825		Sub-Total		0		Sub-Total		0		Sub-Total	0	Sub-Total	0
BIOLOGICAL INDICATOR (Applies to Intermi	ttent and Perennia	al Streams)		BIOLOGICAL INDICATOR (Applies to Intermitt	ent and Perennial	Streams)		BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perenr	ial Streams)		BIOLOGICAL INDICATOR (Applies to Interm	nittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial Streams)
WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)	T T			WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)	
Grey Zone	0-100 0-1	64			0-100 0-1				0-100 0-1				0-100 0-1		0-100 0-1
Sub-Total		0.64		Sub-Total		0		Sub-Total		0]	Sub-Total	0	Sub-Total	0
PART II - Index and U	Init Score		ı	PART II - Index and	Unit Score			PART II - Index and	Unit Score		ī	PART II - Index and U	nit Score	PART II - Index and U	Init Score
PART II - IIIUeX and C	ant Score			PART II - III UBX and	onit ocore			PART II - III dex and	Oillt Score			PART II - IIIUEX AND U	int ocole	PART II - IIIQEX AND U	int Goore
Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Feet Unit Score	Index	Linear Feet Unit Score
0.710	93	66.03		0	0	0		0	0	0		0	0 0	0	0 0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAMES	-H71	LOCATION UNT to Hominy Creek Spread E						
STATION #	RIVERMILE	STREAM CLASS Pere	nnial					
LAT 38.124315	LONG -80.735783	COUNTY Nichola	as 🔽					
STORET#		AGENCY Potesta/Edg	ge					
INVESTIGATORS								
FORM COMPLET	E. Weaver	DATE 8-30-2021 TIME 1300	REASON FOR SURVEY Preliminary Assessment					

WEATHER CONDITIONS	Now Past 24 hours Yes No Air Temperature 85 F C Other
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph) Post Post
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Origin Glacial Non-glacial montane Swamp and bog Stream Type Coldwater Warmwater Catchment Area km²

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores	Pasture Industria	rcial	Local Watershed NPS □ No evidence ☑ Sor □ Obvious sources					
		Agric Resid	ultural		Local Watershed Eros					
RIPARIA VEGETA (18 meter	TION	Tree		nrubs	minant species present ☑ Grasses ☑ He ack berry, fescue	erbaceous				
INSTREA FEATURI		Estimate Samplin Area in Estimate	km² (m²x1000) red Stream Depth Velocitym weg)	m t^2 m² km²	High Water Mark	Partly open Partly shaded Shaded High Water Mark 0.54 m Proportion of Reach Represented by Stream Morphology Types Riffle 25 % Run 60 % Channelized Yes No				
LARGE V DEBRIS	VOODY	LWD Density	5 m ² of LWDm	n²/km² (LWD /	reach area)					
AQUATIO VEGETA	E TION	PRoote Float	e the dominant type and defenergent Re- ing Algae At unt species present COP of the reach with aquat	ent Rooted floating	Free floating					
WATER (QUALITY	Temperature 19.1 ° C Specific Conductance 25.5 us/cm Dissolved Oxygen 8.38 mg/L pH 5.77 SU Turbidity 3.03 NTU WQ Instrument Used YSI Water Odors Normal/None Sewage Petroleum Chemical Fishy Other Water Surface Oils Slick Sheen Other Turbidity (if not measured) Ocher Slightly turbid Turbidity (if not measured) Clear Slightly turbid Other								
SEDIMEN SUBSTRA		Odors Norm Chen Other	nical Anaerobic	Petroleum None	Epoking at stones which	□ Paper fiber □ Sand □ Other □ th are not deeply embedded, ck in color?				
I INV	ODG LVIG SUB	27FD 47FF	COMPONENTS	<u> </u>	ODGANIG GUDGEDATE G	COMPONENTS				
INC		dd up to			ORGANIC SUBSTRATE C (does not necessarily add					
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area				
Bedrock			0	Detritus	sticks, wood, coarse plant materials (CPOM)	15				
Boulder	> 256 mm (10"))	5		(10				
Cobble	64-256 mm (2.5	5"-10")	20	Muck-Mud	black, very fine organic (FPOM)	1				
Gravel	2-64 mm (0.1"-2	2.5")	50		(U				
Sand	0.06-2mm (gritt	y)	25	Marl	grey, shell fragments					
Silt	0.004-0.06 mm		0]						
Clay	< 0.004 mm (sli	ck)	0							

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAMES-	H71	LOCATION								
STATION #	RIVERMILE	STREAM CLASS Perennial	▼							
LAT 38.124315	LONG -80.735783	COUNTY Nicholas	•							
STORET#		AGENCY Potesta/Edge								
INVESTIGATORS	EW/AG/CH/WP		_							
FORM COMPLETE E. Weaver	D BY	DATE 8-30-2021 REASON FOR SURVEY Preliminary Assessment								

	Habitat	ic	Condition	Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.				
	SCORE 15▼	20 19 18 17 16	14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.			
ted in	score 7 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 🕖 6	5 4 3 2 1 0			
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime N/A	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).			
ıram	SCORE 10 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
P ₂	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.			
	_{SCORE} 9 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
	5. Channel Flow Status N/A	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.			
	SCORE 16▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	ı Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.			
	SCORE 20▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
ing reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.			
samp	SCORE 16 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing decrease.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.			
e eva	SCORE 7	Left Bank 10 9	8 🗿 6	5 4 3	2 1 0			
to D	SCORE 9 ▼	Right Bank 10	8 7 6	5 4 3	2 1 0			
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.			
	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
	SCORE 8 V	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.			
	SCORE 4	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
	SCORE 4	Right Bank 10 9	8 7 6	5 4 3	2 1 0			

Total Score ____

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAMES-F	171						LOC	CATION	1										
STATION #	_ R	IVE	RMI	LE_			STR	EAM C	CLASS F	ere	nnia	ıl						[▼
LAT 38.124315	L	ONO	j -80.7	35783			COL	JNTY	Nic	chol	as							Ī	•
STORET#							AGI	ENCYP	otesta	/Ed	ge								
INVESTIGATORSE	W/A	G/C	CH/V	٧P			-					1	LOT	NUMBER					
FORM COMPLETED	ive	er	DAT TIM	10000				1	REAS	SON FOR SURVEY	eliminar	y Ass	sessm	ent					
HABITAT TYPES	15 	dica Co Sub	ite ti obbl merg	ne po e_10 ged N	ercen	tage o	f each Snags_	habitat %	type pr □V	esen eget	it ated other	Ban (Graw	ks	%	_%				
SAMPLE	G	ear	used	Г	lD-fi	ame	kick	-net	i i	По	ther								
COLLECTION														12 12 12 12 12 12 12 12 12 12 12 12 12 1					
	\parallel	ow v	vere	the	samp	oles co	llected	?	wadin	9		fron	n bar	nk 🔲 from boa	ıt				
	║□	Cob	ble			\square Si	bs/kick nags s	s taken	in each	eget	oitat ated Other	Ban	ks		_				
QUALITATIVE I Indicate estimated Dominant Periphyton Filamentous Algae Macrophytes FIELD OBSERVA	l abu	and	ance	e: (0 0 0	Absen	2 3 2 3 2 3	4 4 4		Slii	mes croi			common, 3= Abundantes	dant,	4 = 1 1 1	2 2	1	4 4 4
					0 =	Abse	nt/Not	Obse						rganisms), 2 = Coo , 4 = Dominant (>				s)	
Porifera	0	1	2	3	4	Ani	sopter	a	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zyg	optera		0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hen	niptera	ı	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4		eopter		0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4		idopte	ra	0	1	2	3	4						
Oligochaeta	0	1	2	3	4		idae		0	1	2	3	4						
Isopoda	0	1	2	3	4		ydalid	ae	0	I	2	3	4						
Amphipoda	0	1	2	3	4	_	ulidae		0	1	2	3	4						
Decapoda	0	1	2	3	4		oidida		0	1	2	3	4						
Gastropoda	0	1	2	3	4		uliida		0	1	2	3	4						
Bivalvia	0	1	2	3	4		inidae		0	1	2	3	4						
						Cul	cidae		0	1	2	3	4						

Insects	Count	Tolerance	TV	Insects	Count	Tolerance	TV	Non-Insects	Count	Tolerance	TV
Ephemeroptera			17	Odonata			0	Crustacea			0
Ameletidae		2	0	Aeshnidae		3	0	Asellidae		7	0
Baetidae	7	4	28	Calopterygidae		6	0	Cambaridae		5	0
Beatiscidae		4	0	Coenagrionidae		7	0	Gammaridae		5	0
Caenidae		5	0	Cordulegastridae		3	0	Palaemonidae		5	0
Ephemerellidae	8	3	24	Gomphidae		5	0	Annelida			0
Ephemeridae		5	0	Lestidae		7	0	Hirudinea		10	0
Heptageniidae	2	3	6	Libellulidae		7	0	Nematoda		10	0
Isonychiidae		3	0	Coleoptera			25	Nematomorpha		10	0
Leptophlebiidae		4	0	Chrysomelidae		7	0	Oligochaeta		10	0
Potamanthidae		5	0	Dryopidae		5	0	Turbellaria			0
Siphlonuridae		3	0	Dytiscidae		6	0	Turbellaria		7	0
Tricorythidae		5	0	Elmidae	21	4	84	Bivalvia			0
Plecoptera	,	•	0	Gyrinidae		5	0	Corbiculidae		6	0
Capniidae		2	0	Haliplidae		7	0	Sphaeriidae		5	0
Chloroperlidae		2	0	Hydrophilidae		7	0	Unionidae		4	0
Leuctridae		2	0	Psephenidae	4	3	12	Gastropoda			0
Nemouridae		2	0	Ptilodactylidae		5	0	Ancylidae		7	0
Peltoperlidae		1	0	Hemiptera			0	Hydrobiidae		4	0
Perlidae		1	0	Belostomatidae		8	0	Physidae		7	0
Perlodidae		1	0	Corixidae		8	0	Planorbidae		5	0
Pteronarcyidae		1	0	Gerridae		10	0	Pleuroceridae		5	0
Taeniopterygidae		2	0	Hydrometridae		8	0	Viviparidae		5	0
Trichoptera			26	Nepidae		8	0	Miscellaneous			0
Brachycentridae		2	0	Notonectidae		8	0	Collembola		6	0
Glossosomatidae		2	0	Megaloptera			4	Lepidoptera		5	0
Helicopsychidae		3	0	Corydalidae	4	3	12	Neuroptera		5	0
Hydropsychidae	20	5	100	Sialidae		6	0	Hydrachnidae		6	0
Hydroptilidae	5	3	15	Diptera			28	Totals	Total	number	100
Lepidostomatidae		3	0	Athericidae 3			0	Totals Total families			12
Leptoceridae		3	0	Blephariceridae		2	0			М	etric calcu
i							1				

8

9

10

6

7

8

8

7

10

10

7

22

4

SITE ID:	S-H71
	9/10/2021

ulations Additional metrics 0 **WVSCI Metric Scores** 198 Ephemeroptera Taxa 3 Total Taxa 54.5 Plecoptera Taxa 0 0 12 0 **EPT Taxa** 6 3 46.2 Trichoptera Taxa 0 43.0 48.2 Long-lived Taxa 4 % EPT Abundance 0 % Chironomidae 22.0 79.3 Odonata Taxa 0 0 Hilsenhoff Biotic Index (HBI) 5.21 64.8 Diptera Taxa 3 28 **COET Taxa** % 2 Dominant Taxa 43.0 90.9 8 % Sensitive 0 24.0 0 % Tolerant 26.0 **WV Stream Condition Index** % Clingers 0 64.0 39.0 10 % Net-spinners 21.0

Spreadsheet uses updated Best Standard Values [BSV] for each metric per WVSCI Addenda dated March 23, 2010

0

4

0

0

0

0

0

521

Ceratopogonidae

Chironomidae

Culicidae

Empididae

Simuliidae

Syrphidae

Tabanidae

Tipulidae

Psychodidae

Ptychopteridae

Stratiomyidae

Dixidae

4

3

4

4

5

4

3

2

Total Tolerance Value

West Virginia Stream Condition Index (WVSCI)

Gerritson, J., J. Burton, and M.T. Barbour. 2000. A stream

condition index for West Virginia wadeable streams. Tetra

Limnephilidae

Philopotamidae

Polycentropodidae

Tech, Inc. Owing Mills, MD.

Phryganeidae

Psychomiidae

Uenoidae


Rhyacophilidae


Molannidae

TE ID: >-H71	UNT	to Homil	ny Craf	2h	S	read	E		
ATE: 30 August	2021								
OLLECTOR(S): EW,	AG								
olman Pebble Count (R		. ,	(villa e jaith	(New York		NOTES:
5 FS FS FS 70 165 FS FS FS 615 80 165 FS 75 FS 75 FS 75 FS 75	FS FS FS 755 140 FS 164 FS	67 FS 82 FS 71 170 175 175 170 FS	1/0 FS FS 145 14 53 90 36 PS 340	94 FS FS 70 75 70 72 710 40	FS FS FS 30 18 170 67 FS	FS FS 80 40 FS 85 FS	FS FS FS 177 155 98 FS FS	108 FS FS 115- FS 164 FS 170	FS = Fine Sand
file Pebble Count	ja zame						-y/ = "5.5" E.		NOTES:
Alexandra as a line		All manners and							
									NOTES:


Inches	PARTICLE	Millimeters	
	Sift / Clay	< .062	S/C
	Very Fine	.062 - ,125	\sim
	Fine	.12525	[5]
	Medium	.2550	SAND
	Coarse	.50 - 1.0	D
.0408	Very Coarse	1.0 - 2	_
0816	Very Fine	2.4	1353
.1622	Fine	4 - 5.7	
.22 - ,31	Fine	5.7 - 8	G
.3144	Medium	8 - 11.3	R
.4463	Medium	11.3 - 16	
.6389	Coarse	16 - 22.5	E
.89 - 1.3	Coarse	22.6 - 32	U
1.3 - 1.8	Very Coarse	32 - 45	Const.
1.8 - 2.5	Very Coarse	45-64	大 注 定 定
2.5 - 3,5	Smaft	84-90	式の内
3.5 - 5.0	Small	90 - 128	Ž Š
5,0 - 7,1	Large	128 - 180	30 T D-0
7.1 - 10.1	Large	180 - 256	
10.1 - 14,3	Small	256 - 362	Bh
14.3 - 20	Small	362 - 512	lo l
20-40	Medium	512 - 1024	ğ
40 - 00	Large-Vry Large	1024 - 2048	R
	Bedrock		BDRK

Bankfull Channel	,
Material Size	Range (mm) Count
silt/clay (0.062
very fine sand 0.06	62 - 0.125
fine sand 0.12	25 - 0.25 49
medium sand 0.2	25 - 0.5
coarse sand 0	.5 - 1
very coarse sand	1 - 2
very fine gravel	2 - 4
fine gravel	4 - 6
fine gravel	6 - 8
medium gravel	8 - 11
	1 - 16 1
<u> </u>	6 - 22 4
<u> </u>	22 - 32 2
, ,	32 - 45 4
	5 - 64 2
	34 - 90 9
	00 - 128 7
	28 - 180 16
	30 - 256 3
	66 - 362 2
	62 - 512
	2 - 1024 1
	24 - 2048
, ,	8 - 4096
total pa	rticle count: 100
bedrock	
clay hardpan	
detritus/wood	
artificial	
	total count: 100
Note:	





AS-BUILT TABLE: S-H71 CROSS SECTION A						
	PRE-CROSSING			AS-BUILT		
PT. LOC.	NORTHING	EASTING	ELEV.	VERT. DIFF.	HORZ. DIFF.	
TS-L	13843936.86	1716385.91	2383.96			
BS-L	13843935.19	1716385.31	2382.86			
THW	13843932.10	1716384.47	2382.08			
BS-R	13843932.10	1716383.11	2383.08			
TS-R	13843927.41	1716382.89	2383.49			




LEGEND

EXISTING SURVEY-LOCATED THALWEG 1176.87 +EXISTING SURVEYED GROUND SHOT ELEVATION

SURVEY NOTES:


- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS AND COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-H71 BASELINE CROSS-SECTION A



DISTANCE ALONG CROSS-SECTION (FT)

S-H71 BASELINE CROSS-SECTION B



DISTANCE ALONG CROSS-SECTION (FT)

CROSS SECTION LEGEND — EXISTING GRADE

NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM UPSTREAM FROM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM UPSTREAM IMPACT LIMITS

PRE-CROSSING

Checked BB/JLY Approved

SEPT. 2021

Date:

Drawing No