# Reach S-I25 (Pipeline ROW) Intermittent Spread E Greenbrier County, West Virginia

Data	Included
Photos	$\checkmark$
SWVM Form	$\checkmark$
FCI Calculator and HGM Form	$\checkmark$
RBP Physical Characteristics Form	$\checkmark$
Water Quality Data	N/A – No flow
RBP Habitat Form*	$\checkmark$
RBP Benthic Form	$\checkmark$
Benthic Identification Sheet	N/A – No flow
Wolman Pebble Count	$\checkmark$
Reference Reach Software Pebble Count Data	$\checkmark$
Longitudinal Profile and Cross Sections	$\checkmark$

\*Modified RBP – No flow

Spread EStream S-I25 (Pipeline ROW)Greenbrier County



Photo Type: US Reach, US View Location, Orientation, Photographer Initials: Upstream Reach, Upstream View, AAK/SM



Photo Type: US Reach, DS View Location, Orientation, Photographer Initials: Upstream Reach, Downstream View, AAK/SM

Spread E Stream S-I25 (Pipeline ROW) Greenbrier County



Photo Type: Mid-Reach, US View Location, Orientation, Photographer Initials: Mid-Reach, Upstream View, AAK/SM




Photo Type: Mid-Reach, DS View Location, Orientation, Photographer Initials: Mid-Reach, Downstream View, AAK/SM

# Spread E Stream S-I25 (Pipeline ROW) Greenbrier County



Photo Type: DS Reach, US View Location, Orientation, Photographer Initials: Downstream Reach, Upstream View, AAK/SM



Photo Type: DS Reach, DS View Location, Orientation, Photographer Initials: Downstream Reach, Downstream View, AAK/SM

"Q:\Charleston\2021 Projects\21-0244- MVP- STREAM AND WETLAND CONDITIONS ASSESSMENT AND SURVEY PLAN\002 - Pre-Crossing Monitoring\Spread E\S-125"

#### West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017


USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountair	n Valley Pipeline	38.02043	Lon.	-80.753194	WEATHER:					
IMPACT STREAM/SITE ID (watershed size {acreage},			S-I25 UNT to	Meadow Creek		MITIGATION STREAM CLASS./SIT (watershed size {acreage}, u			ION:			
STREAM IMPACT LENGTH:	75	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.	l	Lon.		PRECIPITATION PAST 48 HRS:			
Column No. 1- Impact Existing	g Condition (Debi	it)	Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)		Column No. 3- Mitigation Proje Post Completion (		Years	Column No. 4- Mitigation Pro Post Completion			
Stream Classification:	Intermi	ittent	Stream Classification:			Stream Classification:		0	Stream Classification:			
Percent Stream Channel Slo	оре	8	Percent Stream Channel Slo	pe		Percent Stream Channel Slop	e	0	Percent Stream Channel St	lope		
HGM Score (attach da	ata forms):		HGM Score (attach o	data forms):		HGM Score (attach da	ata forms):		HGM Score (attach d	lata forms):		
		Average		Average				Average				
Hydrology Biogeochemical Cycling Habitat	0.4 0.43 0.27	0.366666667	Hydrology Biogeochemical Cycling Habitat	0		Hydrology Biogeochemical Cycling Habitat		0	Hydrology Biogeochemical Cycling Habitat	+		
PART I - Physical, Chemical and		ators	PART I - Physical, Chemical and	d Biological Indicators		PART I - Physical, Chemical and	Biological In	dicators	PART I - Physical, Chemical and	Biological		
	Points Scale Range	Site Score		Points Scale Range Site Score		1	Points Scale Range	Site Score		Points Scale		
PHYSICAL INDICATOR (Applies to all streams	s classifications)		PHYSICAL INDICATOR (Applies to all streams)	classifications)		PHYSICAL INDICATOR (Applies to all streams cla	assifications)		PHYSICAL INDICATOR (Applies to all stream	is classification		
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover			USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover			
2. Embeddedness	0-20	5	Epifaunal Substrate/Available Cover     Substrate Characterization	0-20		2. Embeddedness	0-20		2. Embeddedness	0-20		
3. Velocity/ Depth Regime	0-20		3. Pool Variability	0-20		3. Velocity/ Depth Regime	0-20		3. Velocity/ Depth Regime	0-20		
4. Sediment Deposition	0-20	17	4. Sediment Deposition	0-20		4. Sediment Deposition	0-20		4. Sediment Deposition	0-20		
5. Channel Flow Status	0-20 0-1	17	5. Channel Flow Status	0-20 0-1		5. Channel Flow Status	0-20 0-1		5. Channel Flow Status	0-20		
6. Channel Alteration	0-20	17	6. Channel Alteration	0-20		6. Channel Alteration	0-20		6. Channel Alteration	0-20		
7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB)	0-20	16	7. Channel Sinuosity 8. Bank Stability (LB & RB)	0-20		7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB)	0-20		7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB)	0-20		
9. Vegetative Protection (LB & RB)	0-20	18	9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		
10. Riparian Vegetative Zone Width (LB & RB)	0-20	2	10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20		
Total RBP Score	Marginal	75	Total RBP Score	Poor 0		Total RBP Score	Poor	0	Total RBP Score	Poor		
Sub-Total		0.375	Sub-Total	0		Sub-Total		0	Sub-Total			
CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Stre	eams)	CHEMICAL INDICATOR (Applies to Intermittent	t and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermittent a	and Perennial S	treams)	CHEMICAL INDICATOR (Applies to Intermitte	ent and Perenr		
WVDEP Water Quality Indicators (General Specific Conductivity	)		WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (General Specific Conductivity	al)		
	0-90		opecine conductivity	0-90		opecine conductivity	0-90		opecine conductivity	0-90		
100-199 - 85 points pH			nH			nH			pH			
511	0-1		pri	0-1		511	0-1		511	T		
5.6-5.9 = 45 points	0-80			5-90			5-90			5-90		
DO			DO			DO			DO			
	10-30			10-30			10-30			10-30		
								0				
Sub-Total BIOLOGICAL INDICATOR (Applies to Intermit	ittent and Deservial C	Ctra ama)	Sub-Total BIOLOGICAL INDICATOR (Applies to Intermitte	U		Sub-Total BIOLOGICAL INDICATOR (Applies to Intermitte	ant and Danam	U nial Streams)	Sub-Total BIOLOGICAL INDICATOR (Applies to Intern	wittent and D		
WV Stream Condition Index (WVSCI)	ment and Perennial S	Suedins)	WV Stream Condition Index (WVSCI)	eni and Felenina Sueams)		WV Stream Condition Index (WVSCI)	ent and Peren	mai Sueams)	WV Stream Condition Index (WVSCI)	mittent and P		
, <i>i</i>	0-100 0-1			0-100 0-1			0-100 0-1		www.stream.condition.index.(WVSCI)	0-100		
0 Sub-Total	0-100 0-1	0	Sub-Total	0-100 0-1		Sub-Total	0-100 0-1	0	Sub-Total	0-100		
Joub-Totai		U	Sub-Total	U		Sub-Total		U	Jub-10tai			

PART II - Index and Unit Score							
Index	Linear Feet	Unit Score					
0.477	75	35.78125					

PART II - Index and L	Jnit Score	
Index	Linear Feet	Unit Score
0	0	0

PART II - Index and I	PART II - Index and Unit Score								
Index	Linear Feet	Unit Score							
0	0	0							

Sub-Total	
PART II - Index and U	nit Score
Index	Linear Feet
0	0





PART II - Index and Unit Score							
Index	Linear Feet	Unit Score					
0	0	0					

**Before Project** 

S-125

#### FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V<sub>CCANOPY</sub> (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

 Project Name: MVP Preliminary Assessment

 Location: UNT to Meadow Creek

 Sampling Date: 9-7-2021

 Project Site

Subclass for this SAR:

Intermittent Stream

Uppermost stratum present at this SAR: Shrub/Herb Strata

Functional Results Summary:

Enter Results in Section A of the Mitigation Sufficiency Calculator

SAR number:

Function	Functional Capacity Index
Hydrology	0.40
Biogeochemical Cycling	0.43
Habitat	0.27

### Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
VCCANOPY	Percent canpoy over channel.	Not Used, <20%	Not Used
V <sub>EMBED</sub>	Average embeddedness of channel.	3.00	0.82
V <sub>SUBSTRATE</sub>	Median stream channel substrate particle size.	14.50	0.45
V <sub>BERO</sub>	Total percent of eroded stream channel bank.	0.00	1.00
V <sub>LWD</sub>	Number of down woody stems per 100 feet of stream.	0.00	0.00
V <sub>TDBH</sub>	Average dbh of trees.	Not Used	Not Used
V <sub>SNAG</sub>	Number of snags per 100 feet of stream.	0.00	0.10
V <sub>SSD</sub>	Number of saplings and shrubs per 100 feet of stream.	1.67	0.03
V <sub>SRICH</sub>	Riparian vegetation species richness.	0.00	0.00
VDETRITUS	Average percent cover of leaves, sticks, etc.	20.00	0.24
V <sub>HERB</sub>	Average percent cover of herbaceous vegetation.	100.00	1.00
V <sub>WLUSE</sub>	Weighted Average of Runoff Score for Catchment.	0.54	0.57

			-			_					Versio	on 10-20-17
			High-G		Headwat			-	-	а		
	_				Data She	et and C	alcu					
Team: Potesta/Edge (AK.SM) Project Name: MVP Preliminary Assessment							-		Latitude/UT	•	-	
Pr	•		<u>.</u>				-	L	-	-	-80.753194	1
	Location:	UNT to Me	adow Creek				_		Sam	pling Date:	9-7-2021	
S/	AR Number:	S-125	Reach	Length (ft):	60	Stream T	ype:	Inter	mittent Strea	m		▼
	Top Strata:	Sh	rub/Herb Sti	ata	(determine	d from perc	ent cal	lculate	ed in V <sub>CCANC</sub>	<sub>PPY</sub> )		
Site	and Timing:	Project Site				•	Before	e Proje	ct			•
Sample	e Variables	1-4 in strea	am channel									
1	V <sub>CCANOPY</sub>	equidistant	ercent cover points alon at least one	g the strean	n. Measure	only if tree/	saplin	g cove	er is at least			Not Used, <20%
	List the per	rcent cover i	measureme	nts at each	point below:	:						
	0	0	0	0	0							1
	0	0	0	0	0							1
2	V <sub>EMBED</sub>		nbeddednes tream. Sele									3.0
		•	d area surro	•				•		•		
		•	o the follow	•					•	fine sedim	ents, use a	
			e of 1. If the		-			-				7
		Embedded Minshall 19	ness rating 983)	for gravel, c	obble and b	oulder parti	cles (r	escal	ed from Plat	tts, Megaha	n, and	
		Rating	Rating Des	scription								1
		5			covered, sur						:k)	
		4			ace covered							4
		3			face covere face covere							1
		1			covered, su						ial surface)	-
	List the rati	ings at each	point below	/:		·				•	ľ	_
	5	5	5	1	1	1						
	5	5	5	1	1	1						
	5	5	5	1	1	1						
	5	5	5	1	1	1						
	5	5	5	1	1	1						
3	V <sub>SUBSTRATE</sub>		eam channe							ghly equidis	tant points	14.50 in
			tream; use t									
		cle size in in concrete as					w (bec	arock	snould be c	ounted as 9	i9 in,	
	32.00	15.00	0.0 In, sand	19.00								1
	32.00	18.00	28.50	0.08	0.08 0.08	0.08 0.08						1
	32.00	37.00	28.30	0.08	14.00	0.08						
	21.50	37.00	19.50	0.08	0.08	0.08						1
	26.00	16.00	23.50	0.08	0.08	0.08						1
4	V <sub>BERO</sub>		ent of eroded				otal nu	Imber	of feet of e	roded bank	on each	
-	DENO	•	e total perce									0 %
		, ·⊧P	Left Bank:	0	ft		Right I	Bank:	0	ft		
				v			9.11		Ű			

Sampl	e Variable	s 5-9 within t	the entire	riparian/buf	fer zone ad	jacent to t	he stream ch	nannel (25	feet from e	ach bank).				
5	V <sub>LWD</sub>	Number of down woody stems (at least 4 inches in diameter and 36 inches in length) per 100 feet of stream reach. Enter the number from the entire 50'-wide buffer and within the channel, and the amount per 100 feet of stream will be calculated.												
		Number of downed woody stems: 0												
6	V <sub>TDBH</sub> Average dbh of trees (measure only if V <sub>CCANOPY</sub> tree/sapling cover is at least 20%). Trees are at least 4 inches (10 cm) in diameter. Enter tree DBHs in inches.										Not Used			
		List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of												
		the stream			vicual liees	(al least 4	iii) wiu iii uie	builer on e						
			Left Side					Right Side			1			
7	V <sub>SNAG</sub>						et of stream.	Enter num	ber of snag	s on each				
		side of the	stream, an	d the amour	it per 100 fe	et will be c	alculated.				0.0			
			Left Side	:	0		Right Side:		0					
8	V <sub>SSD</sub>						ches dbh) per							
							ubs on each	side of the	stream, and	the	1.7			
		amount per	Left Side	tream will be	e calculated 1		Right Side:		0					
9	V <sub>SRICH</sub>	Riparian ve			ess per 100	feet of stre	am reach. C			nt from				
				stratum. Ch			0.00							
			p 1 = 1.0	and the sub	ndex will be	calculated	I from these d		2 (-1.0)					
	Acer rubr		p = 1.0	Magnolia t	rinotala		Ailanthus a		2 (-1.0)	Lonicera ja	nonica			
				-	-									
	Acer saco			Nyssa sylv			Albizia julib			Lonicera ta				
	Aesculus			-	n arboreum		Alliaria peti	olata		Lotus corn				
	Asimina t			Prunus sei			Alternanthe			Lythrum sa				
	Betula alle	eghaniensis		Quercus a	lba		philoxeroide	es		Microstegiui	m vimineum			
	Betula ler	nta		Quercus c	occinea		Aster tatario	cus		Paulownia	tomentosa			
	Carya alb	a		Quercus in	nbricaria		Cerastium f	fontanum		Polygonum	cuspidatum			
	Carya gla	bra		Quercus p	rinus		Coronilla va	aria		Pueraria m	ontana			
	Carya ova	alis		Quercus ru	ıbra		Elaeagnus u	mbellata		Rosa multi	flora			
	Carya ova	ata		Quercus v	elutina		Lespedeza bicolor			Sorghum h	alepense			
	Cornus fle	orida		Sassafras	albidum		Lespedeza	cuneata		Verbena b	rasiliensis			
	Fagus gra	andifolia		Tilia ameri	cana		Ligustrum ob	otusifolium						
	Fraxinus	americana		Tsuga can	adensis		Ligustrum s	sinense						
	Liriodendro	on tulipifera		Ulmus am			-							
		acuminata												
	u					ļ								
		0	Species in	Group 1				0	Species in	Group 2				

-				subplots (40" x 40", o ed roughly equidistant	-				n 25 feet fro	om each
10	V <sub>DETRITUS</sub>	Average pe	ercent cover	of leaves, sticks, or oth Enter the percent cove	ier organic i	material. W	oody debris	<4" diamet	er and	20.00 %
			Left	Side		Right	Side		)	
		20	20		15	20				
11	V <sub>HERB</sub>	25 Average pe	20 ercentage co	over of herbaceous veg	20 etation (mea	20 asure only if	tree cover i	s <20%) [	o not	
	include woody stems at least 4" dbh and 36" tall. Because there may be several layers of grour vegetation percentages up through 200% are accepted. Enter the percent cover of ground veg at each subplot.									100 %
		100	Left	Side	100	Right	Side			
		100 100			100 100					
Sample	Variable 1		ontiro oot	obmont of the stream						
<b>3ampi</b> 12				chment of the stream. Runoff Score for waters						
12	V <sub>WLUSE</sub>	weighteu F	werage of r	Control Score for waters	ieu.					0.54
			Land	Use (Choose From Dro	p List)			Runoff Score	% in Catch- ment	Running Percent (not >100)
	Forest and n	ative range (5	i0% to 75% g	round cover)			-	0.7	71.74	71.74
	Residential d	listricts, 2 acre	es (12% cover	)			•	0.3	2.17	73.91
	Open space	(pasture, lawr	ns, parks, etc.	), grass cover <50%			-	0.1	20.65	94.56
	Residential d	listricts, 1/2 -	1 ac (25% to	20% cover)			-	0.2	5.44	100
							•			
							•			
	-						•			
	-						•			
		6-125				No	tes:			
Va	ariable	Value	VSI	Land Cover Analysis						
Vc	CANOPY	Not Used, <20%	Not Used	(NLCD), from Landa Watershed boundari		• •	•	• •		
VE	MBED	3.0	0.82							
Vs	UBSTRATE	14.50 in	0.45							
VB	ERO	0 %	1.00							
VL	ND	0.0	0.00							
VT	V <sub>TDBH</sub> Not Used Not Used									
Vs	NAG	0.0	0.10							
Vs	SD	1.7	0.03							
Vs	RICH	0.00	0.00							
	ETRITUS	20.0 %	0.24							
	ERB	100 %	1.00							
Vw	LUSE	0.54	0.57							

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAMES	5-125	LOCATION UNT to Meadow Crteek						
STATION #	RIVERMILE	STREAM CLASS Intermittent						
LAT 38.02043	LONG LONG	COUNTY Green	nbrier 🔽					
STORET #		AGENCYPotesta/Edge						
INVESTIGATORS	SAK/SM							
FORM COMPLET	ED BY AK	DATE 9-7-2021 TIME 0930	REASON FOR SURVEY Preliminary Assessment					

WEATHER CONDITIONS	Now     Past 24 hours     Has there been a heavy rain in the last 7 days?       %     storm (heavy rain) rain (steady rain) showers (intermittent) % cloud cover clear/sunny     Air Temperature 65 F ° C
SITE LOCATION/MAP	Draw a map of the shed indicate the areas sampled (or attach a photograph) Reveal W V W pipeline Hoad W V W Row Row N Do Bouldars N D M
	fimber mat Lob
STREAM CHARACTERIZATION	Stream Subsystem       Stream Type         Perennial       Intermittent         Glacial       Spring-fed         Non-glacial montane       Mixture of origins         Swamp and bog       Other

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS		✓ Fores	Pasture Industri cultural Other	reial	Local Watershed NPS No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIAI VEGETAT (18 meter	TION	I <b>□</b> Tree	e the dominant type and s DSI ant species present jew	nrubs	Grasses	rbaceous
INSTREA FEATURI		Estima Sampli Area in Estima Surfacc (at thal	km² (m²x1000) ted Stream Depth 0.4 e Velocity 0 m	$\frac{ft}{m}$ $\frac{t^2}{m^2}$ $\frac{km^2}{m^2}$	and the second second second second	ly shaded Shaded .9 ft_m epresented by Stream Run% No No
LARGE W DEBRIS	VOODY	LWD Density	$\frac{0}{0 \text{ of } LWD} = 0$	1 <sup>2</sup> /km <sup>2</sup> (LWD/ 1	reach area)	
AQUATIC VEGETAT		☐Roote ☐Float Domina		ooted submerge tached Algae aquatic vego	nt Rooted floating	Free floating
WATER (	QUALITY	Specific Dissolv pH Turbid	rature0 C c Conductance ed Oxygen ity strument Used		Water Odors         Normal/None □Sewage         Petroleum         Fishy         Water Surface Oils         Slick         Slick         Sheen         Other         Turbidity (if not measu         Clear       Slightly tur         Opaque       Stained	Chemical Other Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chen Othe Othe	nical Anaerobic	Petroleum None te Profu	Epoking at stones whic are the undersides blac	Daper fiber Sand Other Clay h are not deeply embedded, k in color?
INC		STRATE dd up to 1	COMPONENTS 100%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock			0	Detritus	sticks, wood, coarse plant materials (CPOM)	0
Boulder	> 256 mm (10")	)	50		materials (CPOWI)	U

black, very fine organic (FPOM) Cobble 64-256 mm (2.5"-10") 5 Muck-Mud 0 Gravel 2-64 mm (0.1"-2.5") 5 Sand 0.06-2mm (gritty) 5 Marl grey, shell fragments 0 5 Silt 0.004-0.06 mm 30 Clay < 0.004 mm (slick)

# HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAMES-125	LOCATION						
STATION # RIVERMILE	STREAM CLASS Intermittent						
LAT 38.02043 LONG -80.753194	COUNTY Greenbrier						
STORET #	AGENCYPotesta/Edge						
INVESTIGATORSAK/SM							
FORM COMPLETED BY	DATE 9-7-2021 TIME 0930 AM PM REASON FOR SURVEY Preliminary Assessment						

	Habitat		Condition	Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	<sub>score</sub> 0 🔽	that are <u>not</u> new fall and <u>not</u> transient). 20 19 18 17 16	colonization (may rate at high end of scale). 15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	$_{\text{score}} 5$ $\checkmark$	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime N/A	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is $< 0.3$ m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
aram	score 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	<sub>score</sub> 17 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status 🔽 N/A	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE U	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

Modified RBP

# HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category			
	Parameter	Optimal	Suboptimal	Marginal	Poor		
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.		
	<sub>SCORE</sub> 17 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
ling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.		
sampl	$_{\rm SCORE}$ 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing dourserson.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.		
e eva	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
i to b	SCORE 8	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
Parameter	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.		
	score 9	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
	SCORE 9	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.Width of riparian z meters: little or no riparian vegetation human activities.			
	SCORE 1	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
	$_{\text{SCORE}} 1$						

Total Score 75

### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAMES-I2	25	LOCATION	
STATION #	RIVERMILE	STREAM CLASS Intermitten	nt 🔽
LAT 38.02043	LONG -80.753194	COUNTY Greenbrier	<b>•</b>
STORET #		AGENCY Potesta/Edge	
INVESTIGATORSA	K/SM		LOT NUMBER
FORM COMPLETED	AK	DATE 9-7-2021 TIME 0930	REASON FOR SURVEY Preliminary Assessment
HABITAT TYPES SAMPLE COLLECTION	Gear used D-frame How were the samples col	kick-net ☐Other_ lected? ☐wading ☐ f	)%
		bs/kicks taken in each habitat ty nags Vegetated B Other (	anks Sand
GENERAL COMMENTS	No benthics colle	cted, no flow	

### QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

#### FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

SITE ID: S-I25 Spread E DATE: 7 September 2021

COLLECTOR(S): \_\_\_\_\_

.


olman Peb	ble Count (R	each Wide)		4						NOTES:
421	4Z1	4.21	182	187	371	371	271	37	37	
109	1109	1109	11.64	351	35	2 și	251	182-	18:45	
490	490	490	490	490	550	550	550	110	710	
125	175	275	1130	130	1-2	14 8	1130	1130	1130	
5/2	.062	.062	.062	062	-06L	. 062	562	.062	062	
061	,062	. 062	062	.062	. 06Z	.062	.062	.061	. 0.67	
062	062	042	062	500	061	962	062	m1-7	067	
130	930	936	936	930	936	930	936	030	612	
Not	661	1.042	\$73	\$13	573	573	573	573	573	
.062	.067	331	231	3.24	.062	. 662	560		. Ghat	
Riffle Pebble	Count		ľ	1	1	Í			T	NOTES:
				-			(2).			
-										


1	Millipheters	HARTS V.t.	Inche:
\$PC	1.080	St11 Chay	
	162 - 125	Very Fine	
S	125 - 25	Ene	
A N D	25. 52	Vediam	
D	50×1¢	Coarse	
1	16-2	Ten Grange	62 - CB
	2.1	15.4 5.00	36 - 16
	4-57	Fine	50 - 22
િ	57.9	Fine	.22 - 31
R	6-112	Medium	47.44
	113.16	Vedum	42. 67
E	16-223	Coarse	87- 82
19	22 6 . 32	Coarse	59 - 1 ?
	32 - 45	Very Coarse	13-18
	45 - 54	Very Coarse	18-25
127	64 - 30	रेणहो	25.35
MANIN MEDBOOD	50 - 128	Sera"	\$5.51
XE	108 - 150	LATER	52-71
70	180,4258	Large	7.4 - 10 *
10	256 - 362	Sma	10.1 - 14.3
1       มักระคารอาช	262-512	Sma !	14.3 - 22
) ž	512 - 1024	Medium	22-42
19	1034 - 2048	Large Vry Large	40 - 93
2DA		Bedroox	

- 94


			 		NOTES:
 	-	 	 		
 	_				
 	-	 	 	 	

Bankfull Channel	•	
Material	Size Range (mm)	Count
silt/clay	0 - 0.062	40
very fine sand	0.062 - 0.125	
	0.125 - 0.25	
medium sand	0.25 - 0.5	
coarse sand	0.5 - 1 1 - 2	
very coarse sand	1 - 2	
very fine gravel	2 - 4	
fine gravel	4 - 6	
fine gravel	6 - 8	
medium gravel	8 - 11	
medium gravel	11 - 16	
coarse gravel	16 - 22	
coarse gravel	22 - 32	
very coarse gravel	32 - 45	
very coarse gravel	45 - 64	
small cobble	64 - 90	
medium cobble	90 - 128	
large cobble	128 - 180	
very large cobble	180 - 256	7
small boulder	256 - 362	7
small boulder	362 - 512	13
medium boulder	512 - 1024	22
large boulder	1024 - 2048	11
very large boulder	2048 - 4096	
tota	Il particle count:	100
bedrock		
clay hardpan		
detritus/wood		
artificial		
	total count:	100
Note:		





AS-BUILT TABLE: S-125 CROSS SECTION A							
	PRE-CROSSING			AS-BUILT			
PT. LOC.	NORTHING	EASTING	ELEV	VERT.	HÓRZ.		
				DIFF.	DIFF.		
TS-L	13806105.7200	1711485.7060'	2886.442'				
BS-L	13806106.6900	1711485.9880'	2885.987'				
THW	13806107.8500	1711486.9660'	2885.853'				
BS-R	13806109.1200	1711487.6970'	2886.262'				
TS-R	13806110.1000	1711488.3860'	2886.560'				



ADV\_Pitchurg/EGT/7157 - MAP\Creening Permits/Next Vrytria WSSI Creenings/Creenings/Creenings/Completed/Completed/2021-00-15 - 8-125 STREWI TOPO MP 140.84/9-125 - MP 140.84 - 22x3 /Time: oct. 065, 2121 - 1:00pm

 SURVEY NOTES:

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 20, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.

3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.

- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

