# Reach S-J19 (Timber Mat Crossing) Ephemeral Spread E Greenbrier County, West Virginia

Data	Included
Photos	$\checkmark$
SWVM Form	$\checkmark$
FCI Calculator and HGM Form	$\checkmark$
RBP Physical Characteristics Form	$\checkmark$
Water Quality Data	N/A – No flow
RBP Habitat Form*	$\checkmark$
RBP Benthic Form	$\checkmark$
Benthic Identification Sheet	N/A – No flow
Wolman Pebble Count	$\checkmark$
Reference Reach Software Pebble Count Data	$\checkmark$
Longitudinal Profile and Cross Sections	$\checkmark$

\*Modified RBP – No flow



Spread E Stream S-J19 (Timber Mat Crossing) Greenbrier County

Photo Type: DS, US View

Location, Orientation, Photographer Initials: Downstream Edge of Right of Way, Upstream View, ABK/WP



Photo Type: DS Edge ROW, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, ABK/WP



Spread E Stream S-J19 (Timber Mat Crossing) Greenbrier County

Photo Type: C ROW, US View Location, Orientation, Photographer Initials: Center Right of Way, Upstream View, ABK/WP



Photo Type: C ROW, DS View Location, Orientation, Photographer Initials: Center of Right of Way, Downstream View, ABK/WP



Spread E Stream S-J19 (Timber Mat Crossing) Greenbrier County

Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of Right of Way, Upstream View, ABK/WP



Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of Right of Way, Downstream View, ABK/WP

"Q:\Charleston\2021 Projects\21-0244- MVP- STREAM AND WETLAND CONDITIONS ASSESSMENT AND SURVEY PLAN\002 - Pre-Crossing Monitoring\Spread E\S-EF41"

#### West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: Mountain (v2.1, Sept 2015)			in Valley Pipeline IMPACT COORDINATES: Lat. (in Decimal Degrees)				38.028599 Lon80.743623			WEATHER:		Cle
IMPACT STREAM/SITE II (watershed size {acreage			S-J19 UNT to	o Meadow Creek			MITIGATION STREAM CLA: (watershed size {ac	SS./SITE ID AND reage}, unaltered or imp				
STREAM IMPACT LENGTH:	22	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORI (in Decimal		Lat.		Lon.		PRECIPITATION PAST 48 HRS:		
Column No. 1- Impact Existin	ng Condition (Deb	pit)	Column No. 2- Mitigation Existing (	Condition - Baseline (	(Credit)		Column No. 3- Mitigatio Post Compl	n Projected at Five etion (Credit)	Years	Column No. 4- Mitigation Pr Post Completion		Ten Ye
Stream Classification:	Epher	meral	Stream Classification:				Stream Classification:		0	Stream Classification:		
Percent Stream Channel S	lope	8.6	Percent Stream Channel SI	оре			Percent Stream Channe	el Slope	0	Percent Stream Channel	Slope	
HGM Score (attach o	data forms):	<u>.</u>	HGM Score (attach	data forms):			HGM Score (att	ach data forms):		HGM Score (attach	data form	s):
		Average			Average				Average			
Hydrology	0.48		Hydrology				Hydrology			Hydrology		
Biogeochemical Cycling	0.18	0.253333333	Biogeochemical Cycling		0		Biogeochemical Cycling		0	Biogeochemical Cycling	-	
Habitat	0.1		Habitat				Habitat			Habitat		
PART I - Physical, Chemical an	d Biological Indic	ators	PART I - Physical, Chemical ar	nd Biological Indicato	ors		PART I - Physical, Chemic	al and Biological I	ndicators	PART I - Physical, Chemical ar	d Biologic	al Indi
	Points Scale Range	Site Score		Points Scale Range	Site Score			Points Scale Rang	je Site Score		Points Scale	Range
PHYSICAL INDICATOR (Applies to all stream	ns classifications)		PHYSICAL INDICATOR (Applies to all streams	s classifications)			PHYSICAL INDICATOR (Applies to all street	eams classifications)		PHYSICAL INDICATOR (Applies to all stream	ms classifica	itions)
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)				USEPA RBP (High Gradient Data Shee	et)		USEPA RBP (High Gradient Data Sheet		
1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover	0-20			1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover	0-20	
2. Embeddedness	0-20	1	2. Pool Substrate Characterization	0-20			2. Embeddedness	0-20		2. Embeddedness	0-20	
3. Velocity/ Depth Regime	0-20		3. Pool Variability	0-20			3. Velocity/ Depth Regime	0-20		3. Velocity/ Depth Regime	0-20	
4. Sediment Deposition	0-20	3	4. Sediment Deposition	0-20			4. Sediment Deposition	0-20		4. Sediment Deposition	0-20	_
5. Channel Flow Status	0-20 0-1	47	5. Channel Flow Status	0-20 0-1			5. Channel Flow Status	0-20 0-1		5. Channel Flow Status	0-20	0-1
6. Channel Alteration 7. Frequency of Riffles (or bends)	0-20	17	6. Channel Alteration 7. Channel Sinuosity	0-20			6. Channel Alteration 7. Frequency of Riffles (or bends)	0-20		6. Channel Alteration 7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	16	8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	18	9. Vegetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB)		2	10. Riparian Vegetative Zone Width (LB & RB)	0-20			10. Riparian Vegetative Zone Width (LB & R			10. Riparian Vegetative Zone Width (LB & RB)		
Total RBP Score	Marginal	57	Total RBP Score	Poor	0		Total RBP Score	Poor	0	Total RBP Score		oor
Sub-Total	<u> </u>	0.475	Sub-Total	-	Ō		Sub-Total		Ō	Sub-Total		
CHEMICAL INDICATOR (Applies to Intermitt	tent and Perennial Str	reams)	CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Streams	5)		CHEMICAL INDICATOR (Applies to Interr	mittent and Perennial	Streams)	CHEMICAL INDICATOR (Applies to Intermi	ttent and Per	ennial s
WVDEP Water Quality Indicators (Generation	al)		WVDEP Water Quality Indicators (General	n			WVDEP Water Quality Indicators (Gen	eral)		WVDEP Water Quality Indicators (Gene	ral)	
Specific Conductivity	ui)		Specific Conductivity	·/			Specific Conductivity			Specific Conductivity	<u>uij</u>	
	0-90			0-90				0-90			0-90	
100-199 - 85 points	0-50			0-90				0-90			0-90	
pH		48	pH		0		pH			рН		
	0-80			5-90 0-1				5-90			5-90	0-1
5.6-5.9 = 45 points			DO				DO			DO		-
DO			bo				DO			DO	<b>—</b>	4
	10-30			10-30				10-30			10-30	
Sub-Total			Sub-Total		0		Sub-Total		0	Sub-Total		-
BIOLOGICAL INDICATOR (Applies to Intern	nittent and Perennial	Streams)	BIOLOGICAL INDICATOR (Applies to Intermit	ittent and Perennial Stream	ms)		BIOLOGICAL INDICATOR (Applies to In	ntermittent and Perer	nnial Streams)	BIOLOGICAL INDICATOR (Applies to Inte	ermittent and	d Peren
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		
	0-100 0-1			0-100 0-1				0-100 0-1			0-100	0-1
Sub-Total	1 1	0	Sub-Total		0		Sub-Total	I	0	Sub-Total		
			000 1010		v		1942 (Stal		v	040 .0tu		
			a						n			
PART II - Index and	Unit Score		PART II - Index and	Unit Score			PART II - Index	and Unit Score		PART II - Index and	Unit Score	0

PART II - Index and Unit Score							
Index	Linear Feet	Unit Score					
0.445	22	9.799166667					

PART II - Index and Unit Score							
Index	Linear Feet	Unit Score					
0	0	0					

PART II - Index and Unit Score						
Index	Linear Feet	Unit Score				
0	0	0				

	0-100	0-1
Sub-Total		
PART II - Index and Ur	nit Score	
Index	Linear	Feet
0	0	





PART II - Index and Unit Score						
Index	Linear Feet	Unit Score				
0	0	0				

### FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V<sub>CCANOPY</sub> (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: MVP Preliminary Assessment Location: Greenbrier Spread E UNT to Meadow Creek Sampling Date: 8-23-2021	Project Site	Before Project
Subclass for this SAR: Ephemeral Stream		
Uppermost stratum present at this SAR: Shrub/Herb Strata	SAR number:	S-J19

Functional Results Summary: Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.48
Biogeochemical Cycling	0.18
Habitat	0.10

#### Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
VCCANOPY	Percent canpoy over channel.	Not Used, <20%	Not Used
V <sub>EMBED</sub>	Average embeddedness of channel.	1.00	0.10
V <sub>SUBSTRATE</sub>	Median stream channel substrate particle size.	0.08	0.04
V <sub>BERO</sub>	Total percent of eroded stream channel bank.	14.29	1.00
V <sub>LWD</sub>	Number of down woody stems per 100 feet of stream.	0.00	0.00
V <sub>TDBH</sub>	Average dbh of trees.	Not Used	Not Used
V <sub>SNAG</sub>	Number of snags per 100 feet of stream.	0.00	0.10
V <sub>SSD</sub>	Number of saplings and shrubs per 100 feet of stream.	17.14	0.26
V <sub>SRICH</sub>	Riparian vegetation species richness.	4.29	1.00
VDETRITUS	Average percent cover of leaves, sticks, etc.	20.00	0.24
V <sub>HERB</sub>	Average percent cover of herbaceous vegetation.	100.00	1.00
V <sub>WLUSE</sub>	Weighted Average of Runoff Score for Catchment.	0.89	0.94

										Versio	on 10-20-17
			High-G					Appalachi	а		
	_				Jata She	et and C	alcula				
_		Potesta (Al					Latitude/UTM Northing: 38.028599				
Pro	oject Name:		-					Longitude/U	-		3
		Greenbrier	-					San	pling Date:	8-23-2021	
SA	AR Number:	S-J19	Reach	Length (ft):	70	Stream Ty	/pe: El	ohemeral Stream	1		•
	Top Strata:	Sh	rub/Herb Sti	rata	(determine	d from perco	ent calcu	lated in V <sub>CCANC</sub>	<sub>PPY</sub> )		
Site	and Timing:	Project Site				-	Before Pr	oject			•
Sample	e Variables	1-4 in strea	am channel								
1	V <sub>CCANOPY</sub>	equidistant 20%, enter	points alon at least one	g the strean e value betw	n. Measure veen 0 and <sup>2</sup>	only if tree/ 19 to trigger	sapling c	Measure at no over is at least ta choice.)			Not Used, <20%
	List the per	rcent cover i	measureme	nts at each	point below			-			
	0	0	0	0	0	0	0	0	0	5	
	5	0	0	0	0	0	0	0	0	0	
2	V <sub>EMBED</sub>	along the s	tream. Sele	ect a particle	e from the b	ed. Before	moving it	ver than 30 rou , determine the	e percentag	e of the	1.0
								diment, and e			
								r composed of	fine sedime	ents, use a	
			e of 1. If the				÷		He Merche	n and	1
		Embedded Minshall 19	•	for gravel, c	obble and c	ouider parti	cies (res	caled from Pla	its, Megana	n, and	
		Rating	Rating Des								
		5						y fine sedimen		k)	·
		4						ed by fine sedi			•
		3						ried by fine see			e de la companya de la company
		1						by fine sedime		ial surface)	
	List the rati	ings at each					banea	2)			1
	1	1	1	1	1	1	1	1	1	1	
	1	1	1	1	1	1	1	1	1	1	
	1	1	1	1	1	1	1	1	1	1	
3	V <sub>SUBSTRATE</sub>		eam channe tream; use t					er than 30 rou	ghly equidis	tant points	0.08 in
	Entor north	-		-	=		_		ounted as 0	0 in	
		cie size in in concrete as					onbed) w	ck should be c	ounted as 9	9 in,	
	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	1
	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	
	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	
	0.00	0.00	0.06	0.06	0.00	0.00	0.08	0.06	0.06	0.08	
4	V <sub>BERO</sub>	Total perce	ent of erode	stream ch	annel hank	Enter the t	otal num	per of feet of e	roded bank	on each	
	¥ BERO		e total perce					eroded, total e			14 %
		- '	Left Bank:	5	ft		Right Bai	nk: 5	ft		
							~				

Samp	le Variable	s 5-9 within t	the entire	riparian/buf	fer zone ad	jacent to t	he stream ch	hannel (25	feet from e	each bank).	
5	V <sub>LWD</sub>	stream read	ch. Enter t		rom the enti ulated.	re 50'-wide	eter and 36 in e buffer and w	vithin the ch	annel, and		0.0
				/			voody stems:		0		
6	$V_{TDBH}$						ling cover is a	at least 20%	<ol> <li>). Trees ar</li> </ol>	e at least 4	Not Used
		inches (10 cm) in diameter. Enter tree DBHs in inches. List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of									
		the stream					ing within the				
			Left Side	_	_			Right Side		-	
7	$V_{SNAG}$			east 4" dbh			et of stream.	Enter num	ber of snag	s on each	0.0
			Sireann, an				alculateu.				0.0
			Left Side		0		Right Side:		0		
8	$V_{SSD}$						ches dbh) per				17.1
				tream will be			ubs on each	side of the	stream, and	a the	17.1
		•	Left Side	:	6		Right Side:		6		
9	V <sub>SRICH</sub>						am reach. C				
							sive species p I from these d		li strata. Sp	Decles	4.29
			p 1 = 1.0						2 (-1.0)		
	Acer rubr			Magnolia t	ripetala		Ailanthus a	-		Lonicera ja	aponica
	Acer sace	charum		Nyssa sylv	vatica		Albizia julib	rissin		Lonicera ta	atarica
	Aesculus				n arboreum		Alliaria petiolata			Lotus corn	iculatus
	Asimina t		 	Prunus se						Lythrum sa	
		eghaniensis		Quercus a			Alternanthe philoxeroid			Microstegiui	
		-					-			-	
	Betula ler			Quercus c			Aster tatari				tomentosa
	Carya alb			Quercus ir			Cerastium			Polygonum	
	Carya gla			Quercus p			Coronilla va			Pueraria m	
	Carya ova		$\checkmark$	Quercus ru			Elaeagnus u	mbellata		Rosa multi	
	Carya ova	ata	a Quercus velutina			Lespedeza	bicolor		Sorghum h	alepense	
	Cornus fle	orida		Sassafras	albidum		Lespedeza	cuneata		Verbena b	rasiliensis
	Fagus gra	andifolia		Tilia ameri	cana		Ligustrum ob	otusifolium			
	Fraxinus	americana		Tsuga can	adensis		Ligustrum s	sinense			
~	Liriodendro	on tulipifera		Ulmus am	ericana						
	Magnolia	acuminata									
				-					_	_	
		3	Species in	n Group 1				0	Species in	Group 2	

-	e Variables The four sul								zone withi	n 25 feet fro	om each
10	V <sub>DETRITUS</sub>	Average pe	ercent cover	of leaves, s		ner organic i	material. W	oody debri	s <4" diamet	er and	20.00 %
			Left	Side			Right	t Side		]	
		20	20	20	20	20	20	20	20	1	
11	V <sub>HERB</sub>	Average pe	ercentage c	over of herb	aceous veg	etation (mea	asure only if	tree cover	is <20%). D	o <i>not</i>	
	IN HERB	include woo	ody stems a	it least 4" dt	oh and 36" ta	all. Because	e there may	be several	layers of gro of ground v	ound cover	100 %
		at each sub	oplot.		20070 4.0		-		or ground r		
		100		Side	400	100	-	t Side	100		
		100	100	100	100	100	100	100	100		
Sample	e Variable 1	2 within the	e entire cat	chment of	the stream.						
12	V <sub>WLUSE</sub>				e for waters						
	WLUSE	g	ge en								0.89
			Land	Llas (Chass	e From Dro	n Liot)			Runoff	% in	Running
				Score	Catch- ment	Percent (not >100)					
	Forest and n	ative range (>	-	1	88.24	88.24					
	Open space	(pasture, lawr	-	0.1	11.76	100					
			-								
			-								
									-		
								-	-		
								•			
								•			
		S-J19					No	tes:	-		
V	ariable	Value	VSI	Land Cov	er Analvsis	was com			National L	and Cover	Database
	CANOPY	Not Used,	Not Used	(NLCD), f	rom Landa	t satellite ir	magery and	d other su	oplementar	y datasets.	
		<20% 1.0	0.10	watershe	d boundari	es are bas	ed off field	delineate	d stream im	pacts.	
	MBED										
	UBSTRATE	0.08 in	0.04								
	ERO	14 %	1.00								
VL	WD	0.0	0.00								
VTI	DBH	Not Used	Not Used								
V <sub>SI</sub>	NAG	0.0	0.10								
Vs	SD	17.1	0.26								
Vs	RICH	4.29	1.00								
VD	ETRITUS	20.0 %	0.24								
V <sub>H</sub>	ERB	100 %	1.00								
Vw	LUSE	0.89	0.94								

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME S-J19	LOCATION UNT to Meadow River Spread E						
STATION # RIVERMILE	STREAM CLASS Ephemeral						
LAT <u>38.028599</u> LONG <u>-80.743623</u> COUNTY Greenbrier							
STORET #	AGENCY Potesta						
INVESTIGATORS AK/AG/EW/WP							
FORM COMPLETED BY AG	DATE 8-23-2021 TIME 1340 PM REASON FOR SURVEY Prelimit	REASON FOR SURVEY Preliminary Assessmen					

WEATHER CONDITIONS	Now     Past 24 hours     Has there been a heavy rain in the last 7 days?
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph) John Gas Pipe line Row John Wert Wert John Wert Wert John We
STREAM CHARACTERIZATION	Stream Subsystem       Intermittent       Tidal       Stream Type         Perennial       Intermittent       Tidal       Coldwater       Warmwater         Stream Origin       Catchment Area       km²         Glacial       Spring-fed       Mixture of origins       Vorter_storm cunot         Swamp and bog       Other_storm cunot       Other_storm cunot       Stream Type

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse         ✓ Forest       Commercial         Field/Pasture       Industrial         Agricultural       ✓ Other	Local Watershed NPS Pollution  No evidence Some potential sources  Obvious sources  Local Watershed Erosion None Moderate Heavy  nant species present Grasses Herbaccous
INSTREAM FEATURES	Estimated Reach Length       50 ft m         Estimated Stream Width       0.6 ft m         Sampling Reach Area       20 M2 m²         Area in km² (m²x1000)       km²         Estimated Stream Depth       0.05 ft m         Surface Velocity (at thalweg)       NA m/sec	Canopy Cover       □Partly shaded □Shaded         ☑ Partly open       □Partly shaded □Shaded         High Water Mark      m         Proportion of Reach Represented by Stream         Morphology Types         Riffle       %         Pool       %         Channelized       Yes         Dam Present       Yes
LARGE WOODY DEBRIS AQUATIC VEGETATION	LWDm <sup>2</sup> Density of LWDm <sup>2</sup> /km <sup>2</sup> (LWD/ read Indicate the dominant type and record the domin Rooted emergentRooted submergent Floating AlgaeAttached Algae Dominant species presentNA Portion of the reach with aquatic vegetation0	
WATER QUALITY Unable to collect due to SEDIMENT/ SUBSTRATE	Temperature0 C         Specific Conductance         Dissolved Oxygen         pH         Turbidity         WQ Instrument Used low flow         Odors         Normal         Sewage         Petroleum         Ohenical	Water Odors         Normal/None       Sewage         Petroleum       Chemical         Fishy       Other         Water Surface Oils       Slick         Slick       Sheen         None       Other         Turbidity (if not measured)       Turbid         Clear       Slightly turbid         Opaque       Stained         Deposits       Sludge         Sludge       Sawdust         Relict shells       Other
	Other Oils ☑ Absent □ Slight □ Moderate □ Profuse STRATE COMPONENTS OI	Lpoking at stones which are not deeply embedded, are the undersides black in color? ☐ Yes

INC	ORGANIC SUBSTRATE (should add up to		ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)						
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area				
Bedrock		÷	Detritus	sticks, wood, coarse plant materials (CPOM)	-				
Boulder	> 256 mm (10")			materials (CPOM)					
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic					
Gravel	2-64 mm (0.1"-2.5")	-		(FPOM)	-				
Sand	0.06-2mm (gritty)	99 9	Marl	grey, shell fragments					
Silt	0.004-0.06 mm 80				-				
Clay	< 0.004 mm (slick)	20	]						

## HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-J19	LOCATION UNT to Meadow River						
STATION # RIVERMILE	STREAM CLASS Ephemeral						
LAT 38.028599 LONG -80.743623	_ COUNTY Greenbrier						
STORET #	AGENCY Potesta						
INVESTIGATORS AK/AG/EW/WP							
FORM COMPLETED BY	DATE     8-23-2021     REASON FOR SURVEY       TIME     1340 PM     AM     PM						

	Habitat		Condition	Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.				
	<sub>score</sub> 0	that are <u>not</u> new fall and <u>not</u> transient). 20 19 18 17 16	colonization (may rate at high end of scale). 15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
ı sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.				
ted in	score 1	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 🊺 0				
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime N/A	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).				
aram	score 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
4	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.				
	<sub>score</sub> 3	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 🗿 2 1 0				
	5. Channel Flow Status 🔽 N/A	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				

low flow - modified RBP

## HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat		Condition	Condition Category								
Parameter	Optimal	Suboptimal	Marginal	Poor							
6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabio or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.							
score 17	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0							
7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water shallow riffles; poor habitat; distance betwee riffles divided by the width of the stream is a ratio of >25.							
SCORE 0	20         19         18         17         16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0							
8. Bank Stability (score each bank) Note: determine left or right side by facing determinement.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing 60-100% of bank has erosional scars.							
SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0							
SCORE 8	Right Bank 10 9	8 7 6	5 4 3	2 1 0							
9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streamban vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.							
SCORE	Left Bank 10 🧕	8 7 6	5 4 3	2 1 0							
SCORE 9	Right Bank 10 🧕 🧕	8 7 6	5 4 3	2 1 0							
10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone meters: little or no riparian vegetation due human activities.							
SCORE 1	Left Bank 10 9	8 7 6	5 4 3	2 🚺 0							
SCORE 1	Right Bank 10 9	8 7 6	5 4 3	2 🚺 0							

Total Score \_\_\_\_\_

### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-J	19	LOCATION UNT to Meadow River							
STATION #	_ RIVERMILE	STREAM CLASS Ephemeral							
LAT 38.028599	LONG -80.743623	COUNTY Greenbrier							
STORET #		AGENCY Potesta							
INVESTIGATORS A	K/AG/EW/WP		LOT NUMBER						
FORM COMPLETED	AG	DATE 8-23-2021 TIME 1340 PM	REASON FOR SURVEY Preliminary Assessment						
HABITAT TYPES SAMPLE COLLECTION	Cobble%       Snags%       Vegetated Banks%       Sand%         Submerged Macrophytes%       Other (       )%         MPLE       Gear used       D-frame       kick-net       Other								
	Indicate the number of jal	bs/kicks taken in each habitat t hags DVegetated B	ype. Banks Sand						
unable to collect benthics due to no flo									

### QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

### FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

SITE ID: S-JA Spread E DATE: 13 August 2021 COLLECTOR(S): 4K/AG/EW/WA


Wolman Pe	bble Count (R	each Wide}	2019-1010-1×	CALCOLAR .	15 2 10	14.23 2000	22.21	1.1.1.1.1.1.1.1	State of the state	NOTES:
11.062	10.02	40.062	0.082	0.062	0.062	0.062	0.062	0.052	0.062	NOTES.
520.0	0.062	0.062	0.062	0.062	0.062	0.062	0.062	0.062	0.062	
0.062	0.062	6.062	0.062	0.062	0.062	0.062	0.062	0.062	0.062	
0.062	0.062	0.062	0.005	0.061	0.062	0.062	0.062	0.062	0.062	
0.062	0.01	0.012	0.052	0.062	0.062	0.061	0.062	0.062	0.052	
0.062	0.012	0.062	0.062	0.062	0.062	0.061	0.062	0.062	0.062	
0.062	0.062	0.62	0.061	0.00	0.062	0.051	0.062	0.062	0.062	
0-061	0.062	6.041	0.062	0.062	0.062	0.062	0.062	0.062	0.062	
0.062	0.062	0.062	0.062	0.062	0.062	0.062	0.062	0.062	0.062	
0.62	0.061	0.062	0.062	0:062	0.062	0.062	6.062	0.002	0.062	1

Riffle Pebble Coun	t.	A STATE OF	And the second	S SUCCESS			NOTES:	Stat.
					 	-		
					0			


	ACCOUNT OF THE OWNER	T T	and the second s	A CONTRACTOR OF THE OWNER OWNER OWNER OF THE OWNER OWNE OWNER OWNE	NOTES:
	•				
		-			
				 1	
and the second sec				 	


Inches	PARTICLE	Millimeters	
	Silt / Clay	< .062	S/C
	Very Fine	.062125	~
	Fine	.12525	s
	Medium	.2550	S A N D
	Coarse	.50 - 1.0	D
04 - 08	Very Coarse	1,0 - 2	~
.0816	Very Fine	2-4	(\$67) (\$67)
.1622	Fine	4-5.7	
2231	Fine	5.7 - 8	G
31 - 44	Mediam	8-11.3	GRA
.4463	Medicen	11.3 - 16	
.6389	Goarse	16-22.5	E
.89 - 1.3	Coarse	22.6 - 32	U
1.3 - 1.8	Very Coarse	32-45	
1.8 - 2.5	Very Coarse	45-64	
2.5 - 3.5	Small	64 - 90	
3.5 - 5.0	Smal	90 - \$28	
5.0 - 7,1	Large	128 - 180	386
7.1 - 10.1	Large	160 - 256	a.
10.1 - 14.3	Small	256 - 362	(D)
14.3 - 20	Small	362 - 512	
20 - 40	Medium	512 - 1024	₽ġ,
40 - 80	Large-Vry Large	1024 - 2048	R
	Bedrock		BDRK

Riffle Surface  Material Size Range (mm	,		Riffle	Surface	Pebble	e Count, U	NT to Meado	w River (S-J1	9)				
silt/clay 0 - 0.062	100										mulative %	——# of pa	rticles
very fine sand 0.062 - 0.125									L_				
fine sand 0.125 - 0.25				silt/cla	W.	sand		gravel	cobble	· .	boulder		
medium sand 0.25 - 0.5			<sup>100%</sup> T			Juna		graver	000010		boulder	120	)
coarse sand 0.5 - 1			90% -										
very coarse sand 1 - 2			5070									+ 100	)
very fine gravel 2 - 4			80% -										,
fine gravel <u>4 - 6</u>	<b>├</b> ──── <b>│</b>	_ _	700/										
fine gravel <u>6 - 8</u> medium gravel 8 - 11		hai	70% -									+ 80	р
medium gravel <u>8 - 11</u> medium gravel 11 - 16		ert	60% -										m
coarse gravel 16 - 22		percent finer than											number of particles
coarse gravel 22 - 32		ent	50% -									60	oť
very coarse gravel 32 - 45		erc	40% -										pa
very coarse gravel 45 - 64		ă										+ 40	rtic
small cobble 64 - 90			30% -										es
medium cobble 90 - 128			20% -										
large cobble 128 - 180			20%									+ 20	
very large cobble 180 - 256			10% -										
small boulder 256 - 362													
small boulder 362 - 512			0% +					10	400		4000	0	
medium boulder 512 - 1024			0.0	)1	0.	1	1	10	100		1000	10000	
large boulder 1024 - 2048							part	icle size (mm)					
very large boulder 2048 - 4096													
total particle count:	100						<b>.</b>						
				Size (m		_	Size Distr				Гуре		
bedrock					0.062		mean	0.1	:	silt/clay	100%		
clay hardpan					0.062		dispersion	1.0		sand	0%		
detritus/wood					0.062		skewness			gravel	0%		
artificial	100				0.062					cobble	0%		
total count:	100				0.062					boulder	0%		
Noto				D95	0.062								
Note:													



AS-BUILT TABLE: S-J19 CROSS SECTION B							
		PRE-CROSS	AS-BUILT				
PT. LOC.	NORTHING	EASTING	ELEV.	VERT. DIFF.	HORZ. DIFF.		
TS-L	13809108.17	1714224.75	2937.36				
BS-L	13809108.93	1714224.44	2937.09				
тнพ	13809110.21	1714228.17	2936.92				
BS-R	13809110.56	1714228.12	2933.96				
TS-R	13809110.44	1714223.81	2937.45				






SURVEY NOTES:


- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON 8-23-2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS AND COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

# S-J19 BASELINE CROSS-SECTION A



DISTANCE ALONG CROSS-SECTION (FT)


# S-J19 BASELINE CROSS-SECTION B



DISTANCE ALONG CROSS-SECTION (FT)

CROS	S SECTION LEGEND
	EXISTING GRADE
<u>CRO</u> SCALE	<u>SS SECTION</u> H: 1"=10' V: 1"=5'

NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.



-S-J19 CAD File No.

MBS Drawn

СНН Checked

BB/JLY Approved

NOTED Scale:

SEPT. 2021 Date:

21-0244-005 Project No.

() Z