Baseline Assessment – Stream Attributes

Reach S-J5 (Pipeline ROW) Perennial Spread F Summers County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope >4%)
RBP Physical Characteristics Form	✓
Water Quality Data	N/A – High flow
RBP Habitat Form*	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A –High flow
Wolman Pebble Count*	N/A –High flow
Reference Reach Software Pebble Count Data*	N/A –High flow
Longitudinal Profile and Cross Sections	✓

^{*}Stream not assessed. Above base flow from heavy rains. Stream morphology not discernible and substrate composition not visible in turbid water.

Spread F Stream S-J5 (Pipeline ROW) Summers County



Photo Type: CP, DS Location, Orientation, Photographer Initials: Center of Right of Way, Downstream View, AJ/MB



Location, Orientation, Photographer Initials: Center of Right of Way, Upstream View, AJ/MB

Spread F Stream S-J5 (Pipeline ROW) Summers County



Photo Type: LDB, DS Location, Orientation, Photographer Initials: Left Descending Bank, Downstream View, AJ/MB



Photo Type: LDB, US Location, Orientation, Photographer Initials: Left Descending Bank, Upstream View, AJ/MB

Spread F Stream S-J5 (Pipeline ROW) Summers County



Photo Type: RDB, DS Location, Orientation, Photographer Initials: Right Descending Bank, Downstream View, AJ/MB



Photo Type: RDB, US View Location, Orientation, Photographer Initials: Right Descending Bank, Upstream View, AJ/MB

 $[&]quot;Q: \label{lem:conditions} \begin{subarray}{l} $"Q: \cite{Conditions}$ ASSESSMENT\ AND\ SURVEY\ PLAN \cite{OO2} - Pre-Crossing\ Monitoring \cite{Spread}$ F\S-J5" \end{subarray}$

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		MOUN	ITAIN VALLEY I	PIPELINE		COORDINATES: cimal Degrees)	Lat.	37.666864	Lon.	-80.721794	WEATHER:			Sunny		DATE:	8/	15/2015		
IMPACT STREAM/SITE ID (watershed size {acreage}				Ke	elly Creek (S-J5)			MITIGATION STREAM CLASS (watershed size {acrea										Comments:		
STREAM IMPACT LENGTH:	103	FORM OF MITIGATIO		RESTORATION (Levels I-III)		OORDINATES: cimal Degrees)	Lat.		Lon.		PRECIPITATION PAST	48 HRS:				Mitigation Length:				
Column No. 1- Impact Existin	g Condition (Deb	oit)	c	Column No. 2- Mitigation Exis	ting Condition - Base	line (Credit)		Column No. 3- Mitigation I Post Completi		ve Years	Column No. 4- M Post	tigation Projected Completion (Cred		ars		Column No. 5- Mitigation Proje	cted at Maturity	y (Credit)		
Stream Classification:	Perer	nnial	Stream	Classification:				Stream Classification:		0	Stream Classification:	Stream Classification: 0			Stream	Stream Classification: 0				
Percent Stream Channel SI	ope	1.14		Percent Stream Chann	nel Slope			Percent Stream Channel S	lope	0	Percent Stream Channel Slope 0			0		Percent Stream Channel	Slope	0		
HGM Score (attach d	lata forms):			HGM Score (at	ttach data forms):			HGM Score (attac	h data forms)):	HGM Sco	re (attach data fo	orms):			HGM Score (attach	data forms):			
		Average				Average				Average				Average				Average		
Hydrology		_	Hydrolo					Hydrology			Hydrology				Hydrol					
Biogeochemical Cycling Habitat		0	Biogeo Habitat	chemical Cycling		0		Biogeochemical Cycling Habitat		0	Biogeochemical Cycling Habitat			0	Biogeo Habitat	ochemical Cycling		0		
PART I - Physical, Chemical and	Biological Indica	ators	rabitat	PART I - Physical, Chemi	cal and Biological Inc	licators		PART I - Physical, Chemical	and Biological	Indicators	PART I - Physical, C	hemical and Biolo	ogical Indic	cators	riabilat	PART I - Physical, Chemical a	nd Biological In	dicators		
	Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale R	ange Site Score		Point	s Scale Range	Site Score			Points Scale R	tange Site Score		
PHYSICAL INDICATOR (Applies to all stream	s classifications)		PHYSIC	CAL INDICATOR (Applies to all s	treams classifications)			PHYSICAL INDICATOR (Applies to all stream	ns classifications)	PHYSICAL INDICATOR (Appli	es to all streams class	sifications)		PHYSI	CAL INDICATOR (Applies to all stream	ms classifications))		
USEPA RBP (High Gradient Data Sheet)				RBP (Low Gradient Data She				USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient I		1			RBP (High Gradient Data Sheet				
Epifaunal Substrate/Available Cover Embeddedness	0-20			unal Substrate/Available Cover Substrate Characterization				Epifaunal Substrate/Available Cover Embeddedness	0-20		Epifaunal Substrate/Availab Embeddedness		-20			aunal Substrate/Available Cover eddedness	0-20			
Velocity/ Depth Regime	0-20 0-20			Variability	0-20 0-20			3. Velocity/ Depth Regime	0-20 0-20		Velocity/ Depth Regime		-20 -20			city/ Depth Regime	0-20 0-20			
Sediment Deposition	0-20			ment Deposition	0-20			Sediment Deposition	0-20		Sediment Deposition		-20			ment Deposition	0-20			
5. Channel Flow Status	0-20			nel Flow Status	0-20			5. Channel Flow Status	0-20	2.4	5. Channel Flow Status		-20			nnel Flow Status	0-20	0.4		
6. Channel Alteration	0-20		6. Chan	nel Alteration	0-20			6. Channel Alteration	0-20	U-1	6. Channel Alteration	0	-20		6. Chai	nnel Alteration	0-20	U-1		
7. Frequency of Riffles (or bends)	0-20			nel Sinuosity	0-20			7. Frequency of Riffles (or bends)	0-20		Frequency of Riffles (or ben		-20			uency of Riffles (or bends)	0-20			
8. Bank Stability (LB & RB)	0-20	12		Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20		Bank Stability (LB & RB)		-20			Stability (LB & RB)	0-20			
Vegetative Protection (LB & RB)	0-20	9		tative Protection (LB & RB)	0-20			Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB &		-20			etative Protection (LB & RB)	0-20			
10. Riparian Vegetative Zone Width (LB & RB)	0-20	10		rian Vegetative Zone Width (LB &				10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Wid	th (LB & RB) 0	-20			arian Vegetative Zone Width (LB & RB				
Total RBP Score	Poor	31 0.155	Total RE Sub-Total	BP Score	Poor	0		Total RBP Score Sub-Total	Poor	0	Total RBP Score Sub-Total		Poor	0	Total R Sub-To	BP Score	Poor	0		
Sub-Total CHEMICAL INDICATOR (Applies to Intermittee	ent and Perennial Str			cal INDICATOR (Applies to Inte	ermittent and Perennial St	reams)		CHEMICAL INDICATOR (Applies to Intermit	ent and Perennia	al Streams)	CHEMICAL INDICATOR (Appl	es to Intermittent and	d Perennial St	treams)	1	otal	ttent and Perennia	l Streams)		
WVDEP Water Quality Indicators (Genera	l)		WVDEP	Water Quality Indicators (Ge	eneral)			WVDEP Water Quality Indicators (Gener	al)		WVDEP Water Quality Indica	tors (General)			WVDE	P Water Quality Indicators (Gene	ral)			
Specific Conductivity				c Conductivity		(1)		Specific Conductivity			Specific Conductivity				Specif	ic Conductivity				
000 000 70 11	0-90	301.4			0-90				0-90			0-	-90				0-90			
300-399 - 70 points			n H					nU			n L				nU		_			
рп	0-1		рп		0-1			рп		0-1	рн		0-1		рп			0-1		
8.1-9.0 = 45 points	0-80	8.16			5-90				5-90			5	-90				5-90			
DO		5.7	DO			0		DO			DO				DO					
>5.0 = 30 points	10-30	9.19			10-30				10-30			10)-30				10-30			
Sub-Total	1	0.725	Sub-Tot	tal	L I	0		Sub-Total		0	Sub-Total			0	Sub-To	tal		0		
BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial	Streams)	BIOLOG	GICAL INDICATOR (Applies to I	ntermittent and Perennial	Streams)		BIOLOGICAL INDICATOR (Applies to Inte	mittent and Per	rennial Streams)	BIOLOGICAL INDICATOR (A	pplies to Intermitten	t and Perenr	nial Streams)	BIOLO	GICAL INDICATOR (Applies to Int	ermittent and Per	ennial Streams)		
WV Stream Condition Index (WVSCI)	, ,		WV Stre	eam Condition Index (WVSCI))			WV Stream Condition Index (WVSCI)			WV Stream Condition Index	WVSCI)			WV Str	ream Condition Index (WVSCI)				
Fair	0-100 0-1	57			0-100 0-1				0-100	0-1		0-	100 0-1				0-100	0-1		
Sub-Total		0.47	Sub-Tot	tal		0		Sub-Total	I I	0	Sub-Total	ļ		0	Sub-To	tal		0		
							ī								n -					
PART II - Index and l	Jnit Score			PART II - Inde	x and Unit Score			PART II - Index at	d Unit Score		PART II	- Index and Unit S	core			PART II - Index an	Unit Score			
Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Fe	eet Unit Score	Index	Li	near Feet	Unit Score		Index	Linear Fe	et Unit Score		
0.450	103	46.35		0	0	0		0	0	0	0		0	0		0	0	0		

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME Kelly C	reek	LOCATION S-J5								
STATION#I	RIVERMILE	STREAM CLASS Perent	nial							
LAT 37.666864 L	ONG80.721794	COUNTY Summer	s							
STORET#		AGENCY Edge/Potesta	a							
INVESTIGATORS AJ/M	В									
FORM COMPLETED BY	AJ	DATE 09/02/2021 TIME 1:35 PM	REASON FOR SURVEY Preliminary Assessment							
WEATHER CONDITIONS SITE LOCATION/MAP	rain shower	n (heavy rain) (steady rain) s (intermittent) cloud cover ear/sunny	Has there been a heavy rain in the last 7 days? Yes No Air Temperature 24 0 C Other mpled (or attach a photograph)							
CTREAM		uase flow from heavy rains. Stream mo	rphology not discernible and substrate composition not visible in turbid water.							
STREAM CHARACTERIZATION	Stream Subsystem Perennial Int Stream Origin Glacial Non-glacial montan Swamp and bog	e Spring-fed Mixture of origins Other unknown	Stream Type Coldwater Warmwater Catchment Area km²							

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Predon Fores Field Agric Resid	Pasture Industria	rcial al	Local Watershed NPS Pollution No evidence Some potential sources Obvious sources Local Watershed Erosion None Moderate Heavy				
RIPARIA VEGETA (18 meter	TION	Indicate Trees	e the dominant type and s SI ant species present SOI	record the do hrubs dago	minant species present ☐Grasses ☐He	rbaceous			
INSTREA FEATURI Strea base	m above	Estimate Sampling Area in Estimate Surface (at that	km² (m²x1000) ted Stream Depth Velocity m	mm²km²m	Canopy Cover Partly open Partly open Partly open Partly open Partly open Partle Proportion of Reach R Morphology Types Riffle 9/2 Pool 9/2 Channelized Yes Dam Present Yes	m epresented by Stream Run%			
LARGE V DEBRIS	VOODY	LWD Density	m²	n²/km² (LWD /	reach area)				
AQUATIO VEGETA		Domina				Free floating			
WATER (QUALITY	Specific Dissolv pH Turbidi	cature0 C c Conductance ed Oxygen ity strument Used turbid	,	Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu	Normal/None Sewage Petroleum Chemical Chemical Other Water Surface Oils Slick Sheen Globs Flecks None Other Turbidity (if not measured) Clear Slightly turbid Turbid			
SEDIMEN SUBSTRA		Oils	nal Sewage nical Anaerobic not visible		are the undersides blac	h are not deeply embedded,			
INC		STRATE ddd up to 1	COMPONENTS		ORGANIC SUBSTRATE C (does not necessarily add				
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area			
Bedrock Boulder	> 256 mm (10")		Detritus	sticks, wood, coarse plant materials (CPOM)				
Cobble Gravel	64-256 mm (2.5 2-64 mm (0.1"-			Muck-Mud	black, very fine organic (FPOM)				
Sand Silt Clay	0.06-2mm (gritt 0.004-0.06 mm < 0.004 mm (sli			Marl	grey, shell fragments				

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	Kelly Creek	LOCATION S-J5							
STATION #	RIVERMILE	STREAM CLASS Perennial							
LAT 37.666864	LONG80.721794	COUNTY Summers							
STORET#		AGENCY Edge/Potesta							
INVESTIGATORS	AJ/MB								
FORM COMPLETE AJ	ED BY	DATE 09/02/2021 REASON FOR SURVEY Preliminary Assessment							

	Habitat		Condition	Category	1			
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.			
	□N/A	stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).					
	_{SCORE} 0 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
ı sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.			
ted in	score 0 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime N/A	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).			
aram	_{SCORE} 0 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
r _q	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.			
	SCORE 0 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
	5. Channel Flow Status N/A	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.			
	SCORE U	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	ı Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.			
	SCORE 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
ing reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.			
Parameters to be evaluated broader than sampling reach	score 0 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
	8. Bank Stability (score each bank) Note: determine left or right side by facing dewnstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.			
e eva	SCORE 6	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
to p	SCORE 6 ▼	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.			
	SCORE 4	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
	SCORE 5	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.			
	SCORE 5	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
	SCORE 5	Right Bank 10 9	8 7 6	5 4 3	2 1 0			

Total Score 31

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME Ke	STREAM NAME Kelly Creek										LOCATION S-J5								
STATION #	R	IVE	RMI	LE_			STR	EAM (LASS	Pere	nnia	ļ							
LAT 37.666864	L	ONO	j -80.	72179	4		COL	JNTY	Su	ımm	ers								
STORET#							AGENCY Edge/Potesta												
INVESTIGATORS	AJ/ME	3										1	LOT	NUMBER					
FORM COMPLETED		DAT TIM	FE 098				1	REAS	SON FOR SURVEY Pi	relimir	ary	Asse	ssm	nent					
HABITAT TYPES	In	dica Co Sub	ite th obbl merg	e pe	ercen % Macro	tage of	each l	habitat %	type pr □V	esen eget	it ated Other	Ban	ks	%	%				
SAMPLE COLLECTION	1	Gear used D-frame kick-net Other How were the samples collected? wading from bank from boat																	
	In	Indicate the number of jabs/kicks taken in each habitat type. □ Cobble □ Snags □ Vegetated Banks □ Sand □ □ Submerged Macrophytes □ Other () □																	
Not sampled. Above base flow with turbid conditions.																			
QUALITATIVE I Indicate estimated Dominant					0 = A	Absent	/Not		,		Raro		= C	ommon, 3= Abuno		4 =		3	4
Filamentous Algae					-	1 2		-					rtebi	rates		1	_	3	-
_					-		_						11001	ates	-				
Indicate estimated	Macrophytes 0 1 2 3 4 Fish 0 1 2 3 4 FIELD OBSERVATIONS OF MACROBENTHOS Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)																		
Porifera	0	1	2			Anis			0	1	2			Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygo	_		0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hem	•		0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria Hirudinea	0	1	2	3	4	Cole	_		0	1	2	3	4	Other	0	1	2	3	4
Oligochaeta	0	1	2	3	4 4	Lepio Sialio		14	0	1 1	2	3	4						
Isopoda	0	1	2	3	4	Cory		ae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipu			0	1	2	3	4						
Decapoda	0	1	2	3	4	Emp		e	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simu			0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabi			0	1	2	3	4						
									U	-									

Insects	Count	Tolerance	TV	Insects	Count	Tolerance	TV	Non-Insects	Count	Tolerance	TV
Ephemeroptera		•	12	Odonata		•	0	Crustacea	•		0
Ameletidae		2	0	Aeshnidae		3	0	Asellidae		7	0
Baetidae	8	4	32	Calopterygidae		6	0	Cambaridae		5	0
Beatiscidae		4	0	Coenagrionidae		7	0	Gammaridae		5	0
Caenidae		5	0	Cordulegastridae		3	0	Palaemonidae		5	0
Ephemerellidae		3	0	Gomphidae		5	0	Annelida			0
Ephemeridae		5	0	Lestidae		7	0	Hirudinea		10	0
Heptageniidae	4	3	12	Libellulidae		7	0	Nematoda		10	0
Isonychiidae		3	0	Coleoptera		•	54	Nematomorpha		10	0
Leptophlebiidae		4	0	Chrysomelidae		7	0	Oligochaeta		10	0
Potamanthidae		5	0	Dryopidae		5	0	Turbellaria			0
Siphlonuridae		3	0	Dytiscidae		6	0	Turbellaria		7	0
Tricorythidae		5	0	Elmidae	50	4	200	Bivalvia			0
Plecoptera			13	Gyrinidae		5	0	Corbiculidae		6	0
Capniidae		2	0	Haliplidae		7	0	Sphaeriidae		5	0
Chloroperlidae		2	0	Hydrophilidae		7	0	Unionidae		4	0
Leuctridae		2	0	Psephenidae	4	3	12	Gastropoda			0
Nemouridae		2	0	Ptilodactylidae		5	0	Ancylidae		7	0
Peltoperlidae		1	0	Hemiptera			0	Hydrobiidae		4	0
Perlidae	13	1	13	Belostomatidae		8	0	Physidae		7	0
Perlodidae		1	0	Corixidae		8	0	Planorbidae		5	0
Pteronarcyidae		1	0	Gerridae		10	0	Pleuroceridae		5	0
Taeniopterygidae		2	0	Hydrometridae		8	0	Viviparidae		5	0
Trichoptera			90	Nepidae		8	0	Miscellaneous			0
Brachycentridae		2	0	Notonectidae		8	0	Collembola		6	0
Glossosomatidae		2	0	Megaloptera			2	Lepidoptera		5	0
Helicopsychidae		3	0	Corydalidae	2	3	6	Neuroptera		5	0
Hydropsychidae	90	5	450	Sialidae		6	0	Hydrachnidae		6	0
Hydroptilidae		3	0	Diptera			45	Totals	Total	number	216
Lepidostomatidae		3	0	Athericidae		3	0	Totals	Total	families	10
Leptoceridae		3	0	Blephariceridae		2	0			М	etric calcul

2

35

Ceratopogonidae

Chironomidae

Culicidae

Empididae

Simuliidae

Syrphidae

Tabanidae

Tipulidae

Stratiomyidae

Psychodidae

Ptychopteridae

Dixidae

8

9

10

6

7

8

8

7

10

10

7

4

3

4

4

5

4

3

2

Total Tolerance Value

West Virginia Stream Condition Index (WVSCI)

Gerritson, J., J. Burton, and M.T. Barbour. 2000. A stream

condition index for West Virginia wadeable streams. Tetra

0

0

0

0

0

0

1096

Spreadsheet uses updated Best Standard Values [BSV] for each metric per WVSCI Addenda dated March 23, 2010

Limnephilidae

Philopotamidae

Polycentropodidae

Tech, Inc. Owing Mills, MD.

Phryganeidae

Psychomiidae


Uenoidae


Rhyacophilidae


Molannidae


SITE ID:	S-J5
	6/28/2021

6	Neuroptera		5	0								
0	Hydrachnidae		6	0								
45	Totals	Total	number	216								
0	Totals	Total	families	10								
0	Metric calculations											
16	14/1/6	CI Metric	Coros		Additiona	l metrics						
315	VVVS	ci wetric	Scores		Ephemeroptera Taxa 2							
0	Total Taxa	1	10	45.5	Plecoptera Taxa	1						
0	EPT Taxa		4	30.8	Trichoptera Taxa	1						
0	% EPT Abunda	ance	53.2	59.6	Long-lived Taxa	5						
0	% Chironomi	dae	16.2	85.2	Odonata Taxa	0						
0	Hilsenhoff Biotic In	dex (HBI)	5.07	66.7	Diptera Taxa	3						
0	% 2 Dominant	Taxa	64.8	56.1	COET Taxa	5						
0					% Sensitive	10.6						
0					% Tolerant	17.1						
0	WV Stream 0	Condition	Index	57.3	% Clingers	32.9						
40				% Net-spinners	41.7							









SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 十

EXISTING SURVEY-LOCATED THALWEG


EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON OCTOBER 3, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG WILL BE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-J5 BASELINE CROSS-SECTION A



S-J5 BASELINE CROSS-SECTION B RIFFLE



CROSS SECTION LEGEND — EXISTING GRADE CROSS SECTION H: 1"=10' V: 1"=5'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM

DOWNSTREAM IMPACT LIMITS POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM

DOWNSTREAM IMPACT LIMITS

PRE-CROSSING

CAD File No.

Drawing No