#### **Baseline Assessment – Stream Attributes**

# Reach S-KL29 (Pipeline ROW) Perennial Spread F Summers County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope >4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓ - Data from Baseline (7-21-2021)
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	✓ - Data from Baseline (7-21-2021)
Wolman Pebble Count	N/A – High flow
Reference Reach Software Pebble Count Data	N/A – High flow
Longitudinal Profile and Cross Sections	✓



Photo Type: CP, DS Location, Orientation, Photographer Initials: Center of Right of Way, Downstream View, AJ/MB



Photo Type: CP, US Location, Orientation, Photographer Initials: Center of Right of Way, Upstream View, AJ/MB



Photo Type: LDB, DS Location, Orientation, Photographer Initials: Left Descending Bank, Downstream View, AJ/MB



Photo Type: LDB, US Location, Orientation, Photographer Initials: Left Descending Bank, Upstream View, AJ/MB



Photo Type: RDB, DS Location, Orientation, Photographer Initials: Right Descending Bank, Downstream View, AJ/MB



Photo Type: RDB, US View Location, Orientation, Photographer Initials: Right Descending Bank, Upstream View, AJ/MB

#### West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		MOUN	ITAIN VALLEY PIPELINE	IMPACT COORDINATES: Lat. 37.692932 Lon80.733839 WEATHER: Sunny (in Decimal Degrees)						Sunny	DATE:	9/22/2021			
				` '									0/22/2021		
IMPACT STREAM/SITE ID A (watershed size {acreage}), (			Right Fork H	Right Fork Hungard Creek (S-KL29)			S./SITE ID AN age}, unaltered or	D SITE DESCRIPTION: impairments)				Comments:	Water quality indicators and WVSCI score based on existing baseline data from 7/21/2021		
STREAM IMPACT LENGTH:	75	FORM OI MITIGATIO		MIT COORDINATES (in Decimal Degrees)			Lon.		PRECIPITATION PAST 48 HRS:			Mitigation Length:			
Column No. 1- Impact Existing	Condition (Deb	oit)	Column No. 2- Mitigation Existi	g Condition - Baseline (Credit)		Column No. 3- Mitigation Post Complet		ive Years	Column No. 4- Mitigation Projected at Ten Years Post Completion (Credit)			Column No. 5- Mitigation Projected at Maturity (Credit)			
Stream Classification:	Peren	nnial	Stream Classification:			Stream Classification:		0	Stream Classification:				0		
Percent Stream Channel Slo	ре	1.59	Percent Stream Channe	Slope		Percent Stream Channel	Slope	0	Percent Stream Channel Slo	pe	0	Percent Stream Channel S	Slope 0		
HGM Score (attach da	ata forms):		HGM Score (atta	ch data forms):		HGM Score (attac	h data forms	):	HGM Score (attach da	ta forms):		HGM Score (attach o	lata forms):		
		Average		Average				Average			Average		Average		
Hydrology			Hydrology			Hydrology			Hydrology			Hydrology			
Biogeochemical Cycling		0	Biogeochemical Cycling	0		Biogeochemical Cycling		0	Biogeochemical Cycling		0	Biogeochemical Cycling	0		
Habitat		· ·	Habitat			Habitat			Habitat			Habitat			
PART I - Physical, Chemical and I	Biological Indica	ators	PART I - Physical, Chemica	and Biological Indicators		PART I - Physical, Chemical	and Biologica	I Indicators	PART I - Physical, Chemical and E	Biological Indicat	tors	PART I - Physical, Chemical and	l Biological Indicators		
	Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale I	Range Site Score		Points Scale Range	Site Score		Points Scale Range Site Score		
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stre	ams classifications)		PHYSICAL INDICATOR (Applies to all strea	ms classifications	s)	PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stream	is classifications)		
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Shee			USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)			
Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20		
2. Embeddedness	0-20		Pool Substrate Characterization	0-20		2. Embeddedness	0-20		2. Embeddedness	0-20		2. Embeddedness	0-20		
3. Velocity/ Depth Regime	0-20		3. Pool Variability	0-20		3. Velocity/ Depth Regime	0-20		3. Velocity/ Depth Regime	0-20		3. Velocity/ Depth Regime	0-20		
4. Sediment Deposition	0-20		4. Sediment Deposition	0-20		4. Sediment Deposition	0-20		4. Sediment Deposition	0-20		4. Sediment Deposition	0-20		
5. Channel Flow Status	0-20 0-1	40	5. Channel Flow Status	0-20 0-1		5. Channel Flow Status	0-20	0-1	5. Channel Flow Status	0-20 0-1		5. Channel Flow Status	0-20 0-1		
6. Channel Alteration	0-20	18	6. Channel Alteration	0-20		6. Channel Alteration	0-20		6. Channel Alteration	0-20		6. Channel Alteration	0-20		
7. Frequency of Riffles (or bends)	0-20	40	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20		
8. Bank Stability (LB & RB)	0-20	12	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		
9. Vegetative Protection (LB & RB)	0-20	9	9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		
10. Riparian Vegetative Zone Width (LB & RB)	0-20	10	10. Riparian Vegetative Zone Width (LB & RE			10. Riparian Vegetative Zone Width (LB & RB)			10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB)			
Total RBP Score	Poor	49	Total RBP Score	Poor 0		Total RBP Score	Poor	0	Total RBP Score	Poor	0	Total RBP Score	Poor 0		
Sub-Total		0.245	Sub-Total	0		Sub-Total		0	Sub-Total		0	Sub-Total			
CHEMICAL INDICATOR (Applies to Intermitten		reams)	CHEMICAL INDICATOR (Applies to Intern			CHEMICAL INDICATOR (Applies to Intermit		al Streams)	CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Strea	ams)	CHEMICAL INDICATOR (Applies to Intermitte	·		
WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (Gen	ral)		WVDEP Water Quality Indicators (General	ral)		WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General	41)		
Specific Conductivity			Specific Conductivity			Specific Conductivity			Specific Conductivity			Specific Conductivity			
100-199 - 85 points	0-90	198.9		0-90			0-90			0-90			0-90		
100-199 - 65 points			~U			mU			wH			»H			
γιι	0-1		PIT	0-1		Pil		0-1	pri ·	0-1		pii -	0-1		
8.1-9.0 = 45 points	0-80	8.12		5-90			5-90			5-90			5-90		
DO		100	DO			DO	•		DO			DO			
	10-30	9.2		10-30			10-30			10-30			10-30		
>5.0 = 30 points	10-30			10-30			10-30			10-30			10-30		
Sub-Total  BIOLOGICAL INDICATOR (Applies to Intermitt	tent and Perennial S	0.8 Streams)	Sub-Total  BIOLOGICAL INDICATOR (Applies to International Control of Control	mittent and Perennial Streams)		Sub-Total  BIOLOGICAL INDICATOR (Applies to Inte	rmittent and Pe	0 rennial Streams)	Sub-Total  BIOLOGICAL INDICATOR (Applies to Intermi	ttent and Perennia	0 al Streams)	Sub-Total  BIOLOGICAL INDICATOR (Applies to Inter	mittent and Perennial Streams)		
				,											
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			
	0-100 0-1	74		0-100 0-1			0-100	0-1		0-100 0-1		1	0-100 0-1		
Good															
Sub-Total		0.74	Sub-Total	0		Sub-Total		0	Sub-Total		0	Sub-Total	0		
PART II - Index and Ui	nit Score		PART II - Index	and Unit Score		PART II - Index a	nd Unit Score	_	PART II - Index and Ur	it Score		PART II - Index and	Unit Score		
. Alt II - Illuox allu ol			Patt ii - iiidex			i Aiti ii - iiiuex a	00016		TAKT II - IIIGGA BIIG OI			Part II - IIIdex allu			
lust	Linear Fred	Unit Corne	la da	Linear Foot		la deci	1 1 2	ant Unit Coons	January.	Linear Fred	Unit Coors	to do	Linear Feet Unit Score		
Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score	е	Index	Linear F	eet Unit Score	Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		
0.595	75	44.625	0	0 0		0	0	0	0	0	0	0	0 0		

## PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME Right For	k Hungard Creek	LOCATION S-KL29							
STATION#R	IVERMILE	STREAM CLASS Perennial							
LAT 37.692932 LC	ONG -80.733839	COUNTY Summers							
STORET#	13	AGENCY Edge/Potesta							
INVESTIGATORS AJ/MB									
FORM COMPLETED BY	AJ	DATE 09-02-2021 TIME 12-41-2M	REASON FOR SURVEY Preliminary Assessment						
WEATHER CONDITIONS  SITE LOCATION/MAP	main (showers %ccle)  Draw a map of the sit		Has there been a heavy rain in the last 7 days?  Yes No  Air Temperature 23 ° C  Other  pled (or attach a photograph)  atures and sediment composition could not be assessed.						
STREAM CHARACTERIZATION	Stream Subsystem Perennial Inte Stream Origin Glacial Non-glacial montane Swamp and bog	ermittent	Stream Type  □Coldwater □Warmwater  Catchment Areakm²						

### PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores	Pasture Industria	rcial al	Local Watershed NPS  No evidence Son Obvious sources  Local Watershed Eros None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	TION		e the dominant type and S Soli ant species present		minant species present ☐ Grasses  ☐ He	erbaceous
INSTREA FEATURI		Estimal Sampli Area in Estimal Surface (at thal	km² (m²x1000)  ted Stream Depth  Velocity  m	mm²km²m	Canopy Cover Partly open Part  High Water Mark  Proportion of Reach R  Morphology Types Riffle Pool  Channelized Yes  Dam Present Yes	m epresented by Stream Run%
LARGE V DEBRIS	VOODY	LWD Density	m² of LWDm	1 <sup>2</sup> /km <sup>2</sup> (LWD/ 1	Stream not ass reach area)	essed: above base flow.
AQUATIO VEGETA	TION	Domina			_	Free floating
WATER (	QUALITY	Specific Dissolv pH Turbid	rature C c Conductance ed Oxygen ity strument Used _Turbid s			Chemical   Other   Globs   Flecks   Other
SEDIMEN SUBSTRA		Oils	nal Sewage nical Anaerobic No visibility nt □Slight □Moderat		are the undersides blac	h are not deeply embedded,
INC		STRATE	COMPONENTS 100%)		ORGANIC SUBSTRATE C	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock Boulder	> 256 mm (10"	)	No visibility	Detritus	sticks, wood, coarse plant materials (CPOM)	
Cobble Gravel	64-256 mm (2.5 2-64 mm (0.1"-			Muck-Mud	black, very fine organic (FPOM)	
Sand	0.06-2mm (gritt	y)		Marl	grey, shell fragments	
Silt	0.004-0.06 mm					
Clay	< 0.004 mm (sl	ick)		]		

#### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME Right Fork Hungard Creek	LOCATION S-KL29						
STATION # RIVERMILE	STREAM CLASS Perennial						
LAT 37.692932 LONG -80.733839	_ COUNTY Summers						
STORET#	AGENCY Edge/Potesta						
INVESTIGATORS AJ/MB							
FORM COMPLETED BY AJ	DATE 09-02-2021 REASON FOR SURVEY Preliminary Assessment						

	Habitat		Condition	ı Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.				
	N/A	stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).						
	SCORE 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.				
ted ii	SCORE 0	20 19 18 17 16	10 9 8 7 6	5 4 3 2 1 0					
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime N/A	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).				
aram	SCORE U	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
ra .	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.				
	SCORE U	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
	5. Channel Flow Status N/A	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				

In stream characteristics not assessed - no visibility.

#### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat	Condition Category													
	Parameter	Optimal	Suboptimal	Marginal	Poor										
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.										
	SCORE 18	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0										
ng reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.										
ampl	score 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0										
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank)  Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.										
e co	SCORE 6	Left Bank 10 9	8 7 6	5 4 3	2 1 0										
to p	SCORE 6	Right Bank 10 9	8 7 6	5 4 3	2 1 0										
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.										
	SCORE 4	Left Bank 10 9	8 7 6	5 4 3	2 1 0										
	SCORE 5	Right Bank 10 9	8 7 6	<b>5</b> 4 3	2 1 0										
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.										
	SCORE 5	Left Bank 10 9	8 7 6	<b>5</b> 4 3	2 1 0										
	SCORE 5	Right Bank 10 9	8 7 6	5 4 3	2 1 0										

Total Score 49

#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME Right Fork Hungard Creek							LOCATION S-KL29											
STATION #	R	IVE	RM	LE_		STREA	STREAM CLASS Perennial											
LAT 37.692932	L	ONO	j -80	733835	)	COUN	COUNTY Summers											
STORET#	AGEN	AGENCY Edge/Potesta																
INVESTIGATORS											j	LOT	NUMBER					
FORM COMPLETED BY AJ							09-02-2021 12-41 PM				+		SON FOR SURVEY	relimir	ary .	Asse	essm	ent
HABITAT TYPES	In	dica C Sub	Cobble% Snags% Vegetated Banks% Sand%  Submerged Macrophytes% Other ( )%															
SAMPLE	$\neg \vdash$																	
COLLECTION						les collected?							ık 🔲 from boa					
	In	dica Col Sub	te the ble_	e nu	mbe Jacro	of jabs/kicks t Snags ohytes	aken in ea	ch l Ve	hab geta	itat ated ther	<b>type</b> Bani (	e. ks	Sand					
GENERAL COMMENTS	Stream not assessed significant rain event from the past 48 hours								S.									
QUALITATIVE Indicate estimate Dominant					0 = 2		bserved,			nes	e, 2	= C	ommon, 3= Abuno		<b>4</b> =		3	4
Filamentous Alga	e				-	1 2 3 4	-				nve	rtebi	rates		1	_	_	4
Macrophytes					-	1 2 3 4			Fish					-	1		3	
FIELD OBSERV Indicate estimate				e:	0 = org	Absent/Not O nisms), 3= A	bserved				anis	sms)	rganisms), 2 = Coi , 4 = Dominant (>:				ıs)	
Porifera	0	1	2	3	4	Anisoptera	(	)	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	(	)	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	(	)	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	(		1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	(		1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	(		1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	(		1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	(		1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	(		1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	(		1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae Culcidae	(	) )	1	2	3	4						

Insects	Count	Tolerance	TV	Insects	Count	Tolerance	TV	Non-Insects	Count	Tolerance	TV
Ephemeroptera			50	Odonata			0	Crustacea			0
Ameletidae		2	0	Aeshnidae		3	0	Asellidae		7	0
Baetidae	3	4	12	Calopterygidae		6	0	Cambaridae		5	0
Beatiscidae		4	0	Coenagrionidae		7	0	Gammaridae		5	0
Caenidae	6	5	30	Cordulegastridae		3	0	Palaemonidae		5	0
Ephemerellidae		3	0	Gomphidae		5	0	Annelida			0
Ephemeridae		5	0	Lestidae		7	0	Hirudinea		10	0
Heptageniidae	41	3	123	Libellulidae		7	0	Nematoda		10	0
Isonychiidae		3	0	Coleoptera			65	Nematomorpha		10	0
Leptophlebiidae		4	0	Chrysomelidae		7	0	Oligochaeta		10	0
Potamanthidae		5	0	Dryopidae		5	0	Turbellaria			0
Siphlonuridae		3	0	Dytiscidae		6	0	Turbellaria		7	0
Tricorythidae		5	0	Elmidae	29	4	116	Bivalvia			0
Plecoptera			19	Gyrinidae		5	0	Corbiculidae		6	0
Capniidae		2	0	Haliplidae		7	0	Sphaeriidae		5	0
Chloroperlidae		2	0	Hydrophilidae		7	0	Unionidae		4	0
Leuctridae	11	2	22	Psephenidae	36	3	108	Gastropoda			0
Nemouridae		2	0	Ptilodactylidae		5	0	Ancylidae		7	0
Peltoperlidae		1	0	Hemiptera			6	Hydrobiidae		4	0
Perlidae	8	1	8	Belostomatidae		8	0	Physidae		7	0
Perlodidae		1	0	Corixidae		8	0	Planorbidae		5	0
Pteronarcyidae		1	0	Gerridae	6	10	60	Pleuroceridae		5	0
Taeniopterygidae		2	0	Hydrometridae		8	0	Viviparidae		5	0
Trichoptera			30	Nepidae		8	0	Miscellaneous			0
Brachycentridae		2	0	Notonectidae		8	0	Collembola		6	0
Glossosomatidae	1	2	2	Megaloptera			2	Lepidoptera		5	0
Helicopsychidae		3	0	Corydalidae	2	3	6	Neuroptera		5	0

6

3

2

8

9

10

6

7

8

8

7

10

10

7

5

43

3

8

0

54

0

0

0

387

0

0

21

0

0

0

0

0

0

40

Hydrachnidae

Hilsenhoff Biotic Index (HBI)

26

2

West Virginia Stream Condition Index (WVSCI)

Gerritson, J., J. Burton, and M.T. Barbour. 2000. A stream

condition index for West Virginia wadeable streams. Tetra

Hydropsychidae

Lepidostomatidae

Hydroptilidae

Leptoceridae

Limnephilidae

Philopotamidae

Polycentropodidae

Tech, Inc. Owing Mills, MD.

Phryganeidae

Psychomiidae

Rhyacophilidae

Uenoidae

Molannidae

130

0

0

0

4

0

8

0

0

0

0

0

Spreadsheet uses updated Best Standard Values [BSV] for each metric per WVSCI Addenda dated March 23, 2010

Sialidae

Diptera

Athericidae

Blephariceridae

Chironomidae

Culicidae

Empididae

Simuliidae

Syrphidae

Tabanidae

Tipulidae

Psychodidae

Ptychopteridae

Stratiomyidae

Dixidae

Ceratopogonidae

5

3

3

3

4

3

4

4

5

4


3


2


Total Tolerance Value


SITE ID: S-KL29 7/21/2021

achnidae		6	0				
Totals	Total	number	226				
TOLAIS	Total	families	16				
		ulations					
\A/\/C	CI Metric	Coores		Additiona	l metrics		
WVS	ci wetric	Scores		Ephemeroptera Taxa	3		
Total Taxa	9	16	72.7	Plecoptera Taxa	2		
EPT Taxa		9	69.2	Trichoptera Taxa	4		
% EPT Abundance 43.8			49.1	Long-lived Taxa	9		
% Chironomi	dae	19.0	82.4	Odonata Taxa	0		
enhoff Biotic In	idex (HBI)	4.77	70.8	Diptera Taxa	3		
% 2 Dominant	Taxa	37.2	100.0	COET Taxa	9		
				% Sensitive	44.7		
				% Tolerant	23.0		
WV Stream (	Condition	Index	74.0	% Clingers	56.2		
				% Net-spinners	12.4		
				· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·		









#### SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 十

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 21, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

## S-KL29 BASELINE CROSS-SECTION A



NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

CROSS SECTION LEGEND

CROSS SECTION

H: 1"=10'
V: 1"=5'

— EXISTING GRADE

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

PRE-CROSSING

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

CAD File No.

Drawing No