Baseline Assessment – Stream Attributes

Reach S-L22 (Pipeline ROW) Perennial Spread E Greenbrier County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable)
RBP Physical Characteristics Form	✓
Water Quality Data	✓- collected under separate event (8/27/2021)
RBP Habitat Form	✓
RBP Benthic Form	✓ - collected under separate event (8/27/2021)
Benthic Identification Sheet	✓
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓



Photo Type: US Reach, US View Location, Orientation, Photographer Initials: Upstream Reach, Upstream View, AAK/SM/TA



Photo Type: US Reach, DS View Location, Orientation, Photographer Initials: Upstream Reach, Downstream View, AAK/SM/TA



Photo Type: Mid-Reach, US View
Location, Orientation, Photographer Initials: Mid-Reach, Upstream View, AAK/SM/TA



Photo Type: Mid-Reach, DS View Location, Orientation, Photographer Initials: Mid-Reach, Downstream View, AAK/SM/TA



Photo Type: DS Reach, US View Location, Orientation, Photographer Initials: Downstream Reach, Upstream View, AAK/SM/TA



Photo Type: DS Reach, DS View Location, Orientation, Photographer Initials: Downstream Reach, Downstream View, AAK/SM/TA

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountair	n Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	37.954035 Lon.	-80.739868	WEATHER:	70% Cloud Cover	DATE:	9/15/2021
IMPACT STREAM/SITE ID (watershed size {acreage},			S-L22 Little	Sewell Creek		MITIGATION STREAM CLASS./SITE ID A (watershed size {acreage}, unaltered				Comments:	
STREAM IMPACT LENGTH:	75	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.	Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:	
Column No. 1- Impact Existing	g Condition (Debit)		Column No. 2- Mitigation Existing Co	ondition - Baseline (Credit)		Column No. 3- Mitigation Projected at Post Completion (Credit)	t Five Years	Column No. 4- Mitigation Proj Post Completion (Column No. 5- Mitigation Projec	ted at Maturity (Credit)
Stream Classification:	Perenni	al	Stream Classification:		9	Stream Classification:	0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel Slo	ope	0.01	Percent Stream Channel Slo	pe		Percent Stream Channel Slope	0	Percent Stream Channel Sle	ope 0	Percent Stream Channel S	Slope 0
HGM Score (attach da	ata forms):		HGM Score (attach d	lata forms):		HGM Score (attach data form	ns):	HGM Score (attach da	ata forms):	HGM Score (attach o	iata forms):
		Average		Average			Average		Average		Average
Hydrology			Hydrology	0		Hydrology		Hydrology		Hydrology	
Biogeochemical Cycling Habitat		0	Biogeochemical Cycling Habitat	۰		Biogeochemical Cycling Habitat	0	Biogeochemical Cycling Habitat	0	Biogeochemical Cycling Habitat	
PART I - Physical, Chemical and	Biological Indicato	ors	PART I - Physical, Chemical and	Biological Indicators		PART I - Physical, Chemical and Biologi	ical Indicators	PART I - Physical, Chemical and	Biological Indicators	PART I - Physical, Chemical and	l Biological Indicators
	Points Scale Range	Site Score		Points Scale Range Site Score		Points Scale	Range Site Score		Points Scale Range Site Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams	s classifications)		PHYSICAL INDICATOR (Applies to all streams of	classifications)	F	PHYSICAL INDICATOR (Applies to all streams classification	ions)	PHYSICAL INDICATOR (Applies to all streams	s classifications)	PHYSICAL INDICATOR (Applies to all stream	is classifications)
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)		L	JSEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)	
Epifaunal Substrate/Available Cover	0-20	12	Epifaunal Substrate/Available Cover	0-20	1	Epifaunal Substrate/Available Cover 0-20		Epifaunal Substrate/Available Cover	0-20	Epifaunal Substrate/Available Cover	0-20
Embeddedness Velocity/ Depth Regime	0-20	16	2. Pool Substrate Characterization	0-20	1	2. Embeddedness 0-20 3. Velocity/ Depth Regime 0-20		2. Embeddedness	0-20	Embeddedness Velocity/ Depth Regime	0-20
Velocity/ Deptit Regime Sediment Deposition	0-20 0-20	6 13	Pool Variability Sediment Deposition	0-20	1	3. Velocity/ Depth Regime 0-20 4. Sediment Deposition 0-20		Velocity/ Depth Regime Sediment Deposition	0-20 0-20	Velocity/ Deptit Regime Sediment Deposition	0-20 0-20
Channel Flow Status	0-20	16	5. Channel Flow Status	0-20	-	5. Channel Flow Status 0-20		5. Channel Flow Status	0-20	Channel Flow Status	0-20
6. Channel Alteration	0-20 0-1	16	6. Channel Alteration	0-20 0-1		5. Channel Alteration 0-20	0-1	6. Channel Alteration	0-20 0-1	6. Channel Alteration	0-20 0-1
7. Frequency of Riffles (or bends)	0-20	2	7. Channel Sinuosity	0-20	15	7. Frequency of Riffles (or bends) 0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20
8. Bank Stability (LB & RB)	0-20	10	8. Bank Stability (LB & RB)	0-20	1	B. Bank Stability (LB & RB) 0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20
9. Vegetative Protection (LB & RB)	0-20	11	9. Vegetative Protection (LB & RB)	0-20	9	9. Vegetative Protection (LB & RB) 0-20		9. Vegetative Protection (LB & RB)	0-20	9. Vegetative Protection (LB & RB)	0-20
10. Riparian Vegetative Zone Width (LB & RB)	0-20	2	10. Riparian Vegetative Zone Width (LB & RB)	0-20	1	Riparian Vegetative Zone Width (LB & RB) O-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20	10. Riparian Vegetative Zone Width (LB & RB)	
Total RBP Score	Marginal	104	Total RBP Score	Poor 0	Ī	Total RBP Score Po	oor 0	Total RBP Score	Poor 0	Total RBP Score	Poor 0
Sub-Total CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Strear	0.52 ms)	Sub-Total CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		Sub-Total CHEMICAL INDICATOR (Applies to Intermittent and Perei	nnial Streams)	Sub-Total CHEMICAL INDICATOR (Applies to Intermitte	nt and Perennial Streams)	Sub-Total CHEMICAL INDICATOR (Applies to Intermittee	ent and Perennial Streams)
		,		,	ŀ		,		·		
WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (General) Specific Conductivity		WVDEP Water Quality Indicators (General Specific Conductivity)	WVDEP Water Quality Indicators (General Specific Conductivity	")
opecinic conductivity	T ==		opecinic conductivity		-			Specific Conductivity		Specific Conductivity	
100-199 - 85 points	0-90	102.9		0-90		0-90			0-90		0-90
pH			рН		F	Н		рН		pH	
	0-80	7.31		5-90 0-1		5-90	0-1		5-90 0-1		5-90 0-1
6.0-8.0 = 80 points	┴ ──┤ ┡		DO.		L			00		00	
DO	_		DO		ľ	JO		БО		БО	
>5.0 = 30 points	10-30	8.18 0.975		10-30		10-30		0.1.7.1	10-30	0.1.7.1	10-30
Sub-Total BIOLOGICAL INDICATOR (Applies to Intermit	ttent and Perennial Stre		Sub-Total BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)		Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and	Perennial Streams)	Sub-Total BIOLOGICAL INDICATOR (Applies to Intern	nittent and Perennial Streams)	Sub-Total BIOLOGICAL INDICATOR (Applies to Intern	mittent and Perennial Streams)
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		k	WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)	
	0.100	70.5		0.100	ľ	` '	0.1	Jacan Jonaton Mass (WVO)	0-100 0-1	The same of the sa	0.100
Good	0-100 0-1	72.5		0-100 0-1		0-100	0-1		0-100 0-1		0-100 0-1
Sub-Total		0.725	Sub-Total	0	9	Sub-Total	0	Sub-Total	0	Sub-Total	0
					_				-		
PART II - Index and U	Jnit Score		PART II - Index and I	Unit Score		PART II - Index and Unit Sco	re	PART II - Index and U	nit Score	PART II - Index and	Unit Score
Index	Linear Feet l	Unit Score	Index	Linear Feet Unit Score		Index Linear	r Feet Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit Score
0.740	75	55.5	0	0 0	ľ	0 0	0	0	0 0	0	0 0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME I	Little Sewell Creek	LOCATION S-L22						
STATION #	RIVERMILE	STREAM CLASS Pere	nnial					
LAT 37.954035	LONG80.739868	_ COUNTY Green	brier					
STORET#		AGENCY Potesta/Edge						
INVESTIGATORS	AK/SM/TA							
FORM COMPLETE	AK	DATE 9/15/2021 TIME 11:45 AM	REASON FOR SURVEY Preliminary Assessment					

WEATHER CONDITIONS	Now Past 24 hours Yes No Air Temperature 70 F 0 C Other
SITE LOCATION/MAP	Grand Communicate the areas sampled (or attach a photograph) Lob Pipe line Row Lob WW Lob
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Type Coldwater Warmwater Stream Origin Glacial Non-glacial montane Swamp and bog Other Stream Type Coldwater Warmwater Catchment Area km² Mixture of origins

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		✓ Fores	Pasture Industria	reial	Local Watershed NPS ☑ No evidence ☐ Son ☐ Obvious sources ☐ Local Watershed Eros ☑ None ☐ Moderate	ne potential sources				
RIPARIA VEGETA (18 meter		✓ Tree		ırubs	minant species present ☐Grasses mn olive, goldenrod	rbaceous				
INSTREA FEATURI		Estima Sampli Area in Estima	km² (m²x1000) ted Stream Depth e Velocity weg) O.4 O.15 ft/sec m	ft^2 m² km² ft m		ly shaded □Shaded 3.1 ft m epresented by Stream Run 60 % ☑ No ☑ No				
LARGE V DEBRIS	VOODY	LWD Density	0.2 m ²	1 ² /km ² (LWD/	reach area)					
AQUATIO VEGETA		Roote Float		ooted submerge tached Algae ached algae	nt Rooted floating	Free floating				
WATER (QUALITY	Specific Dissolv pH 7.0 Turbid	rature 18.1 C c Conductance 0.113 ms/cm ed Oxygen 8.15 mg/L 04 su ity 10.1 ntu strument Used YSI		Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measure)	Normal/None Sewage Petroleum Chemical Chemical Sick Sheen Globs Flecks Slick Sheen Globs Flecks Chemical C				
SEDIMEN SUBSTRA		Odors Norm Chen Othe	nical Anaerobic	□ Petroleum □ None	Epoking at stones which are the undersides black	Paper fiber Sand Other gravel h are not deeply embedded, k in color?				
	8	Abse	iii	r	se lies lino					
INC		STRATE dd up to	COMPONENTS 100%)		ORGANIC SUBSTRATE C (does not necessarily add					
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area				
Bedrock	Programme and the second		0	Detritus	sticks, wood, coarse plant materials (CPOM)	3				
Boulder	> 256 mm (10")	U90000000	3							
Cobble	64-256 mm (2.5	1,0005.00	52	Muck-Mud	black, very fine organic (FPOM)	_				
Gravel	2-64 mm (0.1"-2		40	Mort						
Sand	0.06-2mm (gritt	у)	3	Marl	grey, shell fragments					
Silt	0.004-0.06 mm < 0.004 mm (sli	ck)	0			–				
Clay	- 0.004 Hilli (SII	CK)	l o	1	I	I				

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME LI	ttle Sewell Creek	LOCATION S-L22							
STATION #	RIVERMILE	STREAM CLASS Perennial							
LAT 37.954035	LONG -80.739868	COUNTY Greenbrier							
STORET#		AGENCY Potesta/Edge							
INVESTIGATORS A	K/SM/TA								
FORM COMPLETED AK	O BY	DATE 9/15/2021 TIME 11:45 AM PM REASON FOR SURVEY Preliminary Assessment							

	Habitat		Condition	ı Category			
	Parameter	Optimal	Suboptimal	Marginal	Poor		
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.		
	N/A	stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).				
	SCORE 12	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.		
led is	SCORE 16	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime N/A	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).		
aram	_{SCORE} 6	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.		
	_{SCORE} 13	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
	5. Channel Flow Status N/A	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.		
	SCORE 16	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		


HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat	Condition Category													
	Parameter	Optimal	S	uboptim	al	N	Iargina	al		Poor					
	Channel teration	Channelization or dredging absent or minimal; stream with normal pattern.	present, of bridg evidence channeli dredging past 20 y present,	nannelizat usually in e abutmen e of past ization, i.o g, (greater yr) may b but recen ization is	n areas nts; e., than e	Channelizextensive or shoring present or and 40 to reach chadisrupted	; embang structun both b 80% of	nkments ares oanks; f stream	Banks shored with gabi or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered o removed entirely.						
SC	core 16	20 19 18 17	15 14	4 13	12 11	10 9	8	7 6	5 4	3 2	1 0				
Rif	Frequency of ffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffl divided by width of the stream <7:1 (generally 3 to 7); variety of habitat key. In streams where riffles are continuous, placement of boulders o other large, natural obstruction is important	infreque between the widt between	nce of rifi ent; distan riffles di h of the si 7 to 15.	fles ce vided by	Occasion bottom co some hab between the width between	ontours joitat; dis riffles di of the s	provide tance ivided by stream is	Generall shallow thabitat; or iffles dis width of ratio of >	riffles; p listance vided by the strea	between the				
SC	core 2	<u> </u>	16 15 14	4 13	12 11	10 9	8	7 6	5 4	3 2	1 0				
No or i	Bank Stability ore each bank) te: determine left right side by ing demonstrates.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	infreque erosion i over. 5-	tely stable ent, small mostly he 30% of b is areas of	areas of aled ank in	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods. Unstable; many ero areas; "raw" areas frequent along strais sections and bends; obvious bank sloug 60-100% of bank herosional scars.					ns raight ds; oughing;				
SC	ORE 2	Left Bank 10	9 8	7	6	5	4	3	2	1	0				
SC	ORE 8	Right Bank 10	9 8	7	6	5	4	3	2	1	0				
	Vegetative otection (score ch bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	c covered vegetation of plants represent evident to any g than one potentia	of the ank surface by native on, but or is is not we ted; disrubut not af it growth reat extensible of the light plant streemaining.	e class ell- ption fecting potential at; more ne	50-70% of streambar covered by disruption patches of closely or common; half of th stubble h	nk surfa by veget n obviou f bare so copped v less that e potent	ation; us; oil or vegetation an one- tial plant	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.						
	ORE 2	Left Bank 10 9	8	7	6	5	4	3	2	1	0				
SC	ORE 9)	Right Bank 10	8	7	6	5	4	3	2	1	0				
Ve; Wi ban	Riparian getative Zone idth (score each nk riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cut- lawns, or crops) have no impacted zone.	12-18 m activitie s, zone on	f riparian neters; hu s have im ly minima	man pacted	Width of 12 meters activities zone a gr	s; huma have in	n npacted	Width of riparian zone <0 meters: little or no riparian vegetation due to human activities.						
SC	ORE 1	Left Bank 10	9 8	7	6	5	4	3	2	1	0				
SC	CORE 1)	Right Bank 10	9 8	7	6	5	4	3	2	-	0				

Total Score 104

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET


	STREAM NAME Little Sewell Creek								TION :	S-L22										
STATION # RIVERMILE									STREAM CLASS Perennial											
LAT 37,954035	L	ONO	j -80	73986	3		CC	COUNTY Greenbrier												
STORET#							AC	EN	CY Po	testa	a/Ed	ge								
INVESTIGATORS A	K/SN	//TA	V.										1	LOT	NUMBER					
FORM COMPLETE) BY	Α	K				505307	ATE ME	9/15/202 11:45 AI				1	REAS	SON FOR SURVEY P	relimir	nary	Ass	essn	nent
HABITAT TYPES	In	dica Co Sub	ite thobbli	ne pe e ged N	rcen % //acro	tage 6 🔲	of eacl Snags es	hal	bitat typ	pe pr ∐V	eser eget	it ated Other	Ban	ks	%	%				
SAMPLE	G	ear	used		D-fi	ame	kio	k-ne	et							_				
COLLECTION	How were the samples collected? wading from bank from boat																			
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other (
GENERAL COMMENTS	_	lo	b	en	th	ics	s cc	llε	ecte	ed	dι	ıe	tc) li	mited flow	, n	0	riff	fle	S.
QUALITATIVE I										.a 1	_ 1	Dan			ommon 2— Ab	dont	1 -	_		
					0 = 2	Abse		t O	bserve	ed, 1		Rare		= C	ommon, 3= Abun			2	3	4
Indicate estimated Dominant	d abu				0 = 0	Abse	nt/No	t O	bserve 4		Sli	mes		= C	, 	0	1		_	-
Indicate estimated Dominant Periphyton	d abu				$0 = \lambda$	1 1	2 3	t O	bserve 4 4		Sli	mes			, 	0 0	1 1	2	3	4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimated	ATIO	ONS	S Ol	F M	0 0 0 ACI $0 = org$	1 1 1 Abseanisi	2 3 2 3 BENT ent/Noms), 3	t O 3	4 4 4 5 Observe	ed,	Slin Ma Fis 1 = >10	mes acroi h Rar org	nve	rtebi -3 o sms)	rganisms), 2 = Co , 4 = Dominant (>	0 0 0	1 1 1 n (3	2 2 2 2	3 3	4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimates	ATIO	ONS und	S Of ance	F M e:	0 0 0 0 ACI $0 = org$	1 1 1 Andrews Abservation	2 3 2 3 BENT ent/Nems), 3	t O 3	4 4 4 5 Observe	ed, ant (2	Slin Ma Fis 1 = >10	mes acroidh Rar org	nvee (1 anis	-3 o ssms)	rganisms), 2 = Co , 4 = Dominant (>	0 0 0 0	1 1 1 m (3	2 2 2 2 2-9 nisn	3 3 3	4 4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimate Porifera Hydrozoa	ATIO O O	ONS und	S Olance	F M e: 3	0 0 0 0 (ACI) 0 = orgs	1 1 1 Abservation 1 And	2 3 2 3 SENT ent/Noms), 3	t O 3	4 4 4 5 Observe	eed, (2)	Slin Ma Fis 1 = ->10	mes deroi h Rar org	nvee (1 anis	-3 o osms)	rganisms), 2 = Co , 4 = Dominant (> Chironomidae Ephemeroptera	0 0 0 0 mmo 50 o	1 1 1 m (3 rgan	2 2 2 2 3-9 nisn	3 3 3 3 3	4 4 4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimate Porifera Hydrozoa Platyhelminthes	ATIO	ONS und	S Olance	F M e: 3 3 3 3	0 0 0 0 ACI 0 = orgs	1 1 1 Ansee	2 3 2 3 BENT Sent/Noms), 3	t O 3	4 4 4 5 Observe	0 0 0	Slin Ma Fis 1 = >10	mes acroidh Rar org	3 3 3 3	-3 o ssms)	rganisms), 2 = Co , 4 = Dominant (> Chironomidae Ephemeroptera Trichoptera	0 0 0 0 mmo 50 o	1 1 1 nn (3 rgan	2 2 2 2 2 nism	3 3 3 3 3 3	4 4 4 4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimate Porifera Hydrozoa Platyhelminthes Turbellaria	ATIO	ONS und	S Olance	F M e: 3 3 3 3 3	0 0 0 0 0 ACI 0 = org	1 1 1 Ansanism	2 3 2 3 2 3 3 SENT ent/Noms), 3 sisopter emipte eleopte	t O	4 4 4 5 Observe	0 0 0 0	Slin Ma Fis 1 = >10	Rar org	3 3 3 3 3	-3 o ssms) 4 4 4	rganisms), 2 = Co , 4 = Dominant (> Chironomidae Ephemeroptera	0 0 0 0 mmo 50 o	1 1 1 m (3 rgan	2 2 2 2 3-9 nisn	3 3 3 3 3	4 4 4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimates Porifera Hydrozoa Platyhelminthes Turbellaria Hirudinea	ATIO 0 0 0 0	ONS und 1 1 1 1 1	2 2 2 2 2	F M 3 3 3 3 3 3	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 Abservation And Andrews Andrew	2 3 2 3 3 SENT ent/Noms), 3 disopter emipte eleopte pidopte	t O	4 4 4 5 Observe	0 0 0 0	Slin Ma Fis 1 = 10 1	Rar org	3 3 3 3 3 3	-3 o o 4 4 4 4 4 4 4	rganisms), 2 = Co , 4 = Dominant (> Chironomidae Ephemeroptera Trichoptera	0 0 0 0 mmo 50 o	1 1 1 nn (3 rgan	2 2 2 2 2 nism	3 3 3 3 3 3	4 4 4 4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimates Porifera Hydrozoa Platyhelminthes Turbellaria Hirudinea Oligochaeta	ATIO 0 0 0 0 0 0 0 0	ONS und 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	F M e: 3 3 3 3 3 3 3	0 0 0 0 0 0 0 0 0 0 0 4 4 4 4 4 4	1 1 1 Ansanisa	2 3 2 3 2 3 3 SENT ent/Noms), 3 sisoptes emipte eleoptes pidoptalidae	HOS ra ra ra ra ra ra ra	4 4 4 5 Observe	0 0 0 0 0	Slin Ma Fis 1 = >10 1	Rar org	3 3 3 3 3 3 3	-3 o ssms) 4 4 4 4 4	rganisms), 2 = Co , 4 = Dominant (> Chironomidae Ephemeroptera Trichoptera	0 0 0 0 mmo 50 o	1 1 1 nn (3 rgan	2 2 2 2 2 nism	3 3 3 3 3 3	4 4 4 4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimate Porifera Hydrozoa Platyhelminthes Turbellaria Hirudinea Oligochaeta Isopoda	0 0 0 0 0 0	ONS und 1 1 1 1 1 1	2 2 2 2 2 2 2	F M e: 3 3 3 3 3 3 3 3	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 Abservation 1 1 1 Control Legistration 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2 3 2 3 2 3 3 ENT isopte mipte emipte pidopte	HOS A A A A A A A A A A A A A	4 4 4 5 Observe	0 0 0 0 0 0	Slin Ma Fis 1 = >10 1	Rar org	3 3 3 3 3 3 3 3 3	-3 o ssms) 4 4 4 4 4 4	rganisms), 2 = Co , 4 = Dominant (> Chironomidae Ephemeroptera Trichoptera	0 0 0 0 mmo 50 o	1 1 1 nn (3 rgan	2 2 2 2 2 nism	3 3 3 3 3 3	4 4 4 4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimate Porifera Hydrozoa Platyhelminthes Turbellaria Hirudinea Oligochaeta Isopoda Amphipoda	ATIC 0 0 0 0 0 0 0 0 0 0 0	ONS und 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2	F M 3 3 3 3 3 3 3 3 3 3 3 3	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 1 And Absertance And Andrews And Andrews	2 3 2 3 2 3 3 EENT Sent/Noms), 3 disopter emipte eleopte pidopte pidop	HOS Cra ra ra ra cra dae e	4 4 4 5 Observe	0 0 0 0 0 0	Slin Ma Fis 1 = >10 1	Rar org	3 3 3 3 3 3 3 3	-3 o ossms) 4 4 4 4 4 4 4	rganisms), 2 = Co , 4 = Dominant (> Chironomidae Ephemeroptera Trichoptera	0 0 0 0 mmo 50 o	1 1 1 nn (3 rgan	2 2 2 2 2 nism	3 3 3 3 3 3	4 4 4 4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimate Porifera Hydrozoa Platyhelminthes Turbellaria Hirudinea Oligochaeta Isopoda Amphipoda Decapoda	0 0 0 0 0 0 0	ONS und 1	2 2 2 2 2 2 2 2 2 2	F M e: 3 3 3 3 3 3 3 3 3 3 3 3	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 ROB Abseanist Ann Zy Hee Co Lee Sia Co Tip En	2 3 2 3 2 3 3 3 5 ENT ent/Noms), 3 sisopter emipte eleopte pidopte pidopte pidopte eleopte ele	HOS COTA TO THE TOTAL TO THE TO	4 4 4 5 Observe	0 0 0 0 0 0 0 0	Slin Ma Fis 1 = >10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	mes acroidh Rar org 2 2 2 2 2 2 2 2 2 2 2 2	3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	-3 o sms) 4 4 4 4 4 4 4	rganisms), 2 = Co , 4 = Dominant (> Chironomidae Ephemeroptera Trichoptera	0 0 0 0 mmo 50 o	1 1 1 nn (3 rgan	2 2 2 2 2 nism	3 3 3 3 3 3	4 4 4
Periphyton Filamentous Algae Macrophytes FIELD OBSERV Indicate estimate Porifera Hydrozoa Platyhelminthes Turbellaria Hirudinea Oligochaeta Isopoda Amphipoda	ATIC 0 0 0 0 0 0 0 0 0 0 0	ONS und 1 1 1 1 1 1 1	2 2 2 2 2 2 2 2 2	F M 3 3 3 3 3 3 3 3 3 3 3 3	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1 1 1 ROBAbseaniss Ann Zyy He Coo Le Sia Coo Tip Enn Sir	2 3 2 3 2 3 3 EENT Sent/Noms), 3 disopter emipte eleopte pidopte pidop	HOS Cara ra	4 4 4 5 Observe	0 0 0 0 0 0	Slin Ma Fis 1 = >10 1	Rar org	3 3 3 3 3 3 3 3	-3 o ossms) 4 4 4 4 4 4 4	rganisms), 2 = Co , 4 = Dominant (> Chironomidae Ephemeroptera Trichoptera	0 0 0 0 mmo 50 o	1 1 1 nn (3 rgan	2 2 2 2 2 nism	3 3 3 3 3 3	4 4 4 4



ΓΕ I D:	<u>5-L</u>	22								
TE:			5 10	07.						
LLECTO	R(S):5/	U								
	ble Count (R									NOTES:
65	56	72	S.	57	81	30	49	41	38	
7.8	45	83	141	40	6	7=	29	47	25	
061	067		10/	9-7	11	123	62	09	.062	
062	137	58	37	18	117	46	181	159	72	
06L	0.65	790.	133	87	211	421	254	92	100.	
062	065	177	281	.062	176	176	.062	454	0,62	
002	233	116	183	470	215	.062	277	.06%	85	
.062	062	241	307	.67	397	158	294	.062	200.	
olet	133	175	175	166	.062	199	15.8	314	0.67	
0.61	10.	7 1	184	354	201	177	197	121	290	
ffle Pebble	Count									NOTES;
										NOTES:
									;====\	
			1				·			NOTES:
			-							•
:-			-			-				

Inche:	-44 <i>RT</i> A.T.L	Millimeters	
	Sitt Clay	940	\$70
	Very Fine	382 - 125	~
	Fire	125 - 25	S
	Medium	25 × 80	A
	Coarse	50 - 10	w<20
<u>04.09</u>	Very Coarse	15.2	
78 - 16	√ery Fine	2-4	
19 - 22	Fine	4 - 5.7	
.22 - 31	-ne	57.8	୍ର
.31 - 24	Medium	8 113	R
44 - €?	Medium	11.3 - 16	A:
83 - 65	Soarse	16 - 22 6	ιĘ;
39 - 12	Coarse	22 6 - 32	IJ
13.18	Nery Charse	32 + 45	
18-25	Very Coarse	45 - 84	
25.35	Small	64 - 36	20
38.81	Sma'	90 - 128	28
31.71	Large	128 - 180	
7.1 - 10 1	Large	180 - 256	
10 1 - 14 3	Sma	256 - 362	B
14 3 - 20	Sma*	362 - 512	
20 - 40	Medium	512 - 1024	[a]
41 - 85	Large Vry Large	1024 - 2048	
	Bedrock		2033


Bankfull Channel	
	0 1
Material Size Range (mm)	Count
silt/clay 0 - 0.062	26
very fine sand <u>0.062 - 0.125</u>	0
fine sand 0.125 - 0.25	0
medium sand 0.25 - 0.5	0
coarse sand 0.5 - 1	1
very coarse sand 1 - 2	0
very fine gravel 2 - 4	0
fine gravel 4 - 6	0
fine gravel 6 - 8	0
medium gravel 8 - 11	0
medium gravel 11 - 16	0
coarse gravel 16 - 22	0
coarse gravel 22 - 32	5
very coarse gravel 32 - 45	4
very coarse gravel 45 - 64	8
small cobble 64 - 90	8
medium cobble 90 - 128	14
large cobble 128 - 180	13
very large cobble 180 - 256	12
small boulder 256 - 362	5
small boulder 362 - 512	4
medium boulder 512 - 1024	0
large boulder 1024 - 2048	0
very large boulder 2048 - 4096	0
total particle count:	100
·	
bedrock	
clay hardpan	
detritus/wood	
artificial	
total count:	100
total count.	100
Note:	



S-L22

S-L22 BASELINE THALWEG PROFILE 2438 0+^l10 0+79.44 DISTANCE ALONG CROSS-SECTION (FT) PROFILE LEGEND PROFILE H: 1"=10' **EXISTING STREAM PROFILE** SCALE: V: 1"=5' INVERT ALONG THALWEG

AS-BUILT TABLE: S-L22 CROSS SECTION B					
		PRE-CROSSING		AS-BUILT	
PT. LOC.	NORTHING	EASTING	ELEV.	VERT. DIFF.	HORZ. DIFF.
TS-L	13781924.75	1715393.41	2442.95		
BS-L	13781925.03	1715393.67	2439.11		
THW	13781934.10	1715395.59	2437.89		
BS-R	13781946.76	1715394.87	2439.76		
TS-R	13781948.36	1715395.18	2441.08		




LEGEND

EXISTING SURVEY-LOCATED THALWEG 1176.87 **+** EXISTING SURVEYED GROUND SHOT ELEVATION


SURVEY NOTES:


- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS AND COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-L22 BASELINE CROSS-SECTION A



S-L22 BASELINE CROSS-SECTION B





NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS





PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM UPSTREAM FROM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM UPSTREAM IMPACT LIMITS

PRE-CROSSING

Drawing No

Checked

BB/JLY Approved

Scale:

SEPT. 2021 Date: