Reach S-L30 (Pipeline ROW) Intermittent Spread E Greenbrier County, West Virginia

Data	Included
Photos	\checkmark
SWVM Form	\checkmark
FCI Calculator and HGM Form	\checkmark
RBP Physical Characteristics Form	\checkmark
Water Quality Data	N/A – No flow
RBP Habitat Form*	\checkmark
RBP Benthic Form	\checkmark
Benthic Identification Sheet	N/A –No flow
Wolman Pebble Count	\checkmark
Reference Reach Software Pebble Count Data	\checkmark
Longitudinal Profile and Cross Sections	\checkmark

*Modified RBP - No flow





Photo Type: US Reach, US View Location, Orientation, Photographer Initials: Upstream Reach, Upstream View, AAK/SM/TA



Photo Type: US Reach, DS View Location, Orientation, Photographer Initials: Upstream Reach, Downstream View, AAK/SM/TA

Spread EStream S-L30 (Pipeline ROW)Greenbrier County



Photo Type: Mid-Reach, US View Location, Orientation, Photographer Initials: Mid-Reach, Upstream View, AAK/SM/TA



Photo Type: Mid-Reach, DS View Location, Orientation, Photographer Initials: Mid-Reach, Downstream View, AAK/SM/TA

Spread EStream S-L30 (Pipeline ROW)Greenbrier County



Photo Type: DS Reach, US View Location, Orientation, Photographer Initials: Downstream Reach, Upstream View, AAK/SM/TA



Photo Type: DS Reach, DS View Location, Orientation, Photographer Initials: Downstream Reach, Downstream View, AAK/SM/TA

"Q:\Charleston\2021 Projects\21-0244- MVP- STREAM AND WETLAND CONDITIONS ASSESSMENT AND SURVEY PLAN\002 - Pre-Crossing Monitoring\Spread E\S-L30"

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: Mountain V (v2.1, Sept 2015)		in Valley Pipeline IMPACT COORDINATES: (in Decimal Degrees)		Lat.	37.954276	Lon.	-80.739708	WEATHER:	70	% Clou		
IMPACT STREAM/SITE II (watershed size {acreage			S-L30 UNT to L	ittle Sewell Cre	eek		MITIGATION STREAM CLA: (watershed size {ac					
STREAM IMPACT LENGTH:	136	FORM OF MITIGATION:	RESTORATION (Levels I-III)		OORDINATES: cimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		
Column No. 1- Impact Existin	ng Condition (De	ebit)	Column No. 2- Mitigation Existing C	ondition - Base	eline (Credit)		Column No. 3- Mitigatio Post Compl	n Projected at etion (Credit)	Five Years	Column No. 4- Mitigation Pro Post Completion		ears
Stream Classification:	Inter	mittent	Stream Classification:				Stream Classification:		0	Stream Classification:		0
Percent Stream Channel S	•	28.9	Percent Stream Channel Slo	•			Percent Stream Channe		0	Percent Stream Channel S		
HGM Score (attach)	data forms):		HGM Score (attach	data forms):			HGM Score (att	ach data form	ns):	HGM Score (attach o	lata forms):	
		Average			Average				Average			Av
Hydrology	0.29		Hydrology				Hydrology			Hydrology		
Biogeochemical Cycling	0.29	0.326666667	Biogeochemical Cycling		0		Biogeochemical Cycling		0	Biogeochemical Cycling	-	
Habitat	0.4		Habitat		, in the second s		Habitat			Habitat	-	
PART I - Physical, Chemical an	d Biological Indi	cators	PART I - Physical, Chemical an	d Biological Ind	licators		PART I - Physical, Chemic	al and Biologic	cal Indicators	PART I - Physical, Chemical and	I Biological Ind	icators
	Points Scale Range	Site Score		Points Scale Range	Site Score			Points Scale	Range Site Score		Points Scale Range	e Si
PHYSICAL INDICATOR (Applies to all stream	ns classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)			PHYSICAL INDICATOR (Applies to all street	eams classificatio	ons)	PHYSICAL INDICATOR (Applies to all stream	is classifications)	
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)				USEPA RBP (High Gradient Data Shee	et)		USEPA RBP (High Gradient Data Sheet)		
1. Epifaunal Substrate/Available Cover	0-20		 Epifaunal Substrate/Available Cover 	0-20			1. Epifaunal Substrate/Available Cover	0-20		 Epifaunal Substrate/Available Cover 	0-20	
2. Embeddedness	0-20	2	2. Pool Substrate Characterization	0-20			2. Embeddedness	0-20		2. Embeddedness	0-20	
Velocity/ Depth Regime	0-20		Pool Variability	0-20			Velocity/ Depth Regime	0-20		Velocity/ Depth Regime	0-20	
4. Sediment Deposition	0-20	16	4. Sediment Deposition	0-20			Sediment Deposition	0-20		4. Sediment Deposition	0-20	
5. Channel Flow Status	0-20 0-1		5. Channel Flow Status	0-20 0-1			5. Channel Flow Status	0-20	0-1	5. Channel Flow Status	0-20 0-1	1
6. Channel Alteration	0-20	16	6. Channel Alteration	0-20			6. Channel Alteration	0-20		6. Channel Alteration	0-20	
Frequency of Riffles (or bends)	0-20	-	7. Channel Sinuosity	0-20			Frequency of Riffles (or bends)	0-20		Frequency of Riffles (or bends)	0-20	
Bank Stability (LB & RB)	0-20	16	Bank Stability (LB & RB)	0-20			Bank Stability (LB & RB)	0-20		Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	14	Vegetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB)	0-20	2	10. Riparian Vegetative Zone Width (LB & RB)	0-20			10. Riparian Vegetative Zone Width (LB & R			10. Riparian Vegetative Zone Width (LB & RB)	0-20	
Total RBP Score	Marginal	66	Total RBP Score	Poor	0		Total RBP Score	Poo	or 0	Total RBP Score	Poor	_
Sub-Total		0.33	Sub-Total		0		Sub-Total		0	Sub-Total		
CHEMICAL INDICATOR (Applies to Intermitt	ent and Perennial S	Streams)	CHEMICAL INDICATOR (Applies to Intermitter	t and Perennial Str	reams)		CHEMICAL INDICATOR (Applies to Interr	mittent and Peren	inial Streams)	CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial	Streams)
WVDEP Water Quality Indicators (Generation	al)		WVDEP Water Quality Indicators (General)				WVDEP Water Quality Indicators (Gen	ieral)		WVDEP Water Quality Indicators (Genera	al)	
Specific Conductivity			Specific Conductivity				Specific Conductivity			Specific Conductivity		
	0-90			0-90				0-90			0-90	
100-199 - 85 points												
рН	0-1		рН		0		рН		0-1	рН	0-1	
5.6-5.9 = 45 points	0-80			5-90 0-1				5-90	0-1		5-90	
5.6-5.9 – 45 points			PO.				PO.			DO.		
50	1		DO	1			bo			bo	-	
	10-30			10-30				10-30			10-30	
Sub-Total	1 1		Sub-Total	1 1	0		Sub-Total		0	Sub-Total		
BIOLOGICAL INDICATOR (Applies to Intern	nittent and Perennia	al Streams)	BIOLOGICAL INDICATOR (Applies to Intermit	tent and Perennial			BIOLOGICAL INDICATOR (Applies to In	ntermittent and F	Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Inter	mittent and Pere	nnial Str
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		
0	0-100 0-1			0-100 0-1				0-100	0-1		0-100 0-1	1
Sub-Total		0	Sub-Total		0		Sub-Total		0	Sub-Total		
<u>-</u>		u	<u>u</u>				<u>u</u>			-		
PART II - Index and	Unit Score		PART II - Index and	Unit Score			PART II - Index	and Unit Scor	e	PART II - Index and	Unit Score	

PART II - Index and Unit Score						
Index	Linear Feet	Unit Score				
0.446	136	60.63333333				

PART II - Index and Unit Score						
Index	Linear Feet	Unit Score				
0	0	0				

PART II - Index and	PART II - Index and Unit Score						
Index	Linear Feet	Unit Score					
0	0	0					

PART II - Index and Unit Score						
Index	Linear Feet	Unit Score				
0	0	0				

Cloud Cover	DATE.					
	DATE:	9	/15/2	1		
		,, _				
	Commenter					
	Comments.	Comments:				
	Mitigation Length:					
°S	Column No. 5- Mitigation Projecte	ed at Matu	rity (Cr	edit)		
	Stream Classification:		0			
0	Percent Stream Channel SI	ope		0		
	HGM Score (attach da	ata forms):			
Average				Average		
	Hydrology					
0	Biogeochemical Cycling			0		
1	Habitat	Dielenies	L lucalita a	4		
tors	PART I - Physical, Chemical and	Biologica	Indica	tors		
Site Score		Points Scale	Range	Site Score		
	PHYSICAL INDICATOR (Applies to all streams	classificatio	ons)			
	USEPA RBP (High Gradient Data Sheet)	П		n		
	1. Epifaunal Substrate/Available Cover	0-20				
	2. Embeddedness 3. Velocity/ Depth Regime	0-20				
	4. Sediment Deposition	0-20				
		0-20				
	Channel Flow Status		0-1			
	5. Channel Flow Status 6. Channel Alteration					
	6. Channel Alteration	0-20				
	6. Channel Alteration 7. Frequency of Riffles (or bends)	0-20 0-20				
	6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB)	0-20 0-20 0-20				
	6. Channel Alteration 7. Frequency of Riffles (or bends)	0-20 0-20				
0	6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB)	0-20 0-20 0-20 0-20	or	0		
0	6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB)	0-20 0-20 0-20 0-20 0-20	or	0		
	6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 0-20 0-20 0-20 0-20 Poo		0		
0	6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitter WVDEP Water Quality Indicators (General)	0-20 0-20 0-20 0-20 0-20 Poo		0		
0	6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitter	0-20 0-20 0-20 0-20 0-20 Poo		0		
0	6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitter WVDEP Water Quality Indicators (General)	0-20 0-20 0-20 0-20 0-20 Poo		0		
0	6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitter WVDEP Water Quality Indicators (General)	0-20 0-20 0-20 0-20 0-20 Poo		0		
0	6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitter WVDEP Water Quality Indicators (General) Specific Conductivity	0-20 0-20 0-20 0-20 0-20 Poo		0		
0	6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitter WVDEP Water Quality Indicators (General) Specific Conductivity pH	0-20 0-20 0-20 0-20 0-20 Poc t and Peren	nial Stre	0		
0	6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitter WVDEP Water Quality Indicators (General) Specific Conductivity	0-20 0-20 0-20 0-20 0-20 Poc t and Peren	nial Stre	0		
0	6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitter WVDEP Water Quality Indicators (General) Specific Conductivity pH	0-20 0-20 0-20 0-20 0-20 Poc t and Peren	nial Stre	0		
0 pams)	6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitter WVDEP Water Quality Indicators (General) Specific Conductivity pH DO	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20	nial Stre	0 Pams)		
0	6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitter WVDEP Water Quality Indicators (General) Specific Conductivity pH	0-20 0-20 0-20 0-20 0-20 Poc t and Peren 0-90 5-90 10-30	0-1	0 mams)		
0 eams)	6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitter WVDEP Water Quality Indicators (General) Specific Conductivity pH DO Sub-Total	0-20 0-20 0-20 0-20 0-20 Poc t and Peren 0-90 5-90 10-30	0-1	0 mams)		
0 eams)	6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitter WVDEP Water Quality Indicators (General) Specific Conductivity pH DO Sub-Total BIOLOGICAL INDICATOR (Applies to Intermitter	0-20 0-20 0-20 0-20 0-20 Poc t and Peren 0-90 5-90 10-30	0-1	0 mams)		

PART II - Index and Unit Score					
Index	Linear Feet	Unit Score			
0	0	0			

Before Project

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: MVP Preliminary Assessment Location: UNT to Little Sewell Creek Sampling Date: 9-15-2021

Subclass for this SAR:

Intermittent Stream

Uppermost stratum present at this SAR:

Tree/Sapling Strata

SAR number: S-L30

Functional Results Summary: Ent

Enter Results in Section A of the Mitigation Sufficiency Calculator

Project Site

Function	Functional Capacity Index
Hydrology	0.29
Biogeochemical Cycling	0.29
Habitat	0.40

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
VCCANOPY	Percent canpoy over channel.	68.50	0.74
V _{EMBED}	Average embeddedness of channel.	1.23	0.18
V _{SUBSTRATE}	Median stream channel substrate particle size.	0.08	0.04
V _{BERO}	Total percent of eroded stream channel bank.	0.00	1.00
V _{LWD}	Number of down woody stems per 100 feet of stream.	0.00	0.00
V _{TDBH}	Average dbh of trees.	0.00	0.00
V _{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	Not Used	Not Used
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
VDETRITUS	Average percent cover of leaves, sticks, etc.	90.00	1.00
V _{HERB}	Average percent cover of herbaceous vegetation.	Not Used	Not Used
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.54	0.57

											Versio	n 10-20-17
			High-G		Headwat					а		
				Field [Data She	et and C	Calcu	lator	•			
	Team:	Potesta (Al	K,TA)/ Edge	(SM)				L	atitude/UT	M Northing:	37.954276	
Project Name: MVP Prelir			ninary Asse	ssment				Lo	ongitude/UT	TM Easting:	-80.739708	}
	Location:	UNT to Litt	le Sewell Cr	eek					Sam	pling Date:	9-15-2021	
SA	AR Number:	S-L30	Reach	Length (ft):	70	Stream T	ype:	Intern	nittent Strea	m		-
	Top Strata:	Tre	e/Sapling St	rata	(determine	d from perc	ent cale	culate	d in V _{CCANC}	_{PPY})		
Site	and Timing:	Project Site				•	Before	Projec	t			•
Sample	e Variables	1-4 in strea	am channel									
1	V _{CCANOPY}	Average percent cover over channel by tree and sapling canopy. Measure at no fewer than 10 roughly equidistant points along the stream. Measure only if tree/sapling cover is at least 20%. (If less than 20%, enter at least one value between 0 and 19 to trigger Top Strata choice.)							68.5 %			
	List the per	rcent cover i	measureme	nts at each	point below:							
	70	75	60	50	80	65	7()	75	80	60	
2	V	Average or	n h a d d a d a a	a of the otr		Maggura	ot no f		than 20 ray	ably cavidi	tont pointo	
2	V_{EMBED}		nbeddedne: tream. Sele									1.2
			d area surro									
			o the follow									
			e of 1. If the		-			-				
			ness rating	for gravel, c	obble and b	oulder part	icles (re	escale	ed from Plat	tts, Megaha	n, and	
		Minshall 19										
		Rating	Rating Des									
		5			covered, sur						k)	
		4			ace covered face covere							
		2			face covere							
		1			covered, su						ial surface)	
	List the rati	ings at each	point below	<i>I</i> :								
	1	3	1	1	1	1	1		1	1	1	
	1	1	1	1	1	1	1		1	1	1	
	1	1	1	3	1	2	1		3	1	1	
3	V _{SUBSTRATE}		eam channe							ghly equidis	tant points	0.08 in
		along the s	tream; use	the same po	pints and pa	rticles as u	sed in \	/ EMBED).			0.00 11
	•	cle size in in				•	w (bed	rock s	should be c	ounted as 9	9 in,	
		concrete as)8 in):						I
	0.08	0.08	0.08	0.08	0.08	0.08	0.0		0.08	0.70	0.08	
	0.08	0.70	0.08	0.08	0.08	0.08	2.1	0	0.08	0.08	0.08	
	0.08	0.08	0.08	2.30	0.08	0.08	0.0	8	3.50	0.08	0.08	
4	V _{BERO}	•	ent of eroded e total perce to 200%.									0 %
			Left Bank:	0	ft		Right E	lank	0	ft		
			Lon Dank.	0			i tigiti L		0			

5	V_{LWD}	Number of a	down woo	dv stems (at	least 4 inch	es in diam	eter and 36 in	ches in len	ath) per 100) feet of	
5	▼ LWD						e buffer and w				0.0
		per 100 feet	t of strean	n will be calc		downed	voody stems:	(0		
6	V _{TDBH}	Average db	h of trees	(measure or					-	e at least 4	
Ū	ТОВН	Average dbh of trees (measure only if V _{CCANOPY} tree/sapling cover is at least 20%). Trees are at least 4 inches (10 cm) in diameter. Enter tree DBHs in inches.								0.0	
				ments of indi	vidual trees	(at least 4	in) within the	buffer on e	ach side of		
		the stream below:						Dista Oista			1
			Left Side					Right Side			
7	V _{SNAG}						et of stream.	Enter num	ber of snag	s on each	
		side of the s	stream, ar	id the amour	nt per 100 fe	et will be c	alculated.				0.0
			Left Side	e:	0		Right Side:	(0		
8	V_{SSD}						ches dbh) per				
				. Enter numl stream will be			rubs on each	side of the s	stream, and	the	Not Used
			Left Side	:	0		Right Side:		C		
9	V _{SRICH}						am reach. C				
							sive species p I from these d		li strata. Sp	Decles	0.00
			o 1 = 1.0						2 (-1.0)		
	Acer rubro	um		Magnolia t	ripetala		Ailanthus a	ltissima		Lonicera ja	ponica
	Acer sacc	charum		Nyssa sylv	vatica		Albizia julib	rissin		Lonicera ta	atarica
	Aesculus	flava		Oxydendrun	n arboreum		Alliaria peti	olata		Lotus corn	iculatus
	Asimina ti	riloba		Prunus sei	rotina					Lythrum sa	alicaria
	Betula alle	ghaniensis		Quercus a	lba		philoxeroide			Microstegiur	m vimineum
	Betula ler	nta		Quercus c	occinea		Aster tatario	cus		Paulownia	tomentosa
	Carya alb	а		Quercus in	nbricaria		Cerastium f	fontanum		Polygonum o	cuspidatum
	- Carya gla	bra		Quercus p	rinus		Coronilla va	aria		Pueraria m	ontana
	Carya ova			Quercus ru			Elaeagnus u	mbellata	~	Rosa multi	flora
	Carya ova			Quercus v			Lespedeza bicolor			Sorghum h	alepense
	Cornus flo			Sassafras			Lespedeza			Verbena bi	-
	Fagus gra			Tilia ameri			Ligustrum ob				
		americana		Tsuga can			Ligustrum s				
]	Liriodendro	on tulipifera		Ulmus ame			-				
		acuminata									
	0										
		1	Snacias ir	n Group 1				1	Species in	Group 2	

	e Variables The four sul									ne withir	n 25 feet fro	om each
10	V _{DETRITUS}	Average pe	ercent cover	of leaves, s	sticks, or other	ner organic i	material. W	oody deb	ris <4	1" diamete	er and	90.00 %
		-	Left	Side			Righ	t Side				
		90 90	95 80			95 95	90 85		+			
11	V _{HERB}			over of herb	aceous veg			tree cove	er is <	<20%). D	o not	
					oh and 36" ta h 200% are							Not Used
		at each sub	oplot.		1200 % ale	accepted.	-			ground ve	egetation	
			Left	Side			Righ	t Side	_			
									+			
Sample	e Variable 1	2 within the	e entire cat	chment of	the stream.							
12	V _{WLUSE}				e for waters							
	WLUSE		ge en									0.54
			امما			n Lint)				Runoff	% in	Running
			Lanu		e From Dro	p List)				Score	Catch- ment	Percent (not >100)
	Forest and n	ative range (5	50% to 75% g	round cover)	8			· · · · · · · · · · · · · · · · · · ·	•	0.7	73.5	73.5
	Open space	(pasture, lawr	ns, parks, etc.), grass cover	< 50%				-	0.1	26.5	100
								•	-			
								•	-			
								•	-			
									-			
									-			
								-	-			
		1.00					Na	4	•			
		S-L30		Land Cov	er Analysis	was comr		$\frac{1}{2}$ the 201		ational L	and Cover	Databasa
	ariable	Value	VSI		rom Landa							
	CANOPY	69 %	0.74	Watershe	d boundari	es are bas	ed off field	delineat	ed st	ream im	pacts.	
V _E	MBED	1.2	0.18									
Vs	UBSTRATE	0.08 in	0.04									
V _B	ERO	0 %	1.00									
VL	WD	0.0	0.00									
VT	DBH	0.0	0.00									
Vs	NAG	0.0	0.10									
Vs		Not Used	Not Used									
	RICH	0.00	0.00									
	ETRITUS	90.0 %	1.00									
	ERB	Not Used	Not Used									
	LUSE	0.54	0.57									
• •	LUSE	0.54	0.57									

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME UNT to Little Sewell Creek	LOCATION S-L30							
STATION # RIVERMILE	STREAM CLASS Interm	ittent						
LAT 37.954276 LONG -80.739708	COUNTY Greenbrier							
STORET #	AGENCY Potesta/Edge							
INVESTIGATORS AK/SM/TA								
FORM COMPLETED BY AK	DATE 9-15-2021 TIME 1300 PM	REASON FOR SURVEY Preliminary Assessment						

WEATHER CONDITIONS	Now Past 24 hours Has there been a heavy rain in the last 7 days? 70 % storm (heavy rain) rain (steady rain) showers (intermittent) %cloud cover clear/sunny Past 24 hours Has there been a heavy rain in the last 7 days?
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph) W Pipe The Kow W W W W LoD JOB N N N H LoD JOB N N N N H LoD JOB N N N N H LOD JOB N N N H N H LOD JOB N N N H N H LOD JOB N H N H N H H H H H H H H H H H H H H
STREAM CHARACTERIZATION	W € W W W W € € € € € Stream Subsystem ☐ ☐ E

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse ✓ Forest Commercial Field/Pasture Industrial Agricultural Other ✓ Residential Indicate the dominant type and record the domin ✓ Trees Shrubs	
INSTREAM FEATURES	Dominant species present locust, autumn olive Estimated Reach Length 70 ft m Estimated Stream Width 0.7 ft m Sampling Reach Area 49 ft^2 m² Area in km² (m²x1000) km² Estimated Stream Depth m Surface Velocity (at thalweg) No flow m/sec	Canopy Cover □ Partly open □ Partly shaded ☑ Shaded High Water Mark 0.4 ft m Proportion of Reach Represented by Stream Morphology Types Riffle % Run_% Pool% Channelized □ Yes ☑ No
LARGE WOODY DEBRIS	Stream Dry 🗹 LWD 0.3 m ² Density of LWDm ² /km ² (LWD/ read	Dam Present Yes 🗹 No
AQUATIC VEGETATION	Indicate the dominant type and record the domin Rooted emergent Floating Algae Dominant species present Portion of the reach with aquatic vegetation	hant species present ☐Rooted floating ☐Free floating
WATER QUALITY	Temperature ⁰ C Specific Conductance Dissolved Oxygen pH Turbidity WQ Instrument Used No flow	Water Odors Normal/None Sewage Petroleum Chemical Fishy Other Water Surface Oils Slick Slick Sheen None Other Turbidity (if not measured) Turbid Clear Slightly turbid Opaque Stained
SEDIMENT/ SUBSTRATE	Odors Normal Sewage Petroleum Chemical Anaerobic ⊠None Other Oils ☑ Absent □Slight □Moderate □Profuse	Deposits Sludge Sawdust Paper fiber Sand Relict shells ✓Other Shudlay Hooking at stones which are not deeply embedded, are the undersides black in color? Yes No
		RGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)

INC	(should add up to			(does not necessarily add up to 100%)									
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area								
Bedrock		0	Detritus	sticks, wood, coarse plant materials (CPOM)									
Boulder	> 256 mm (10")	0		materials (CPOM)	90								
Cobble	64-256 mm (2.5"-10")	5	Muck-Mud	black, very fine organic									
Gravel	2-64 mm (0.1"-2.5")	5		(FPOM)	-								
Sand	0.06-2mm (gritty)	10	Marl	grey, shell fragments									
Silt	0.004-0.06 mm	5			-								
Clay	< 0.004 mm (slick)	75											

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME UNT to Little Sewell Creek	LOCATION S-L30								
STATION # RIVERMILE	STREAM CLASS Intermittent								
LAT <u>37.954276</u> LONG <u>-80.739708</u>	COUNTY Greenbrier								
STORET #	AGENCY Potesta/Edge								
INVESTIGATORS AK/SM/TA									
FORM COMPLETED BY AK	DATE 9-15-2021 TIME 1300 PM AM PM REASON FOR SURVEY Preliminary Assessment								

	Habitat		Condition	Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.				
	_{score} 0	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
ı sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.				
ted ir	score 2	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 🙆 1 0				
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime N/A	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).				
aram	SCORE U	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
ď	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.				
	_{score} 16	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
	5. Channel Flow Status 🖌 N/A	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.				
	SCORE U	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				

modified RBP; no flow

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Conditio	n Category			
	Parameter	Optimal	Suboptimal	Marginal	Poor		
Alteration dredgin minima		Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabior or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.		
	score 16	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water o shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.		
	0 score	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
	8. Bank Stability (score each bank) Note: determine left or right side by facing deursteen.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.		
	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
	SCORE 8	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
Parameters to be evaluated proader than sampling reach	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.		
	SCORE 7	Left Bank 10 9	8 🚺 6	5 4 3	2 1 0		
	SCORE 7	Right Bank 10 9	8 👩 6	5 4 3	2 1 0		
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone < meters: little or no riparian vegetation due to human activities.		
	$\text{SCORE} \frac{1}{1}$	Left Bank 10 9	8 7 6	5 4 3	2 🚺 0		
	SCORE 1	Right Bank 10 9	8 7 6	5 4 3	2 🚺 0		

Total Score <u>66</u>

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME UN	T to Little Sewell Creek	LOCATION S-L30								
STATION #	_ RIVERMILE	STREAM CLASS Intermittent								
LAT 37.954276	LONG -80.739708	COUNTY Greenbrier								
STORET #		AGENCY Potesta/Edge								
INVESTIGATORS A	K/SM/TA		LOT NUMBER							
FORM COMPLETED	AK	DATE 9-15-2021 TIME 1300 PM	REASON FOR SURVEY Preliminary Assessment							
HABITAT TYPES SAMPLE COLLECTION	Gear used D-frame [How were the samples col	kick-net Other_ lected? wading f bs/kicks taken in each habitat to nags Vegetated B)%							
GENERAL COMMENTS	No benthi	cs collected	; no water present.							

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						


SITE ID:	S-L30		
DATE: 15	Suptimizer	202	


	ble Count (Re	1								NOTE	<u>S:</u>
61	, 0 lo C.	.\$67	- 50th	062	Olit	- 61-7. I	120	16	0.2		_
62	.062	062	062	.062	. 662	062	062	062	020		
62-	ZII	115	zll	76	76	61	76	11(.	.067		
62	062	209	309	309	369	209	062	301	662		
32	062	062	062	06z	06Z	062	062	067	657	Ac	
5	2.25	22.6	225	062	662	667	062	662	067		
62	100	062	062	062	062	062	062	662	061		
02	662	002	062	662	062	062	(762	062	061		
2h	662	062	662	062	067	062	062	062	062		
62	062	062	067	062	061	067.	062	OGR	052		
					~ * * >	<u></u>					
Pebble	Count									NOTES	

Inche:	MATATA	Millimeters	I
	Sof Clay	1.020	S/C
	ery Frit	162 - 125	6
	Frid	125 - 25	S
	Madrum	23 - 52	SAND
	Coarse	50 - 1 0	D
(2 - 79 	JAN GATSE	16-2	
.8 · (s	Very Fine	2 - 4	
16 - 22	Fine	4 - 5.7	
22 - 21	=ma	57.9	GR
21-22	Vedivia	6 - 11 3	R
44 - 87	Vedium	113-16	A
63 - 89	Coarse	16 - 22 -	E,
93-17	Coarse	22 6 . 22	19
13-18	Very Coarse	32 - 45	
1.8 - 2.5	Very Coarse	45.94	
25.35	Smak	64 - 96	1
35.11	Smatt	60 - 129	Zěk
50-71	Large	128 - 180	
7 1 - 10 1	Large	190 - 256	15
10 1 - 14 3	Smal.	256 - 360	®
14 2 - 20	Sma ⁿ	362.512	Ϋ́
20.40	Medisim	512 - 1028	Ē
40 - 80	-arge Viv -arge	1024 - 2048	
	Redicio		279.8

The second


			_		NOTES:
				A.	
		() () () () () () () () () ()			
	and the second second second				
	April 1 and 1 and 1 and 1				







	AS-BUIL	T TABLE: S-I	_30 CROS	S SECTION A	
		PRE-CROSS	ING	AS-I	BUILT
PT. LOC.	NORTHING	EASTING	ELEV.	VERT. DIFF.	HORZ. DIFF.
TS-L	13782101.88	1715444.08	2456.88		
BS-L	13782100.65	1715442.40	2455.99		
тнw	13782099.28	1715440.90	2455.04		
BS-R	13782098.05	1715440.30	2456.01		
TS-R	13782097.34	1715439.38	2457.04		
			•		




	LEGEND
	STUDY AREA (EASEMENT)
· · ·	EXISTING SURVEY-LOCATED THALWEG
1176.87 +	EXISTING SURVEYED GROUND SHOT ELEVATION

SURVEY NOTES:


- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON 9-15-2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS AND COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- SECTION AND PROFILE VIEWS FOR COMPARISON.

S-L30 BASELINE CROSS-SECTION A



DISTANCE ALONG CROSS-SECTION (FT)

S-L30 BASELINE CROSS-SECTION B



DISTANCE ALONG CROSS-SECTION (FT)

	CROSS SECTION LEGEND
	— EXISTING GRADE
S	$\begin{array}{c c} \underline{CROSS} & \underline{SECTION} \\ \hline CALE: & H: 1"=10' \\ V: 1"=5' \end{array}$

NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

