Baseline Assessment – Stream Attributes

Reach S-L35(2) (Pipeline ROW) Perennial Spread D Nicholas County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope >4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – No flow or Low flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	√
Longitudinal Profile and Cross Sections	√



Photo Type: US View at DS Edge of ROW Location, Orientation, Photographer Initials: Downstream Edge of Right of Way, Upstream View, TF/AG/WP/EW



Photo Type: DS View at DS Edge of ROW
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, TF/AG/WP/EW





Photo Type: US View at Center of ROW Location, Orientation, Photographer Initials: Center of Right of Way, Upstream View, TF/AG/WP/EW



Photo Type: DS View at Center of ROW Location, Orientation, Photographer Initials: Center of Right of Way, Downstream View, TF/AG/WP/EW



Photo Type: US View at US Edge of ROW Location, Orientation, Photographer Initials: Upstream Edge of Right of Way, Upstream View, TF/AG/WP/EW



Photo Type: DS View at US Edge of ROW

Location, Orientation, Photographer Initials: Upstream Edge of Right of Way, Downstream View, TF/AG/WP/EW

[&]quot;Q:\Charleston\2021 Projects\21-0244- MVP- STREAM AND WETLAND CONDITIONS ASSESSMENT AND SURVEY PLAN\002 - Pre-Crossing $Monitoring \setminus Spread D \setminus S-L35(2)$ "

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mo	ountain Valley Pipeline		CT COORDINATES:	Lat.	38.203097	Lon.	-80.719248	WEATHER:	Clea	r/Sunny 80 °F	DATE:	
(12.1, 00)(12010)				("	Decimal Degrees)									8/25/2021
IMPACT STREAM/SITE ID (watershed size {acreage},			S	-L35(2) Riley Brand	h		MITIGATION STREAM CLASS. (watershed size {acreacy						Comments:	
(Materialia alea (asi auga),	, ununorou or impuni						(11115-0-101 0-125 (1101-011)	joj, unakorou or						
STREAM IMPACT LENGTH:	87	FORM O	ic .	L MI	T COORDINATES:	Lat.		Lon.		PRECIPITATION PAST 48 HRS:			Mitigation Langth	
STREAM IMPACT LENGTH.	07	MITIGATIO			Decimal Degrees)	Lai.		LOII.		PRECIPITATION PAST 40 firs.			Mitigation Length:	
							Column No. 3- Mitigation P	rojected at Ei	vo Voare	Column No. 4- Mitigation Proje	cted at Ton Voc	are		
Column No. 1- Impact Existing	g Condition (Deb	it)	Column No. 2- Mitigation E	xisting Condition - E	Baseline (Credit)		Post Completion		ve rears	Post Completion (ais	Column No. 5- Mitigation Project	ed at Maturity (Credit)
Stream Classification:	Perer	nnial	Stream Classification:				Stream Classification:		0	Stream Classification:	0)	Stream Classification:	0
Percent Stream Channel Slo	ope	0.8	Percent Stream Cha	annel Slope			Percent Stream Channel S	lope	0	Percent Stream Channel Slo	ре	0	Percent Stream Channel S	ilope 0
HGM Score (attach da	ata forms):		HGM Score	(attach data forms	i):		HGM Score (attacl	n data forms):	HGM Score (attach da	ta forms):		HGM Score (attach d	ata forms):
		Average			Average				Average			Average		Average
Hydrology		_	Hydrology				Hydrology		-	Hydrology			Hydrology	
Biogeochemical Cycling		0	Biogeochemical Cycling		0		Biogeochemical Cycling		0	Biogeochemical Cycling		0	Biogeochemical Cycling	0
Habitat			Habitat				Habitat			Habitat			Habitat	
PART I - Physical, Chemical and	Biological Indic	ators	PART I - Physical, Che	emical and Biologica	I Indicators		PART I - Physical, Chemical a	ind Biologica	I Indicators	PART I - Physical, Chemical and	Biological Indic	ators	PART I - Physical, Chemical and	Biological Indicators
	Points Scale Range	Site Score		Points Scale	Range Site Score			Points Scale F	Site Score		Points Scale Range	Site Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams	s classifications)		PHYSICAL INDICATOR (Applies to	all streams classification	s)		PHYSICAL INDICATOR (Applies to all stream	ns classifications	s)	PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stream	s classifications)
USEPA RBP (High Gradient Data Sheet)		45	USEPA RBP (Low Gradient Data	,			USEPA RBP (High Gradient Data Sheet)	0.00		USEPA RBP (High Gradient Data Sheet)	0.00		USEPA RBP (High Gradient Data Sheet)	
Epifaunal Substrate/Available Cover Embeddedness	0-20	15 5	Epifaunal Substrate/Available Co Pool Substrate Characterization	ver 0-20 0-20			Epifaunal Substrate/Available Cover Embeddedness	0-20 0-20		Epifaunal Substrate/Available Cover Embeddedness	0-20		Epifaunal Substrate/Available Cover Embeddedness	0-20 0-20
3. Velocity/ Depth Regime	0-20	9	3. Pool Variability	0-20			3. Velocity/ Depth Regime	0-20		Velocity/ Depth Regime	0-20		Velocity/ Depth Regime	0-20
4. Sediment Deposition	0-20	14	4. Sediment Deposition	0-20			4. Sediment Deposition	0-20		Velocity Depart Regime Sediment Deposition	0-20		4. Sediment Deposition	0-20
5. Channel Flow Status	0-20	10	5. Channel Flow Status	0-20			5. Channel Flow Status	0-20		5. Channel Flow Status	0-20		5. Channel Flow Status	0-20
6. Channel Alteration	0-20	16	6. Channel Alteration	0-20	0-1		6. Channel Alteration	0-20	0-1	6. Channel Alteration	0-1		6. Channel Alteration	0-20
7. Frequency of Riffles (or bends)	0-20	10	7. Channel Sinuosity	0-20			7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20
8. Bank Stability (LB & RB)	0-20	12	8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20
9. Vegetative Protection (LB & RB)	0-20	14	Vegetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20
10. Riparian Vegetative Zone Width (LB & RB)	0-20	14	 Riparian Vegetative Zone Width (LE 	3 & RB) 0-20			10. Riparian Vegetative Zone Width (LB & RB)	0-20		Riparian Vegetative Zone Width (LB & RB)	0-20		Riparian Vegetative Zone Width (LB & RB)	0-20
Total RBP Score	Suboptimal	119	Total RBP Score	Poor	0		Total RBP Score	Poor	0	Total RBP Score	Poor	0	Total RBP Score	Poor 0
Sub-Total		0.595	Sub-Total		0		Sub-Total		0	Sub-Total		0	Sub-Total	0
CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Str	eams)	CHEMICAL INDICATOR (Applies to	Intermittent and Perenni	al Streams)		CHEMICAL INDICATOR (Applies to Intermitte	ent and Perenni	al Streams)	CHEMICAL INDICATOR (Applies to Intermitter	t and Perennial St	treams)	CHEMICAL INDICATOR (Applies to Intermitte	nt and Perennial Streams)
WVDEP Water Quality Indicators (General))		WVDEP Water Quality Indicators	(General)			WVDEP Water Quality Indicators (Genera	ıl)		WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (Genera	l)
Specific Conductivity			Specific Conductivity				Specific Conductivity			Specific Conductivity			Specific Conductivity	
	0-90	49.2		0-90			·	0-90			0-90			0-90
<=99 - 90 points														
рп	0.1		рн		0-1		рп		0-1	рн	0.1		рп	
5.6-5.9 = 45 points	0-80	5.7		5-90	0-1			5-90	0-1		5-90			5-90
DO	•		DO				DO			DO			DO	
	10-30	7.54		10-30				10-30			10-30			10-30
>5.0 = 30 points	10-30	-		10-30				10-30			10-30			10-30
Sub-Total BIOLOGICAL INDICATOR (Applies to Intermit	ttent and Perennial	0.825 Streams)	Sub-Total BIOLOGICAL INDICATOR (Applies	to Intermittent and Pere	nnial Streams)		Sub-Total BIOLOGICAL INDICATOR (Applies to Inter	mittent and Pe	rennial Streams)	Sub-Total BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perenn	nial Streams)	Sub-Total BIOLOGICAL INDICATOR (Applies to Interr	mittent and Perennial Streams)
		•			,				•			,		
WV Stream Condition Index (WVSCI)	1 1		WV Stream Condition Index (WVS				WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)	1		WV Stream Condition Index (WVSCI)	
0	0-100 0-1			0-100	0-1			0-100	0-1		0-100 0-1			0-100 0-1
Sub-Total	1 1	0	Sub-Total		0		Sub-Total		0	Sub-Total	I	0	Sub-Total	1 0
Juliu Total		U	lloup-Total		v		Odb Total		J	Cap-10tal		<u> </u>	Gub-Total	
PART II - Index and U	Init Score		PART II - II	ndex and Unit Score			PART II - Index an	d Unit Score		PART II - Index and U	nit Score		PART II - Index and I	Jnit Score
												I		
Index	Linear Feet	Unit Score	Index	Linear F	eet Unit Score		Index	Linear F	eet Unit Score	Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score
0.710	87	61.77	0	0	0		0	0	0	0	0	0	0	0 0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME S-L35(2	?)	LOCATION Riley	Branch (2), S	oread D	
STATION # R	IVERMILE	STREAM CLASS P	erennial		
LAT 38.203097 LO	ONG <u>-</u> 80.719248	COUNTY Nic	cholas		
STORET#		AGENCYPotesta	a/ Edge		
INVESTIGATORS ⊞W ,,T	F, AG				
FORM COMPLETED BY	Emma Weaver	DATE 8-25-21 TIME 1230	RE	ASON FOR SURVEY Preliminary Ass	sessment
WEATHER CONDITIONS	rain (urs Yes	emperature 85 F ° C	7 days?
SITE LOCATION/MAP	Sh'	who ceous	6080	Firest/Shrubs	100
	oyanses V	V /000		Aflow V Grasses V	
STREAM CHAPACTERIZATION	Stream Subsystem		Strea	m Type	

Spring-fed
Mixture of origins
Other

Catchment Area_

 km^2

Stream Origin
Glacial
Non-glacial montane
Swamp and bog

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Predon Fores Field Agric Resid	Pasture Industri	rcial	Local Watershed NPS □ No evidence □ Sor □ Obvious sources Local Watershed Eros: □ None □ Moderate	ne potential sources		
RIPARIA VEGETA (18 meter		☐ Tree:		record the do hrubs ododendror	☐Grasses ☐He	erbaceous		
INSTREA FEATURI		Estimat Samplin Area in Estimat	ted Stream Width ng Reach Area km² (m²x1000) ted Stream Depth velocity weg) 3.5	km ²		ly shaded □Shaded 5.5 m epresented by Stream Run.2 % ☑No ☑No		
LARGE V DEBRIS	VOODY	LWD Density	1 m² of LWDm	n²/km² (LWD /	reach area)			
AQUATIO VEGETA	C TION	Roote Floati	e the dominant type and ed emergent Re ing Algae At unt species present of the reach with aquat	ooted submerge tached Algae	nt Rooted floating	□Free floating		
WATER (QUALITY	Specific Dissolve pH 5.7 Turbidi	conductance 49.2 us/cm ed Oxygen 7.54 mg/L SU ity 2.57 ntu strument Used YSi		Water Odors Normal/None			
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils	nical Anaerobic	Petroleum None	Epoking at stones which	□Paper fiber ☑Sand Other th are not deeply embedded, k in color?		
INC		STRATE	COMPONENTS		ORGANIC SUBSTRATE C			
Substrate Type						% Composition in Sampling Area		
Bedrock			0	Detritus	sticks, wood, coarse plant materials (CPOM)	5		
Boulder	> 256 mm (10"))	0		materials (Cr ON1)	J		
Cobble	64-256 mm (2.5	"-10")	20	Muck-Mud	black, very fine organic (FPOM)			
Gravel	2-64 mm (0.1"-2	2.5")	0		(11011)	U		
Sand	0.06-2mm (gritt	y)	80	Marl	grey, shell fragments	0		
Silt	0.004-0.06 mm		0	1				
Clay	< 0.004 mm (sli	ck)	0	1	l	l		

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-L35(2)	LOCATION Riley Branch (2)
STATION # RIVERMILE	STREAM CLASS Perennial
LAT <u>38.203097</u> LONG <u>-80.719248</u>	COUNTY Nicholas
STORET#	AGENCY Potesta/ Edge
INVESTIGATORSEW, TF, AG	
FORM COMPLETED BY Emma Weaver	DATE 8-25-21 REASON FOR SURVEY Preliminary Assessment

	Habitat		Condition	Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
1	SCORE 15▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted i	score 5 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime N/A	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
ıram	SCORE 9 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE 14▼	20 19 18 17 16	15 🚺 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status N/A	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE 10▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	SCORE 16 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
ing reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
sampl	SCORE 10▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing development.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
e eva	SCORE 6	Left Bank 10 9	8 7 6	5 4 3	2 1 0
to b	SCORE 6	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameter	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE 7	Left Bank 10 9	8 🕖 6	5 4 3	2 1 0
	SCORE 7	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE 7	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 7 ▼)	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total Score ___119

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-	L35(2	2)					LOC	ATIO	N Riley	/ Bra	anch	(2)							
STATION #	R	IVE	RM	LE_			STR	EAM C	CLASS	Pere	ennia	al							
LAT 38.203097	L	ONO	3 -80	.7192	48		COL	JNTY	N	cho	las								
STORET#							AGE	NCYF	otest	a/ I	Edg	е							
INVESTIGATORSE	W. 7	F.	AG				***************************************					_	LOT	NUMBER					
FORM COMPLETED) BY	En	nm	a V	Vea	aver	DAT	TE 8-2 E 123					REA!	SON FOR SURVEY Pre	elimina	ry Ass	sessm	ent	
HABITAT TYPES	In	dica Co Sub	ate the obblomerg	ne pe e ged N	ercen % Macro	tage of 6 6 Sn phytes_	each l	habitat %	type p	resei /ege	n t tated Other	Ban	ks	%	%				
SAMPLE	G	ear	used		D-fi	ame [kick	-net											
COLLECTION	1								_										
	∥ н	ow v	vere	the	samp	les colle	ected	· L	wadir	ıg	L	froi	m bar	k from boa	t				
	║□	Cob	ble			r of jabs ☐Sna phytes_	ıgs	s taken	in eac	/ege	bitat tated Other	Ban	e. ks	Sand)	_				
GENERAL COMMENTS	N	ОΕ	3er	ithi	cs	colle	cted	d due	e to I	ow	flo	w	cor	nditions					
Dominant Periphyton		und	anc	e: (0	1 2	3	4	ved,	Sli	mes			ommon, 3= Abund	0	1	2	-	4
Filamentous Algae						1 2	3	4		Ma	ecroi	inve	rtebi	rates	0	1	2	3	4
Macrophytes					0	1 2	3	4		Fis	sh				0	1	2	3	4
	d abi	und	anc	e:	0 = org	Absent anisms	t/Not), 3=	Obse Abun	dant (>10	org	ani	sms)	rganisms), 2 = Cor , 4 = Dominant (>	50 oı	rgar	ism		
Porifera														Chironomidae					4
Hydrozoa	0	1	2	3	4	Zygoj			0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemi	_		0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Colec			0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepid	_	ra	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialid			0	1	2	3	4						
Isopoda	0	1	2	3	4	Coryo		ae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipul			0	1	2	3	4						
Decapoda	0	1	2	3	4	Empi			0	1	2	3	4						
Gastropoda Bivalvia	0	1	2	3	4 4	Simu			0	1	2	3	4						
Divalvia	U	1	2	3	4	Tabin Culci			0	1	2	3	4						
						()11/01	dae		0	- 1	,	4	4						

BR BR BR FSA FSA FSA FSA BR 90 FSA 15 FSA BR BR BR BR 10 FSA ST ST ST ST ST FSA FSA FSA FSA FSA FS ST ST ST ST FSA FSA FSA FSA FS ST ST ST ST FSA FSA FSA ZSO FSA ZZ FSA Z90 S FSA FSA ZS 95 FSA 35 130 FSA Z8 NOTES:	NOTES:					= -			ach Wide)	ole Count (Re:	nan Pebl
90 F5A 15 F5A 15 F5A 18 BR BR BR BR 10		BR	FSA	FSA	FSA	FSA	BR	BR		BR	38
FSA ST SI SI FSA		FSA	135	120		FSA		FSA	90	MSA	35
FSA SI SI SI FSA FSA FSA SI FSA FSA FSA FSA FSA FSA FSA FSA SI SI SI SI FSA FSA FSA FSA SI SI SI SI FSA FSA 260 FSA 22 FSA 290 IS FSA FSA 25 95 FSA 35 130 FSA 28 NOTES:		10	BR	FS4	BR	BR	18	FSA	130	245	05
FSA		FSA			27			F5A	For	335	280
FSA FSA ST ST ST ST FSA FSA FSA FSA ST ST ST FSA FSA FSA 260 FSA 222 FSA 290 IS FSA FSA 25 95 FSA 35 130 FSA 28 NOTES:		27	FSA	FS#	154	SI	XI.	SI	F5A	FSA	-5A
FSA		5世	SI		2		TSA.		FSA	FSA	90
FSA			P54					FSA		FSA	SA
FSA 25 95 FSA 35 130 FSA 28 NOTES:		FSA						FSA		FSA	SA
NOTES:			15			22	FSA			145	36
		28	F5A	130	35	FSA	95	25	FSA	90	53
NOTES:											
								T T			
	NOTES:										
	NOTES:										
	NOTES:										
	NOTES:										
	<u>NOTES:</u>										
	NOTES:										

Millimeters

Sir 1 Clay

Very Fire

Fire

Medium Goarse

Vary (carse

very time

 $\Gamma_{\|f\|_{\overline{X}}}$

Em?

Medium

Medium

Coarse

Coarse

Nerry Oparse

Very Goarse

Small

Small

large

Large

Small

Small

Veden

Large-Wry Large 1024 - 2046 Bedrook

162

125 - 25 25 - 50

56 - 10

16-2

2 - 4

4-57

8 - 113

\$6 - 22 6

57.9

11.3 1.16

22 e - 32

32 - 45

25.52

64.96

60 - 128

129 - 180

181 - 266

256 - 362

260 - 512

512 - 1024

262 - 125

S/C

(SAZD)

GRAV

E

(smethodo)

Inches

94 - 15

18 - 16

16 - 22

22 - 31

31 - 44

44 - 63

43.99

33 - 13

13-15

19.15

25.35

35.50

50-71


7.1 / 10.1


10.1 - 14.3


14.2 - 20

20-40


Bankfull Channel	•	
Material	Size Range (mm)	Count
silt/clay	0 - 0.062	19
very fine sand	0.062 - 0.125	
fine sand	0.125 - 0.25	44
medium sand		1
coarse sand	0.5 - 1 1 - 2	
very coarse sand	1 - 2	
very fine gravel	2 - 4	
fine gravel	4 - 6	
fine gravel	6 - 8	
medium gravel	8 - 11	1
medium gravel	11 - 16	2
coarse gravel	16 - 22	2
coarse gravel	22 - 32	2
very coarse gravel	32 - 45	1
very coarse gravel	45 - 64	
small cobble	64 - 90	4
medium cobble	90 - 128	4
large cobble	128 - 180	5
very large cobble	180 - 256	2
small boulder	256 - 362	4
small boulder	362 - 512	
medium boulder	512 - 1024	
large boulder	1024 - 2048	
very large boulder	2048 - 4096	
tota	l particle count:	91
bedrock		9
clay hardpan		
detritus/wood		
artificial		
	total count:	100
Note:		







AS-BUILT TABLE: S-L35 (2) CROSS SECTION A												
	Pi	PRE-CROSSING										
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.							
TS-L	13872633.5800	1721057.6510	2513.879'									
BS-L	-	-	-									
THW	13872631.6900	1721059.7500	2513.345'									
BS-R	_	-	_	·								
TS-R	13872630.0200	1721063.82601	2514.593'									



SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 十

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 21, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-L35 (2) BASELINE CROSS-SECTION A



CROSS SECTION LEGEND — EXISTING GRADE

CROSS SECTION
H: 1"=10'
V: 1"=5'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS




PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

PRE-CROSSING

CAD File No.



Drawing No.