Baseline Assessment – Stream Attributes

Reach S-L35(3) (Pipeline ROW) Perennial Spread D Nicholas County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Low flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓





Photo Type: US View at DS Edge of ROW Location, Orientation, Photographer Initials: Downstream Edge of Right of Way, Upstream View, TF/AG/WP/EW



Photo Type: DS View at DS Edge of ROW Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, TF/AG/WP/EW




Photo Type: US View at Center of ROW Location, Orientation, Photographer Initials: Center of Right of Way, Upstream View, TF/AG/WP/EW




Photo Type: DS View at Center of ROW
Location, Orientation, Photographer Initials: Center of Right of Way, Downstream View, TF/AG/WP/EW





Photo Type: US View at US Edge of ROW Location, Orientation, Photographer Initials: Upstream Edge of Right of Way, Upstream View, TF/AG/WP/EW



Photo Type: DS View at US Edge of ROW

Location, Orientation, Photographer Initials: Upstream Edge of Right of Way, Downstream View, TF/AG/WP/EW

"Q:\Charleston\2021 Projects\21-0244- MVP- STREAM AND WETLAND CONDITIONS ASSESSMENT AND SURVEY PLAN\002 - Pre-Crossing $Monitoring \setminus Spread D \setminus S-L35(3)"$

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		М	lountain Valley	Pipeline		COORDINATES:	Lat.	38.200338	Lon.		-80.717177	WEATHE	R:	Clear	r/Sunny 90 °F	DATE:		8/25/21	1
(*2.1, Ocht 2010)					(III De	cimal Degrees)												0/23/2	
IMPACT STREAM/SITE ID				S-L35	(3) Riley Branch			MITIGATION STREA								Comments:			
(watershed size {acreage},	unaltered or impairm	nents)						(watershe	ed size {acreage}, unaltere	ed or impairm	ents)								
STREAM IMPACT LENGTH:	79	FORM (RESTORATION (Levels I-III)		OORDINATES: cimal Degrees)	Lat.		Lon.			PRECIPITATION PA	AST 48 HRS:			Mitigation Length:			
		WITIGATI	ION.	REGIONATION (Levels I-III)	(III De	ciiilai Degrees)													
Column No. 1- Impact Existing	Condition (Debi	it)		Column No. 2- Mitigation Exist	ing Condition - Base	eline (Credit)			Mitigation Projected at the Completion (Credit		ars		4- Mitigation Projection (C		irs	Column No. 5- Mitigation	Projected at	Maturity (Cre	edit)
Stream Classification:	Peren	nnial	Strea	m Classification:				Stream Classification:		C)	Stream Classification:		0		Stream Classification:		0	
Percent Stream Channel Slo	ope	2		Percent Stream Channe	el Slope			Percent Stream	Channel Slope		0	Percent Str	eam Channel Slo	ре	0	Percent Stream Ch	annel Slope		0
HGM Score (attach da	ata forms):			HGM Score (att	ach data forms):			HGM Sc	ore (attach data fo	rms):		HGM	Score (attach dat	ta forms):		HGM Score (a	attach data fo	rms):	
		A				A					A								A
Hydrology		Average	Hydro	ology		Average		Hydrology			Average	Hydrology			Average	Hydrology			Average
Biogeochemical Cycling		0		eochemical Cycling		0		Biogeochemical Cycling			0	Biogeochemical Cycling			0	Biogeochemical Cycling			0
PART I - Physical, Chemical and	Dielegical India	nto vo	Habita	PART I - Physical, Chemic	al and Biological In	diantoro		Habitat	Chemical and Biolog	giaal India	ato ro	Habitat BART I Physic	al, Chemical and E	Dialogical India	oto vo	Habitat PART I - Physical, Chem	sical and Biola	giaal Indiaa	toro
PART 1 - Physical, Chemical and	Biological illuica	ators		FART 1-Filysical, Chemic	ai and Biological in	dicators		PART T-Filysical,	Chemical and Biolog	gicai iliulca	ators	FART 1-FITYSIC	ai, Chemicai and E	siological illuica	ators	FART 1 - Physical, Glien	icai aliu Biolo	gicai iliulcai	iors
	Points Scale Range	Site Score			Points Scale Range	Site Score			Points Sca	ale Range	Site Score			Points Scale Range	Site Score		Points	Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYS	SICAL INDICATOR (Applies to all str	eams classifications)			PHYSICAL INDICATOR (Applies	s to all streams classifica	ations)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to a	all streams classif	fications)	
USEPA RBP (High Gradient Data Sheet)				A RBP (Low Gradient Data Shee				USEPA RBP (High Gradient Da				USEPA RBP (High Gradi				USEPA RBP (High Gradient Data			
Epifaunal Substrate/Available Cover Embeddedness	0-20 0-20	14 13		faunal Substrate/Available Cover ol Substrate Characterization	0-20 0-20			Epifaunal Substrate/Available Embeddedness	Cover 0-20 0-20			Epifaunal Substrate/Ava Embeddedness	ailable Cover	0-20		 Epifaunal Substrate/Available Co Embeddedness 	ver 0-2		
3. Velocity/ Depth Regime	0-20	15		ol Variability	0-20			Velocity/ Depth Regime	0-20			Velocity/ Depth Regime		0-20		3. Velocity/ Depth Regime	0-2		
4. Sediment Deposition	0-20	12		diment Deposition	0-20			Sediment Deposition	0-20			Sediment Deposition		0-20		Sediment Deposition	0-2		
5. Channel Flow Status	0-20 0-1	11		annel Flow Status	0-20			5. Channel Flow Status	0-20			5. Channel Flow Status		0-20		5. Channel Flow Status	0-2		
6. Channel Alteration	0-20	18	6. Cha	annel Alteration	0-20			6. Channel Alteration	0-20	0-1		Channel Alteration		0-20		6. Channel Alteration	0-2	20	
7. Frequency of Riffles (or bends)	0-20	14		annel Sinuosity	0-20			Frequency of Riffles (or bends				Frequency of Riffles (or		0-20		Frequency of Riffles (or bends)	0-2		
8. Bank Stability (LB & RB)	0-20	15		nk Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20			Bank Stability (LB & RB		0-20		8. Bank Stability (LB & RB)	0-2		
9. Vegetative Protection (LB & RB)	0-20	16		getative Protection (LB & RB)	0-20			Vegetative Protection (LB & R				Vegetative Protection (I		0-20		Vegetative Protection (LB & RB)			
10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20	16 144		parian Vegetative Zone Width (LB & R RBP Score	B) 0-20 Poor	0		 Riparian Vegetative Zone Width Total RBP Score 		Poor	•	 Riparian Vegetative Zone Total RBP Score 	e Width (LB & RB)	0-20 Poor	0	 Riparian Vegetative Zone Width (LE Total RBP Score 		Poor Poor	0
Sub-Total	Suboptimal	0.72	Sub-T		Poor	0		Sub-Total	P	2001	0	Sub-Total		Poor	0	Sub-Total		Poor	0
CHEMICAL INDICATOR (Applies to Intermitten	nt and Perennial Stre			MICAL INDICATOR (Applies to Inter	mittent and Perennial S	reams)		CHEMICAL INDICATOR (Applies	es to Intermittent and Per	rennial Strea	ms)	CHEMICAL INDICATOR	(Applies to Intermittent	t and Perennial Str	reams)	CHEMICAL INDICATOR (Applies to	Intermittent and f	Perennial Stream	ams)
WVDEP Water Quality Indicators (General))		WVD	EP Water Quality Indicators (Ger	neral)			WVDEP Water Quality Indicato	ors (General)			WVDEP Water Quality In	dicators (General)			WVDEP Water Quality Indicators	(General)		
Specific Conductivity				ific Conductivity		0		Specific Conductivity				Specific Conductivity				Specific Conductivity			
	0-90	50.9			0-90				0-90					0-90			0-9	90	
<=99 - 90 points		00.0								_ _									
рн	0-1		рН		0-1			рН	<u> </u>	0-1		рн		0-1		рн	-	0-1	
5.6-5.9 = 45 points	0-80	5.88			5-90				5-90					5-90			5-9	90	
DO		50	DO			0		DO				DO				DO			
>5.0 = 30 points	10-30	7.02			10-30				10-30					10-30			10-	-30	
Sub-Total		0.825	Sub-T	otal	l	0		Sub-Total	l.		0	Sub-Total		,	0	Sub-Total		1	0
BIOLOGICAL INDICATOR (Applies to Intermit	tent and Perennial S	Streams)	BIOL	OGICAL INDICATOR (Applies to In	termittent and Perennia	Streams)		BIOLOGICAL INDICATOR (App	plies to Intermittent an	d Perennial	Streams)	BIOLOGICAL INDICATO	R (Applies to Intermi	ttent and Perenn	ial Streams)	BIOLOGICAL INDICATOR (Applies	to Intermittent	and Perennia	l Streams)
WV Stream Condition Index (WVSCI)			wv s	tream Condition Index (WVSCI)				WV Stream Condition Index (V	WVSCI)			WV Stream Condition In	dex (WVSCI)			WV Stream Condition Index (WVS	iCI)		
0	0-100 0-1				0-100 0-1				0-100	0-1				0-100 0-1			0-1	00 0-1	
Sub-Total	. '	0	Sub-T	otal	• • • • • • • • • • • • • • • • • • •	0		Sub-Total	· · · · · · · · · · · · · · · · · · ·		0	Sub-Total			0	Sub-Total		·	0
DADT II Just 1997	luit Canus			DADT # 1 - 1	and Huit Caan			DADT II	I - Index and Unit Sc		_11	2.0	RT II - Index and Un	it Coons	П	DARTH	lex and Unit Sc		
PART II - Index and U	nit Score			PART II - Index	and Unit Score			PARTI	i - index and Unit Sc	core		PAR	ti ii - index and Un	iit Score		PART II - Ind	ax and Unit Sc	ore	
Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Line	ar Feet	Unit Score	Index		Linear Feet	Unit Score	Index	Lir	near Feet	Unit Score
0.773	79	61.0275		0	0	0		0		0	0	0		0	0	0		0	0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME S-L35	(3)	LOCATION Riley Branch (3), Spread D
STATION#	RIVERMILE	STREAM CLASS Perennial
LAT 38.200338 I	ONG <u>-</u> 80.717177	COUNTY Nicholas
STORET#		AGENCYPotesta/ Edge
INVESTIGATORS TF,	EW, AG	
FORM COMPLETED BY	TF	DATE 8-25-21 TIME 4-15 REASON FOR SURVEY Preliminary Assessment
WEATHER CONDITIONS	rair showe	Past 24 hours Yes No In (heavy rain) In (steady rain) In
SITE LOCATION/MAP	Pon a map of the s	Level 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
	£	Timber to ridge 18' 80) An M Poul foirst west
STREAM CHARACTERIZATION	Stream Subsystem	Stream Type ntermittent □Tidal □Coldwater □Warmwater

Spring-fed
Mixture of origins
Other

Stream Origin
Glacial
Non-glacial montane
Swamp and bog

 km^2

Catchment Area___

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		✓ Fores	ninant Surrounding Lan	rcial	Local Watershed NPS ☑ No evidence ☐ Son	TO THE STATE OF TH				
		Agric Resid	Pasture Industricultural Other	al Pipeline ROV		ion				
					✓ None					
RIPARIA VEGETA (18 meter	TION	Tree	7.	hrubs	☐Grasses ☑He	erbaceous				
(======================================		Domina	int species present	cue specie	S					
INSTREA FEATURI		200	2.0	ft _m ft _m	Canopy Cover ☑ Partly open ☐ Part	ly shaded Shaded				
		2.7379.707.20366	100	ft2 m²	High Water Mark	5.5 ft _m				
			-		Proportion of Reach R	epresented by Stream				
		100 M 100 M 100 M	CONTRACTOR OF THE PROPERTY OF	km² ft m	Morphology Types Riffle 40 % Pool 20 %	Run_401.0 %				
			A 20 Pines	/sec	Channelized □Yes	₽No				
		(at thal Stream	weg)		Dam Present □Yes	☑No				
LARGE V DEBRIS	VOODY	LWD	1.0 m ²							
DEBRIS		Density	of LWDm	n ² /km ² (LWD/	reach area)					
AQUATIO VEGETA		Roote	Indicate the dominant type and record the dominant species present Rooted emergent Rooted submergent Rooted floating Free floating Attached Algae							
		Domina	ant species present NA							
		Portion	of the reach with aquat	ic vegetation	%					
WATER (QUALITY	Tempe	rature 21.4 C		Water Odors ☑Normal/None ☐Sewage					
DS	S Point	529	Conductance 50.9 US/CM		Petroleum Fishy	Petroleum Chemical				
			ed Oxygen 7.02 mg/L		Water Surface Oils					
		pH 5.88			Slick Sheen □ Other					
		National Section 1	ity <u>5.20 ntu</u> strument Used ys		Turbidity (if not measured) ☐ Clear ☐ Slightly turbid ☐ Turbid					
		wQ III	strument Oseu ya		Clear Slightly turbid Turbid Opaque Stained Other					
SEDIMEN SUBSTRA		Odors Norm Chen	nical Anaerobic	Petroleum None	Deposits ✓ Sludge □Sawdust □ Relict shells	Deposits □ Sludge □ Sawdust □ Paper fiber □ Sand □ Relict shells □ Other				
		Oils Abse	nt Slight Moderat	te Profu	are the undersides blace	ch are not deeply embedded, ck in color?				
			2-	F						
INC	ORGANIC SUBS (should a		COMPONENTS 100%)		ORGANIC SUBSTRATE C (does not necessarily add					
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area				
Bedrock			0	Detritus	sticks, wood, coarse plant materials (CPOM)	2				
Boulder	> 256 mm (10")		15		materials (et owi)					
Cobble	64-256 mm (2.5		25	Muck-Mud	black, very fine organic (FPOM)	lo				
Gravel	2-64 mm (0.1"-2		30		1.11.0	-				
Sand	0.06-2mm (gritt	y)	20	Marl	grey, shell fragments					
Silt	0.004-0.06 mm	.1.)	10	1		U				
Clay	< 0.004 mm (sli	ск)	0							

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-L35(3)	LOCATION Riley Branch (3)
STATION # RIVERMILE	STREAM CLASS Perennial
LAT <u>38.200338</u> LONG <u>-80.717177</u>	COUNTY Nicholas
STORET#	AGENCY Potesta/ Edge
INVESTIGATORS TF, EW, AG	
FORM COMPLETED BY	DATE 8-25-21 REASON FOR SURVEY Preliminary Assessment

	Habitat		Condition	Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
1	SCORE 14	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ed ir	SCORE 13	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime N/A	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
ıram	score 15	20 19 18 17 16	[15] 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
4	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	score 12	20 19 18 17 16	15 14 13 🔃 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status N/A	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category				
	Parameter Parameter	Optimal	Suboptimal	Marginal	Poor			
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.			
١	SCORE 18	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
ing reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.			
dille	SCORE 14	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
a ramere sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing determine and	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.			
	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
	SCORE 7	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.			
	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
	SCORE 8	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.			
	SCORE	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
	SCORE 8	Right Bank 10 9	8 7 6	5 4 3	2 1 0			

Total Score 144


BENTHIC MACROINVERTEBRATE FIELD DATA SHEET


STREAM NAME S-	L35(3)					LOC	ATION	v Rile	y E	3raı	nch	(3)							
STATION #	R	IVE	RM	ILE_			STR	EAM C	CLASS	Pe	erei	nnia	ıl							
LAT 38.200338	L	ONO	j -80	.7171	77		_ COUNTY Nicholas												_	
STORET#							AGE	NCYF	otes	ta	ΙE	dg	е							
INVESTIGATORS 7	ΓF, E	W,	AG									U	_	LOT	NUMBER			_		_
FORM COMPLETED	BY	Τ	F				DAT	TE 8-2 E 141					-	_	SON FOR SURVEY	elimina	ry Ass	iessm	nent	
HABITAT TYPES	In	dica C	ate the obble of the observation	ne pe eged N	rcen % //acro	tage of	each l	habitat %	type I	ve Ve	sent geta	t ated ther	Bani	ks	%	%				
SAMPLE	G	ear	used		D-fi	ame	kick	-net												
COLLECTION															_	=				
	н	ow v	were	the	samp	oles coll	ected	· L	wad	ıng		Ь	froi	n bar	nk from boa	it				
	║□	Cob	ble			r of jab Sn phytes_	ags			Ve	geta	ated	Ban	e. ks	Sand)	_				
GENERAL COMMENTS						1- : -		4 - 1			_1			1 -	1 .					
	`	1C) [Э	nı	INIC	S	ıar	er	1	a	u	е	C	low flov	V				
Dominant Periphyton						1 2						nes			ommon, 3= Abun		1		3	4
Filamentous Algae					0	1 2	2 3	4		N	Лас	croi	nve	rtebi	ates	0	1	2	3	4
Macrophytes					0	1 2	2 3	4		F	ist	1				0	1	2	3	4
	l abı	und	anc	e:	0 = org	Absen anisms	t/Not s), 3=	Obse Abun	dant	(>	10	org	anis	sms)	rganisms), 2 = Coi , 4 = Dominant (>				18)	
Porifera	0	1				Anis	_		0)	1	2			Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4		ptera		0		1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4		iptera		0		1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4		optera		0		1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	_	dopte	ra	0		1	2	3	4						
Oligochaeta	0	1	2	3	4	Siali			0		1	2	3	4						
Isopoda	0	1	2	3	4		dalida	ae	0		1	2	3	4						
Amphipoda	0	1	2	3	4	Tipu			0		1	2	3	4						
Decapoda	0	1	2	3	4	_	ididae ıliidae		0		1	2	3	4						
Gastropoda Bivalvia	0	1 1	2	3	4		IIIIdae nidae		0		1 1	2	3	4						
Divarvia	U	1	2	3	4	Culc			0		1	2	3	4						
						Cuic	idac				_		J							_


E;	8/25	2)	Ril				Sprea			
LECTOR	(s): <u> </u>	e EW	AG							
	ble Count (R		461	I Was	LIDY	F5	T ilia	T may	15	NOTES:
19	fS 119	175	121	Tis	15	100	160	11 M		
SI SI	50	76	35	FS	2	170	13	FS	18	
35	ЯII	9)	50		4	FS	22	172	775	
7)	113	125	155	105	15	42	170	£")	185	
5	Cur	163	10	(20	E5	10	65	FS	13	
75	1110	65	51	15	35	5Ť	SIL	ES	51	
EV.	FS	F	155	FS	751	750	15	ST	160	
7.2	TE	1	160	35	TIVEN.	F35	1	180	180	
70	185	4U	200	14	TS,E	E, C.	14	FS	175	
•	PLZ, All		1,00							
le Pebble	Count		7	10		,	1			NOTES:
		_								
			1			-	-			
		Т	1	T .		1				NOTES:
					-	-		1		
			-				-			
			-		-				-	
		-	-				-			
	l	1								


Inches	19-97 1	Millimeters	
	Sint Clay	_ 1 (62	8.0
	Very Fine	082 - 415	0
	Fine	125 25	S
	Medium	25 - 50	S A N D
	Soarse	50 - 10	D
94 - 78	Serr Coarse	16.2	100
18 - 16	Very Fixe	2 - 4	
16 - 32	Pine	4 - 💆 🔻	
22 - 31	Fine	57+8	6
31 - 44	Veduna	8 - 113	.R
44 62	Vedum	11.5-36	10.
691.95	Coarse	16 - 32 6	E
39 - 10	Coarse	22 6 - 30	U
13-18	Very Coarse	30 - 46	
18.25	Very Sparse	45 y 6 4	
25.35	9mali	64 - 90	37
35-61	Sma*	90 - 128	Z 00 0
50-71	Large	129 - 190	
7.15.10.5	Large	190 - 256	
10 1 - 14 5	Small .	256 - 362	- (§)
14.3 - 20	9maii	362 + 512] []
20 - 40	Vedium	810 - 1024	Jun'h-C
40 90	Large Vry Large	1024 - 2048	

Bankfull Channel	_		
	0: []	0
Material		Range (mm)	Count
silt/clay	0	- 0.062	11
very fine sand	0.062	- 0.125	
fine sand			46
medium sand		- 0.5	
coarse sand	0.5	- 1	
very coarse sand		- 2	
very fine gravel	2	- 4	
fine gravel	4	- 6	
fine gravel	6	- 8	1
medium gravel		- 11	
medium gravel		- 16	2
coarse gravel	16	- 22	4
coarse gravel	22	- 32	2
very coarse gravel		- 45	3
very coarse gravel		- 64	4
small cobble		- 90	5
medium cobble		- 128	4
large cobble		- 180	7
very large cobble		- 256	7
small boulder		- 362	1
small boulder	362	- 512	3
medium boulder	512	- 1024	
large boulder	1024	- 2048	
very large boulder	2048	- 4096	
tota	al part	icle count:	100
	•		
bedrock			
clay hardpan			
detritus/wood		L	
artificial		L	
artinoidi		otal count:	100
	·	otal ooullt.	100
Note:			









LEGEND


EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION 1176.87 **+**

SURVEY NOTES:


- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS AND COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-L35(3) BASELINE CROSS-SECTION A



DISTANCE ALONG CROSS-SECTION (FT)

S-L35(3) BASELINE CROSS-SECTION B



DISTANCE ALONG CROSS-SECTION (FT)

CROSS SECTION LEGEND — EXISTING GRADE

NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM UPSTREAM FROM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM UPSTREAM IMPACT LIMITS

PRE-CROSSING

Checked

BB/JLY Approved

Scale:

SEPT. 2021 Date:

Drawing No