Reach S-M4 (Temporary Access Road) Ephemeral Spread F Summers County, West Virginia

Data	Included
Photos	\checkmark
SWVM Form	\checkmark
FCI Calculator and HGM Form	\checkmark
RBP Physical Characteristics Form	\checkmark
Water Quality Data	N/A – No flow
RBP Habitat Form*	\checkmark
RBP Benthic Form	\checkmark
Benthic Identification Sheet	N/A — No flow
Wolman Pebble Count	\checkmark
Reference Reach Software Pebble Count Data	\checkmark
Longitudinal Profile and Cross Sections	\checkmark

* Modified RBP - No flow



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of Right of Way, Upstream View, AK/RA/TA



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of Right of Way, Upstream View, AK/RA/TA



Photo Type: View Up AR Location, Orientation, Photographer Initials: Access Road – View Facing Up, AK/RA/TA



Photo Type: View Down AR Location, Orientation, Photographer Initials: Access Road, View Facing Down, AK/RA/TA



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of Right of Way, Upstream View, AK/RA/TA



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, AK/RA/TA

"Q:\Charleston\2021 Projects\21-0244- MVP- STREAM AND WETLAND CONDITIONS ASSESSMENT AND SURVEY PLAN\002 - Pre-Crossing Monitoring\Spread F\S-M4"

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		MOUNTAIN	VALLEY PIPELINE	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	37.786834	Lon.	-80.728719	WEATHER:		
IMPACT STREAM/SITE I (watershed size {acreage			UNT to Red Sp	MITIGATION STREAM CLASS (watershed size {acrea							
STREAM IMPACT LENGTH:	47	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		
Column No. 1- Impact Existi	ng Condition (Debi	t)	Column No. 2- Mitigation Existing	Condition - Baseline (Credit)		Column No. 3- Mitigation Post Complet		ive Years	Column No. 4- Mitigation Pro Post Completion		Ten Ye
Stream Classification:	Epherr	neral	Stream Classification:			Stream Classification:		0	Stream Classification:		
Percent Stream Channel S	Slope	13	Percent Stream Channel S	оре		Percent Stream Channel	Slope	0	Percent Stream Channel S	lope	
HGM Score (attach	data forms):		HGM Score (attach	data forms):		HGM Score (attac	ch data forms	s):	HGM Score (attach o	data form	ns):
		Average		Average				Average			
Hydrology	0.56		Hydrology			Hydrology			Hydrology		
Biogeochemical Cycling	0.41	0.46	Biogeochemical Cycling	0		Biogeochemical Cycling		0	Biogeochemical Cycling		
Habitat	0.41		Habitat			Habitat			Habitat		
PART I - Physical, Chemical an		itors	PART I - Physical, Chemical a	_		PART I - Physical, Chemical	and Biologica	al Indicators	PART I - Physical, Chemical and		
	Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale	Range Site Score		Points Scale	e Range
PHYSICAL INDICATOR (Applies to all stream	ms classifications)		PHYSICAL INDICATOR (Applies to all stream	s classifications)		PHYSICAL INDICATOR (Applies to all strea	ams classification	s)	PHYSICAL INDICATOR (Applies to all stream	ns classific;	ations)
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet))		USEPA RBP (High Gradient Data Sheet)		
1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover	0-20	
2. Embeddedness	0-20	4	2. Pool Substrate Characterization	0-20		2. Embeddedness	0-20		2. Embeddedness	0-20	
3. Velocity/ Depth Regime 4. Sediment Deposition	0-20		3. Pool Variability 4. Sediment Deposition	0-20		3. Velocity/ Depth Regime 4. Sediment Deposition	0-20		3. Velocity/ Depth Regime 4. Sediment Deposition	0-20	
5. Channel Flow Status	0.20	4	5. Channel Flow Status	0-20		5. Channel Flow Status	0-20		5. Channel Flow Status	0-20	
6. Channel Alteration	0-20 0-1	19	6. Channel Alteration	0-20 0-1		6. Channel Alteration	0-20	0-1	6. Channel Alteration	0-20	
7. Frequency of Riffles (or bends)	0-20		7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	15	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	16	9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB)		18	10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB)			10. Riparian Vegetative Zone Width (LB & RB)		
Total RBP Score	Suboptimal	76	Total RBP Score	Poor 0		Total RBP Score	Poor	0	Total RBP Score	P	oor
Sub-Total		0.633333333	Sub-Total	0		Sub-Total		0	Sub-Total		
CHEMICAL INDICATOR (Applies to Intermit	tent and Perennial Stre	eams)	CHEMICAL INDICATOR (Applies to Intermitte	nt and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermi	ttent and Perenn	ial Streams)	CHEMICAL INDICATOR (Applies to Intermitte	tent and Pe	rennial
WVDEP Water Quality Indicators (Gener	al)		WVDEP Water Quality Indicators (Genera	I)		WVDEP Water Quality Indicators (Generation)	ral)		WVDEP Water Quality Indicators (Genera	al)	
Specific Conductivity			Specific Conductivity			Specific Conductivity			Specific Conductivity		4
100-199 - 85 points	0-90			0-90			0-90			0-90	
nH			nH			pH			pH		
	0-1		p	0-1				0-1		T	0-1
5.6-5.9 = 45 points	0-80			5-90			5-90			5-90	
DO		30	DO			DO			DO		
	10-30			10-30			10-30			10-30	
Cub Tatal			Dub Tabal			Sub-Total		0	Cub Tabl		
Sub-Total			Sub-Total	U				U	Sub-Total		
BIOLOGICAL INDICATOR (Applies to Interr	mittent and Perennial S	Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Inte	ermittent and Pe	erennial Streams)	BIOLOGICAL INDICATOR (Applies to Inter	rmittent an	d Perer
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		_
0	0-100 0-1			0-100 0-1			0-100	0-1		0-100	0-1
Sub-Total		0	Sub-Total	0		Sub-Total		0	Sub-Total		
н.		u de la companya de la company	-			-			<u>.</u>	-	
		1									

PART II - Index and Unit Score							
Index	Linear Feet	Unit Score					
0.588	47	27.65166667					

PART II - Index and Unit Score									
Index	Linear Feet	Unit Score							
0	0	0							

PART II - Index and Unit Score									
Index	Linear Feet	Unit Score							
0	0	0							

0							
PART II - Index and U	PART II - Index and Unit Score						
1. d.							
Index	Linear Feet						
0	0						
Ũ	U						





PART II - Index and Unit Score								
Index	Linear Feet	Unit Score						
0	0	0						

Before Project

S-M4

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: Preliminary Assessment (0244 MVP) Location: Summers/F Sampling Date: 8/25/2021

Subclass for this SAR:

Ephemeral Stream

Uppermost stratum present at this SAR:

Functional Results Summary:

Tree/Sapling Strata

Please Fill Out Site and Timing Information on Data Form

SAR number:

Choose Site on

Data Form

Function	Functional Capacity Index
Hydrology	0.56
Biogeochemical Cycling	0.41
Habitat	0.41

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
VCCANOPY	Percent canpoy over channel.	36.67	0.32
V _{EMBED}	Average embeddedness of channel.	1.63	0.33
V _{SUBSTRATE}	Median stream channel substrate particle size.	0.58	0.29
V _{BERO}	Total percent of eroded stream channel bank.	13.64	1.00
V _{LWD}	Number of down woody stems per 100 feet of stream.	18.18	1.00
V _{TDBH}	Average dbh of trees.	0.00	0.00
V _{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	Not Used	Not Used
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
VDETRITUS	Average percent cover of leaves, sticks, etc.	55.00	0.67
V _{HERB}	Average percent cover of herbaceous vegetation.	Not Used	Not Used
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.45	0.47

											Versio	on 10-20-17
			High-G			ter Strea				а		
				Field [Data She	et and C	alcu	lato	r			
	Team:	ABK/RA/TA	4					I	_atitude/UT	M Northing:	37.786834	
Pro	oject Name:	Preliminary	Assessme	nt (0244 M∖	/P)			L	ongitude/UT	TM Easting:	-80.728719)
	Location:	Summers/F	=						Sam	pling Date:	8/25/2021	
SA	AR Number:	S-M4	Reach	Length (ft):	22	Stream Ty	vpe:	Ephe	meral Stream			•
	Top Strata:	Tre	e/Sapling St	rata	(determine	d from perce	ent cal	culate	ed in V _{CCANC}	_{PY})		
Site	and Timing:	Project/Mit	igation Site (o	ircle one)		•	Before	Proje	ct			•
Sample	e Variables	1-4 in strea	am channel									
1 V _{CCANOPY} Average percent cover over channel by tree and sapling canopy. Measure at no fewer than 10 roughly												36.7 %
	List the per	rcent cover i	measureme	nts at each	point below	:						-
	60	40	10									
2	V _{EMBED}					el. Measure ed. Before						1.6
						is covered l						
						an artificial s						
		rating score	e of 1. If the	e bed is com	nposed of be	edrock, use	a ratin	g sco	re of 5.			_
			•	for gravel, c	obble and b	oulder parti	cles (r	escal	ed from Pla	tts, Megaha	n, and	Measure
		Minshall 19	983)									at least
		Rating	Rating Des	scription								30 points
		5				rounded, or					k)	
		4				, surrounde						
		3				d, surround						•
		1				urrounded, c					ial surface)	•
	l ist the rati		point below		00100, 30		i bunc	,u by				ļ
	3	1										1
	3	1										
	1	1										
	1	•										
	2											
3	_	Median stre	am channe	lsubstrate	narticle size	. Measure a	at no fe		than 30 rou	nhlv equidis	tant noints	
Ũ	SUBSTRATE					rticles as us				giny oquidio		0.58 in
	Enter partic	-		-	-	h point belo			-	ounted as 0	Q in	
			0.0 in, sand				w (beu	IUCK		ounted as 9	9 111,	
	1.00	2.75				50 m).						1
	0.40	0.75										
	0.40	0.75										
	0.08	0.08										
4	2.00	Total paras	nt of crode	atroom ch	annal hank	Entor the t	atal au	mhar	of fact of a	radad barts	on oach	
4	V _{BERO}		e total perce			Enter the to d If both ba						14 %
		, ~~ «p	Left Bank:	3	ft		Right E	Bank.	0	ft		
			Lon Durik.	0					0	••		

Sampl	le Variable	s 5-9 within t	the entire	riparian/buf	fer zone ad	jacent to t	the stream ch	annel (25 f	ieet from e	each bank).	
5	V _{LWD}	Number of down woody stems (at least 4 inches in diameter and 36 inches in length) per 100 feet of stream reach. Enter the number from the entire 50'-wide buffer and within the channel, and the amount per 100 feet of stream will be calculated.									18.2
		Number of downed woody stems: 4									
6	V_{TDBH}	Average dbh of trees (measure only if V _{CCANOPY} tree/sapling cover is at least 20%). Trees are at least 4									
		inches (10	cm) in dian	neter. Enter	tree DBHs	in inches.					0.0
		List the dbł the stream		ments of indi	vidual trees	(at least 4	in) within the	buffer on ea	ach side of		
		me stream	Left Side					Right Side			1
								r ngint ende			
7	V _{SNAG}						et of stream.	Enter numb	per of snag	s on each	
		side of the	stream, an	d the amoun	it per 100 fe	et will be c	alculated.				0.0
			Left Side	:	0		Right Side:	()		
8	V_{SSD}						ches dbh) per				
				Enter numl tream will be			rubs on each s	side of the s	stream, and	d the	Not Used
		•	Left Side	:	3		Right Side:	(
9	V _{SRICH}						eam reach. Ch				
							sive species p I from these d		i strata. Si	Decies	0.00
		-	p 1 = 1.0								
	Acer rubr			Magnolia ti	ripetala		Ailanthus al	Group : Itissima		Lonicera ja	ponica
	Acer sace	charum		Nyssa sylv	atica		 Albizia julibrissin 			Lonicera ta	ntarica
	Aesculus	flava		Oxydendrun			Alliaria petio			Lotus corn	iculatus
	Asimina ti			Prunus sei						Lythrum sa	
		ghaniensis		Quercus a			philoxeroide			Microstegiur	
	Betula ler	-		Quercus c			Aster tatario	cus		Paulownia	
	Carya alb			Quercus in			Cerastium f			Polygonum	
	Carya alb Carya gla		_	Quercus m Quercus p			Coronilla va		_	Pueraria m	
	Carya ova			Quercus ru			Elaeagnus ur			Rosa multi	
	Carya ova			Quercus ve			Lespedeza			Sorghum h	
	Cornus flo			Sassafras			Lespedeza			Verbena bi	rasiliensis
	Fagus gra			Tilia ameri –			Ligustrum ob				
	Fraxinus	americana		Tsuga can	adensis		Ligustrum s	inense			
	Liriodendro	on tulipifera		Ulmus ame	ericana						
	Magnolia	acuminata									
		0	Species in	Group 1				0	Species in	Group 2	
		0	SP00163 II	- Croup i				0	Shories III	Sidup 2	

	e Variables The four sul									nin 25 feet fro	om each
10	V _{DETRITUS}	Average pe	ercent cover	of leaves, s	sticks, or other	ner organic i	naterial. W	oody debr	is <4" diame	eter and	55.00 %
	Left Side Right Side										
		70				40					
11	V _{HERB}	Average pe	ercentage co	over of herb	aceous veg	etation (mea	asure onlv i	tree cove	r is <20%).	Do <i>not</i>	
	TERD	include woo	ody stems a	it least 4" dt	oh and 36" t	all. Because	there may	be severa	l layers of g	round cover	Not Used
		at each sub		s up througi	h 200% are	accepted.	inter the pe	ercent cove	er of ground	vegetation	
			Left	Side			Righ	t Side			
		30				60				-	
Sample	e Variable 1	2 within the	e entire cat	chment of	the stream						
12	V _{WLUSE}				e for waters						
	WLUSE	i eiginea /									0.45
			Lond		se From Dro	n Liat)			Runoff	% in Catch-	Running
			Lanu			p List)			Score	ment	Percent (not >100)
	Forest and n	ative range (5	50% to 75% g	round cover)					0.7	50	50
	Open space	(pasture, lawr	ns, parks, etc.), grass cover	50% - 75%			1	0.2	50	100
								-	-		
								-	•		
								-	•		
								•	•		
								•	•		
								•	•		
		S-M4					No	tes:	_		
V	ariable	Value	VSI	Land Cov	er Analysis	was comr			9 National	Land Cover	Database
		37 %	0.32	(NLCD), f	rom Landa	t satellite ir	nagery and	d other su	ipplementa	ry datasets.	
	CANOPY			Watershe	d boundari	es are bas	ed off field	delineate	ed stream i	mpacts.	
	MBED	1.6	0.33								
Vs	UBSTRATE	0.58 in	0.29								
V _B	ERO	14 %	1.00								
VL	WD	18.2	1.00								
VT	DBH	0.0	0.00								
Vs	NAG	0.0	0.10								
Vs	SD	Not Used	Not Used								
Vs	RICH	0.00	0.00								
	ETRITUS	55.0 %	0.67								
V _H	ERB	Not Used	Not Used								
Vw	LUSE	0.45	0.47								

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAMES-M4 UNT	to Red Spring Branch	LOCATION Summers/F	
STATION # R	IVERMILE	STREAM CLASS Ephemera	
	ONG	COUNTY Summers	
STORET #		AGENCYPotesta/Edge	
INVESTIGATORSABK/F		۲	
FORM COMPLETED BY	A. Kincaid	DATE 8/25/2021 TIME 1200 PM	REASON FOR SURVEY Preliminnary Assessment
WEATHER CONDITIONS SITE LOCATION/MAP	main (shower main (shower %c choice	(heavy rain) steady rain)	Has there been a heavy rain in the last 7 days? Yes No Air Temperature ^{75 °F 0} C Other ed (or attach a photograph)
zzatiotal Reach	V V Tex V V V V	TUBA	R V
STREAM CHARACTERIZATION	Stream Subsystem Perennial Inte Stream Origin Glacial Non-glacial montane Swamp and bog	□ Spring-fed	Stream Type Coldwater I Warmwater Catchment Areakm ²

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS		✓ Fores		reial	Local Watershed NPS	Contractor Second Second
. A color Second constraints			Pasture Industria ultural Other lential	al	☐ Obvious sources Local Watershed Erosi ☑ None ☐ Moderate	on Heavy
RIPARIA VEGETA (18 meter	N FION buffer)	Tree		record the do mubs ISSES	minant species present ☑Grasses He	rbaccous
INSTREA FEATURE		10000	ted Reach Length 22 f ted Stream Width 1.5			ly shaded 🗖 Shaded
		Sampli	ng Reach Area 33 ft	^2 m ²	High Water Mark	m
		Area in	km ² (m ² x1000)	km ²	Proportion of Reach R Morphology Types	
		Estima	ted Stream Depth dry	m	Riffle Pool	Run <u>°</u> %
		Surface (at thal		/sec	Channelized Yes	⊡ No
			Dry 🔽		Dam Present Ses	⊡No
LARGE W DEBRIS	VOODY	LWD Density	3 ft^2 m ² of LWDm	²/km² (LWD / 1	reach area)	
AQUATIC VEGETAT		Float	e the dominant type and ed emergent and algae At ant species present Dry	tached Submerge	minant species present nt ☐Rooted floating	Free floating
			of the reach with aquat		D_%	
WATER Q	QUALITY	Specific	rature0 C conductance ed Oxygen	2	_	Chemical Other
		pH	12		Water Surface Oils	Globs Flecks
			ity strument Used		Turbidity (if not measu Clear Slightly tu Opaque Stained	red) bid Turbid Other
SEDIMEN SUBSTRA		Odors ✓ Norm Chen Othe	nical Anaerobic	Petroleum None	Deposits ☐Sludge ☐Sawdust ☐Relict shells ☐	
		Oils	nt 🔲 Slight 🔲 Moderat	e 🗖 Profus	are the undersides blac	h are not deeply embedded, k in color?
INO			COMPONENTS		ORGANIC SUBSTRATE C	
Substrate		dd up to 1		Substrats	(does not necessarily add	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area

				· · · · · ·							
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area						
Bedrock		0	Detritus	sticks, wood, coarse plant materials (CPOM)	20						
Boulder	> 256 mm (10")	0		materials (CPOIM)	20						
Cobble	64-256 mm (2.5"-10")	0	Muck-Mud	black, very fine organic	0						
Gravel	2-64 mm (0.1"-2.5")	5		(FPOM)	0						
Sand	0.06-2mm (gritty)	10	Marl	grey, shell fragments	0						
Silt	0.004-0.06 mm	85]								
Clay	< 0.004 mm (slick)	0]								

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAMES-M4 UNT to Red Spring Branch	LOCATION							
STATION # RIVERMILE	STREAM CLASS Ephemeral							
LAT LONG	COUNTY Summers							
STORET #	AGENCYPotesta/Edge							
INVESTIGATORSABK/RA/TA								
FORM COMPLETED BY A. Kincaid	DATE 3/25/2021 TIME 1200 PM AM PM REASON FOR SURVEY Preliminnary Assessment							

	Habitat		Condition	Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.			
	_{score} 0 🔽	<u>not</u> transient). 20 19 18 17 16	high end of scale). 15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.			
ted in	score 4 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 🗿 3 2 1 0			
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).			
aram	score 0 -	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
4	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.			
	$_{\rm SCORE} 4$	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 🙆 3 2 1 0			
	5. Channel Flow Status N/A	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.			
	SCORE U	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			

Substrate was mostly composed of fines

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Conditio	n Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabio or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	score 19▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water of shallow riffles; poor habitat; distance betweer riffles divided by the width of the stream is a ratio of >25.
June	$_{\text{SCORE}} 0$	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
гагашсистэти ис станаасы ргоацст нал зашршид госы	8. Bank Stability (score each bank) Note: determine left or right side by facing deumonome.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
2	SCORE 6	Left Bank 10 9	8 7 🙆	5 4 3	2 1 0
	SCORE 9	Right Bank 10 🛛 🧐	8 7 6	5 4 3	2 1 0
	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	$score \frac{7}{2}$	Left Bank 10 9	8 🧊 6	5 4 3	2 1 0
	score 9 💌,	Right Bank 10 🧕	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone < meters: little or no riparian vegetation due t human activities.
	$\frac{\text{SCORE}}{\text{SCORE}} \frac{9}{\text{SCORE}}$	Left Bank 10 9 Right Bank 10 9	8 7 6 8 7 6	5 4 3 5 4 3	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
			8 7 6	5 4 3	

Appendix A-1: Habitat Assessment and Physicochemical Characterization Field Data Sheets - Form 2 A-8

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAMES-M4	UNT to Red Spring Branch	LOCATION	
STATION #	RIVERMILE	STREAM CLASS Ephemera	
LAT	LONG	COUNTY Summers	_
STORET #		AGENCYPotesta/Edge	
INVESTIGATORSA	BK/RA/TA		LOT NUMBER
FORM COMPLETED	^A . Kincaid	DATE 8/29/2021 TIME 1230 PM	REASON FOR SURVEY Preliminnary Assessment
HABITAT TYPES	Indicate the percentage of Cobble% S Submerged Macrophytes	each habitat type present nags % ↓Vegetated B % ↓Other (
SAMPLE COLLECTION		lected? □wading □f s/kicks taken in each habitat ty ags □Vegetated B	anks Sand
GENERAL COMMENTS	no benthic sampl	e collected due to la	ack of substrate/no water

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

iman Peb	R(S):	-		Kit	delet	CIN	1991 S. 1995		I T SHOULD				
3	17	2.062	6.062							NOTES: 22Rt reach, 10 particles every 5Rt.			
9	L.062									centreacting			
DUV	L.067	6.062	2.062							1) son tiples avery	Inches	PARTICLE	Milli
out	500.2	4.062	1062							10 40 mars energ		Silt / Clay	<.0
5	6.062	6,062	1.062							561		Very Fine	.062
69	1062	1.062	2062									Fine Medium	.125
14	L.062									-		Coarse	.20
										4	.0408	Very Coarse	1.0
062	2.062	4.067	1.062							-	.0816	Very Fine	2
	<.06Z		<.062							-	.1622	Fine	4
del	L.062	6.06	500.2								.2231	Fine	5.7
											.3144	Medium Medium	8 11.3
le Pebble	Count				e prostana					NOTES:	.6389	Coarse	16
-											.89 - 1.3	Coarse	22.6
								-	T		1,3 - 1,8	Very Coarse	32
											1.8 - 2.5	Very Coarse	45
				_							2.5-3.5	Small	64
				>	<					-	3.5-5.0 5.0-7.1	Small Large	90 128
										-	7.1-10.1	Large	180
		~						**		-	10.1 - 14.3	Small	256
									<hr/>	-	14.3 - 20	Small	362
	/										20 - 40 40 - 60	Medium Large-Vry Large	512 1024
1											40-00	Bedrock	1024
									1				
	N. Belle		1			T				NOTES:			
										-			
										-			
										-			
										-			
									L				

S/C

SAZD

10.0

GR


E


R

剧


BDRK

Bankfull Channel	•	
Material	Size Range (mm)	Count
silt/clay	0 - 0.062	34
very fine sand		
fine sand	0.125 - 0.25	
medium sand	0.25 - 0.5	
coarse sand	0.5 - 1	
very coarse sand	1 - 2	
very fine gravel	2 - 4	
fine gravel	4 - 6	
fine gravel	6 - 8	1
medium gravel	8 - 11	
medium gravel	11 - 16	
coarse gravel	16 - 22	2
coarse gravel	22 - 32	1
very coarse gravel	32 - 45	
very coarse gravel	45 - 64	1
small cobble	64 - 90	1
medium cobble	90 - 128	
large cobble	128 - 180	
very large cobble	180 - 256	
small boulder	256 - 362	
small boulder	362 - 512	
medium boulder	512 - 1024	
large boulder	1024 - 2048	
very large boulder	2048 - 4096	
tota	al particle count:	40
bedrock		
clay hardpan		
detritus/wood		
artificial		
	total count:	40
Note:		





	AS-BUI	LT TABLE: S—	M4 CROS	S SECTION A	
		PRE-CROSS	ING	AS-E	BUILT
PT. LOC.	NORTHING	EASTING	ELEV.	VERT. DIFF.	HORZ. DIFF.
TS-L	13721095.02	1718793.88	3451.04		
BS-L	13721099.06	1718794.69	3449.55		
THW	13721099.64	1718794.63	3449.49		
BS-R	13721100.19	1718794.89	3449.60		
TS-R	13721102.15	1718794.86	3450.43		




	LEGEND
	STUDY AREA (EASEMENT)
· ·	EXISTING SURVEY-LOCATED THALWEG
1176.87 +	EXISTING SURVEYED GROUND SHOT ELEVATION

SURVEY NOTES:


- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON 8-25-2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS AND COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- SECTION AND PROFILE VIEWS FOR COMPARISON.

S-M4 BASELINE CROSS-SECTION A



DISTANCE ALONG CROSS-SECTION (FT)

S-M4 BASELINE CROSS-SECTION B



DISTANCE ALONG CROSS-SECTION (FT)

	CROSS SECTION LEGEND			
-	— — EXISTING GRADE			
	$\begin{array}{c c} \underline{CROSS \ SECTION} \\ Brian $			

NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING

ASSOCIATES, Ĵ OTESTA PRE-CROSSING PHOTOS Δ PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS **R R** D in РР TAKEN LOOKING UPSTREAM FROM ш DOWNSTREAM IMPACT LIMITS POST-CROSSING PHOTOS 5 N S S S MOUN 2200 PENDING CROSSING ED ō PHOTO TAKEN LOOKING DOWNSTREAM UPSTREAM FROM IMPACT LIMITS TRIB. 161.2) WV PENDING CROSSING PHOTO TAKEN LOOKING UPSTREAM FROM UPSTREAM IMPACT LIMITS

PRE-CROSSING

Drawing No

-S-M4 CAD File No.

MBS Drawn

СНН Checked

BB/JLY

Approved

NOTED

Scale:

SEPT. 2021 Date:

21-0244-005 Project No.

()