Baseline Assessment – Stream Attributes

Reach S-MN2 (Pipeline ROW) Perennial Spread F Monroe County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope >4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Low flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓



Photo Type: US Edge of ROW, US View Location, Orientation, Photographer Initials: Upstream Edge of Right of Way, Upstream View, AK/TA/SM



Photo Type: US Edge of ROW, DS View Location, Orientation, Photographer Initials: Upstream Edge of Right of Way, Downstream View, AK/TA/SM



Photo Type: CP, US View Location, Orientation, Photographer Initials: Center Right of Way, Upstream View, AK/TA/SM



Photo Type: CP, DS View Location, Orientation, Photographer Initials: Center Right of Way, Downstream View, AK/TA/SM



Photo Type: Start of Water Location, Orientation, Photographer Initials: Start of Water, AK/TA/SM



Photo Type: DS Edge of ROW, US View
Location, Orientation, Photographer Initials: Downstream Edge of Right of Way, Upstream View, AK/TA/SM



Photo Type: DS Edge of ROW, DS View

Location, Orientation, Photographer Initials: Downstream Edge of Right of Way, Downstream View, AK/TA/SM

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		N	Mountain Valley	Pipeline		COORDINATES: cimal Degrees)	Lat.	37.520012	Lon.		-80.707606	WEATHE	R:	Clea	r/Sunny 75 °F	DATE:		9/3/2	1
					(50	omai Degrees,												9/3/2	. 1
IMPACT STREAM/SITE ID (watershed size {acreage},				S-MN2 L	INT to Hans Creel			MITIGATION STREA	M CLASS./SITE ID a							Comments:			
(water siled Size (acreage),	, unattered of impairin	ients)						(watersite	u size (acreage), unanered	u or impairme	ilis)								
STREAM IMPACT LENGTH:	81	FORM	OF		MIT C	OORDINATES:	Lat.		Lon.			PRECIPITATION PA	AST 48 HRS:			Mitigation Length:			
	01	MITIGAT		RESTORATION (Levels I-III)		cimal Degrees)						11.2011 111110				gu <u>-5</u> gu			
Column No. 1- Impact Existing	g Condition (Debi	it)		Column No. 2- Mitigation Existi	ng Condition - Base	eline (Credit)			litigation Projected at Completion (Credit)		rs		1- Mitigation Proje ost Completion (C		ars	Column No. 5- Mitigation	Projected at N	laturity (Cre	edit)
Stream Classification:	Peren	ınial	Strea	am Classification:				Stream Classification:		0		Stream Classification:		0		Stream Classification:		0	
Percent Stream Channel Slo	оре	5.2		Percent Stream Channe	l Slope			Percent Stream	Channel Slope		0	Percent Stre	eam Channel Slo	ре	0	Percent Stream Cha	nnel Slope		0
HGM Score (attach da	ata forms):			HGM Score (atta	ach data forms):			HGM Sc	ore (attach data for	ms):		HGM	Score (attach da	ta forms):		HGM Score (at	tach data for	ms):	
		Average				Average					Average				Average				Average
Hydrology		0		ology		0		Hydrology			0	Hydrology				Hydrology			
Biogeochemical Cycling Habitat		U	Habi	eochemical Cycling at		•		Biogeochemical Cycling Habitat			U	Biogeochemical Cycling Habitat			0	Biogeochemical Cycling Habitat			U
PART I - Physical, Chemical and	Biological Indica	ators		PART I - Physical, Chemica	al and Biological In	licators			Chemical and Biolog	gical Indica	tors	PART I - Physica	al, Chemical and E	Biological Indic	ators	PART I - Physical, Chemic	cal and Biolog	jical Indicat	tors
	Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale	e Range	Site Score			Points Scale Range	Site Score		Points S	Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams	s classifications)		PHY	SICAL INDICATOR (Applies to all stre	eams classifications)			PHYSICAL INDICATOR (Applies	to all streams classifica	tions)		PHYSICAL INDICATOR (A	Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all	streams classifi	cations)	
USEPA RBP (High Gradient Data Sheet)				PA RBP (Low Gradient Data Shee	7			USEPA RBP (High Gradient Da				USEPA RBP (High Gradie				USEPA RBP (High Gradient Data S			
Epifaunal Substrate/Available Cover Embeddedness	0-20	9 18		ifaunal Substrate/Available Cover ol Substrate Characterization	0-20			Epifaunal Substrate/Available Embeddedness				 Epifaunal Substrate/Ava Embeddedness 	ilable Cover	0-20		Epifaunal Substrate/Available Cove Embeddedness			
3. Velocity/ Depth Regime	0-20 0-20	4		ol Variability	0-20 0-20			Velocity/ Depth Regime	0-20 0-20			Velocity/ Depth Regime		0-20 0-20		3. Velocity/ Depth Regime	0-20		
4. Sediment Deposition	0-20	17		diment Deposition	0-20			Sediment Deposition	0-20			Sediment Deposition		0-20		Sediment Deposition	0-20		
5. Channel Flow Status	0-20	6		annel Flow Status	0-20			5. Channel Flow Status	0-20			5. Channel Flow Status		0-20		5. Channel Flow Status	0-20		
6. Channel Alteration	0-20	16	6. Cł	annel Alteration	0-20			6. Channel Alteration	0-20	0-1		6. Channel Alteration		0-20		6. Channel Alteration	0-20	0-1	
7. Frequency of Riffles (or bends)	0-20	2	7. Cł	annel Sinuosity	0-20			7. Frequency of Riffles (or bends	s) 0-20			7. Frequency of Riffles (or	bends)	0-20		Frequency of Riffles (or bends)	0-20	0	
8. Bank Stability (LB & RB)	0-20	16	8. Ba	nk Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20			Bank Stability (LB & RB))	0-20		8. Bank Stability (LB & RB)	0-20	0	
9. Vegetative Protection (LB & RB)	0-20	18		getative Protection (LB & RB)	0-20			Vegetative Protection (LB & R				Vegetative Protection (L		0-20		Vegetative Protection (LB & RB)	0-20		
10. Riparian Vegetative Zone Width (LB & RB)	0-20	12		iparian Vegetative Zone Width (LB & RI				10. Riparian Vegetative Zone Width				10. Riparian Vegetative Zone	Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB			
Total RBP Score	Suboptimal	118		RBP Score	Poor	0		Total RBP Score	P	oor	0	Total RBP Score		Poor	0	Total RBP Score		Poor	0
Sub-Total CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Stre	0.59 eams)		Total MICAL INDICATOR (Applies to Intern	nittent and Perennial S	reams)		Sub-Total CHEMICAL INDICATOR (Applies	s to Intermittent and Pere	ennial Strear	ns)	Sub-Total CHEMICAL INDICATOR (A	Applies to Intermitten	nt and Perennial St	reams)	Sub-Total CHEMICAL INDICATOR (Applies to Ir	ntermittent and P	erennial Strea	ams)
WVDEP Water Quality Indicators (General	n .		WVE	EP Water Quality Indicators (Gen	eral)			WVDEP Water Quality Indicate	ors (General)			WVDEP Water Quality Inc	dicators (General)	1		WVDEP Water Quality Indicators (0	General)		
Specific Conductivity				ific Conductivity	Cruiy	0		Specific Conductivity	oro (General)			Specific Conductivity	alcators (General)			Specific Conductivity	zenerui)		
	0-90	480.9		•	0-90			-	0-90			•		0-90		•	0-90	0	
400-499 - 60 points	0-90	400.9			0-90				0-90					0-90			0-90	<u> </u>	
pH		00	рН			0		pH		<u>-</u>		рН				рН			
6.0-8.0 = 80 points	0-80	7.58			5-90				5-90	0-1				5-90			5-90	0 0-1	
0.0-0.0 - 00 points			DO					DO				DO				DO		_	
	10-30	6.16	50		10-30				10-30					10-30			10-3	,,	
>5.0 = 30 points	10-30				10-30				10-30					10-30			10-3	50	
Sub-Total		0.85	Sub-	Total		0		Sub-Total			0	Sub-Total			0	Sub-Total			0
BIOLOGICAL INDICATOR (Applies to Intermit	ttent and Perennial S	Streams)	вю	OGICAL INDICATOR (Applies to Int	ermittent and Perennia	Streams)		BIOLOGICAL INDICATOR (App	olies to Intermittent and	d Perennial	Streams)	BIOLOGICAL INDICATOR	R (Applies to Interm	ittent and Perenn	ial Streams)	BIOLOGICAL INDICATOR (Applies t	o Intermittent a	nd Perennial	l Streams)
WV Stream Condition Index (WVSCI)			WV S	Stream Condition Index (WVSCI)				WV Stream Condition Index (V		_		WV Stream Condition Inc	dex (WVSCI)			WV Stream Condition Index (WVSC			
0	0-100 0-1				0-100 0-1				0-100	0-1				0-100 0-1			0-10	00 0-1	
Sub-Total		0	Sub-	Total		0		Sub-Total	•		0	Sub-Total			0	Sub-Total			0
PART II - Index and U	Init Score			PART II - Index	and Unit Coars			DADT	I - Index and Unit Sco	oro		DAD	T II - Index and Ur	nit Score		PART II - Inde	y and I hit C-	oro	
PART II - III dex and U	Jiiit Gcore			PART II - INGEX	and only Score			FARTI	- muex and onit Sco	oi e		PAR	i ii - iiiuex aiiu Ur	iii Score		PART II - INGE	x and one sec	Ji e	
Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linea	ar Feet	Unit Score	Index		Linear Feet	Unit Score	Index	Lin	ear Feet	Unit Score
0.720	81	58.32		0	0	0		0		0	0	0		0	0	0		0	0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME \$	S-MN2	LOCATION UNT to Hans Creek / Spread F							
STATION #	RIVERMILE	STREAM CLASS Perennial							
LAT 37.520012	LONG -80.707606	COUNTY Mor	nroe						
STORET#		AGENCY Potesta/Edge							
INVESTIGATORS	ABK/TA/SM								
FORM COMPLET	A. Kincaid	DATE 09/03/2021 TIME 1330	REASON FOR SURVEY Preliminary Assessment						
		<u> </u>	Hardwark and beautiful to be 17 Land						
WEATHER	Now	Past	Has there been a heavy rain in the last 7 days?						

WEATHER CONDITIONS	Now Past 24 hours Yes No
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph) The stream of the site and indicate the areas sampled (or attach a photograph) The stream of the site and indicate the areas sampled (or attach a photograph) The stream of the site and indicate the areas sampled (or attach a photograph) The stream of the site and indicate the areas sampled (or attach a photograph) The stream of the site and indicate the areas sampled (or attach a photograph) The stream of the site and indicate the areas sampled (or attach a photograph)
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Coldwater Warmwater Stream Origin Glacial Non-glacial montane Swamp and bog Stream Type Coldwater Warmwater Catchment Area km²

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores		rcial	Local Watershed NPS ☐ No evidence ☑ Sor	TOTAL TOTAL					
		Field Agric Resid	ultural Other P		Obvious sources Local Watershed Eros	ion					
		Likesia	onai		✓ None						
RIPARIA VEGETA (18 meter	TION	Trees	_	record the do hrubs nyard grass	☑ Grasses ☐ He	erbaceous					
INSTREA FEATURI		Estima	ted Stream Width 2.0	ft m	2220 CO 2220 CO 122 CO 12	☑ Partly open ☐ Partly shaded ☐ Shaded					
		Area in	- T	km²	Proportion of Reach R Morphology Types Riffle % Pool 100 %	epresented by Stream					
			eVelocity msm	n/sec	Channelized ☐Yes Dam Present ☐Yes	☑No ☑No					
LARGE V DEBRIS	VOODY	LWD Density	m² of LWDm	n²/km² (LWD /	reach area) N/A						
AQUATIO VEGETA		Indicate the dominant type and record the dominant species present Rooted emergent Rooted submergent Rooted floating Rooted floating Free floating									
		Domina	int species present								
		Portion	of the reach with aquat	ic vegetation 4	%						
WATER (QUALITY	Specific	c Conductance 480.9 us/com			Chemical Other					
		pH <u>7.58 s</u>			Water Surface Oils Slick Sheen Globs Flecks None Other						
		Turbid WQ Ins	ity 0.2 ntu	rter	Turbidity (if not measu ☐ Clear ☐ Slightly tu ☐ Opaque ☐ Stained	Turbidity (if not measured) Clear Slightly turbid Turbid Opaque Stained Other					
SEDIMEN SUBSTRA		Odors Norm	nical Anaerobic	Petroleum None	Deposits Sludge □Sawdust □Relict shells	□Sludge □Sawdust □Paper fiber □Sand					
		Oils Abse	nt Slight Moderat	te Profu	are the undersides blac	ch are not deeply embedded, ck in color?					
INC		STRATE dd up to 1	COMPONENTS (00%)		ORGANIC SUBSTRATE C						
Substrate Diameter Type			% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area					
Bedrock			0	Detritus	sticks, wood, coarse plant	10					
Boulder	> 256 mm (10"))	3		materials (CPOM)	10					
Cobble	64-256 mm (2.5	5"-10")	7	Muck-Mud	black, very fine organic (FPOM)	0					
Gravel	2-64 mm (0.1"-2	2.5")	65]	l 0						
Sand	0.06-2mm (gritt	y)	10	Marl	grey, shell fragments	0					
Silt	0.004-0.06 mm		15	1							
Clay	< 0.004 mm (sli	ck)	0	1							

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S	-MN2	LOCATION	
STATION #	RIVERMILE	_ STREAM CLASS Perennial	▼
LAT 37.520012	LONG -80.707606	_ COUNTY Monroe	▼
STORET#		AGENCYPotesta/Edge	
INVESTIGATORS#	ABK/TA/SM		
FORM COMPLETE A. Kincaid	D BY	DATE 09/03/2021 REASON FOR SURVEY Preliminary Assessment	

	Habitat	le .	Condition	Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	_{SCORE} 9 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ed ir	SCORE 18 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime N/A	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
ıram	score 4 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
r.	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE 17 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status N/A	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE O	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	_{SCORE} 16▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
ling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
samp	SCORE 2	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
e eva	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0
to be	SCORE 8	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE 9	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 9	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE 6	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 6 ▼)	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total Score ____

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET


STREAM NAME S-	MN2	2					LOC	CATIO	ON											
STATION #	R	UVE	RM	LE_			STR	EAM	CLA	SS F	Pere	ennia	al						\neg	▼
LAT 37.520012	L	ONO	j -80.7	07606			COL	JNTY	ť	Mo	onro	е								•
STORET#							AGI	ENCY	Pote	esta	/Ed	lge								_
INVESTIGATORSA	BK/	TA/	SM			-		30.00 E 200° E.			2 1110 . 3041		1	LOT	NUMBER					
FORM COMPLETED) BY	Α.	K	inc	aid	b	DAT TIM	re o		2			-		SON FOR SURVEY	eliminar	ry Ass	sessn	nent	
HABITAT TYPES	In	idica C Sub	ate the obble of the observation	ne pe e ged N	ercen % Macro	tage of 6 Sophytes	each l	habit %	at typ	e pr □V	eser eget	n t tated Other	Ban	ks	%	%				
SAMPLE COLLECTION	G	ear	used		D-fi		kick	-net				Other	_		nk 🔲 from boa					
	In	idica Cot	ite th	ie nu	ımbe	r of jab	s/kick	ks tak	en in	each	hal	– bitat	type	e .	Sand					
GENERAL COMMENTS	no	o s	uita	abl	e h	abita	at fo	r be	enth	ics	3									
QUALITATIVE I Indicate estimated Dominant									erve	d, 1	=]	Raro	e, 2	= C	fommon, 3= Abuno	dant,	4 =	=		
Periphyton					0	1 2	2 3	4			Sli	mes				0	1	2	3	4
Filamentous Algae					0	1 2	2 3	4			Ma	croi	nve	rtebi	rates	0	1	2	3	4
Macrophytes					0	1 2	2 3	4			Fis	h				0	1	2	3	4
FIELD OBSERV		und	anc	e:	0 = org	Absen anisms	it/Not s), 3=	t Obs Abu				org	anis	sms)	rganisms), 2 = Cor , 4 = Dominant (>:				ıs)	
Porifera	0	1	2	3	4	Anis	opter	a		0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4		ptera			0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4		iptera			0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4		opter			0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4		dopte	ra		0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Siali				0	1	2	3	4						
Isopoda	0	1	2	3	4		dalid	ae		0	1	2	3	4						
Amphipoda	0	1	2	3	4	_	lidae			0	1	2	3	4						
Decapoda	0	1	2	3	4		idida			0	1	2	3	4						
Gastropoda	0	1	2	3	4		ıliida			0	1	2	3	4						
Bivalvia	0	1	2	3	4		nidae			0	1	2	3	4						
						Culc	idae			0	_1_	2	3	4						

SITE ID:	<u> </u>	110 C	<u> </u>	1 4	to 1	lans				
DATE:	9/3/	21						dF		
COLLECTOR	R(S):	BK/6	SH				Ni			
Wolman Pet	bie Count (Re	each Wide)		铁马马克					e a aleganic	NOTES:
5/I S/I 1/Z 9/3 S/I 61	912 85 811 22 70 511	917 517 518 16 59 817 21	511 511 10 511 19 27	SII 216 52 66 11 8	39 27 10 14 5	56 23 53 39 34 35 28	117 60 89 81 67 817 73	11 96 36 5 14 4 26	5 19 22 147 11	
165 15 511	24 SIL	SIC	5 5)I	025 73 5)I	18	23 32 S/F	44	52 19 63	18	·
Riffle Pebble	e Count						MIND INC.			NOTES:
								•		
	MEDICAL									NOTES:
										<u> </u>
									L	

SII-75/14


Inches	PARTICLE	Millimeters	
	Sit / Clay	< .862	S/C
	Very Fine	.062125	
	Fine	.12525	S
	Medium	.2550	I A
	Coarse	.50 - 1.0	D
0408	Very Coarse	1.0-2	
.0816	Very Fine	2-4	
.1622	Fine	4 - 5.7	
.2231	Fine	5.7 - 8	G
31 - 44	Medium	8 - 11.3	R
.4463	Medium	11.3 - 16	NV.
.6389	Coarse	16 - 22.6	E
.59 - 1.3	Coarse	22.6 - 32	L
1.3 - 1.8	Very Coarse	32 - 45	
1.8-2.5	Very Coarse	45 - 64	100
2.5 - 3.5	Small	64 - 90	HO TH
3.5 + 5.0	Small	90 - 128	
5.0 - 7.1	Large	128 - 180	258
7.1 - 10.1	Large	160 - 256	838
10.1 - 14.3	Small	256 - 362	B
14,3 - 20	Smalt	362 - 512	Ϋ́
20 - 40	Medium	512 - 1024	SP
40 - 80	Large-Vry Large	1024 - 2048	R
	Bedrock		BDRK


Bankfull Channel	
Material Size Bange (mm)	Count
Material Size Range (mm) silt/clay 0 - 0.062	24
very fine sand 0.062 - 0.125	24
fine sand 0.002 - 0.125	1
medium sand 0.25 - 0.5	
coarse sand 0.5 - 1	
very coarse sand 1 - 2	
,	4
very fine gravel 2 - 4 fine gravel 4 - 6	5
J	3
fine gravel 6 - 8 medium gravel 8 - 11	<u> </u>
medium gravel 11 - 16	7
coarse gravel 16 - 22	9
coarse gravel 22 - 32	10
very coarse gravel 32 - 45	6
very coarse gravel 45 - 64	8
small cobble 64 - 90	10
medium cobble 90 - 128	1
large cobble 128 - 180	2
very large cobble 180 - 256	2
small boulder 256 - 362	1
small boulder 362 - 512	
medium boulder 512 - 1024	1
large boulder 1024 - 2048	
very large boulder 2048 - 4096	
total particle count:	100
bedrock	
clay hardpan	
detritus/wood	
artificial	
total count:	100
Note:	



S-MN2

S-MN2 BASELINE THALWEG PROFILE DISTANCE ALONG CROSS-SECTION (FT) PROFILE LEGEND <u>PROFILE</u> H: 1"=10' **EXISTING STREAM PROFILE** SCALE: V: 1"=5' INVERT ALONG THALWEG





SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 +

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION


- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS AND COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-MN2 BASELINE CROSS-SECTION A



DISTANCE ALONG CROSS-SECTION (FT)

S-MN2 BASELINE CROSS-SECTION B



DISTANCE ALONG CROSS-SECTION (FT)

CROSS SECTION LEGEND — EXISTING GRADE

NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM

DOWNSTREAM IMPACT LIMITS POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM UPSTREAM FROM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM UPSTREAM IMPACT LIMITS

PRE-CROSSING

Checked

BB/JLY Approved

Scale:

SEPT. 2021 Date:

Drawing No