Baseline Assessment – Stream Attributes

Reach S-MN38 (Pipeline ROW) Intermittent Spread F Monroe County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Intermittent stream (<4% slope)
RBP Physical Characteristics Form	✓
Water Quality Data	N/A – No flow
RBP Habitat Form*	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – No flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	√
Longitudinal Profile and Cross Sections	✓

^{*} Modified RBP - No flow



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, AK/RA



Photo Type: US, DS View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, AK/RA



Photo Type: CP, US View
Location, Orientation, Photographer Initials: Center Right of Way, Upstream View, AK/RA



Photo Type: CP, DS View Location, Orientation, Photographer Initials: Center of Right of Way, Downstream View, AK/RA



Photo Type: Pond Location, Orientation, Photographer Initials: Pond AK/RA



Location, Orientation, Photographer Initials: Downstream Edge of Right of Way, Upstream View, AK/RA



Photo Type: DS, DS View

Location, Orientation, Photographer Initials: Downstream Edge of Right of Way, Downstream View, AK/RA

"Q:\Charleston\2021 Projects\21-0244- MVP- STREAM AND WETLAND CONDITIONS ASSESSMENT AND SURVEY PLAN\002 - Pre-Crossing Monitoring\Spread F\S-MN38"

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		MOU	NTAIN VALLEY PIP	ELINE		COORDINATES:	Lat.	37.487721	Lon.		-80.681929	WEATHER	R:		Sunny	DA	TE:	8/23	3/21
					·	,												0/2	3/21
IMPACT STREAM/SITE ID				UNT to Blue	Lick Creek (S-MN	38)		MITIGATION STREA								Comm	nents:		
(watershed size {acreage}, t	unaltered or impairm	nents)						(watersh	ed size {acreage}, unaltere	d or impairme	ents)								
STREAM IMPACT LENGTH:	22	FORM C				OORDINATES:	Lat.		Lon.			PRECIPITATION PA	ST 48 HRS:			Mitigatio	n Length:		
		MITIGATIO	ON: RES	STORATION (Levels I-III)	(in Dec	cimal Degrees)													
								Column No. 3-	Mitigation Projected a	at Five Yea	rs	Column No. 4	- Mitigation Project	ted at Ten Yea	rs				
Column No. 1- Impact Existing	Condition (Deb	it)	Colu	ımn No. 2- Mitigation Existin	g Condition - Base	line (Credit)		Pos	st Completion (Credit)			ost Completion (Cre			Column No.	5- Mitigation Projec	cted at Maturity	(Credit)
Stream Classification:	Interm	ittent	Stream Cla	ssification:				Stream Classification:		0		Stream Classification:		0		Stream Classification	:		0
Percent Stream Channel Slo	pe	0.12		Percent Stream Channel	Slope			Percent Stream	Channel Slope		0	Percent Stre	am Channel Slop	e	0	Percent	Stream Channel	Slope	0
HGM Score (attach da	ıta forms):			HGM Score (attac	ch data forms):			HGM Se	core (attach data fo	rms):		HGM S	Score (attach data	a forms):		H	GM Score (attach	data forms):	
H. desiles		Average				Average					Average				Average	11 1 1 1			Average
Hydrology Biogeochemical Cycling		0	Hydrology Biogeoche	mical Cycling		0		Hydrology Biogeochemical Cycling			0	Hydrology Biogeochemical Cycling			0	Hydrology Biogeochemical Cyc	ina		0
Habitat			Habitat					Habitat			-	Habitat			_	Habitat			
PART I - Physical, Chemical and I	Biological Indica	ators		PART I - Physical, Chemical	and Biological Ind	icators		PART I - Physical,	, Chemical and Biolog	gical Indica	ators	PART I - Physica	II, Chemical and Bi	iological Indica	ators	PART I - Ph	ysical, Chemical an	d Biological In	dicators
	Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scal	le Range	Site Score		Р	Points Scale Range	Site Score			Points Scale Ra	ange Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL	INDICATOR (Applies to all stream	ams classifications)			PHYSICAL INDICATOR (Applie	es to all streams classifica	ations)		PHYSICAL INDICATOR (A	pplies to all streams cla	lassifications)		PHYSICAL INDICATO	R (Applies to all strear	ns classifications)	
USEPA RBP (High Gradient Data Sheet)				P (Low Gradient Data Sheet)				USEPA RBP (High Gradient D				USEPA RBP (High Gradie				USEPA RBP (High Gr			
Epifaunal Substrate/Available Cover	0-20			Substrate/Available Cover	0-20			Epifaunal Substrate/Available				Epifaunal Substrate/Avai		0-20		Epifaunal Substrate	Available Cover	0-20	
Embeddedness Velocity/ Depth Regime	0-20 0-20	8	2. Pool Sub	strate Characterization	0-20 0-20			Embeddedness Velocity/ Depth Regime	0-20 0-20			Embeddedness Velocity/ Depth Regime		0-20 0-20		 Embeddedness Velocity/ Depth Reg 	ima	0-20 0-20	
4. Sediment Deposition	0-20	5		t Deposition	0-20			Velocity/ Depth Regime Sediment Deposition	0-20			Velocity/ Depth Regime Sediment Deposition		0-20		Sediment Deposition		0-20	
5. Channel Flow Status	0-20			Flow Status	0-20			5. Channel Flow Status	0-20			5. Channel Flow Status		0-20		5. Channel Flow Status		0-20	
6. Channel Alteration	0-20 0-1	12	6. Channel		0-20			6. Channel Alteration	0-20			6. Channel Alteration		0-1		6. Channel Alteration		0-20)-1
7. Frequency of Riffles (or bends)	0-20		7. Channel		0-20			7. Frequency of Riffles (or bend				7. Frequency of Riffles (or I		0-20		7. Frequency of Riffles	(or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	10		bility (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)		0-20		8. Bank Stability (LB &		0-20	
9. Vegetative Protection (LB & RB)	0-20	14	Vegetativ	re Protection (LB & RB)	0-20			9. Vegetative Protection (LB &	RB) 0-20			Vegetative Protection (LI	B & RB)	0-20		Vegetative Protection	n (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB)	0-20	12		Vegetative Zone Width (LB & RB)				Riparian Vegetative Zone Widt				Riparian Vegetative Zone	Width (LB & RB)	0-20		Riparian Vegetative 2	Zone Width (LB & RB)		
Total RBP Score	Marginal	61	Total RBP S	Score	Poor	0		Total RBP Score	P	oor	0	Total RBP Score		Poor	0	Total RBP Score		Poor	0
Sub-Total CHEMICAL INDICATOR (Applies to Intermittent	t and Perennial Stre	0.305 eams)	Sub-Total CHEMICAL	. INDICATOR (Applies to Intermi	ttent and Perennial Str	reams)		Sub-Total CHEMICAL INDICATOR (Applie	es to Intermittent and Per	ennial Strear	ms)	Sub-Total CHEMICAL INDICATOR (A	Applies to Intermittent a	and Perennial Str	reams)	Sub-Total CHEMICAL INDICATO	OR (Applies to Intermit	ent and Perennial	Streams)
WVDEP Water Quality Indicators (General)			WVDER Wa	ater Quality Indicators (Gene	ral\			WVDEP Water Quality Indicat	tore (General)			WVDEP Water Quality Ind	licators (Ganaral)			WVDEP Water Quality	Indicators (Ganar	al\	
Specific Conductivity				onductivity	i ai j	0		Specific Conductivity	iors (General)			Specific Conductivity	ilcators (General)			Specific Conductivity		aij	
	0-90				0-90				0-90					0-90				0-90	
100-199 - 85 points	0-90				0-90				0-90					0-90				0-90	
pH		235	pН			()		рН				рН				рН			
5.6-5.9 = 45 points	0-80				5-90				5-90	0-1				5-90				5-90)-1
DO		5.71	DO					DO				DO				DO			
	10-30				10-30				10-30					10-30				10-30	
	10-50				10-50				10-50					10-50		2 . 7		10-50	
Sub-Total			Sub-Total			0		Sub-Total			- 0	Sub-Total			U	Sub-Total			U
BIOLOGICAL INDICATOR (Applies to Intermitt	ent and Perennial S	Streams)	BIOLOGICA	AL INDICATOR (Applies to Inter	mittent and Perennial	Streams)		BIOLOGICAL INDICATOR (Ap	plies to Intermittent and	d Perennial	Streams)	BIOLOGICAL INDICATOR	(Applies to Intermitt	tent and Perenni	ial Streams)	BIOLOGICAL INDICA	I OR (Applies to Inte	rmittent and Pere	ennial Streams)
WV Stream Condition Index (WVSCI)			WV Stream	Condition Index (WVSCI)				WV Stream Condition Index (WV Stream Condition Ind				WV Stream Condition	Index (WVSCI)		
0	0-100 0-1				0-100 0-1				0-100	0-1				0-100 0-1				0-100	0-1
Sub-Total		0	Sub-Total			0		Sub-Total	•		0	Sub-Total			0	Sub-Total	<u> </u>		0
PART II - Index and Ur	nit Score			PART II - Index a	nd Unit Score			PART	II - Index and Unit Sc	ore		PART	Γ II - Index and Unit	t Score			PART II - Index and	Unit Score	
Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linea	ar Feet	Unit Score	Index		Linear Feet	Unit Score	Inc	lex	Linear Fe	et Unit Score
0.553	22	12.155		0	0	0		0		0	0	0		0	0)	0	0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAMES-MN38 U	NT to Blue Lick Creek	LOCATION Monroe/F		
STATION # R	IVERMILE	STREAM CLASS Intermitten	nt	
LAT 37.487721 LO	ONG -80.681929	COUNTY Monroe		~
STORET#	Ĵ	AGENCYPotesta/Edge		
INVESTIGATORS ABK/F	RA			
FORM COMPLETED BY	A. Kincaid	DATE 8/23/2021 TIME 1500 PM	REASON FOR SURVEY Preliminary Assessmen	t
WEATHER CONDITIONS	rain (shower	(heavy rain) (steady rain)	Has there been a heavy rain in the last 7 days? Yes No Air Temperature 80 °F °C Other	
SITE LOCATION/MAP	Draw a map of the sit	te and indicate the areas sample	ed (or attach a photograph)	
		Sitting water grows	the present ale V	The
STREAM CHARACTERIZATION	Stream Subsystem Perennial	ermittent Tidal	Stream Type Coldwater Warmwater	
	Stream Origin Glacial Non-glacial montane Swamp and bog	☐Spring-fed	Catchment Areakm ²	

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS	HED	Predon	Predominant Surrounding Landuse Local Watershed NPS Pollution						
FEATURI		✓ Fores	t Comme	rcial al	□No evidence ☑ Sor	ne potential sources			
		Agric Resid	ultural Other		Obvious sources Local Watershed Eros	ion			
		Likesid	Chilai		✓ None				
RIPARIA	N.	Indicate	e the dominant type and	record the do	minant species present				
VEGETA' (18 meter			s		Grasses He	erbaceous			
		Domina							
INSTREA FEATURI		Estimat		ft m	Canopy Cover ☑ Partly open □ Part	ly shaded Shaded			
	DV-50	Estimat	TO BE THE PROPERTY OF THE PARTY	ft m	High Water Mark				
		Sampli	ng Reach Area 70 f	t^2_m²	Proportion of Reach R				
		0.000,000,000		km²	Morphology Types Riffle %	Runo %			
		Estimat	ed Stream Depth 0	m	Poolo %	Kuli /6			
			Velocity 0 m	ı/sec	Channelized Yes	□No			
		(at that Stream	weg) Dry 🗹		Dam Present ☐Yes	Dam Present ☐Yes ☑No			
LARGE V	VOODY	LWD	0 _{m²}						
LARGE V DEBRIS				n ² /km ² (LWD/	reach area)				
AQUATIO	~	Indicate	e the dominant type and	record the do	minant species present				
VEGETA'		Roote	ed emergent	ooted submerge	ent Rooted floating	☐Free floating			
			int species present n/a						
		I	of the reach with aquat		0 %				
			<u> </u>	ic vegetation					
WATER 0	QUALITY	Temper	rature0 C		Water Odors ☐Normal/None ☐Sewage	2			
		Specific	Conductance		Petroleum	Chemical Other			
		Dissolv	ed Oxygen		Water Surface Oils				
		pH			Slick Sheen None Other	Globs Flecks			
		Turbidi	ity		Turbidity (if not measu	ured)			
		WQ Ins	strument Used		Clear Slightly tu	rbid Turbid Other			
					• • -				
SEDIMEN SUBSTRA		Odors Norm	nal Sewage Anaerobic	Petroleum None	Deposits ☐Sludge ☐Sawdust _	☐Paper fiber ☐Sand			
		Chen Other		□None					
		Oils			are the undersides blace	h are not deeply embedded, ck in color?			
		✓ Abser	nt Slight Modera	te Profu	se □Yes ☑No				
INC		STRATE dd up to 1	COMPONENTS	2	ORGANIC SUBSTRATE C				
Substrate Type Diameter % Composition in Substrate Type C			Characteristic	% Composition in Sampling Area					
Bedrock			0	Detritus	sticks, wood, coarse plant	_			
Boulder	> 256 mm (10"))	0	1	materials (CPOM)	5			
Cobble	64-256 mm (2.5	"-10")	0	Muck-Mud	black, very fine organic	_			
Gravel	2-64 mm (0.1"-2	2.5")	0	1	(FPOM)	l 0			
Sand	0.06-2mm (gritt	y)	30	Marl	grey, shell fragments	0			
Silt	0.004-0.06 mm		70	1		ľ			
Clay	< 0.004 mm (sli	ck)	0	1					

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAMES-MN38 UNT to Blue Lick Creek	LOCATION
STATION # RIVERMILE	STREAM CLASS Intermittent
LAT 37.487721 LONG -80.681929	COUNTY Monroe
STORET#	AGENCYPotesta/Edge
INVESTIGATORSABK/RA	
FORM COMPLETED BY A. Kincaid	DATE 3/23/2021 TIME 1500 PM AM PM REASON FOR SURVEY Preliminary Assessment

	Habitat	in the second se	Condition	Category	1
	Parameter Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	✓ N/A	to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	form of newfall, but not yet prepared for colonization (may rate at high end of scale).		
	_{SCORE} 0 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
ı sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	_{SCORE} 8 ▼	20 19 18 17 16	15 14 13 12 11	10 9 🚷 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime N/A	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
ıram	_{SCORE} 0 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
ra .	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE 5 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status N/A	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE U	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

No gravel/cobble present. Substrate all silt/sand

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	ı Category	
	Habitat Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	SCORE 12▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
ing reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
ampl	SCORE 0 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing decorate.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
e eva	SCORE 5	Left Bank 10 9	8 7 6	5 4 3	2 1 0
to b	SCORE 5	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE 7	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 7 ▼,	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE 6	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE 6 ▼)	Right Bank 10 9	8 7 6	5 4 3	

Total Score 61 Modified RBP -Dry stream


BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAMES-MN	√38 UNT to Blue Lick Creek	LOCATION							
STATION #	RIVERMILE	STREAM CLASS Intermitten	nt	T					
LAT 37.487721	LONG -80.681929	COUNTY Monroe							
STORET#		AGENCYPotesta/Edge							
INVESTIGATORSAL	BK/RA		LOT NUMBER						
FORM COMPLETED	A. Kincaid	DATE 8/29/2021 TIME 1550 PM	REASON FOR SURVEY Preliminary Asset	ssment					
HABITAT TYPES	Indicate the percentage ☐ Cobble% ☐ ☐ Submerged Macrophyte	of each habitat type present Snags%	sanks%						
SAMPLE COLLECTION	Gear used D-frame How were the samples of Indicate the number of j Cobble D Submerged Macrophyt	kick-net Other_	rom bank from boat						
GENERAL COMMENTS		not done due to lack							
Indicate estimated Dominant			2 = Common, 3= Abundant, 4 =	2 3 4					
Periphyton									
Filamentous Algae Macrophytes		2 3 4 Macroinv 2 3 4 Fish		2 3 4 2 3 4					
FIELD OBSERVA Indicate estimated	ATIONS OF MACROE abundance: 0 = Abs	BENTHOS ent/Not Observed, 1 = Rare ms), 3= Abundant (>10 organ	(1-3 organisms), 2 = Common (3-9 nisms), 4 = Dominant (>50 organi)					
Porifera	0 1 2 3 4 Ar	nisoptera 0 1 2	3 4 Chironomidae 0 1	2 3 4					
Hydrozoa	0 1 2 3 4 Zy	goptera 0 1 2	3 4 Ephemeroptera 0 1	2 3 4					
Platyhelminthes	0 1 2 3 4 He	emiptera 0 1 2	3 4 Trichoptera 0 1	2 3 4					
Turbellaria		•		2 3 4					
Hirudinea			3 4						
Oligochaeta			3 4						
Isopoda		•	3 4						
Amphipoda			3 4						
Decapoda		•	3 4						
Gastropoda			3 4						
Bivalvia			3 4 3 4						


SITE ID:	1416 2-10	39 39		Sp	read	F				
DATE:	SIC	3/21								
COLLECTOR((s):	BY	FA							
Volman Pebb	le Count (Re	ach Wide)						(E. V.)		NOTES:
0.062	G.062	0.062	3.062	6.067	0.062	6.062	0.062	0.067	5000	
1										
1		-			-					
1	$\overline{}$				\downarrow		1			
V		V	<i>I</i>	7	٧	4	7	1	V	
ffle Pebble (Count		DIE WAYEN					H 1912		NOTES:
							:			
			ij ij jer	30,08			Massilf a			NOTES:

Inches	PARTICLE	Millimeters	
	Silt / Clay	< .062	S/C
	Very Fine	.062125	
	Fine	.12525	S
	Medium	.2550	SAND
	Coarse	.50 - 1.0	D
.0408	Very Coarse	1.0 - 2	
.0816	Very Fine	2-4	
.1622	Fine	4 - 5.7	
2231	Fine	5.7 - 8	G
3144	Medium	8 - 11.3	R
.4463	Medium	11.3 - 16	NO.
.6369	Coarse	16 - 22,6	E
.89 - 1.3	Coarse	22.6 - 32	U
1.3 - 1.8	Very Coarse	32 - 45	
1.8 - 2.5	Very Coarse	45-64	
2.5 - 3.5	Small	64 - 90	T _C H
3.5 - 5.0	Small	90 - 128	
5.0 - 7.1	Large	128 - 180	328
7.1 - 10.1	Large	180 - 256	838
10.1 - 14.3	Small	256 - 362	B
14.3 - 20	Small	362 - 512	JY I
20 - 49	Medium	512 - 1024	ΝğΝ
40 - 80	Large-Vry Large	1024 - 2048	R
	Bedrock		BDRK


Bankfull Channel	▼	
Material Si	ze Range (mm)	Count
silt/clay	0 - 0.062	100
very fine sand 0.	062 - 0.125	
fine sand 0.		
medium sand().25 - 0.5	
coarse sand	0.5 - 1	
very coarse sand	1 - 2	
very fine gravel	2 - 4	
fine gravel	4 - 6	
fine gravel	6 - 8	
medium gravel	8 - 11	
medium gravel	11 - 16	
coarse gravel	16 - 22	
coarse gravel	22 - 32	
very coarse gravel	32 - 45	
very coarse gravel	45 - 64	
small cobble	64 - 90	
medium cobble	90 - 128	
	128 - 180	
	180 - 256 256 - 362	
<u> </u>	362 - 512	
	512 - 1024	
	024 - 2048	
, ,	048 - 4096	100
total p	article count:	100
bedrock		
clay hardpan		
detritus/wood		
artificial		
	total count:	100
Note:		



S-MN38



AS-BUILT TABLE: S-MN38 CROSS SECTION A								
		PRE-CROSS	ING	AS-BUILT				
PT. LOC.	NORTHING	EASTING	ELEV.	VERT. DIFF.	HORZ. DIFF.			
TS-L	13612233.34	1732688.14	1953.92					
BS-L	13612235.75	1732688.44	1953.86					
THW	13612238.34	1732688.75	1953.71					
BS-R	13612239.32	1732688.87	1953.87					
TS-R	13612240.29	1732688.99	1953.95					



LEGEND

EXISTING SURVEY-LOCATED THALWEG

1176.87 +EXISTING SURVEYED GROUND SHOT ELEVATION

SURVEY NOTES:

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS AND COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-MN38 BASELINE CROSS-SECTION A

CENTER OF PIPE — EX. THALWEG 1952 EL. : 2254.00

DISTANCE ALONG CROSS-SECTION (FT)



PRE-CROSSING PHOTOS

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM UPSTREAM FROM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM UPSTREAM IMPACT LIMITS

PRE-CROSSING

Checked

BB/JLY Approved

Scale:

SEPT. 2021 Date:

21-0244-005 Project No.

Drawing No.

CROSS SECTION LEGEND

V: 1"=5'

— EXISTING GRADE

NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.