# Reach S-N4 (Timber Mat Crossing) Ephemeral Spread F Summers County, West Virginia

Data	Included
Photos	$\checkmark$
SWVM Form	$\checkmark$
FCI Calculator and HGM Form	N/A – Ephemeral stream (<4% slope)
RBP Physical Characteristics Form	$\checkmark$
Water Quality Data	$\checkmark$
RBP Habitat Form*	$\checkmark$
RBP Benthic Form	$\checkmark$
Benthic Identification Sheet	N/A – No habitat
Wolman Pebble Count	$\checkmark$
Reference Reach Software Pebble Count Data	$\checkmark$
Longitudinal Profile and Cross Sections	$\checkmark$

\*Modified RBP – ephemeral stream



Spread F Stream S-N4 (Timber Mat Crossing) Summers County

Photo Type: US Edge of ROW, US View Location, Orientation, Photographer Initials: Upstream Edge of Right of Way, Upstream View, ABK/EW/WP



Photo Type: US Edge of ROW, DS View Location, Orientation, Photographer Initials: Upstream Edge of Right of Way, Downstream View, ABK/EW/WP



Spread F Stream S-N4 (Timber Mat Crossing) Summers County

Photo Type: CP, US View Location, Orientation, Photographer Initials: Center Right of Way, Upstream View, ABK/EW/WP



Photo Type: CP, DS View Location, Orientation, Photographer Initials: Center Right of Way, Downstream View, ABK/EW/WP

Spread F Stream S-N4 (Timber Mat Crossing) Summers County



Photo Type: DS Edge of ROW, US View Location, Orientation, Photographer Initials: Downstream Edge of Right of Way, Upstream View, ABK/EW/WP



Photo Type: DS Edge of ROW, DS View Location, Orientation, Photographer Initials: Downstream Edge of Right of Way, Downstream View, ABK/EW/WP

"Q:\Charleston\2021 Projects\21-0244- MVP- STREAM AND WETLAND CONDITIONS ASSESSMENT AND SURVEY PLAN\002 - Pre-Crossing Monitoring\Spread F\S-N4"

## West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017


USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountai	n Valley Pipeline	IMPACT COORDINATES (in Decimal Degrees)	S: Lat.	37.693961 L	_on.	-80.735841	WEATHER:		
IMPACT STREAM/SITE II (watershed size {acreage			UNT to Hunga	rd Creek (S-N4)		MITIGATION STREAM CLASS./SIT (watershed size {acreage}, u					
STREAM IMPACT LENGTH:	22	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.	L	.on.		PRECIPITATION PAST 48 HRS:		
Column No. 1- Impact Existin	ng Condition (De	ebit)	Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)		Column No. 3- Mitigation Proje Post Completion (C		/ears	Column No. 4- Mitigation Pro Post Completion		Ten
Stream Classification:	Epho	emeral	Stream Classification:			Stream Classification:		0	Stream Classification:		
Percent Stream Channel S	lope	1.9	Percent Stream Channel Slo	pe		Percent Stream Channel Slope	e	0	Percent Stream Channel S	lope	
HGM Score (attach o	data forms):		HGM Score (attach o	data forms):		HGM Score (attach da	ita forms):		HGM Score (attach o	data form	s):
Hydrology		Average	Hydrology	Average		Hydrology		Average	Hydrology		
Biogeochemical Cycling Habitat		0	Biogeochemical Cycling Habitat	0		Biogeochemical Cycling Habitat		0	Biogeochemical Cycling Habitat	_	_
PART I - Physical, Chemical an	d Biological Indi	cators	PART I - Physical, Chemical and	d Biological Indicators		PART I - Physical, Chemical and I	Biological Ind	licators	PART I - Physical, Chemical and	d Biologica	al In
	Points Scale Range	Site Score		Points Scale Range Site Score		P	Points Scale Range	Site Score		Points Scale	R
PHYSICAL INDICATOR (Applies to all stream	ns classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams cla	assifications)		PHYSICAL INDICATOR (Applies to all stream	ns classifica	utions
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		
1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover	0-20	
2. Embeddedness	0-20	6	2. Pool Substrate Characterization	0-20		2. Embeddedness	0-20		2. Embeddedness	0-20	_
<ol><li>Velocity/ Depth Regime</li></ol>	0-20		3. Pool Variability	0-20		3. Velocity/ Depth Regime	0-20		<ol><li>Velocity/ Depth Regime</li></ol>	0-20	_
4. Sediment Deposition	0-20	11	4. Sediment Deposition	0-20		4. Sediment Deposition	0-20		4. Sediment Deposition	0-20	_
5. Channel Flow Status	0-20 0-1		5. Channel Flow Status	0-20 0-1		5. Channel Flow Status	0-20 0-1		5. Channel Flow Status	0-20	_ (
6. Channel Alteration	0-20	19	6. Channel Alteration	0-20		6. Channel Alteration	0-20		6. Channel Alteration	0-20	_
<ol><li>Frequency of Riffles (or bends)</li></ol>	0-20		7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		<ol><li>Frequency of Riffles (or bends)</li></ol>	0-20	_
8. Bank Stability (LB & RB)	0-20	18	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	_
9. Vegetative Protection (LB & RB)	0-20	16	9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	_
10. Riparian Vegetative Zone Width (LB & RB)	0-20	12	10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20	0	10. Riparian Vegetative Zone Width (LB & RB)		
Total RBP Score Sub-Total	Suboptimal	82 0.683333333	Total RBP Score Sub-Total	Poor 0		Total RBP Score Sub-Total	Poor	0	Total RBP Score Sub-Total	Po	JOL
CHEMICAL INDICATOR (Applies to Intermitt	tent and Perennial S		CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermittent a	nd Perennial Str	reams)	CHEMICAL INDICATOR (Applies to Intermitt	tent and Per	rennia
	-										
WVDEP Water Quality Indicators (General	al)		WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (Generation	al)	_
Specific Conductivity <=99 - 90 points	0-90	93.7	Specific Conductivity	0-90		Specific Conductivity	0-90		Specific Conductivity	0-90	-
PH			рН			pH			рН	_	
6.0-8.0 = 80 points	0-80	6.12		5-90 0-1			5-90 0-1			5-90	-
0.0-8.0 – 80 points			DO			DO			DO		
	40.00	4.00		10.00			40.00			40.00	-
<5.0 = 10 points	10-30	4.69		10-30			10-30			10-30	
Sub-Total		0.9	Sub-Total	0		Sub-Total		0	Sub-Total		
BIOLOGICAL INDICATOR (Applies to Intern	nittent and Perennia	al Streams)	BIOLOGICAL INDICATOR (Applies to Intermitt	ent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perenn	ial Streams)	BIOLOGICAL INDICATOR (Applies to Inter	rmittent and	d Pe
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)	_	
0	0-100 0-1			0-100 0-1			0-100 0-1			0-100	C
Sub-Total	•	0	Sub-Total	0		Sub-Total		0	Sub-Total		
BART II Index and	Unit Score		PART II Index and	Unit Score	T I	DART II Index and Ur	nit Score		PART II Index and	Unit Score	_

PART II - Index and U	nit Score	
Index	Linear Feet	Unit Score
0.792	22	17.41666667

PART II - Index and Unit Score		
Index	Linear Feet	Unit Score
0	0	0

PART II - Index and Unit Score			
Index	Linear Feet	Unit Score	
0	0	0	

IOLOGICAL INDICATOR (Applies to Intermittent and Peren				
VV Stream Condition Index (WVSCI)				
	0-100	0-1		
Sub-Total				
PART II - Index and U	nit Score			
Index	Linear	Feet		





PART II - Index and Unit Score		
Index	Linear Feet	Unit Score
0	0	0

### PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAMES-N4 UNT to Hungard Creek		LOCATION Summers/F		
STATION #	RIVERMILE	STREAM CLASS Ephemeral		
LAT 37.693961	LONG	COUNTY Summers		
STORET #		AGENCY Potesta/Edge		
INVESTIGATORS	ABK/EW/WP			
FORM COMPLETED BY A. Kincaid		DATE 9-7-2021 TIME 1126	REASON FOR SURVEY Preliminary Assessment	

WEATHER CONDITIONS	Now     Past 24 hours     Has there been a heavy rain in the last 7 days?
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph)
STREAM CHARACTERIZATION	Stream Subsystem       Intermittent       Tidal       Stream Type         Perennial       Intermittent       Tidal       Coldwater       Warmwater         Stream Origin       Spring-fed       Catchment Area       km²         Glacial       Spring-fed       Mixture of origins       Other         Swamp and bog       Other       Other       Other

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES	Predominant Surrounding Landuse	Local Watershed NPS Pollution         □ No evidence       ☑ Some potential sources         □ Obvious sources         Local Watershed Erosion         ☑ None       ☐ Moderate	
RIPARIAN VEGETATION (18 meter buffer)	Indicate the dominant type and record the domin Trees Shrubs [ Dominant species present	Grasses Herbaceous	
INSTREAM FEATURES	Estimated Reach Length       67 ft m         Estimated Stream Width       1.5 ft m         Sampling Reach Area       100.5 ft^2 m²         Area in km² (m²x1000)       km²         Estimated Stream Depth       0.15 ft m         Surface Velocity (at thalweg)       40.01 filsec m/sec         Stream Dry       1	Canopy Cover       Partly shaded □Shaded         Partly open       □Partly shaded □Shaded         High Water Mark       <1 ft m	
LARGE WOODY DEBRIS	LWDm <sup>2</sup> Density of LWDm <sup>2</sup> /km <sup>2</sup> (LWD/ reach area)		
AQUATIC VEGETATION	Indicate the dominant type and record the dominant species present         Rooted emergent       Prooted submergent         Floating Algac       Attached Algae         Dominant species present       Portion of the reach with aquatic vegetation		
WATER QUALITY	Temperature       17.6       1 C         Specific Conductance       93.7 us/cm         Dissolved Oxygen       4.69 mg/L         pH       6.12 SU         Turbidity       7.29 ntu         WQ Instrument Used       YSI/Turbidity Meter	Water Odors         Normal/None       Sewage         Petroleum       Chemical         Fishy       Other         Water Surface Oils       Globs         Slick       Sheen         None       Other         Turbidity (if not measured)       Turbid         Clear       Slightly turbid         Opaque       Stained	
SEDIMENT/ SUBSTRATE	Odors       Normal     Sewage       Chemical     Anaerobic       Other       Oils       Absent   Slight ☐ Moderate ☐ Profuse	Deposits         Sludge       Sawdust       Paper fiber       Sand         Relict shells       Other	

INORGANIC SUBSTRATE COMPONENTS (should add up to 100%)		ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)			
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock		0	Detritus	sticks, wood, coarse plant materials (CPOM)	10
Boulder	> 256 mm (10")	0		materials (CPOM)	10
Cobble	64-256 mm (2.5"-10")	0	Muck-Mud	black, very fine organic	0
Gravel	2-64 mm (0.1"-2.5")	10		(FPOM)	0
Sand	0.06-2mm (gritty)	0	Marl	grey, shell fragments	0
Silt	0.004-0.06 mm	90	]		-
Clay	< 0.004 mm (slick)	0			

#### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAMES-N4 UNT to Hungard Creek	LOCATION	
STATION # RIVERMILE	STREAM CLASS Ephemeral	
LAT 37.693961 LONG -80.735841	COUNTY Summers	
STORET #	AGENCYPotesta/Edge	
INVESTIGATORSABK/EW/WP		
FORM COMPLETED BY A. Kincaid	DATE 9-7-2021 TIME 1126 AM PM REASON FOR SURVEY Preliminary Assessment	

	Habitat		Condition	Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.			
	✓ N/A	stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).					
	<sub>score</sub> 0	20 19 18 17 16	15 14 13 12 11	10 9 8 🚺 6	5 4 3 2 1 0			
ı sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are mon than 75% surrounded by fine sediment.			
ted i	<sub>SCORE</sub> 6 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 🙆	5 4 3 2 1 0			
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime V N/A	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).			
aran	score <sup>0</sup>	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 🖪 3 2 1 0			
4	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.			
	<sub>SCORE</sub> 11 ▼	20 19 18 17 16	15 14 13 12 🕕	10 9 8 7 6	5 4 3 2 1 0			
	5. Channel Flow Status v N/A	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			

Modified RBP due to ephemeral stream - 1, 3, 5, 7 omitted

### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat Parameter			Co	ndition	Category	7						
		Optimal	Sul	ooptimal		Ν	/largina	վ		Poor		
Al	Channel Iteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some chan present, us of bridge a evidence o channeliza dredging, past 20 yr) present, bu channeliza present.	sually in a butments of past ttion, i.e., (greater th ) may be at recent	reas ; nan	Channeli extensive or shorin present o and 40 to reach cha disrupted	; emban g structu n both b 80% of nnelized	kments ires anks; f stream	Banks sh or cemen the strea channeli disrupted habitat g removed	nt; over 8 m reach zed and d. Instre reatly al	30% of am tered or	
so	<sub>CORE</sub> 19▼	20 🚺 18 17 16				10 9	8	76	54	3 2	1 (	
7.	Frequency of iffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence infrequent between ri the width of between 7	; distance ffles divid of the stre	led by	Occasion bottom c some hab between the width between	ontours j itat; dis riffles di of the s	provide tance vided by tream is	Generally all flat water shallow riffles; poor habitat; distance betwee riffles divided by the width of the stream is a ratio of >25.			
sc	CORE 0	20 19 18 17 16	15 14	13 12	11	10 9	8	7 6	54	3 2	0	
(so No or fac	Bank Stability core each bank) ote: determine left right side by cing deumetroop.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderatel infrequent erosion mo over. 5-30 reach has a	, small aro ostly heal 0% of ban	ed Ik in	Moderate 60% of b areas of c erosion p floods.	ank in r rosion;	each has high	Unstable areas; "r frequent sections obvious 60-100% erosiona	aw" area along st and bend bank slo of bank	us raight ds; oughing	
sc	CORE 9	Left Bank 10 🕘	8	7	6	5	4	3	2	1	0	
sc	CORE 9	Right Bank 10 🧕	8	7	6	5	4	3	2	1	0	
Pread	Vegetative rotection (score ch bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of streamban covered by vegetation of plants is represente evident bu full plant <u>g</u> to any great than one-h potential <u>p</u> height rem	k surfaces native , but one of s not well- d; disrupt t not affec growth po at extent; alf of the blant stubb	class ion cting tential more	50-70% of streamba covered b disruption patches of closely cr common half of th stubble h	nk surfa by veget n obviou f bare so opped v less that e potent	ation; us; oil or vegetation un one- ial plant	Less that streamba covered disruptic vegetatic removed 5 centim average	ink surfa by veget on of stre on is very on has be to eters or 1	aces ation; amban y high; een less in	
	$CORE \frac{7}{2}$	Left Bank 10 9	8	7	6	5	4	3	2	1	0	
SC	CORE 9 💌,	Right Bank 10 🧕	8	7	6	5	4	3	2	1	0	
Ve W ba	Riparian egetative Zone idth (score each nk riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of r 12-18 met activities l zone only	ers; huma have impa minimally	in cted y.	Width of 12 meters activities zone a gr	s; human have in eat deal	n npacted	Width of meters: 1 riparian human a	ittle or n vegetatio	on due	
	$\operatorname{CORE} \frac{6}{6}$	Left Bank 10 9	8	7	6	5	4	3	2	1	0	
	CORE 6	Right Bank 10 9	8	7	6	5	4	3	2	1	0	

A-8 Appendix A-1: Habitat Assessment and Physicochemical Characterization Field Data Sheets - Form 2

#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAMES-N	4 UNT to Hungard Creek	LOCATION						
STATION #	RIVERMILE	STREAM CLASS Ephemera						
LAT 37.693961	LONG -80.735841	COUNTY Summers	<b>•</b>					
STORET #		AGENCYPotesta/Edge						
INVESTIGATORSAL	BK/EW/WP		LOT NUMBER					
FORM COMPLETED	<sup>BY</sup> A. Kincaid	DATE 9-7-2021 TIME 1128	REASON FOR SURVEY Preliminary Assessment					
HABITAT TYPES       Indicate the percentage of each habitat type present         Cobble%       Snags%       Vegetated Banks%       Sand%         Submerged Macrophytes%       Other (       )%								
SAMPLE COLLECTION		lected? □wading □fi ps/kicks taken in each habitat ty ags □Vegetated Ba	anks Sand					
GENERAL COMMENTS	No benthic samp	le collected due to n	no habitat					

#### QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

#### FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

SITE ID: S-NY UNT LO HUNGGId Creek

COLLECTOR(S): E. WEAVEr

Wolman Pe	ebble Count (	Reach Wide)						VRIGINA DLY		NOTES:
SI	SI	SI	SI	SI	X	ST	ST	SI	SI	
SI	SI	51	SL	S£	SI	SI	TL	SI	SI	
50	St.	SI.	SI	St	SI	SI	SI	SI	St.	
SS	SL	SI	SI	S.	SE	55	SI	SI	SE	
SE	SI	SI	60	SI	SL	SI	SI	SI	SI	
55	85	55	SI	SE	-90	SE	SI	SF	SI	
55	52	SI	SI	110	SI.	SI	51	SĨ	SE	
SS	SC.	SI	SI	ST.	175	SI	ST-	150	SI	
55	54	1250	51	SI	SI.	120	SI	SL	97	
SI	SS	SE	SL	SL	SI	SE	SI.	SL	SE	

Riffle Pebble Count		- N	SUSSERVICE PROPERTY S	NOTES:
		-		

		Sift / Clay	<.062	S/C
		Very Fine	.062125	
		Fine	.12525	SA
		Medium	.25 + .50	
		Coarse	.50 - 1.0	D
	0408	Very Coarse	1.0 -2	
	.0816	Very Fine	2 - 4	(实际)
	.1622	Fine	4 - 5.7	和职
·	.2231	Fine	5.7 - 8	G.
	.3144	Medium	8 - 11.3	R
ä I	.4463	Medium	11.3 - 16	
9	.6389	Coarse	16 - 22.6	的 E E E E
	.89 - 1.3	Coarse	22.6 - 32	N.
	1.3 - 1.8	Very Coarse	32 - 45	1000
	1.8-2.5	Very Coarse	45-64	
	2.5 - 3.5	Small	64 - 90	HCR
	3.5 - 5.0	Small	90 - 128	
	5.0 - 7.1	Large	128 - 180	AF8
	7.1 - 10.1	Large	180 - 256	8.8
	10.1 - 14.3	Small	256 - 362	- B
	14.3 - 20	Small	362 - 512	Ŭ
	20-40	Medium	512 - 1024	2 BM
	40 - 80	Large-Vry Large	1024 - 2048	B
1 3		Bedrock		BDRK


PARTICLE Millimeters


2/2

Inches

		NOTES:	

Bankfull Channel	•	
Material	Size Range (mm)	Count
silt/clay	0 - 0.062	91
very fine sand		
fine sand	0.125 - 0.25	
medium sand	0.25 - 0.5	
coarse sand	0.5 - 1 1 - 2	
very coarse sand	1 - 2	
very fine gravel	2 - 4	
fine gravel	4 - 6	
fine gravel	6 - 8	
medium gravel	8 - 11	
medium gravel	11 - 16	
coarse gravel	16 - 22	
coarse gravel	22 - 32	
very coarse gravel	32 - 45	
very coarse gravel	45 - 64	
small cobble	64 - 90	3
medium cobble	90 - 128	2
large cobble	128 - 180	4
very large cobble	180 - 256	
small boulder	256 - 362	
small boulder	362 - 512	
medium boulder	512 - 1024	
large boulder	1024 - 2048	
very large boulder	2048 - 4096	
tota	l particle count:	100
bedrock	[	
clay hardpan		
detritus/wood		
artificial		
	total count:	100
Note:		






	LEGEND
	STUDY AREA (EASEMENT)
· ·	EXISTING SURVEY-LOCATED THALWEG
1176.87 +	EXISTING SURVEYED GROUND SHOT ELEVATION

SURVEY NOTES:

- VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON 9-7-2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS AND COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- SECTION AND PROFILE VIEWS FOR COMPARISON.

# S-N4 BASELINE CROSS-SECTION A



DISTANCE ALONG CROSS-SECTION (FT)

	CROSS SECTION LEGEND	
-	EXISTING GRADE	
	$\begin{array}{c c} \underline{CROSS \ SECTION} \\ SCALE: & H: 1"=10' \\ V: 1"=5' \end{array}$	

NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

