

## Baseline Assessment – Stream Attributes

**Reach S-OP1 (Pipeline ROW)**  
**Perennial**  
**Spread F**  
**Monroe County, West Virginia**

<b>Data</b>	<b>Included</b>
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope >4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A –Low flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓

## Spread F Stream S-OP1 (Pipeline ROW) Monroe County

37.600003° N, -80.700509° W



Photo Type: CP, DS

Location, Orientation, Photographer Initials: Center of Right of Way, Downstream View, ARJ

37.600003° N, -80.700509° W



Photo Type: CP, US

Location, Orientation, Photographer Initials: Center of Right of Way, Upstream View, ARJ



## Spread F      Stream S-OP1 (Pipeline ROW) Monroe County

37.600003° N, -80.700509° W



Photo Type: LDB, DS

Location, Orientation, Photographer Initials: Left Descending Bank, Downstream View, ARJ

37.600003° N, -80.700509° W



Photo Type: LDB, US

Location, Orientation, Photographer Initials: Left Descending Bank, Upstream View, ARJ



## Spread F Stream S-OP1 (Pipeline ROW) Monroe County

37.600003° N, -80.700509° W



Photo Type: RDB, DS

Location, Orientation, Photographer Initials: Right Descending Bank, Downstream View, ARJ

37.600003° N, -80.700509° W



Photo Type: RDB, US View

Location, Orientation, Photographer Initials: Right Descending Bank, Upstream View, ARJ

"Q:\Charleston\2021 Projects\21-0244- MVP- STREAM AND WETLAND CONDITIONS ASSESSMENT AND SURVEY PLAN\002 - Pre-Crossing Monitoring\Spread F\S-OP1"





**PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET  
(FRONT)**

STREAM NAME <u>Stony Creek</u>		LOCATION <u>S-OP1</u>
STATION # <u>          </u> RIVERMILE <u>          </u>		STREAM CLASS <u>Intermittent</u> <input checked="" type="checkbox"/>
LAT <u>37.600003</u>	LONG <u>-80.700509</u>	COUNTY <u>Monroe</u>
STORET # <u>          </u>		AGENCY <u>Edge/Potesta</u>
INVESTIGATORS <u>AJ/MB</u>		
FORM COMPLETED BY <u>AJ</u>		DATE <u>09/03/2021</u> TIME <u>10:25 AM</u>
REASON FOR SURVEY <u>Preliminary Assessment</u>		

<b>SITE LOCATION/MAP</b> Draw a map of the site and indicate the areas sampled (or attach a photograph)		
	<b>STREAM CHARACTERIZATION</b> Stream Subsystem <input checked="" type="checkbox"/> Perennial <input type="checkbox"/> Intermittent <input type="checkbox"/> Tidal Stream Origin <input type="checkbox"/> Glacial <input checked="" type="checkbox"/> Spring-fed <input type="checkbox"/> Non-glacial montane <input checked="" type="checkbox"/> Mixture of origins <input type="checkbox"/> Swamp and bog <input type="checkbox"/> Other Stream Type <input checked="" type="checkbox"/> Coldwater <input checked="" type="checkbox"/> Warmwater Catchment Area <u>          </u> km <sup>2</sup>	

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

<b>WATERSHED FEATURES</b>	<b>Predominant Surrounding Landuse</b> <input type="checkbox"/> Forest <input type="checkbox"/> Commercial <input checked="" type="checkbox"/> Field/Pasture <input type="checkbox"/> Industrial <input checked="" type="checkbox"/> Agricultural <input type="checkbox"/> Other _____ <input type="checkbox"/> Residential	<b>Local Watershed NPS Pollution</b> <input type="checkbox"/> No evidence <input type="checkbox"/> Some potential sources <input checked="" type="checkbox"/> Obvious sources <b>Local Watershed Erosion</b> <input type="checkbox"/> None <input checked="" type="checkbox"/> Moderate <input type="checkbox"/> Heavy
<b>RIPARIAN VEGETATION (18 meter buffer)</b>	<b>Indicate the dominant type and record the dominant species present</b> <input type="checkbox"/> Trees <input checked="" type="checkbox"/> Shrubs <input checked="" type="checkbox"/> Grasses <input type="checkbox"/> Herbaceous Dominant species present    cattails/jewelweed	
<b>INSTREAM FEATURES</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">           Estimated Reach Length    20    m            Estimated Stream Width    0.5    m            Sampling Reach Area    10    m<sup>2</sup>            Area in km<sup>2</sup> (m<sup>2</sup>x1000)    10,000    km<sup>2</sup>            Estimated Stream Depth    5 cm    m            Surface Velocity    _____ m/sec            Stream Dry <input type="checkbox"/> </div> <div style="width: 45%;"> <b>Canopy Cover</b>  <input checked="" type="checkbox"/> Partly open    <input type="checkbox"/> Partly shaded    <input type="checkbox"/> Shaded  <b>High Water Mark</b>    _____ m  <b>Proportion of Reach Represented by Stream Morphology Types</b>            Riffle _____ %    Run 100 %            Pool _____ %  <b>Channelized</b>    <input checked="" type="checkbox"/> Yes    <input type="checkbox"/> No  <b>Dam Present</b>    <input type="checkbox"/> Yes    <input checked="" type="checkbox"/> No         </div> </div>	
<b>LARGE WOODY DEBRIS</b>	LWD    0    m <sup>2</sup> Density of LWD    _____ m <sup>2</sup> /km <sup>2</sup> (LWD/ reach area)	
<b>AQUATIC VEGETATION</b>	<b>Indicate the dominant type and record the dominant species present</b> <input checked="" type="checkbox"/> Rooted emergent <input type="checkbox"/> Rooted submergent <input type="checkbox"/> Rooted floating <input type="checkbox"/> Free floating <input type="checkbox"/> Floating Algae <input type="checkbox"/> Attached Algae Dominant species present    cattail Portion of the reach with aquatic vegetation    40 %	
<b>WATER QUALITY</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;">           Temperature    22.7    °C            Specific Conductance    85.7    us/cm            Dissolved Oxygen    7.19    mg/L            pH    7.3    SU            Turbidity    3.94    ntu            WQ Instrument Used    YSI         </div> <div style="width: 45%;"> <b>Water Odors</b>  <input checked="" type="checkbox"/> Normal/None    <input type="checkbox"/> Sewage  <input type="checkbox"/> Petroleum    <input type="checkbox"/> Chemical  <input type="checkbox"/> Fishy    <input type="checkbox"/> Other _____  <b>Water Surface Oils</b>  <input type="checkbox"/> Slick    <input type="checkbox"/> Sheen    <input type="checkbox"/> Globs    Flecks  <input checked="" type="checkbox"/> None    <input type="checkbox"/> Other _____  <b>Turbidity (if not measured)</b>  <input checked="" type="checkbox"/> Clear    <input type="checkbox"/> Slightly turbid    <input type="checkbox"/> Turbid  <input type="checkbox"/> Opaque    <input type="checkbox"/> Stained    <input type="checkbox"/> Other _____         </div> </div>	
<b>SEDIMENT/SUBSTRATE</b>	<div style="display: flex; justify-content: space-between;"> <div style="width: 45%;"> <b>Odors</b>  <input checked="" type="checkbox"/> Normal    <input type="checkbox"/> Sewage    <input type="checkbox"/> Petroleum  <input type="checkbox"/> Chemical    <input type="checkbox"/> Anaerobic    <input type="checkbox"/> None  <input type="checkbox"/> Other _____  <b>Oils</b>  <input checked="" type="checkbox"/> Absent    <input type="checkbox"/> Slight    <input type="checkbox"/> Moderate    <input type="checkbox"/> Profuse         </div> <div style="width: 45%;"> <b>Deposits</b>  <input type="checkbox"/> Sludge    <input type="checkbox"/> Sawdust    <input type="checkbox"/> Paper fiber    <input type="checkbox"/> Sand  <input type="checkbox"/> Relict shells    <input type="checkbox"/> Other _____  <b>Looking at stones which are not deeply embedded, are the undersides black in color?</b>  <input type="checkbox"/> Yes    <input checked="" type="checkbox"/> No         </div> </div>	

INORGANIC SUBSTRATE COMPONENTS (should add up to 100%)			ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)		
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock			Detritus	sticks, wood, coarse plant materials (CPOM)	40
Boulder	> 256 mm (10")				
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic (FPOM)	-
Gravel	2-64 mm (0.1"-2.5")	10			
Sand	0.06-2mm (gritty)	60	Marl	grey, shell fragments	-
Silt	0.004-0.06 mm	30			
Clay	< 0.004 mm (slick)				

**HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)**

Habitat Parameter	Condition Category																				
	Optimal					Suboptimal					Marginal					Poor					
<b>1. Epifaunal Substrate/ Available Cover</b>  <input type="checkbox"/> N/A  <b>SCORE 4</b>	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).					40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).					20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.					Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.					
	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
<b>2. Embeddedness</b>  <b>SCORE 5</b>	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.					Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.					Gravel, cobble, and boulder particles are 50-75% surrounded by fine sediment.					Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.					
	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
<b>3. Velocity/Depth Regime</b>  <input type="checkbox"/> N/A  <b>SCORE 6</b>	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)					Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).					Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).					Dominated by 1 velocity/depth regime (usually slow-deep).					
	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
<b>4. Sediment Deposition</b>  <b>SCORE 4</b>	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.					Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.					Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.					Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.					
	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0
<b>5. Channel Flow Status</b> <input type="checkbox"/> N/A  <b>SCORE 11</b>	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.					Water fills >75% of the available channel; or <25% of channel substrate is exposed.					Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.					Very little water in channel and mostly present as standing pools.					
	20	19	18	17	16	15	14	13	12	11	10	9	8	7	6	5	4	3	2	1	0



# HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat Parameter	Condition Category			
	Optimal	Suboptimal	Marginal	Poor
<b>6. Channel Alteration</b>  SCORE 8 <input type="text"/>	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
<b>7. Frequency of Riffles (or bends)</b>  <input type="checkbox"/> N/A  SCORE 5 <input type="text"/>	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
<b>8. Bank Stability (score each bank)</b>  Note: determine left or right side by facing downstream. SCORE 4 <input type="text"/> SCORE 5 <input type="text"/>	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	Right Bank 10 9	8 7 6	5 4 3	2 1 0
<b>9. Vegetative Protection (score each bank)</b>  SCORE 4 <input type="text"/> SCORE 4 <input type="text"/>	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	Right Bank 10 9	8 7 6	5 4 3	2 1 0
<b>10. Riparian Vegetative Zone Width (score each bank riparian zone)</b>  SCORE 3 <input type="text"/> SCORE 3 <input type="text"/>	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6-12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters; little or no riparian vegetation due to human activities.
	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total Score 66

## BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME <u>Stony Creek</u>		LOCATION <u>S-OP1</u>
STATION # <u>          </u> RIVERMILE <u>          </u>		STREAM CLASS <u>Intermittent</u> <input checked="" type="checkbox"/>
LAT <u>37.600003</u> LONG <u>-80.700509</u>		COUNTY <u>Monroe</u>
STORET # <u>          </u>		AGENCY <u>Edge/Potesta</u>
INVESTIGATORS <u>AJ/MB</u>		LOT NUMBER <u>          </u>
FORM COMPLETED BY <u>AJ</u>		DATE <u>09/03/2021</u> TIME <u>10:25 AM</u>
REASON FOR SURVEY <u>Preliminary Assessment</u>		

<b>HABITAT TYPES</b>	<b>Indicate the percentage of each habitat type present</b> <input checked="" type="checkbox"/> Cobble <u>&lt;5</u> % <input type="checkbox"/> Snags <u>          </u> % <input checked="" type="checkbox"/> Vegetated Banks <u>60</u> % <input checked="" type="checkbox"/> Sand <u>60</u> % <input type="checkbox"/> Submerged Macrophytes <u>          </u> % <input type="checkbox"/> Other ( <u>          </u> ) <u>          </u> %
<b>SAMPLE COLLECTION</b>	<b>Gear used</b> <input type="checkbox"/> D-frame <input type="checkbox"/> kick-net <input type="checkbox"/> Other <u>Not sampled, sandy habitat, water low</u>  <b>How were the samples collected?</b> <input type="checkbox"/> wading <input type="checkbox"/> from bank <input type="checkbox"/> from boat  <b>Indicate the number of jabs/kicks taken in each habitat type.</b> <input type="checkbox"/> Cobble <u>          </u> <input type="checkbox"/> Snags <u>          </u> <input type="checkbox"/> Vegetated Banks <u>          </u> <input type="checkbox"/> Sand <u>          </u> <input type="checkbox"/> Submerged Macrophytes <u>          </u> <input type="checkbox"/> Other ( <u>          </u> ) <u>          </u>
<b>GENERAL COMMENTS</b>	Narrow stream bed with minimal flow and dense vegetation. Not enough depth or flow for benthics.

### QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

### FIELD OBSERVATIONS OF MACROBENTHOS


Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4	Not sampled.					
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						



Bankfull Channel		
Material	Size Range (mm)	Count
silt/clay	0 - 0.062	3
very fine sand	0.062 - 0.125	2
fine sand	0.125 - 0.25	26
medium sand	0.25 - 0.5	13
coarse sand	0.5 - 1	5
very coarse sand	1 - 2	11
very fine gravel	2 - 4	7
fine gravel	4 - 6	5
fine gravel	6 - 8	4
medium gravel	8 - 11	1
medium gravel	11 - 16	5
coarse gravel	16 - 22	4
coarse gravel	22 - 32	8
very coarse gravel	32 - 45	4
very coarse gravel	45 - 64	2
small cobble	64 - 90	0
medium cobble	90 - 128	0
large cobble	128 - 180	0
very large cobble	180 - 256	0
small boulder	256 - 362	0
small boulder	362 - 512	0
medium boulder	512 - 1024	0
large boulder	1024 - 2048	0
very large boulder	2048 - 4096	0
total particle count:		100
bedrock -----		
clay hardpan -----		
detritus/wood -----		
artificial -----		
total count:		100
Note:		

Bankfull Channel Pebble Count, Stony Creek (S-OP1)





Size (mm)		Size Distribution		Type	
D16	0.17	mean	1.8	silt/clay	3%
D35	0.31	dispersion	11.9	sand	57%
D50	1.1	skewness	0.15	gravel	40%
D65	3.3			cobble	0%
D84	19			boulder	0%
D95	35				



— — — — —	STUDY AREA (EASEMENT)
— . — . —	EXISTING SURVEY—LOCATED THALWEG
<b>1176.87 +</b>	EXISTING SURVEYED GROUND SHOT ELEVATION

1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 14, 2021.
2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.




**PROFILE LEGEND**

EXISTING STREAM PROFILE  
INVERT ALONG THALWEG

SCALE: H: 1"=10'  
V: 1"=5'

AS-BUILT TABLE: S-OP1 CROSS SECTION A					
	PRE-CROSSING			AS-BUILT	
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.
THW	13653121.31	1727157.37	1892.18		



— — EXISTING GRADE

SCALE: H: 1"=10'  
V: 1"=5'

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM  
FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM  
DOWNSTREAM IMPACT LIMITS

### POST-CROSSING PHOTOS




PHOTO TAKEN LOOKING DOWNSTREAM  
FROM UPSTREAM IMPACT LIMITS





PHOTO TAKEN LOOKING UPSTREAM FROM  
DOWNSTREAM IMPACT LIMITS

PRE-CROSSING

-  
 CAD File No.  
 AH  
 Drawn  
 GH  
 Checked  
 DW  
 Approved  
 NOTED  
 Scale:  
 SEPT.2021  
 Date:  
 112IC07157  
 Project No.

**TETRA TECH, INC.**  
661 ANDERSEN DRIVE FOSTER PLAZA 7  
PITTSBURGH, PA 15220  
TEL: (412) 921-7090 FAX: (412) 921-4000  
E-Mail Address: [WWW.TETRATECH.COM](mailto:WWW.TETRATECH.COM)

**TETRA TECH**



NTAIN VALLEY PIPELINE, LLC  
O ENERGY DRIVE, 2ND FLOOR  
CANONSBURG, PA 15317

PROFILE AND CROSS-SECTIONS  
BASELINE, SURVEY  
CROSSING S-OP1 - STONY CREEK  
(MP 179.1)  
MONROE COUNTY, WV

1  
DRAWING

The C:\Users\AUSTIN\Documents\Tetra Tech, Inc\Wahner, David - Sent 10-07-2021\9-091\9-091 - MP 179.1 - 22534.dwg  
 Plot Date/Time Oct 08, 2021 - 3:02pm  
 Plotted By: AUSTIN\AUSTIN