## **Baseline Assessment – Stream Attributes**

# Reach S-VV1 (Timber Mat Crossing) Intermittent Spread E Nicholas County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	✓
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – No flow or Low flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓

## Spread E Stream S-VV1 (Timber Mat Crossing) Nicholas County



Photo Type: DS Edge ROW, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, BB/AG



Photo Type: DS Edge ROW, US View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, BB/AG

## Spread E Stream S-VV1 (Timber Mat Crossing) Nicholas County



Photo Type: C ROW, US View Location, Orientation, Photographer Initials: Center Right of Way, Upstream View, BB/AG



Photo Type: C ROW, DS View Location, Orientation, Photographer Initials: Center of Right of Way, Downstream View, BB/AG

## Spread E Stream S-VV1 (Timber Mat Crossing) Nicholas County



Photo Type: US Edge ROW, US View Location, Orientation, Photographer Initials: Upstream Edge of Right of Way, Upstream View, BB/AG



Photo Type: US Edge ROW, DS View Location, Orientation, Photographer Initials: Upstream Edge Right of Way, Downstream View, BB/AG

#### West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Мо	ountain Valley Pipeline		IMPACT COOR (in Decimal D		38.161064	Lon.		-80.735022	WEATHER:	50% Cloud	l Cover 80 °F	DATE:	8/27/202	4
(,,,					(III Decimal L	Jegrees)									0/21/202	<b>'</b>
IMPACT STREAM/SITE ID (watershed size {acreage},			S	VV1 UNT to H	ominy Creek			EAM CLASS./SITE II						Comments:		
(Watershed Size (acreage),	unancieu or impairi	nonta)					(water	siled size (acreage), unaite	red or impairin	ents)						
STREAM IMPACT LENGTH:	22	FORM O	F		MIT COORD	INATES: Lat.		Lon.			PRECIPITATION PAST 48 HRS:			Mitigation Length:		
OTTEAM IMP AOT ELITOTTI.	22	MITIGATIO		s I-III)	(in Decimal D			2011.	•		TRESI HARION FAST SCHIKE.			mingunon Longin		
Column No. 1- Impact Existing	Condition (Deb	.it)	Column No. 2- Mitigation	n Existing Con-	dition - Baseline (C	redit)		3- Mitigation Projected		ars	Column No. 4- Mitigation Proje			Column No. 5- Mitigation Project	ed at Maturity (Credit)	
				II Existing Con-	ultion - baseline (C	oreuit)		ost Completion (Cred			Post Completion (					
Stream Classification:	Interm		Stream Classification:				Stream Classification:		(		Stream Classification:	0		Stream Classification:	0	
Percent Stream Channel Slo	•	3.69	Percent Stream					ım Channel Slope		0	Percent Stream Channel Slo	•	0	Percent Stream Channel S	•	0
HGM Score (attach da	ata forms):		HGM Sc	ore (attach dat	ta forms):		НСМ	Score (attach data f	orms):		HGM Score (attach da	ata forms):		HGM Score (attach d	ata forms):	
		Average			4	Average				Average			Average		Ay	verage
Hydrology	0.74		Hydrology				Hydrology				Hydrology			Hydrology		
Biogeochemical Cycling	0.5	0.553333333	Biogeochemical Cycling			0	Biogeochemical Cycling			0	Biogeochemical Cycling		0	Biogeochemical Cycling		0
Habitat PART I - Physical, Chemical and	0.42 Biological Indica	ators	Habitat PART I - Physical,	Chemical and B	Biological Indicators	s	Habitat PART I - Physic	al, Chemical and Biol	ogical Indica	ators	PART I - Physical, Chemical and	Biological Indicato	rs	Habitat PART I - Physical, Chemical and	Biological Indicators	
	Points Scale Range	Site Score		Pe	roints Scale Range	Site Score		Points 5	Scale Range	Site Score		Points Scale Range	Site Score		Points Scale Range Sit	Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies	to all streams clas	ssifications)		PHYSICAL INDICATOR (App	olies to all streams classifi	cations)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	s classifications)	
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Da				USEPA RBP (High Gradient				USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		
Epifaunal Substrate/Available Cover	0-20	7	Epifaunal Substrate/Available		0-20		Epifaunal Substrate/Availa				Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20	
2. Embeddedness	0-20 0-20	14 9	<ol> <li>Pool Substrate Characterizati</li> <li>Pool Variability</li> </ol>		0-20		Embeddedness     Velocity/ Depth Regime	0-2			Embeddedness     Velocity/ Depth Regime	0-20		Embeddedness     Velocity/ Depth Regime	0-20	
Velocity/ Depth Regime     Sediment Deposition	0-20	16	4. Sediment Deposition		0-20		Velocity/ Depth Regime     Sediment Deposition	0-2 0-2			Velocity/ Depth Regime     Sediment Deposition	0-20		Velocity/ Depth Regime     Sediment Deposition	0-20 0-20	
Channel Flow Status	0-20	11	Channel Flow Status		0-20		Sediment Deposition     Channel Flow Status	0-2			5. Channel Flow Status	0-20		5. Channel Flow Status	0-20	
6. Channel Alteration	0-20 0-1	16	6. Channel Alteration		0-20 0-1		6. Channel Alteration	0-2			6. Channel Alteration	0-20 0-1		6. Channel Alteration	0-20 0-1	
7. Frequency of Riffles (or bends)	0-20	5	7. Channel Sinuosity		0-20		7. Frequency of Riffles (or be				7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	18	8. Bank Stability (LB & RB)		0-20		8. Bank Stability (LB & RB)	0-2			8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	16	9. Vegetative Protection (LB & F		0-20		9. Vegetative Protection (LB				Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB)	0-20	14	<ol><li>Riparian Vegetative Zone Widtl</li></ol>		0-20		10. Riparian Vegetative Zone W		0		10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20	
Total RBP Score	Suboptimal	126	Total RBP Score		Poor	0	Total RBP Score		Poor	0	Total RBP Score	Poor	0	Total RBP Score	Poor	0
Sub-Total		0.63	Sub-Total			0	Sub-Total			0	Sub-Total		0	Sub-Total		0
CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Str	eams)	CHEMICAL INDICATOR (Applie	to Intermittent an	nd Perennial Streams)		CHEMICAL INDICATOR (Ap	plies to Intermittent and P	erennial Strea	ms)	CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Strear	ns)	CHEMICAL INDICATOR (Applies to Intermitte	nt and Perennial Streams)	
WVDEP Water Quality Indicators (General	)		WVDEP Water Quality Indicate	rs (General)			WVDEP Water Quality Indic	cators (General)			WVDEP Water Quality Indicators (General	)		WVDEP Water Quality Indicators (General	.)	
Specific Conductivity			Specific Conductivity				Specific Conductivity				Specific Conductivity			Specific Conductivity		
	0-90	22.4			0-90			0-9	0			0-90			0-90	
<=99 - 90 points	1															
рн	0.1		рн	<u> </u>	0.1		рн		0.1		рн	0.1		рн		
6.0-8.0 = 80 points	0-80	6.78			5-90			5-9	0 0-1			5-90			5-90	
DO			DO			0	DO				DO			DO		
	10-30	8.21			10-30			10-3	30			10-30			10-30	
>5.0 = 30 points	10-50	0.21	0.1.7.1		10-00			10-0	,0			10-50			10-30	
Sub-Total  BIOLOGICAL INDICATOR (Applies to Intermit	ttent and Perennial	Streams)	Sub-Total  BIOLOGICAL INDICATOR (App	lies to Intermittent	t and Perennial Streams	ıs)	Sub-Total BIOLOGICAL INDICATOR (A	Applies to Intermittent a	nd Perennial	Streams)	Sub-Total  BIOLOGICAL INDICATOR (Applies to Interm	nittent and Perennial S	Streams)	Sub-Total  BIOLOGICAL INDICATOR (Applies to Intern	nittent and Perennial Stre	eams)
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (V				MAL Characa Condition Index	- (AB/OO)			MANA Character Constitution Index (MANACOL)			MAN Character Counditions Index (MAN/CCI)		
www Stream Condition Index (wwsci)			WV Stream Condition Index (				WV Stream Condition Index				WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		
0	0-100 0-1				0-100 0-1			0-10	00 0-1			0-100 0-1			0-100 0-1	
Sub-Total	1 1	0	Sub-Total	I		0	Sub-Total		_	0	Sub-Total		0	Sub-Total	-	0
			<del>-</del>		•							•				
DADT II. Index or 110	Init Coor-		DADT	Inday and II.	it Coore	11	D.D	T II Inday and Half C	2000	II	DADT II Judge 1 1 1 1	nit Coore	II	DADT II. Index and II.	Init Coore	П
PART II - Index and U	init Score		PARTI	- Index and Un	iit Score		PAR	T II - Index and Unit S	core		PART II - Index and U	nit Score		PART II - Index and U	nit Score	
Land.	I the second	Limit O	1		Lineau Fact I	-it Caara	11			Unit Cons	15.4.	Linear	luit Coons	E e e e	LinearFeet	i4 O
Index	Linear Feet	Unit Score	Index		Linear Feet U	nit Score	Index	Lin	ear Feet	Unit Score	Index	Linear Feet U	uni Score	Index	Linear Feet Unit	it score
0.684	22	15.05166667	0		0	0	0		0	0	0	0	0	0	0	0

#### FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V<sub>CCANOPY</sub> (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: MVP Preliminary Assessment

Location: S-VV1 Sampling Date: 8/27/2021

Project Site Before Project

Subclass for this SAR:

Intermittent Stream

Uppermost stratum present at this SAR: SAR number:

Shrub/Herb Strata

Functional Results Summary: Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.74
Biogeochemical Cycling	0.50
Habitat	0.42

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V <sub>CCANOPY</sub>	Percent canpoy over channel.	Not Used, <20%	Not Used
$V_{EMBED}$	Average embeddedness of channel.	2.75	0.73
V <sub>SUBSTRATE</sub>	Median stream channel substrate particle size.	5.88	1.00
$V_{BERO}$	Total percent of eroded stream channel bank.	0.00	1.00
$V_{LWD}$	Number of down woody stems per 100 feet of stream.	1.82	0.23
$V_{TDBH}$	Average dbh of trees.	Not Used	Not Used
V <sub>SNAG</sub>	Number of snags per 100 feet of stream.	0.00	0.10
V <sub>SSD</sub>	Number of saplings and shrubs per 100 feet of stream.	0.00	0.00
V <sub>SRICH</sub>	Riparian vegetation species richness.	0.00	0.00
V <sub>DETRITUS</sub>	Average percent cover of leaves, sticks, etc.	12.50	0.15
V <sub>HERB</sub>	Average percent cover of herbaceous vegetation.	89.17	1.00
V <sub>WLUSE</sub>	Weighted Average of Runoff Score for Catchment.	0.95	1.00

			High-G		Headwat Data She			-	-	a		
	Team:	A. Grimmet	tt / B. Burdet		2.1.0		J GI			M Northing:	38.161064	
Pro	oject Name:									_	-80.735022	
	Location:								-	pling Date:		
SA	AR Number:		Reach	Length (ft):	55	Stream Ty	/pe:	Intern	mittent Strear	. •		_
	Top Strata:	Shi	rub/Herb Str	rata	(determined	d from perce	ent cald	culate	ed in V <sub>CCANO</sub>	PY)		
	and Timing:	Project Site				_	Before	Projec	ct			
Sample	e Variables											
1		equidistant 20%, enter	ercent cover points along at least one	g the stream e value betw	n. Measure reen 0 and 1	only if tree/s	sapling	g cove	er is at least			Not Used, <20%
ı		cent cover i	measuremer	nts at each	point below:							<b>\</b>
	0											
		^		6.41			بالم		11 66			
2 V <sub>EMBED</sub> Average embeddedness of the stream channel. Measure at no fewer than 30 roughly equidistant points along the stream. Select a particle from the bed. Before moving it, determine the percentage of the surface and area surrounding the particle that is covered by fine sediment, and enter the rating									2.8			
surface and area surrounding the particle that is covered by fine sediment, and enter the rating according to the following table. If the bed is an artificial surface, or composed of fine sediments, use a												
			e of 1. If the							554	, <b></b> u	
			ness rating t		-					ts, Megaha	n, and	Measure
Thora	should be	Minshall 19		- , -		•	, ,			<b>-</b>		at least
	snould be me number	Rating	Rating Des									30 points
	ntries for	5	<5 percent	of surface of	covered, sur						k)	
Embede	edness and				ace covered,							
Subst	trate Size	<u>3</u>			face covered face covered							
					covered, su						al surface)	
	List the ration		point below		Ju, 00		- 5.110	3		( ». «. «. «. ».		I
	2	1	3	1	5	5						
	1	1	5	1	5	5						
	1	1	1	1	5	5						
	4	1	1	1	5	5						
3			eam channe tream; use t							ghly equidis	tant points	5.88 in
	Enter partic	le size in in	ches to the	nearest 0.1	inch at each	n point below	w (bedi	rock s	should be co	ounted as 9	9 in,	
	•		0.0 in, sand			•						
Ì	6.25	0.08	9.00	99.00	99.00							
	0.08	0.08	5.50	99.00	99.00							
	0.08	0.08	0.08	99.00	99.00							
	2.80	0.08	0.08	99.00	99.00							
4	$V_{BERO}$		nt of erodec									
		side and the	e total perce									0 %
		may be up										
			Left Bank:	0	ft	ŀ	Right B	3ank: ॑	0	ft		

Sample	ple Variables 5-9 within the entire riparian/buffer zone adjacent to the stream channel (25 feet from each bank).										
5	$V_{LWD}$	stream read	ch. Enter tl	dy stems (at le he number fro will be calcula	m the enti						1.8
						downed w	oody stems:		1		
6	$V_{TDBH}$			measure only			ng cover is a	at least 20%	b). Trees ar	e at least 4	Not Used
		,	•	neter. Enter tr			(-)(t) ! t)	h#			.101 0000
		the stream		nents of indivi	duai trees	(at least 4	in) within the	butter on e	each side of		
			Left Side					Right Side			
7	\/	Number of	on ago (at la	acet 4" dbb on	d 26" tall\	nor 100 for	at of otroom	Enter num	har of an ag		
,	$V_{SNAG}$			east 4" dbh an d the amount <sub>l</sub>				Enter num	ber of snag	s on each	0.0
			Left Side:				Right Side:		0		
8	$V_{SSD}$			nd shrubs (woo							0.0
	if tree cover is <20%). Enter number of saplings and shrubs on each side of the stream, and amount per 100 ft of stream will be calculated.						uie	0.0			
	.,		Left Side:				Right Side:		0		
9	$V_{SRICH}$			ecies richnes stratum. Chec							0.00
				and the subing					otrata. Op	.00.00	0.00
		Grou	p 1 = 1.0			Group 2 (-1.0)					
	Acer rubru	ım		Magnolia trip	etala		Ailanthus a	ltissima		Lonicera ja	ponica
	Acer saccl	harum		Nyssa sylvat	tica		Albizia julib	orissin		Lonicera ta	tarica
	Aesculus f	flava		Oxydendrum	arboreum		Alliaria peti	iolata		Lotus corni	iculatus
	Asimina tri	iloba		Prunus sero	tina		Alternanthe	era		Lythrum sa	licaria
	Betula alleg	ghaniensis		Quercus alba	э		philoxeroid	es		Microstegiur	n vimineum
	Betula lent	ta		Quercus coc	cinea		Aster tatari	cus		Paulownia	tomentosa
	Carya alba	9		Quercus imb	ricaria		Cerastium	fontanum		Polygonum o	cuspidatum
	Carya glab	ora		Quercus prin	nus		Coronilla va	aria		Pueraria m	ontana
	Carya ova	lis		Quercus rub	ra		Elaeagnus u	mbellata		Rosa multi	flora
	Carya ova	ta		Quercus velu	utina		Lespedeza	bicolor		Sorghum h	alepense
	Cornus flo	rida		Sassafras al	bidum		Lespedeza	cuneata		Verbena bi	rasiliensis
	Fagus gra	ndifolia		Tilia america	na		Ligustrum ol	otusifolium			
	Fraxinus a			Tsuga canad	densis		Ligustrum s	sinense			
	Liriodendroi	n tulipifera		Ulmus ameri							
	Magnolia a										
	-										
		0	Species in	Group 1				0	Species in	Group 2	

-	e Variables The four sul			•			•		r zone withi า.	n 25 feet fro	om each
10	V <sub>DETRITUS</sub>						material. W ital layer at		s <4" diamet lot.	er and	12.50 %
			Left	Side			Righ	t Side			
		20	10	15		10	10	10			
4.4	1/	A				- t - ti (		4	-i- 000() F	) (	
11	$V_{HERB}$	include woo	ody stems a percentage	it least 4" db	oh and 36" t	all. Because	there may	be several	is <20%). [ layers of ground v	ound cover	89 %
			Left	Side			Righ	t Side			
		70	100	100		70	100	95			
Sample	e Variable 1	2 within the	e entire cat	chment of	the stream	-					
12	V <sub>WLUSE</sub>	Weighted A	Average of F	Runoff Score	e for waters	hed:					0.95
			Land	Use (Choos	se From Dro	p List)			Runoff Score	% in Catch- ment	Running Percent (not >100)
	Forest and n	ative range (>	>75% ground	cover)				•	1	94.78	94.78
	Open space	(pasture, lawr	ns, parks, etc.	), grass cover	<50%			•	0.1	5.22	100
	▼										
	▼										
	▼										
								•			
								-			
								•			
	Su	mmary						tes:			
V	ariable	Value	VSI		-		7	-	National L		
Vc	CANOPY	Not Used, <20%	Not Used						pplementar d stream im		
VE	MBED	2.8	0.73								
Vs	UBSTRATE	5.88 in	1.00								
$V_{B}$	ERO	0 %	1.00								
VL	WD	1.8	0.23								
V <sub>TI</sub>	рвн	Not Used	Not Used								
Vs	NAG	0.0	0.10								
Vs	SD	0.0	0.00								
Vs	RICH	0.00	0.00								
$V_{D}$	ETRITUS	12.5 %	0.15								
$V_{H}$	ERB	89 %	1.00								
$V_{w}$	LUSE	0.95	1.00								

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME UNT Homi	ny Creek	LOCATION S-VV1	LOCATION S-VV1					
STATION # RI	VERMILE	STREAM CLASS Intermitte	ent					
LAT 38.161064 LO	NG -80.735022	COUNTY Nicholas						
STORET#		AGENCY Potesta						
INVESTIGATORS AG/BB		10.70						
FORM COMPLETED BY	3B	DATE 8-27-2021 TIME 11:30 AM	REASON FOR SURVEY Preliminary Assessmen					
WEATHER CONDITIONS	rair shows	m (heavy rain) n (steady rain) ers (intermittent) coloud cover clear/sunny	Has there been a heavy rain in the last 7 days?  Yes No  Air Temperature 80 F 0 C  Other					
SITE LOCATION/MAP	Draw a map of the s	site and indicate the areas samp	led (or attach a photograph)					

Spring-fed
Mixture of origins
Other

Stream Type Coldwater

Catchment Area\_

■Warmwater

 $\mathrm{km}^2$ 

Stream Subsystem
Perennial Intermittent Tidal

Stream Origin
Glacial
Non-glacial montane
Swamp and bog

STREAM CHARACTERIZATION

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Predon Fores Field Agric	Pasture Industria	duse rcial al	Local Watershed NPS  □ No evidence □ Sor □ Obvious sources □ Local Watershed Erosi □ None □ Moderate	ne potential sources	
RIPARIA VEGETA (18 meter	TION			record the do nrubs ex sp.; golde	minant species present ☐Grasses ☐He enrod	rbaceous	
INSTREA FEATURI	Estimated Stream Width  Sampling Reach Area  Area in km² (m²x1000)  Estimated Stream Depth  Surface Velocity (at thalweg) Stream Dry  LWD  0  1.5 ft m  83 ft^2 m² km² 0.2 ft m  0.3 ft/sec m/sec  LWD 0 m²					ly shaded Shaded  ftm  epresented by Stream  Run_90%  No No	
LARGE V DEBRIS	VOODY	100000000000000000000000000000000000000		1 <sup>2</sup> /km <sup>2</sup> ( <b>LWD</b> /	reach area)		
AQUATIO VEGETA		Roote Float		ooted submerge tached Algae nown	nt Rooted floating	Free floating	
WATER (	QUALITY	Specific Dissolv pH 6.7 Turbid	rature 18.6 C  c Conductance 22.4 us/cm ed Oxygen 8.21 mg/L 0 su ity 12.0 ntu strument Used YSI Pro & to	urbidometer		Chemical  Other   Globs Flecks	
SEDIMEN SUBSTRA		Odors Norm Chen Othe Oils	nical Anaerobic	Petroleum None	Epoking at stones which are the undersides black	□Paper fiber ☑Sand  Other  h are not deeply embedded, k in color?	
INC	ORGANIC SUBS		COMPONENTS		ORGANIC SUBSTRATE C		
Substrate Type	Diamet		% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area	
Bedrock Boulder	> 256 mm (10")		40	Detritus	sticks, wood, coarse plant materials (CPOM)	5	
Cobble Gravel	64-256 mm (2.5 2-64 mm (0.1"-2	1,0005.00	5	Muck-Mud	black, very fine organic (FPOM)	0	
Sand	0.06-2mm (gritt	y)	10	Marl	grey, shell fragments		
Silt	0.004-0.06 mm		35			()	
Clay	< 0.004 mm (sli	ck)	0	Ī			

### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME UN	T Hominy Creek	LOCATION S-VV1					
STATION #	RIVERMILE	STREAM CLASS Intermittent					
LAT 38.161064	LONG80.735022	_ COUNTY Nicholas					
STORET#	AGENCY Potesta						
INVESTIGATORS A	G/BB						
FORM COMPLETED BB	ВУ	DATE 8-27-2021 TIME 11:30 AM PM REASON FOR SURVEY Preliminary Assessment					

	Habitat		Condition	Category			
	Parameter	Optimal	Suboptimal	Marginal	Poor		
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.		
	SCORE 7	20 19 18 17 16	15 14 13 12 11	10 9 8 🕡 6	5 4 3 2 1 0		
sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.		
led in	SCORE 14	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime N/A	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).		
ıram	<sub>SCORE</sub> 9	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.		
	<sub>SCORE</sub> 16	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
	5. Channel Flow Status N/A	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.		
	SCORE II	20 19 18 17 16	15 14 13 12	10 9 8 7 6	5 4 3 2 1 0		

### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	Category		
	Parameter	Optimal	Suboptimal	Marginal	Poor	
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.	
	SCORE 16	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
ing reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.	
samb	score 5	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	<b>5</b> 4 3 2 1 0	
rarameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing deuroperant.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.	
e cva	SCORE 9	Left Bank 10	8 7 6	5 4 3	2 1 0	
10 D	SCORE 9	Right Bank 10	8 7 6	5 4 3	2 1 0	
rarameter	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.	
	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0	
	SCORE 8	Right Bank 10 9	8 7 6	5 4 3	2 1 0	
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.	
	SCORE 7	Left Bank 10 9	8 7 6	5 4 3	2 1 0	
	SCORE 7	Right Bank 10 9	8 7 6	5 4 3	2 1 0	


#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET


Hydrozoa         0         1         2         3         4         Zygoptera         0         1         2         3         4         Ephemeroptera         0         1         2         3         4           Platyhelminthes         0         1         2         3         4         Hemiptera         0         1         2         3         4           Turbellaria         0         1         2         3         4         Coleoptera         0         1         2         3         4           Hirudinea         0         1         2         3         4         Lepidoptera         0         1         2         3         4           Oligochaeta         0         1         2         3         4         Sialidae         0         1         2         3         4           Amphipoda         0         1         2         3         4         Empididae         0         1         2         3         4           Decapoda         0         1         2         3         4         Empididae         0         1         2         3         4           Gastropoda         0 <td< th=""><th>STREAM NAME UN</th><th>NT Hor</th><th>niny</th><th>Creek</th><th></th><th></th><th>LOCATION</th><th>S-VV1</th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th><th></th></td<>	STREAM NAME UN	NT Hor	niny	Creek			LOCATION	S-VV1										
The content is a proper   County   Co	STATION #	_ R	IVE	RM	ILE_		STREAM CI	LASS I	nter	mitte	nt							
DATE			reason and the	10.00		2	COUNTY	Ni	chol	as								
DATE   SAMPLE   COBBE   COBB	STORET#						AGENCY F	otesta	9									
HABITAT TYPES	INVESTIGATORS	AG/BE	3								1	OT	NUMBER					
Cobble   %   Saugs   %   Other   Collected   Submerged Macrophytes   %   Other   Other	FORM COMPLETED	) BY	В	В			(0.500 pt 200 pt 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				I	REAS	SON FOR SURVEY Pr	elimin	ary .	Asse	ssm	ent
Collection	HABITAT TYPES	In	dica   C	ite thobble	ne pe e_ ged N	rcen % Macro	tage of each habitat to Snags%	ype pr	esen eget	t ated ther	Banl	ks	%	_%				
How were the samples collected?  wading	SAMPLE	11																
Indicate the number of jabs/kicks taken in each habitat type.		1					_											
GENERAL COMMENTS		Н	ow v	vere	the	samp	les collected?	wadin	g	Ц	fror	n ban	kfrom boa	t				
QUALITATIVE LISTING   OF AQUATIC BIOTA   Indicate estimated abundance:   0 = Absent/Not Observed,   1 = Rare,   2 = Common,   3 = Abundant,   4 = Dominant		║□	Cob	ble			Snags	$\Box$ V	eget	ated	Banl	KS	Sand )	_				
Filamentous Algae	Indicate estimated Dominant	LIST	TIN	G C	)F A	<b>AQU</b> 0 = <i>i</i>	ATIC BIOTA Absent/Not Observ		= J	Rare				lant,	4 =	=		
FIELD OBSERVATIONS OF MACROBENTHOS   Indicate estimated abundance:   0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)	Periphyton					0	1 2 3 4		Sli	nes				0	1	2	3	4
Porifera	Filamentous Algae 0 1 2					1 2 3 4		Ma	croi	nve	rtebr	ates	0	1	2	3	4	
Porifera   O   1   2   3   4   Anisoptera   O   1   2   3   4   Ephemeroptera   O   1   2   3   4   Anisoptera   O   1   2   3   4   Ephemeroptera   O   1   2   3   4   Anisoptera   O   1   2   3   4   Ephemeroptera   O   1   2   3   4   Anisoptera   O   1   2   3   4   Ephemeroptera   O   1   2   3   4   Anisoptera   O   1   2   3   4   Ephemeroptera   O   1   2   3   4   Anisoptera   O   1   2   3   4   Ephemeroptera   O   1   2   3   4   Anisoptera   O   1   2   3   4   Ephemeroptera   O   1   2   3   4   Anisoptera	Macrophytes					0	1 2 3 4		Fis	h				0	1	2	3	4
Hydrozoa         0         1         2         3         4         Zygoptera         0         1         2         3         4         Ephemeroptera         0         1         2         3         4           Platyhelminthes         0         1         2         3         4         Hemiptera         0         1         2         3         4           Turbellaria         0         1         2         3         4         Coleoptera         0         1         2         3         4           Hirudinea         0         1         2         3         4         Lepidoptera         0         1         2         3         4           Oligochaeta         0         1         2         3         4         Corydalidae         0         1         2         3         4           Amphipoda         0         1         2         3         4         Empididae         0         1         2         3         4           Decapoda         0         1         2         3         4         Empididae         0         1         2         3         4           Gastropoda         0	Indicate estimated				e:	0 = org	Absent/Not Obser anisms), 3= Abund	lant (	>10	org	anis	ms)	, 4 = Dominant (>5	50 oı			s)	
Platyhelminthes         0         1         2         3         4         Hemiptera         0         1         2         3         4         Trichoptera         0         1         2         3         4           Turbellaria         0         1         2         3         4         Coleoptera         0         1         2         3         4           Hirudinea         0         1         2         3         4         Lepidoptera         0         1         2         3         4           Oligochaeta         0         1         2         3         4         Sialidae         0         1         2         3         4           Isopoda         0         1         2         3         4         Tipulidae         0         1         2         3         4           Amphipoda         0         1         2         3         4         Empididae         0         1         2         3         4           Gastropoda         0         1         2         3         4         Tabinidae         0         1         2         3         4           Bivalvia         0         1<							•								1			
Turbellaria       0       1       2       3       4       Coleoptera       0       1       2       3       4       Other       0       1       2       3       4         Hirudinea       0       1       2       3       4       Lepidoptera       0       1       2       3       4         Oligochaeta       0       1       2       3       4       Sialidae       0       1       2       3       4         Isopoda       0       1       2       3       4       Corydalidae       0       1       2       3       4         Amphipoda       0       1       2       3       4       Empididae       0       1       2       3       4         Gastropoda       0       1       2       3       4       Simuliidae       0       1       2       3       4         Bivalvia       0       1       2       3       4       Tabinidae       0       1       2       3       4	•								-						1			
Hirudinea 0 1 2 3 4 Lepidoptera 0 1 2 3 4 Oligochaeta 0 1 2 3 4 Sialidae 0 1 2 3 4 Isopoda 0 1 2 3 4 Corydalidae 0 1 2 3 4 Amphipoda 0 1 2 3 4 Empididae 0 1 2 3 4 Empididae 0 1 2 3 4 Gastropoda 0 1 2 3 4 Tabinidae 0 1 2 3 4 Bivalvia 0 1 2 3 4 Tabinidae 0 1 2 3 4	•						-						-					
Oligochaeta         0         1         2         3         4         Sialidae         0         1         2         3         4           Isopoda         0         1         2         3         4         Corydalidae         0         1         2         3         4           Amphipoda         0         1         2         3         4         Tipulidae         0         1         2         3         4           Decapoda         0         1         2         3         4         Empididae         0         1         2         3         4           Gastropoda         0         1         2         3         4         Tabinidae         0         1         2         3         4           Bivalvia         0         1         2         3         4         Tabinidae         0         1         2         3         4													Other	0	1	2	3	4
Isopoda       0       1       2       3       4       Corydalidae       0       1       2       3       4         Amphipoda       0       1       2       3       4       Tipulidae       0       1       2       3       4         Decapoda       0       1       2       3       4       Empididae       0       1       2       3       4         Gastropoda       0       1       2       3       4       Simuliidae       0       1       2       3       4         Bivalvia       0       1       2       3       4       Tabinidae       0       1       2       3       4																		
Amphipoda       0       1       2       3       4       Tipulidae       0       1       2       3       4         Decapoda       0       1       2       3       4       Empididae       0       1       2       3       4         Gastropoda       0       1       2       3       4       Simuliidae       0       1       2       3       4         Bivalvia       0       1       2       3       4       Tabinidae       0       1       2       3       4	-																	
Decapoda       0       1       2       3       4       Empididae       0       1       2       3       4         Gastropoda       0       1       2       3       4       Simuliidae       0       1       2       3       4         Bivalvia       0       1       2       3       4       Tabinidae       0       1       2       3       4	-						-											
Gastropoda 0 1 2 3 4 Simuliidae 0 1 2 3 4 Bivalvia 0 1 2 3 4 Tabinidae 0 1 2 3 4							~											
Bivalvia 0 1 2 3 4 Tabinidae 0 1 2 3 4	-						-											
	-								_									
Culcidae 0 1 2 3 4 I	Bivalvia	()	1	2	3	4	Labinidae	0	- 1	7	- 3	4						


SITE ID:	5- V	/ V	W	T	Smi	m C	nec			
DATE:	8-7	<u> 4-10</u>	nl_		1130	<u> </u>		Spr	ad E	/ Nicholas Co.
COLLECTOR	R(S):	A.6	rima		1B. C	Bur di				
Wolman Peb	ble Count (Re	ach Wide)	(milli	neto	5)		151.51/2			NOTES:
FS	SI	- 11	FS	SI	BR	70	57	BR	SI	
FS	45	35	SI	SI	BR	115	SI	BR	SI	
42	FS	12	SI	57	BR	BR	BR	82	SI	
130	15	CS	SI	FS	BR	BR	BR	Be	BR	
18	FS	SI	SI	57	BR	BR	BR	BR	BR	
26	SI	30		51	BR	BR	BR	BR	BR	
122	FS	12	27	SI	BR	BR	BR	BX	BR	
75	SI	8	FS	FS	BR	ST	BR	BR	Be	
FS	27	14	57	SI	BR	SI	BR	BR	BR	
FS	18	78	15	SI	BR	SI	54	BR	BR	
Riffle Pebble	Count		er en en en		AT	Well to				
										NOTES:
	*									
1.0						of Jan S				NOTES:
										,


Inches	PARTICLE	Millimeters	
	Silt / Clay	<.062	S/C
	Very Fine	.062125	0
	Fine	.12525	S
	Medium	.2550	0 A Z D
	Coarse	.50 - 1.0	
.0408	Very Coarse	1.0 - 2	
.0816	Very Fine	2-4	
.1622	Fine	4 - 5.7	
.2231	Fine	5.7 - \$	G
.3144	Medium	8-11.3	G R A
.4463	Medium	11.3 - 16	V
.6389	Coarse	15 - 22.6	ME B
89 - 1.3	Coarse	22.6 - 32	U
1.3 - 1.8	Very Coarse	32 - 45	1
1.8 - 2.5	Very Coarse	45 - 64	支持指
2.5 - 3.5	Small	64 - 90	
3.5 - 5.0	Small	90 - 128	
5.0 - 7.1	Large	128 - 180	
71-10.6	Large	180 - 256	
10.1 - 14.3	Smatl	256 - 362	(8)
14.3 - 20	Small	362 - 512	Ų į
20 - 40	Medium	512 - 1024	Şį
40 - 60	Large-Vry Large	1024 - 2049	R
	Bedrock		BDRK


Bankfull Channel	•	
	Size Range (mm)	Count
silt/clay	0 - 0.062	29
very fine sand (	0.062 - 0.125	
fine sand (	0.125 - 0.25	15
medium sand	0.25 - 0.5	
coarse sand	0.5 - 1 1 - 2	1
very coarse sand	1 - 2	
very fine gravel	2 - 4	
fine gravel	4 - 6	
fine gravel	6 - 8	
medium gravel	8 - 11	2
medium gravel	11 - 16	3
coarse gravel_	16 - 22	1
coarse gravel	22 - 32	2
very coarse gravel_	32 - 45	3
very coarse gravel	45 - 64	
small cobble	64 - 90	3
medium cobble _	90 - 128	1
large cobble	128 - 180	1
very large cobble	180 - 256	
small boulder	256 - 362	
small boulder	362 - 512	
medium boulder	512 - 1024	
_	1024 - 2048	
very large boulder	2048 - 4096	
total	particle count:	61
	F	
bedrock -	L	39
clay hardpan -	L	
detritus/wood -	<u> </u>	
artificial -		
	total count:	100
Note:		











## SURVEY NOTES:

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 21, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

0+30 0+35


- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

# S-VV1 BASELINE CROSS-SECTION A 2454 -


S-VV1 BASELINE CROSS-SECTION B

DISTANCE ALONG CROSS-SECTION (FT)


0+20



# S-VV1 BASELINE CROSS-SECTION C



# S-VV1 BASELINE CROSS-SECTION D



— EXISTING GRADE CROSS SECTION
H: 1"=10'
V: 1"=5' SCALE:

CROSS SECTION LEGEND

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM

PRE-CROSSING

DOWNSTREAM IMPACT LIMITS

CAD File No.

Drawing No

EXISTING SURVEYED GROUND SHOT ELEVATION

0+00

LEGEND

STUDY AREA (EASEMENT)

1176.87 十

EXISTING SURVEY-LOCATED THALWEG