Baseline Assessment – Stream Attributes

Reach S-Z4 (Pipeline ROW) Ephemeral Spread F Monroe County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A - Ephemeral stream (slope <4%)
RBP Physical Characteristics Form	✓
Water Quality Data	N/A – No flow
RBP Habitat Form*	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – No flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓

^{*}Modified RBP - No flow



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of Right of Way, Upstream View, AK/TA/SM



Location, Orientation, Photographer Initials: Downstream Edge of Right of Way, Downstream View, AK/TA/SM



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of Right of Way, Upstream View, AK/TA/SM



Location, Orientation, Photographer Initials: Upstream Edge of Right of Way, Downstream View, AK/TA/SM



Photo Type: US, US View



Photo Type: US, DS View

Location, Orientation, Photographer Initials: Upstream Edge of Right of Way, Downstream View, AK/TA/SM

Spread F Stream S-Z4 (Pipeline ROW) Monroe County



Photo Type: Artificial Substrate (Gravel from Road)
Location, Orientation, Photographer Initials: Artificial Substrate (Gravel from Road), AK/TA/SM

[&]quot;Q:\Charleston\2021 Projects\21-0244- MVP- STREAM AND WETLAND CONDITIONS ASSESSMENT AND SURVEY PLAN\002 - Pre-Crossing Monitoring\Spread F\S-Z4"

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountair	n Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	37.524302 Lon.	80.711444	WEATHER:	Storm/Showers 75 °F	DATE:	8/30/21
IMPACT STREAM/SITE ID (watershed size {acreage}			S-Z4 UNT to	Hans Creek		MITIGATION STREAM CLASS./SITE ID A (watershed size {acreage}, unaltered				Comments:	
STREAM IMPACT LENGTH:	75	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.	Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:	
Column No. 1- Impact Existin	ng Condition (Debit	t)	Column No. 2- Mitigation Existing Co	ondition - Baseline (Credit)		Column No. 3- Mitigation Projected at Post Completion (Credit)	Five Years	Column No. 4- Mitigation Projection (Completion (Compl		Column No. 5- Mitigation Project	cted at Maturity (Credit)
Stream Classification:	Ephem	eral	Stream Classification:		5	Stream Classification:	0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel SI	lope	3.5	Percent Stream Channel Slo	pe		Percent Stream Channel Slope	0	Percent Stream Channel Slo	pe 0	Percent Stream Channel S	Slope 0
HGM Score (attach d	data forms):		HGM Score (attach o	lata forms):		HGM Score (attach data forn	ns):	HGM Score (attach dat	ta forms):	HGM Score (attach	data forms):
		Average		Average			Average		Average		Average
Hydrology			Hydrology			lydrology		Hydrology		Hydrology	
Biogeochemical Cycling Habitat		0	Biogeochemical Cycling Habitat	0		Biogeochemical Cycling Habitat	0	Biogeochemical Cycling Habitat	0	Biogeochemical Cycling Habitat	0
PART I - Physical, Chemical and	d Biological Indicat	tors	PART I - Physical, Chemical and	Biological Indicators	İ	PART I - Physical, Chemical and Biologic	cal Indicators	PART I - Physical, Chemical and E	Biological Indicators	PART I - Physical, Chemical an	d Biological Indicators
	Points Scale Range	Site Score		Points Scale Range Site Score		Points Scale	Range Site Score		Points Scale Range Site Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all stream	ns classifications)		PHYSICAL INDICATOR (Applies to all streams of	classifications)	F	PHYSICAL INDICATOR (Applies to all streams classification	ons)	PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all stream	ns classifications)
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)		Į.	JSEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)	
Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover 0-20		Epifaunal Substrate/Available Cover	0-20	Epifaunal Substrate/Available Cover	0-20
2. Embeddedness	0-20	6	2. Pool Substrate Characterization	0-20 0-20		2. Embeddedness 0-20 3. Velocity/ Depth Regime 0-20		2. Embeddedness	0-20 0-20	Embeddedness Velocity/ Depth Regime	0-20 0-20
Velocity/ Depth Regime Sediment Deposition	0-20 0-20	6	Pool Variability Sediment Deposition	0-20	3	B. Velocity/ Depth Regime 0-20 4. Sediment Deposition 0-20		Velocity/ Depth Regime Sediment Deposition	0-20	Velocity/ Depth Regime Sediment Deposition	0-20
Channel Flow Status	0-20	0	5. Channel Flow Status	0-20	-	5. Channel Flow Status 0-20		5. Channel Flow Status	0-20	Channel Flow Status	0-20
6. Channel Alteration	0-20 0-1	11	6. Channel Alteration	0-20 0-1	II-	6. Channel Alteration 0-20	0-1	6. Channel Alteration	0-20 0-1	6. Channel Alteration	0-20 0-1
7. Frequency of Riffles (or bends)	0-20	•	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends) 0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20
8. Bank Stability (LB & RB)	0-20	13	8. Bank Stability (LB & RB)	0-20		B. Bank Stability (LB & RB) 0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20
9. Vegetative Protection (LB & RB)	0-20	8	Vegetative Protection (LB & RB)	0-20	9	9. Vegetative Protection (LB & RB) 0-20		9. Vegetative Protection (LB & RB)	0-20	9. Vegetative Protection (LB & RB)	0-20
10. Riparian Vegetative Zone Width (LB & RB)		7	10. Riparian Vegetative Zone Width (LB & RB)	0-20	1	Riparian Vegetative Zone Width (LB & RB) 0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20	10. Riparian Vegetative Zone Width (LB & RB)	
Total RBP Score	Marginal	51	Total RBP Score	Poor 0	Ī	Total RBP Score Por	or 0	Total RBP Score	Poor 0	Total RBP Score	Poor 0
Sub-Total CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial Strea	0.425 ams)	Sub-Total CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)	li i	Sub-Total CHEMICAL INDICATOR (Applies to Intermittent and Perer	onial Streams)	Sub-Total CHEMICAL INDICATOR (Applies to Intermittent	t and Perennial Streams)	Sub-Total CHEMICAL INDICATOR (Applies to Intermitt	ent and Perennial Streams)
		,		,			,				
WVDEP Water Quality Indicators (Genera Specific Conductivity	ai)		WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (General) Specific Conductivity		WVDEP Water Quality Indicators (General) Specific Conductivity		WVDEP Water Quality Indicators (General Specific Conductivity	ai)
Specific Conductivity	_		Specific conductivity	I	-			Specific Conductivity		Specific Conductivity	
100-199 - 85 points	0-90			0-90		0-90			0-90		0-90
pH .		45	рН	0	F	DH .		pH		pH	
	0-80 0-1			5-90 0-1	ſ	5-90	0-1		5-90 0-1		5-90 0-1
5.6-5.9 = 45 points											
DO	_		DO		-	00		DO		DO	
	10-30			10-30		10-30			10-30		10-30
Sub-Total			Sub-Total	0	9	Sub-Total	0	Sub-Total	0	Sub-Total	0
BIOLOGICAL INDICATOR (Applies to Interm	nittent and Perennial St	treams)	BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)	E	BIOLOGICAL INDICATOR (Applies to Intermittent and I	Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intermi	ittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Inter	rmittent and Perennial Streams)
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		<u>v</u>	MV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)	
0	0-100 0-1			0-100 0-1		0-100	0-1		0-100 0-1		0-100 0-1
Sub-Total	1 1	0	Sub-Total	0	5	Sub-Total	0	Sub-Total	0	Sub-Total	0
	•	<u>"</u>	<u>.</u>	и					<u> "</u>		
PART II - Index and U	Unit Score		PART II - Index and	Jnit Score	ſ.	PART II - Index and Unit Scor	re	PART II - Index and Un	nit Score	PART II - Index and	Unit Score
T ANT II - III GOX GIIU			TAKT II - IIIGGA BIIG	30.0				FAIRT II - III GOX GIIU OII		Part II - IIIdex and	300.0
Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score	╠	Index Linear	Feet Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit Score
0.613	75	45.9375	0	0 0		0 0	0	0	0 0	0	0 0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAMES-Z	24 UNT to Hans Creek	LOCATION Monroe/F	
STATION #	RIVERMILE	STREAM CLASS Ephem	neral
LAT	LONG	COUNTY Monroe	▼
STORET#		AGENCYPotesta/Edge	
INVESTIGATORSA	BK/TA/SM	10.75	
FORM COMPLETED	A. Kincaid	DATE 8/30/2021 TIME 1000 AM	REASON FOR SURVEY Preliminary Assessment
WEATHER CONDITIONS	rain showe	n (heavy rain) (steady rain) rs (intermittent) cloud cover lear/sunny	Has there been a heavy rain in the last 7 days? Yes No Air Temperature 75 °F O C Other
SITE LOCATION/M	IAP Draw a map of the si	ite and indicate the areas san	npled (or attach a photograph)
	GR GR Gran	ted antion to	GR RDB L GR RDB L V V Cence Color V V V V V V V V V V V V V V V V V V V
STREAM CHARACTERIZAT	ION Stream Subsystem Perennial In	termittent Tidal	Stream Type □Coldwater
	Stream Origin Glacial Non-glacial montar Swamp and bog	Spring-fed Mixture of origins Other	Catchment Areakm ²

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI	HED ES	Predon Fores Field Agric	Pasture Industria	rcial al	Local Watershed NPS □ No evidence □ Son □ Obvious sources □ Local Watershed Eros □ None □ Moderate	ne potential sources
RIPARIA VEGETA (18 meter	N TION buffer)		e the dominant type and s S ant species present	record the do hrubs	minant species present ☐ Grasses ☐ He	erbaceous
INSTREA FEATURI		Estimate Sampling Area in Estimate Surface (at that	ted Stream Width ng Reach Area km² (m²x1000) ted Stream Depth e Velocity 1.5 1.7 1.7 1.8 1.8 1.9 1.9 1.9 1.9 1.9 1.9	m m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffleo % Poolo % Channelized Yes Dam Present Yes	epresented by Stream Run No
LARGE V DEBRIS	IS Density of LWD 0 m² (LWD/ reach area)					
AQUATIO VEGETA	TION	Domina	e the dominant type and dedemergent Relation Algae Alton MAA of the reach with aquat	١	minant species present nt Rooted floating	Free floating
WATER (QUALITY	Specific Dissolv pH Turbidi	cature C c Conductance ed Oxygen ity strument Used			Chemical Other
SEDIMENT/ SUBSTRATE Odors Norn Chet Othe Oils				Petroleum None	are the undersides blac	h are not deeply embedded,
INC		STRATE ddd up to 1	COMPONENTS		ORGANIC SUBSTRATE C	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock Boulder	> 256 mm (10")	0	Detritus	sticks, wood, coarse plant materials (CPOM)	40
Cobble Gravel	64-256 mm (2.5 2-64 mm (0.1"-	5"-10")	0	Muck-Mud	black, very fine organic (FPOM)	0
Sand	0.06-2mm (gritt	y)	40	Marl	grey, shell fragments	0
Silt	0.004-0.06 mm		0]		
Clay	< 0.004 mm (sli	ick)	60	1		

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAMES-Z4 UNT to Hans Creek	LOCATION
STATION # RIVERMILE	STREAM CLASS Ephemeral
LAT LONG	COUNTY Monroe
STORET#	AGENCYPotesta/Edge
INVESTIGATORSABK/TA/SM	
FORM COMPLETED BY A. Kincaid	DATE 9/30/2021 REASON FOR SURVEY Preliminary Assessment

	Habitat		Condition	Category	1
	Parameter Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	✓ N/A	stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	form of newfall, but not yet prepared for colonization (may rate at high end of scale).		
	_{SCORE} 0 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25-50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	score 6 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 🔞	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime N/A	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
aram	_{SCORE} 0 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
r _q	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	_{SCORE} 6 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 🔞	5 4 3 2 1 0
	5. Channel Flow Status N/A	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE U	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

Modified RBP

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Conditio	n Category			
	Parameter	Optimal	Suboptimal	Marginal	Poor		
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.		
	SCORE 11▼	20 19 18 17 16	15 14 13 12 (11)	10 9 8 7 6	5 4 3 2 1 0		
ing reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.		
sampl	score 0 ▼	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing decrease.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.		
e eva	SCORE 8	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
1 0	SCORE 5	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.		
	SCORE 7	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
	SCORE 1	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.		
	SCORE 5	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
	SCORE 2	Right Bank 10 9	8 7 6	5 4 3	2 1 0		

Total Score 51

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAMES-Z	4 UNT to Hans Creek	LOCATION					
STATION #	RIVERMILE	STREAM CLASS Ephemeral					
LAT_		COUNTY Monroe					
STORET#	100	AGENCYPotesta/Edge					
INVESTIGATORSAL	BK/TA/SM		LOT NUMBER				
FORM COMPLETED	A. Kincaid	DATE 8/30/2021 TIME 1000 AM	REASON FOR SURVEY Prelimina	ry Assessment			
HABITAT TYPES	Indicate the percentage of Cobble % 5	f each habitat type present Snags%	sanks%				
SAMPLE	Gear used D-frame						
COLLECTION	How were the samples col	llected? ☐ wading ☐ f	rom bank from boat				
	Indicate the number of ja ☐ Cobble ☐ Si ☐ Submerged Macrophytes	bs/kicks taken in each habitat ty nags	ype. lanks Sand)				
GENERAL COMMENTS	No habitat for Be	enthics					
		at/Not Observed, 1 = Rare,	2 = Common, 3= Abundant	, 4 =			
Periphyton	0 1	2 3 4 Slimes	0	1 2 3 4			
Filamentous Algae	0 1	2 3 4 Macroin	vertebrates 0	1 2 3 4			
Macrophytes	0 1	2 3 4 Fish	0	1 2 3 4			
	organism	nt/Not Observed, 1 = Rare ns), 3= Abundant (>10 organ	(1-3 organisms), 2 = Commo nisms), 4 = Dominant (>50 o				
Porifera	0 1 2 3 4 Anis	soptera 0 1 2	3 4 Chironomidae 0	1 2 3 4			
Hydrozoa		•	3 4 Ephemeroptera 0	1 2 3 4			
Platyhelminthes		•	3 4 Trichoptera 0	1 2 3 4			
Turbellaria		•	3 4 Other 0	1 2 3 4			
Hirudinea		•	3 4				
Oligochaeta	0 1 2 3 4 Sial		3 4				
Isopoda		•	3 4				
Amphipoda	_		3 4				
Decapoda			3 4				
Gastropoda Bivalvia			3 4 3 4				
Divarvia			3 4				

SITE ID:	5-	24	U	77	Han.	s Cr	cek	Non	ne	(F)
DATE:	8-3	15-0								,
COLLECTOR(s): <u>A</u>	17	A/3	M						
Wolman Pebbl	le Count (Re	ach Wide)							11915	NOTES:
80A\\	Si	+/(lazi	۷٥.	, Sala				->	Defer to attributed Notes: Fine impleted in office by SBB, 9-19-2021.
								7		SBB, 9-19-2021.
										NOTES:
										NOTEG.
				HPS E					n. pr. 2, 3	NOTES:
										-
										-
										-
										-
										-
										-
										-

Inches PARTICLE Millimet	S/C 125 25 50 0
Fine .1251 Medium .251 Coarse .50 - 1 04 - 08 Very Coarse 1.0 - 2	25 S A N D
Medium 251	50 N 0 D
Coarse .50 - 1 04 - 08 Very Coarse 1.0 - 2	. D
04 - 08 Very Coarse 1.0 - 2	. D
	13. 156
.0916 Very Fine 2 - 4	1. 55°
	Selle Bare
.1622 Fine 4 - 5	7
.2231 Fine 5.7 - 8	
.3144 Medium 8 - 1	
.4463 Medium 11.3 - 1	
.63 - ,89 Coarse 16 - 2	26 E
89 - 1.3 Coarse 22.6 - 3	2
1.3 - 1.8 Very Coarse 32 - 4	5
1.8 - 2.5 Very Coarse 45 - 6	4 1.20
2.5 - 3.5 Small 64 - 9	0 1
3.5 - 5.0 Small 90 - 1	28
5.0 - 7.1 Large 128 - 1	eo
7.f - 10.1 Large 180 - 2	
10.1 - 14.3 Small 256 - 3	62 B
14.3 - 20 Small 362 - 5	
20 - 40 Medium 512 - 1	
40 - 80 Large-Vry Large 1024 - 2	D48 R


S-ZLINTIOHOUS CREK 8/30/21 Monice/F	
Hismodit Ameter S. McVivles 1000	
-74 in COD	
-43" LIZ colueited, 32 assessed	
- all strain wed has arend from	
road init, no natural substrate office	1
man joein o ay, no peoble coontoons leted	
- HGM done	
- ZBP (mod fred) dans	15
- Full topo surrey done. Photos	
- Ly, No Workow 58-DS, USVIEW	
FA - DS PSview	ń
60-CP USureca	
61 CD DSurec	
62 - BUS, OSVIEW	ï
63:-: US, DSview	
64: - Artificial substict	~
Gravel from 1000	1
	, _
S-75 UNT to Lang Creek 83021 Honroe F. Allingard Tillboy & Stokinley 1050	-
Allineard Tillboy & S. Holinley 1050	
-74 reach, 43 culverted 31 assessed	
-Substate was all grave (Som reed;	
no natural substrate besides	_
loam/elay, no pebble count completed	-
-Hemolone	-
- RBP(modified) doug	t
- Full topo survey done Photos	_
66-US, DSNEW	
67-CP,USview	
68-Ct, DSview	
69-05, OSviec	4_
#O, OS, DSview	
11, viewet soos	fal

0


0-


Scale: 1 square =

Bankfull Channel	
Material Size Range (mm)	Count
silt/clay 0 - 0.062	100
very fine sand 0.062 - 0.125	0
fine sand 0.125 - 0.25	0
medium sand 0.25 - 0.5	0
coarse sand 0.5 - 1	0
very coarse sand 1 - 2	0
very fine gravel 2 - 4	0
fine gravel 4 - 6	0
fine gravel 6 - 8	0
medium gravel 8 - 11	0
medium gravel 11 - 16	0
coarse gravel 16 - 22	0
coarse gravel 22 - 32	0
very coarse gravel 32 - 45	0
very coarse gravel 45 - 64	0
small cobble 64 - 90	0
medium cobble 90 - 128	0
large cobble 128 - 180	0
very large cobble 180 - 256	0
small boulder 256 - 362	0
small boulder 362 - 512	0
medium boulder 512 - 1024	0
large boulder 1024 - 2048	0
very large boulder 2048 - 4096	0
total particle count:	100
bedrock	
clay hardpan	
detritus/wood	
artificial	
total count:	100
Note:	



S-Z4 BASELINE THALWEG PROFILE DISTANCE ALONG CROSS-SECTION (FT) PROFILE LEGEND <u>PROFILE</u> H: 1"=10' **EXISTING STREAM PROFILE** SCALE: V: 1"=5' INVERT ALONG THALWEG





LEGEND


EXISTING SURVEY-LOCATED THALWEG

1176.87 +EXISTING SURVEYED GROUND SHOT ELEVATION

SURVEY NOTES:


- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-Z4 BASELINE CROSS-SECTION A



DISTANCE ALONG CROSS-SECTION (FT)

S-Z4 BASELINE CROSS-SECTION B



DISTANCE ALONG CROSS-SECTION (FT)

CROSS SECTION LEGEND — EXISTING GRADE

NOTE: ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM UPSTREAM FROM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM UPSTREAM IMPACT LIMITS

PRE-CROSSING

Checked

SEPT. 2021 Date:

Drawing No