Baseline Assessment – Stream Attributes

Reach S-A10a (Timber Mat Crossing) Perennial Spread A Harrison County, West Virginia

Data	Included
Photos	✓
SWVM Form	√ Water quality taken from benthic sampling
	date
FCI Calculator and HGM Form	N/A – Perennial stream
RBP Physical Characteristics Form	✓
Water Quality Data	✓ Water quality taken from standing water,
	accounting for low DO reading
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	✓
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓




Photo Type: Downstream, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, DP/PL Lat: 39.370005 Long: -80.484974



Photo Type: Downstream, DS View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, DS View, DP/PL
Lat: 39.370005 Long: -80.484974



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center Edge of ROW, Upstream View, DP/PL Lat: 39.370005 Long: -80.484974



Photo Type: DS View at Center Location, Orientation, Photographer Initials: Center Edge of ROW, Downstream View, DP/PL Lat: 39.370005 Long: -80.484974




Photo Type: Upstream, US View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, DP/PL
Lat: 39.370005 Long: -80.484974



Photo Type: Upstream, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, DP/PL Lat: 39.370005 Long: -80.484974



Photo Type: Riffle, US View Location, Orientation, Photographer Initials: Center Stream Riffle, Upstream View, DP/PL Lat: 39.370005 Long: -80.484974



Photo Type: Riffle, Downstream View Location, Orientation, Photographer Initials: Center Stream Riffle, Downstream View, DP/PL Lat: 39.370005 Long: -80.484974



Photo Type: Pool, US View Location, Orientation, Photographer Initials: Center Stream Pool, Upstream View, DP/PL Lat: 39.370005 Long: -80.484974



Photo Type: Pool, DS View
Location, Orientation, Photographer Initials: Center Stream Pool, Downstream View, DP/PL
Lat: 39.370005 Long: -80.484974

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountai	n Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	39.370005	Lon.	-80.484974	WEATHER:		Sunny	DATE:	07/14	4/21
IMPACT STREAM/SITE ID (watershed size (acreage),			S-A	A10a		MITIGATION STREAM CLASS. (watershed size {acreag				I		Comments:	Date on ber us	
STREAM IMPACT LENGTH:	20	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:			Mitigation Length:		
Column No. 1- Impact Existing	Condition (De	bit)	Column No. 2- Mitigation Existing Co	ondition - Baseline (Credit)		Column No. 3- Mitigation Pr Post Completio		ears	Column No. 4- Mitigation Proje Post Completion (ars	Column No. 5- Mitigation Projecte	d at Maturity (C	Credit)
Stream Classification:	Pere	ennial	Stream Classification:			Stream Classification:		0	Stream Classification:		0	Stream Classification:	C	0
Percent Stream Channel Sic	pe	1,9	Percent Stream Channel Slo	оре		Percent Stream Channel S	lope	0	Percent Stream Channel SI	оре	0	Percent Stream Channel Slo	ре	0
HGM Score (attach da	ta forms):		HGM Score (attach o	data forms):		HGM Score (attach	data forms):		HGM Score (attach da	ata forms):		HGM Score (attach da	ta forms):	
Hydrology		Average	Hydrology	Average		Hydrology		Average	Hydrology		Average	Hydrology		Average
Biogeochemical Cycling Habitat PART I - Physical, Chemical and I	Dielesies Indi	0	Biogeochemical Cycling Habitat PART I - Physical, Chemical and	O Distance la distance		Biogeochemical Cycling Habitat PART I - Physical, Chemical a	nd Dielesiaal lad	0	Biogeochemical Cycling Habitat PART I - Physical, Chemical and	Dielesies Ledie	0	Biogeochemical Cycling Habitat PART I - Physical, Chemical and B	Natarian India	0
PART I - Filysical, Orientical and I	Points Scale Range	Site Score	PACT 1 - Physical, Chemical and	Points Scale Range Site Score		PART 1 - Filysical, Cilellical al	Points Scale Range	Site Score	FACT 1 - Filysical, Orientical and	Points Scale Range	Site Score	PART I - Flysical, Chemical and I	Points Scale Range	
PHYSICAL INDICATOR (Applies to all streams			PHYSICAL INDICATOR (Applies to all streams of			PHYSICAL INDICATOR (Applies to all stream:			PHYSICAL INDICATOR (Applies to all streams			PHYSICAL INDICATOR (Applies to all streams of		
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		
Epifaunal Substrate/Available Cover	0-20	14	Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover Embeddedness	0-20		Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20	
Embeddedness Velocity/ Depth Regime	0-20	7	Pool Substrate Characterization Pool Variability	0-20		3. Velocity/ Depth Regime	0-20		Embeddedness Velocity/ Depth Regime	0-20		Embeddedness Velocity/ Depth Regime	0-20	
Sediment Deposition	0-20	9	Sediment Deposition	0-20		Sediment Deposition	0-20		Sediment Deposition	0-20		Sediment Deposition	0-20	
5. Channel Flow Status	0-20 0.1	17	5. Channel Flow Status	0-20 0.1		5. Channel Flow Status	0-20		5. Channel Flow Status	0-20		5. Channel Flow Status	0-20	
6. Channel Alteration	0-20	17	6. Channel Alteration	0-20		6. Channel Alteration	0-20		6. Channel Alteration	0-20		6. Channel Alteration	0-20	
7. Frequency of Riffles (or bends)	0-20	15	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	14	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	14	9. Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB)	0-20	10	Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20	•	Riparian Vegetative Zone Width (LB & RB)	0-20	•	Riparian Vegetative Zone Width (LB & RB)	0-20	
Total RBP Score Sub-Total	Suboptimal	128	Total RBP Score	Poor 0		Total RBP Score Sub-Total	Poor	0	Total RBP Score	Poor	0	Total RBP Score Sub-Total	Poor	0
CHEMICAL INDICATOR (Applies to Intermittent	and Perennial St	0.64 reams)	Sub-Total CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermittee	nt and Perennial Stre	ams)	Sub-Total CHEMICAL INDICATOR (Applies to Intermitten	nt and Perennial St	eams)	Sub-1 otal CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Stre	eams)
WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General	n		WVDEP Water Quality Indicators (General	1		WVDEP Water Quality Indicators (General)		
Specific Conductivity			Specific Conductivity			Specific Conductivity	'		Specific Conductivity			Specific Conductivity		
200-299 - 80 points	0-90	232		0-90			0-90			0-90			0-90	
рн	0-80	7.4	рн	5-90 0-1		рн	5-90 0-1		рн	5-90 0-1		рн	5-90 0-1	
6.0-8.0 = 80 points			DO			DO	1		DO			DO		
	10-30	18.5		10-30			10-30			10-30			10-30	
>5.0 = 30 points Sub-Total		0.95	Sub-Total			Sub-Total		0	Sub-Total		0	Sub-Total		0
BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial		BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Intern	nittent and Perenni	al Streams)	BIOLOGICAL INDICATOR (Applies to Interm	nittent and Perent	nial Streams)	BIOLOGICAL INDICATOR (Applies to Intermi	tent and Perenni	ial Streams)
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		
5-1-	0-100 0-1	58		0-100 0-1			0-100 0-1			0-100 0-1			0-100 0-1	
Sub-Total		0.48	Sub-Total	0		Sub-Total		0	Sub-Total		0	Sub-Total	-	0
PART II - Index and Ui	nit Score		PART II - Index and	Unit Score		PART II - Index and	d Unit Score		PART II - Index and U	Init Score		PART II - Index and Ur	it Score	
Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index	Linear Feet	Unit Score	Index	Linear Feet	Unit Score	Index	Linear Feet	Unit Score
0.690	20	13.8	0	0 0		0	0	0	0	0	0	0	0	0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY

	Hardon barratic and the second of the second
WEATHER CONDITIONS	Now Past 24 hours Yes No storm (heavy rain) rain (steady rain) showers (intermittent) %cloud cover clear/sunny Has there been a heavy rain in the last 7 days? Yes No Air Temperature O C Other
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph) Timber Mat North S-A10a Pipeline and flow direction LOD
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Type Coldwater Warmwater Stream Origin Glacial Spring-fed Non-glacial montane Mixture of origins Swamp and bog Other

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)	
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chen Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic	
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)	

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.				
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).				
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	e channel; or available channel, and/or channel and mostly f channel riffle substrates are mostly present as standing pool					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Conditi	on Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	areas of erosion; high erosion potential during	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potentia to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
1	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

LOCATION Harrison County

STREAM NAME S-A10a

																				_
STATION#_	R	IVE	RMI	LE_			STRI	EAM (CLASS	Р	erer	nnial								
LAT 39.370005	L	ONO	} <u>-80</u> .	484974	1		RIVI	ER BA	SIN 1	lon	е									
STORET#							AGE	NCY	WVDE	Р										
INVESTIGATORS C													I	LOT	NUMBER					
FORM COMPLETED	BY	С	Η	L	В		DAT TIMI	_	14/21				I	REA	SON FOR SURVEY E	Baselir	ne A	.sse:	ssm	ent
HABITAT TYPES	II ☑	Cob	ble 1	5	%	tage of e	gs	%	t type j	Ve	geta	ited :	Banl	ks	%	%				
SAMPLE	G	ear	used		D-fi	ame 🗸	e ☑kick-net ☐Other													
COLLECTION																				
	∥ "	ow v	were	the	samp	oles colle	ected?		✓ wad	ng		Ц	iror	n baı	nk from bo	at				
	II ☑	Col	ble 4			r of jabs □Sna phytes_	kick gs	s take —	n in ea	Ve	geta		Banl	ks	Sand)					
GENERAL COMMENTS															oH: 7.72 oH: 7.67					
QUALITATIVE I Indicate estimated Dominant Periphyton Filamentous Algae					0 = A		Not 3	Obse	rved,		Slin	nes			Common, 3= Abun	0	4 = 1 1	2	3	4 4
Macrophytes						1 2	_	-			viac Fish		ive	rteo	rates		1		_	
FIELD OBSERVA	l ab	und	ance	e:	0 = org	Absent anisms)	/Not), 3=	Obso Abui	ndant	(>	10	org	anis	sms)	, 4 = Dominant (>	-50 o	rgai	nism	ĺ	
Porifera	-	1	2	_	-	Aniso	-				1			4			1	2		
Hydrozoa	0	1	2	3	4	Zygop			0		1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemi	•		0		1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria Hirudinea	0	1	2	3	4	Coleo	-		0		1	2	3	4	Other	0	1	2	3	4
Oligochaeta	0	1 1	2 2	3	4 4	Lepid Sialid	-	ra	0		1 1	2 2	3	4						
Isopoda	0	1	2	3	4	Coryc		10	0		1	2	3	4						
Amphipoda	0	1	2	3	4	Tipuli		ic	C		1	2	3	4						
Decapoda	0	1	2	3	4	Empi			C		1	2	3	4	İ					
Gastropoda	0	1	2	3	4	Simul			C		1	2	3	4						
Bivalvia	0	1	2	3	4	Tabin			C		1	2	3	4						
	-					Culcio			C		1	2	3	4						

Insects	Count	Tolerance	TV	Insects	Count	Tolerance	TV	Non-Insects	Count	Tolerance	TV	SITE ID;	S-A10a
Ephemeroptera			32	Odonata			1	Crustacea			0		7 14
Ameletidae		2	0	Assimilate	8	3	0	Asellidae		7	0]	
Baetidae	31	4	124	Calopterygidae		6	0	Cambaridae		5	0	1	
Beatiscidae		4	0	Coenagrionidae		7	0	Gammaridae		5	0]	
Caeridae		5	D	Cordulegestridee		3	0	Palsemonidae		5	0		
Ephemerellidae		3	0	Gomphidae	1	5	5	Annelida			0	1	
Ephemeridae		5	0	Lestidae	1	7	0	Hirudinea		1.0	0	1	
Heptagenildae	1	3	3	Libellelidae		7	0	Nematoda		10	0	1	
Isonychligee		3	0	Coleoptera			41	Nemetomorpha		10	0	1	
Leptophiebiidae		94	0	Chrysomelidae		7	0	Oligochaeta		2.0	0	1	
Potamanthidae		5	0	Dryopidae		5	0	Turbellaria	0. 7		0	1	
Siphlonuridae		3	0	Dytiscidae		6	0	Turbellaria		7	0	1	
Tricorythidae	1	5	0	Elmidae	38	4	152	Bivalvia	***		0	1	
Plecoptera		25	0	Gyrinidae	8	5	0	Corbiculidae		6	0	1	
Capniidae		2	D	Haliplidae		7	0	Sphaerlidae		5	0	1	
Chloroperlidae		2	0	Hydrophilidae		7	0	Unionidae		4	0	1	
Leuctridae	0.00	2	0	Pseghenidae	3	3	9	Gastropoda			0	1	
Nemouridae		2	0	Ptilodactylidae	1	5	0	Ancylidae		370	0	1	
Peltoperiidae		1	0	Hemiptera	W		0	Hydrobiidae		4	0	1	
Perlidae		1	D	Belostomatidae	1	8	0	Physidae		7	0	1	
Periodidae		1	0	Corixidae		- 8	0	Planorbidae		5	0	1	
Ptergnarcyldae		1	0	Gerridae		10	0	Pleuroceridae		5	0	1	
Taenlopterveldae		2	0	Hydrometridae		8	0	Viviparidae	-	5	0	1	
Trichoptera	-		102	Nepidae		8	0	Miscellaneous	-		0	1	
Brachwentridae	T	2	D	Notonectidae		8	D	Collembola		6	0	1	
Glossosomatidae		2	0	Mogaloptera			0	Lepidoptera		5	0	1	
Halicopsychidae		3	0	Corydalidae	T	3	0	Neuroptera		5	0	1	
Hydropsychidae	102	5	510	Sialidae		6	0	Hydrachnidae		6	0	1	
Hydroptilidae		3	0	Diptera	_	-	34	1.7.1.2.2.2.2.2	Total	number	210	1	
Leoidostomatidae		3	D	Athericidae	T .	3	0	Totals	Total	families	9	1	
Leotoceridae		3	0	Blephariceridae		2	0		77.	M	etric cale	ulations	
Limnephilidae		4	0	Ceratopogonidae		8	0				-	Additional m	etrics
Molannidae	1	- 3	0	Chironomidae	16	9	144	WV	SCI Metric	Scores		Ephemeroptera Tava	2
Philopotamidee	8 8	4	0	Culiddae		10	0	Total Tax	8	9	40.9	Plecoptera Taya	0
Phryganeldae		4	D	Dixidae		- 6	0	EPT Tax		3	23.1	Trichoptera Taxa	1
Polycentropodidae		5	0	Empididae		7	0	% EPT élauno	lance	63.8	71.5	Long-lived Taxa	4
Psychomyldae		4	0	Psychodidae		8	0	N Chironom		7.6	94.0	Odonata Taxa	1
Rhyacophilidae	1	3	0	Ptychopteridae	ř –	8	0	Hilsenhoff Biotic I	ndex (HBI)	4.96	68.2	Digitera Taxa	3
Uenoidae	100	2	0	Simuliidae	2	7	14	% 2 Dominan	Taxa	66.7	53.2	COET Tava	6
-	Total Tole	rance Value	1041	Stratiomyidae	1	10	0					% Sensitive	1.9
West Virginia Stre				Syrohidae		10	0				_	% Tolerant	8.6
Gerrison, J., J. Burton, a	na M.T. Barb	our. 2000. A.:	iream	Tabanidae		7	0	WV Stream	Condition	Index	58.5	% Clingers	21.0
condition Index for West Fech. Inc. Owing Mills. M		leable streams	Tetra	Tipulidae	16	5	80	200000000000000000000000000000000000000		10000		% Net-spinners	48.6

WOLMAN PEBBLE COUNT FORM

County: Harrison Stream ID: S-A10a


Stream Name: Little Rockcamp Run


HUC Code: 05030201 Basin:


Survey Date: 8/28/2021 Surveyors: DP, PL

Type: Bankfull Channel


Y 1	DADTICI E		LE COUNT	D .: 1	70 . 1	Y. 0/	0/ 0
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	A	0	0.00	0.00
	Very Fine	.062125		A	0	0.00	0.00
	Fine	.12525		•	0	0.00	0.00
	Medium	.255	SAND	•	1	1.00	1.00
	Coarse	.50-1.0		*	13	13.00	14.00
.0408	Very Coarse	1.0-2		^	0	0.00	14.00
.0816	Very Fine	2 -4		•	10	10.00	24.00
.1622	Fine	4 -5.7	<u> </u>	*	4	4.00	28.00
.2231	Fine	5.7 - 8	<u> </u>	A	3	3.00	31.00
.3144	Medium	8 -11.3	<u> </u>	^	1	1.00	32.00
.4463	Medium	11.3 - 16	GRAVEL	•	5	5.00	37.00
.6389	Coarse	16 -22.6		•	3	3.00	40.00
.89 - 1.26	Coarse	22.6 - 32		•	17	17.00	57.00
1.26 - 1.77	Vry Coarse	32 - 45		•	17	17.00	74.00
1.77 -2.5	Vry Coarse	45 - 64		•	6	6.00	80.00
2.5 - 3.5	Small	64 - 90		•	6	6.00	86.00
3.5 - 5.0	Small	90 - 128	COBBLE	•	7	7.00	93.00
5.0 - 7.1	Large	128 - 180	COBBLE	•	3	3.00	96.00
7.1 - 10.1	Large	180 - 256		•	3	3.00	99.00
10.1 - 14.3	Small	256 - 362		A	1	1.00	100.0
14.3 - 20	Small	362 - 512		*	0	0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	•	0	0.00	100.0
40 - 80	Large	1024 -2048		^	0	0.00	100.0
80 - 160	Vry Large	2048 -4096		A	0	0.00	100.0
	Bedrock		BDRK	A	0	0.00	100.0
-	Total Tally:			Totals:	100	_	







AS-BUILT TABLE: S-A10A CROSS SECTION A					
	PRE-CROSSING			A\$-BUILT	
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.
TS-L	14297760.8900	1785949.1480'	1041.007'		
BS-L	14297766.7800	1785951.7190	1038.360'		
THW	14297768.5900	1785953.7700'	1037.850'		
BS-R	14297769.8500	1785954.6340	1038.076'		
TS-R	14297773.9400	1785956.51001	1041.081'		



SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 十

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION


- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 2, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-A10A BASELINE CROSS-SECTION A



DISTANCE ALONG CROSS-SECTION (FT)

S-A10A BASELINE CROSS-SECTION B



CROSS SECTION LEGEND — EXISTING GRADE

CALE: CALE: CALE:

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM

PRE-CROSSING

DOWNSTREAM IMPACT LIMITS

CAD File No.

E ANI BASEI S-A1(

Drawing No