Baseline Assessment – Stream Attributes

Reach S-A110/K62 ROW Baseline Assessment – Stream Attributes

Intermittent Spread B Doddridge County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	✓
RBP Physical Characteristics Form	✓
Water Quality Data	N/A – No Flow
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – No Habitat
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓

Spread B Stream S-A110/K62 ROW (Pipeline ROW) Doddridge County



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, AJE Lat: 39.201286 Long: -80.553425



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, AJE Lat: 39.201286 Long: -80.553425

Spread B Stream S-A110/K62 ROW (Pipeline ROW) Doddridge County



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, AJE Lat: 39.201286 Long: -80.553425



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, AJE Lat: 39.201286 Long: -80.553425

Spread B Stream S-A110/K62 ROW (Pipeline ROW) Doddridge County



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, AJE Lat: 39.201286 Long: -80.553425



Photo Type: US, DS View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, AJE
Lat: 39.201286 Long: -80.553425

## Common Company of the Common Company of t	## METATION TERM CLASS STEEL AND STEEL SECURITION ## METATION STEEL SECURIT	USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountair	Valley Pipeline	IMPACT COORDINATES:	Lat.	39.201286	Lon.	-80.553425	WEATHER:	50% Cloud Cover	DATE:		
Part	This continue conti	(vz.1, oupt zd15)				(in Decimal Degrees)								9/15/2	2021
Marca Part	THE PART Proper Control Record Proper Control Re	IMPACT STREAM/SITE ID	AND SITE DESC	CRIPTION:	S-A110/	K62 ROW	-	MITIGATION STREAM CLAS	S./SITE ID A	ND SITE DESCRIPTION:			Comments:	Water o	quality
Fig. Column 10 - 2 William Deals	Fig. 1. Section 1. The part Entire 1. Section 1. The part Entire 2. Section 1. The part Entire 2														
Court No. 1-year Enterior Countries Annual Court 1-2 and 1-2	Column No. 1 signed Extended Column Section (Column No. 2 signed Decided Column No. 2 signed Decided Column No. 3 signed Decide Column No. 3 signed Decided Column No. 3 signed Decided Column No. 3 signed Decide Column No. 3 signed Decide Column No. 3 s													collected;	dry stream
Column No. 1 waster Examinary Contractions Description of Column Structure Column S	Columb to 1 heper Counts (Columb to 2 heper Counts Columb to 2 heper Columb to 2 heper Counts Co	STREAM IMPACT LENGTH:	59	FORM OF		MIT COORDINATES:	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:		
Column C	Mary Control			MITIGATION:	RESTORATION (Levels I-III)	(in Decimal Degrees)									
Price Sear Case	The Contraction of Development Channel Stope Found Classification Proceed Stream Channel Stope Found Classification Found Clas	Column No. 1- Impact Existing	a Condition (Debi	iti	Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)				Five Years			Column No. 5- Mitigation Project	ed at Maturity (C	redit)
Proceed Bream Channel Stope Proceed Bream Channel Stope Proce	Percent Bream Clasmost Stops 8.4 Percent Bream Clasmost Stops 10th Score patient has Terminal 1	Change Classification	Intermi	ttont		,			ion (Credit)						
NOM Some patient data forms	March Marc									-					
Annual Control State	Accept Part 1 - Physics (Chemical and Biological Indications Chemical Chemi			5.4								•			0
Part	Part	HGM Score (attach d	lata forms):		HGM Score (attach o	data forms):		HGM Score (atta	ch data forn	ns):	HGM Score (attach da	ata forms):	HGM Score (attach d	ata forms):	
March Marc	Ministry			Average		Average				Average		Average			Average
PART Pryseck Chemical and Biological Indications PART Pryseck Chemical Indications PART Part PART Pryseck Chemical Indications PART	PAPE Paper Commission of Biological Indications PAPE Paper Commission of Biological Indica	Hydrology			Hydrology										
## PART 1 - Physical, Chemical and Biological Indications	PART - Physical, Chemical and Biological Indications PART - Physical, Chemical and Biological Indica			0.11333333		0				0		0			0
### PATE A. NDCATOR (ygins to all stems classification) ### PATE A. NDCATOR (ygins to all stems classificat	## PMSCAL NDCATOR (Applies to all elevers classifications) ## SPEA REP (tag. Classification (Applies to all elevers classifications) ## SPEA REP (tag. Classification (Applies to all elevers classifications) ## SPEA REP (tag. Classification (Applies to all elevers classifications) ## SPEA REP (tag. Classification (Applies to all elevers classification) ## SPEA REP (tag. Classification (Applies to all elevers classification) ## SPEA REP (tag. Classification (Applies to all elevers classification) ## SPEA REP (tag. Classification (Applies to all elevers classification) ## SPEA REP (tag. Classification (Applies to all elevers classification) ## SPEA REP (tag. Classification (Applies to all elevers classification) ## SPEA REP (tag. Classification (Applies to all elevers classification) ## SPEA REP (tag. Classification (Applies to all elevers classification) ## SPEA REP (tag. Classification (Applies to all elevers classification) ## SPEA REP (tag. Classification (Applies to all elevers classification) ## SPEA REP (tag. Classification (Applies to all elevers classification) ## SPEA REP (tag. Classification (Applies to all elevers classification) ## SPEA REP (tag. Classification (Applies to all elevers classification) ## SPEA REP (tag. Classification (Applies to all elevers classification) ## SPEA REP (tag. Classification (Applies to all elevers classification) ## SPEA REP (tag. Classification (Applies to all elevers classification) ## SPEA REP (tag. Classification (Applies to all elevers classification) ## SPEA REP (tag. Classification (Applies to all elevers classification) ## SPEA REP (tag. Classification (Applies to all elevers classification) ## SPEA REP (tag. Classification (Applies to all elevers classification) ## SPEA REP (tag. Classification (Applies to all elevers classification) ## SPEA REP (tag. Classification (Applies to all elevers classification) ## SPEA REP (tag. Classification (Applies to all elevers classification) ## SPEA REP (tag. Classification (Applies to all elevers cl			tors		d Biological Indicators			and Biologic	al Indicators		Biological Indicators		Biological Indica	itors
SEPARE Play Content Date Shored	SEPART PLAN CANNOL CA		Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale	Range Site Score		Points Scale Range Site Score		Points Scale Range	Site Score
Epidemia Societies Ameniated Cover 2-30 Control Application Cover Co	Enthereoris Solution function (court 5.00 6.00 1.0	PHYSICAL INDICATOR (Applies to all streams	s classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all strea	ms classificatio	ns)	PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)	
2 Controlled place 2 2 Control (place 2 2 2 2 2 2 2 2 2	2 Embeddedness	USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet))		USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)		
3 Second Page 1 Second	3 Asked type Regimes			0		0-20			0-20			0-20		0-20	
4 Sediment Deposition	4. Sediment Deposition 2-20 C. Cheminal Flow Statis 2-20 C		0-20	4											
\$ Charmed Flows States	S. Charmer Pow Statuts	Velocity/ Depth Regime Sediment Deposition	0-20	20		0-20		Velocity/ Depth Regime Sediment Deposition	0-20		Velocity/ Depth Regime Sediment Deposition	0-20	Velocity/ Depth Regime Sediment Deposition	0-20	
Comment Alteration	6. Channed Alteration 0.50 11 17 Frequency of Riffles (or branch) 0.50 0.5														
T. Frequency of Riffles (or bonds)	T. Froquency of Riffes (or bends) 0.00									0-1					
8	S. Bank Stability (B. 8. RB)														
10, Rigidan (regulative flower (local field R 10 fiel	10, Pleasine Negelative Zoam Virth (1,0 4 R8) 0.0														
Total RPB Score	Total RBP Score	9. Vegetative Protection (LB & RB)	0-20	17	9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	9. Vegetative Protection (LB & RB)	0-20	
Sub-Total 0 0 CHEMICAL NIDICATOR (popiles to Intermittent and Perential Streams) WVDEP Water Quality Indicators (General) Specific Conductivity WVDEP Water Quality Indicators (General) Specific Conductivity WVDEP Water Quality Indicators (General) Specific Conductivity PH Sub-Total DO Sub-Total DO Sub-Total DO Sub-Total DO Sub-Total Sub-	Sub-Total 0.42 CHEMICAL MOIOCATOR (Applies to bremmittent and Prevential Streams) WVDEP Water Quality Indicators (General) Specific Conductivity DO Sub-Total 0.50b-Total 0.50b WVDEP Water Quality Indicators (General) Specific Conductivity DO Sub-Total 0.50b WVDEP Water Quality Indicators (General) Specific Conductivity DO Sub-Total 0.50b DO WVDEP Water Quality Indicators (General) Specific Conductivity Speci										 Riparian Vegetative Zone Width (LB & RB) 				
HEMICAL NDICATOR (Applies to Intermittent and Percensial Streams) WINDER Vister Quality indicators (General) Specific Conductivity 100-190-85 points 90-9 100-190-85 points 100-90-85 points 100-190-85 points 100-90-85 points 100-90-90-90-90-90-90-90-90-90-90-90-90-9	CHEMICAL INDICATOR (Applies to Intermittent and Perversial Streams) WDEP Water Quality Indicators (General) Specific Conductivity S		Marginal			Poor 0			Pos	or 0				Poor	0
Specific Conductivity	Specific Conductivity		nt and Perennial Strea			and Perennial Streams)			tent and Peren	vial Streams)				t and Perennial Stre	ams)
Specific Conductivity	Specific Conductivity	WVDEP Water Quality Indicators (General	n		WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (Gene	ral)		WVDEP Water Quality Indicators (General)	1	WVDEP Water Quality Indicators (General		
## 100-190-35 priorits PH	PAT II - Index and Unit Score PART II - Index and Unit Score	Specific Conductivity	, I		Specific Conductivity				.u.,						
## 100-190-35 priorits PH	## 100-199-85-prints	•	0-90			0-90		•	0-90		•	0-90	-	0-90	
S. 6-5.9 = 45 points DO	5.6-5.9 = 45 points	100-199 - 85 points													
S. 6-5.9 = 45 points DO	5.6-5.9 = 45 points	рн	0.1		рн	0.1		рн		0.1	рн	0.1	рн	0.1	
DO DO DO DO DO DO DO DO	DO DO DO DO DO DO DO DO	5 6-5 9 = 45 points	0-80			5-90			5-90			5-90		5-90	
Sub-Total Sub-	Sub-Total Sub-To				DO			DO			DO		DO	•	
BIOLOGICAL NDICATOR (Applies to Intermittent and Persurial Streams)	BIOLOGICAL INDICATOR (Applies to Intermittent and Per-unial Streams) WY Stream Condition Index (WVSCI) Sub-Total PART II - Index and Unit Score		10-30			10-30			10-30			10-30		10-30	
BIOLOGICAL NDICATOR (Applies to Intermittent and Persurial Streams)	BIOLOGICAL INDICATOR (Applies to Intermittent and Per-unial Streams) WY Stream Condition Index (WVSCI) Sub-Total PART II - Index and Unit Score	Sub Total			Sub Total			Sub Total		0	Sub Total		Sub Total	L	0
W Stream Condition Index (WVSCI)	W Stream Condition Index (WVSCI)		tent and Perennial Str	reams)					ermittent and F					ittent and Perennia	
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0.1 0.1 0.1										111				
O Sub-Total O Sub-	O Sub-Total O Sub-		0-100 0-1			0-100 0-1			0-100	0-1		0-100 0-1		0-100 0-1	
PART II - Index and Unit Score Index Linear Feet Unit Score	PART II - Index and Unit Score	0		_							L		l		
Index Linear Feet Unit Score Index Linear Fee		Sub-Total		0	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total		0
	Index Linear Feet Unit Score Unit Score Index Linear Feet Unit Score Unit Score Index Linear Feet Unit	PART II - Index and U	Jnit Score		PART II - Index and	Unit Score		PART II - Index a	ind Unit Scor	е	PART II - Index and U	nit Score	PART II - Index and U	nit Score	
	Index Linear Feet Unit Score Index Linear Fee														
0.362 59 21.3383333 0 0 0 0 0 0 0 0		Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index	Linear	Feet Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet	Unit Score
	0.362 59 21.3383333 0 0 0 0 0 0 0 0 0	0.362	59	21.3383333	0	0 0		0	0	0	0	0 0	0	0	0

Ver. 10-20-17

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: MVP Stream Assessment **Location:** Doddridge County, Spread B

Sampling Date: 9/15/2021 Project Site Before Project

Subclass for this SAR:

Intermittent Stream

Uppermost stratum present at this SAR: SAR number: S-A110/K62 ROW

Shrub/Herb Strata

Functional Results Summary:

Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.14
Biogeochemical Cycling	0.14
Habitat	0.06

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V _{CCANOPY}	Percent canpoy over channel.	Not Used, <20%	Not Used
V _{EMBED}	Average embeddedness of channel.	1.10	0.14
V _{SUBSTRATE}	Median stream channel substrate particle size.	0.08	0.04
V_{BERO}	Total percent of eroded stream channel bank.	0.00	1.00
V_{LWD}	Number of down woody stems per 100 feet of stream.	0.00	0.00
V _{TDBH}	Average dbh of trees.	Not Used	Not Used
V _{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	0.00	0.00
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
V _{DETRITUS}	Average percent cover of leaves, sticks, etc.	12.50	0.15
V_{HERB}	Average percent cover of herbaceous vegetation.	87.50	1.00
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.25	0.26

Version 10-20-17 High-Gradient Headwater Streams in Appalachia Field Data Sheet and Calculator Team: AJE ER Latitude/UTM Northing: 39.201286 Project Name: MVP Stream Assessment Longitude/UTM Easting: -80.553425 Location: Doddridge County, Spread B Sampling Date: 9/15/2021 SAR Number: 110/K62 R Reach Length (ft): Stream Type: Intermittent Stream Top Strata: Shrub/Herb Strata (determined from percent calculated in V_{CCANOPY}) Site and Timing: Project Site Before Project Sample Variables 1-4 in stream channel Average percent cover over channel by tree and sapling canopy. Measure at no fewer than 10 Not Used roughly equidistant points along the stream. Measure only if tree/sapling cover is at least 20%. (If <20% less than 20%, enter at least one value between 0 and 19 to trigger Top Strata choice.) List the percent cover measurements at each point below V_{EMBED} points along the stream. Select a particle from the bed. Before moving it, determine the percentage of the surface and area surrounding the particle that is covered by fine sediment, and enter the rating according to the following table. If the bed is an artificial surface, or composed of fine sediments, use a rating score of 1. If the bed is composed of bedrock, use a rating score of 5. Embeddedness rating for gravel, cobble and boulder particles (rescaled from Platts, Megahan, and Minshall 1983) Rating Description <5 percent of surface covered, surrounded, or buried by fine sediment (or bedrock)</p> 5 to 25 percent of surface covered, surrounded, or buried by fine sediment 26 to 50 percent of surface covered, surrounded, or buried by fine sediment 51 to 75 percent of surface covered, surrounded, or buried by fine sediment >75 percent of surface covered, surrounded, or buried by fine sediment (or artificial List the ratings at each point below V_{SUBSTRATE} Median stream channel substrate particle size. Measure at no fewer than 30 roughly equidistant 0.08 in points along the stream; use the same points and particles as used in $V_{\text{\tiny EMBED}}$ Enter particle size in inches to the nearest 0.1 inch at each point below (bedrock should be counted as 99 in, asphalt or concrete as 0.0 in, sand or finer particles as 0.08 in): 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 1.70 2.30 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 0.08 V_{BERO} Total percent of eroded stream channel bank. Enter the total number of feet of eroded bank on each side and the total percentage will be calculated If both banks are eroded, total erosion for the stream 0 % may be up to 200% Left Bank: 0 ft Right Bank: Sample Variables 5-9 within the entire riparian/buffer zone adjacent to the stream channel (25 feet from each bank). Number of down woody stems (at least 4 inches in diameter and 36 inches in length) per 100 feet of stream reach. Enter the number from the entire 50'-wide buffer and within the channel, and the 0.0 amount per 100 feet of stream will be calculated. Number of downed woody stems: Average dbh of trees (measure only if V_{CCANOPY} tree/sapling cover is at least 20%). Trees are at least V_{TDRH} Not Used 4 inches (10 cm) in diameter. Enter tree DBHs in inches List the dbh measurements of individual trees (at least 4 in) within the buffer on each side of the stream below Left Side Right Side

Number of snags (at least 4" dbh and 36" tall) per 100 feet of stream. Enter number of snags on each

Number of saplings and shrubs (woody stems up to 4 inches dbh) per 100 feet of stream (measure only if tree cover is <20%). Enter number of saplings and shrubs on each side of the stream, and the

Right Side:

Right Side:

0.0

0.0

side of the stream, and the amount per 100 feet will be calculated.

0

Left Side:

amount per 100 ft of stream will be calculated. Left Side:

 V_{SSD}

A A A A A A A A A A A A A A A A A A A	Acer rubru Acer sacch Aesculus fi Asimina trii Betula alleg Betula lent Carya alba Carya glab Carya oval	m	p 1 = 1.0								
A A B B C C C	Acer sacch Aesculus fi Asimina trii Betula alleg Betula lent Carya alba Carya glab							Group	2 (-1.0)		
A B C C C	Aesculus fi Asimina trii Betula alleg Betula lent Carya alba Carya glab	narum		Magnolia t	ripetala		Ailanthus a	ltissima		Lonicera ja	aponica
A B C C C C	Asimina trii Betula alleg Betula lent Carya alba Carya glab			Nyssa sylv	atica		Albizia julib	rissin		Lonicera ta	atarica
A B C C C C	Betula alleg Betula lent Carya alba Carya glab	lava		Oxydendrur	n arboreum		Alliaria peti	olata		Lotus corn	iculatus
	Betula alleg Betula lent Carya alba Carya glab	loha		Prunus sei	rotina					Lythrum sa	alicaria
B C C C C C C C C C C C C C C C C C C C	Betula lent Carya alba Carya glab						Alternanthe philoxeroid			•	
	Carya alba Carya glab			Quercus a		_	-		✓	Microstegiu	
	Carya glab	а		Quercus c	occinea		Aster tatari	cus		Paulownia	tomento
c				Quercus in	nbricaria		Cerastium	fontanum		Polygonum	cuspidati
c		Carya glabra 🗆 Quercus prinus			Coronilla va	aria		Pueraria m	nontana		
c					Elaeagnus u	ımhellata	V	Rosa multi	iflora		
C							-				
	Carya ovata			Lespedeza	bicolor		Sorghum I	naiepens			
F	Cornus floi	rida		Sassafras	albidum		Lespedeza	cuneata		Verbena b	rasiliens
	agus grai	ndifolia		Tilia ameri	cana		Ligustrum of	btusifolium			
F	raxinus a	mericana		Tsuga can	adensis		Ligustrum s	sinense			
L	.iriodendror	n tulipifera		Ulmus ame	ericana						
				ominao amin	27.70u.7u						
N	/lagnolia a	icuminata									
		0	Species in	Group 1				2	Species in	Group 2	
							n) in the rip each side o			hin 25 feet	from ea
0 V	DETRITUS						material. V			eter and	10.50
		<36" long a	are include.	Enter the	percent cove	er of the de	trital layer at	each sub	olot.	_	12.50
			Left	Side			Right	Side			
		20	15	15	10	10	10	10	10		
1 V	/ _{HERB}	include wo	ody stems a	at least 4" d entages up	bh and 36" t	all. Becaus	easure only ise there may epted. Enter	be severa	I layers of g	round	88 %
			Left	Side			Right	Side			
		80	85	85	90	90	90	90	90		
Γ									Runoff	% in	0.25 Runnii
			Land	Use (Choos	se From Dro	p List)			Score	Catch- ment	Perce (not >10
N	lewly grade	d areas (bare	soil, no vege	etation or pav	vement)			-	0	11.36	11.36
P	ecidential (lictricte 1/8 a	c or less (ans	ertments atc) (65% cover)	9		_	0	9.57	19.93
K	esiuentiai c	iistricts, 1/0 a	c or iess (apa	numents, etc.) (65% COVEL)	8			U	8.57	19.9
F	orest and n	ative range (<50% ground	d cover)				•	0.5	41.7	61.63
0	nen space	(pasture, law	ns narks etc) grass cove	r < 50%			_	0.1	29.32	90.98
-	Meso proces				N. L. SANSKE				0.1	20.02	00.00
0	pen space	(pasture, law	ns, parks, etc	.), grass cove	r <50%			•	0.1	9.05	100
								_			
								•			
								▼ ▼			
								▼ ▼			
	S-A110)/K62 ROW					Not	tes:			
Vari	S-A110)/K62 ROW Value	VSI				Not	tes:			
	iable						Not	▼ ▼ tes:			
		Value	VSI Not Used				Not	▼ ▼ tes:			
V _c	iable	Value Not Used,					Not	▼ ▼			
V _C	CANOPY	Value Not Used, <20% 1.1	Not Used 0.14				Not	tes:			
V _C	iable	Value Not Used, <20%	Not Used				Not	des:			
V _C V _E V _S	CANOPY	Value Not Used, <20% 1.1	Not Used 0.14				Not	▼ ▼			
V _C V _E V _S	CANOPY EMBED SUBSTRATE BERO	Value Not Used, <20% 1.1 0.08 in 0 %	0.14 0.04 1.00				Not	▼ ▼			
V _C V _E V _S	CANOPY EMBED SUBSTRATE BERO	Value Not Used, <20% 1.1 0.08 in	0.14 0.04				Not	▼ ▼			
V _C V _B V _C	CANOPY EMBED SUBSTRATE BERO	Value Not Used, <20% 1.1 0.08 in 0 %	0.14 0.04 1.00				Not	▼ ▼			
V _C V _B V _C V _B V _C V _T	iable CCANOPY MBED GUBSTRATE BERO WD	Value Not Used, <20% 1.1 0.08 in 0 % 0.0 Not Used	Not Used 0.14 0.04 1.00 0.00 Not Used				Not	v v v v v v v v v v v v v v v v v v v			
V _C V _B V _C V _B V _C V _T	iable CCANOPY MBED SUBSTRATE SERO	Value Not Used, <20% 1.1 0.08 in 0 % 0.0	Not Used 0.14 0.04 1.00 0.00				Not	des:			
V _C V _B V _C V _B V _C V _T	iable CANOPY MBED UBSTRATE SERO WD DBH	Value Not Used, <20% 1.1 0.08 in 0 % 0.0 Not Used	Not Used 0.14 0.04 1.00 0.00 Not Used				Not	tes:			
V _C V _B V _C V _T V _S V _S	iable CCANOPY EMBED UBSTRATE BERO WD DBH ENAG	Value Not Used, <20% 1.1 0.08 in 0 % 0.0 Not Used 0.0 0.0	Not Used 0.14 0.04 1.00 0.00 Not Used 0.10 0.00				Not	tes:			
V _C V _B V _C V _T V _S V _S	iable CANOPY MBED UBSTRATE SERO WD DBH	Value Not Used, <20% 1.1 0.08 in 0 % 0.0 Not Used 0.0	Not Used 0.14 0.04 1.00 0.00 Not Used 0.10				Not	v v v v v v v v v v v v v v v v v v v			
V _C V _B V _C V _T V _S V _S V _S	iable CCANOPY EMBED UBSTRATE BERO WD DBH ENAG	Value Not Used, <20% 1.1 0.08 in 0 % 0.0 Not Used 0.0 0.0	Not Used 0.14 0.04 1.00 0.00 Not Used 0.10 0.00				Not	les:			
V _C V _B V _L V _T V _S V _S V _S V _D	CANOPY MBED GUBSTRATE JERO WD JUBH LINAG JERICH JERICH	Value Not Used, <20% 1.1 0.08 in 0 % 0.0 Not Used 0.0 0.0 0.00	Not Used 0.14 0.04 1.00 0.00 Not Used 0.10 0.00 0.00				Not	les:			
V _C V _B V _S V _L V _T V _S V _S V _D V _D V _D V _D	CCANOPY MBED MUBSTRATE MERO MD MBH MAG MSD MSD MSD MSD MSD MSD MSD MS	Value Not Used, <20% 1.1 0.08 in 0 % 0.0 Not Used 0.0 0.0 12.5 %	Not Used 0.14 0.04 1.00 0.00 Not Used 0.10 0.00 0.00 0.15				Not	les:			

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME		LOCATION			
STATION# RIV	VERMILE	STREAM CLASS			
LAT LON	NG	RIVER BASIN			
STORET#		AGENCY			
INVESTIGATORS					
FORM COMPLETED BY		DATE	REASON FOR SURVEY		

WEATHER CONDITIONS	Now Past 24 hours Yes No Storm (heavy rain) rain (steady rain) showers (intermittent) %cloud cover clear/sunny Has there been a heavy rain in the last 7 days? Yes No Air Temperature ° C Other
SITE LOCATION/MAP	Pipe Line Road Buffenzone Mesh Fence S-A110
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Type Coldwater Warmwater Stream Origin Glacial Spring-fed Non-glacial montane Swamp and bog Other

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	Grasses He	brbaceous	
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)	
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type			% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic	
Gravel	2-64 mm (0.1"-2		,		(FPOM)	

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
eters to be evalua	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
ampl	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION			
STATION #	_ RIVERMILE	STREAM CLASS			
LAT	LONG	RIVER BASIN			
STORET#		AGENCY			
INVESTIGATORS			LOT NUMBER		
FORM COMPLETED	ВҮ	DATE TIME	REASON FOR SURVEY		
HABITAT TYPES	Indicate the percentage of	each habitat type present	onks % Sand %		

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

Basin:

County: Doddridge Stream ID: S-A110/K62 ROW

Stream Name: UNT to Laural Run ROW

HUC Code:


Survey Date: 9/15/2021

Surveyors: DD KP LC Impact reach: 24.38 m

Type: Bankfull Channel

			BLE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	•	80	80.00	80.00
	Very Fine	.062125		*	0	0.00	80.00
	Fine	.12525]	4	2	2.00	82.00
	Medium	.255	SAND	A	3	3.00	85.00
	Coarse	.50-1.0		+	0	0.00	85.00
.0408	Very Coarse	1.0-2	1	^	3	3.00	88.00
.0816	Very Fine	2 -4		A	0	0.00	88.00
.1622	Fine	4 -5.7	1	A	0	0.00	88.00
.2231	Fine	5.7 - 8	1	A	6	6.00	94.00
.3144	Medium	8 -11.3	1	A	3	3.00	97.00
.4463	Medium	11.3 - 16	GRAVEL	A	3	3.00	100.00
.6389	Coarse	16 -22.6	1	^	0	0.00	100.00
.89 - 1.26	Coarse	22.6 - 32	1	A	0	0.00	100.00
1.26 - 1.77	Vry Coarse	32 - 45	1	A	0	0.00	100.00
1.77 -2.5	Vry Coarse	45 - 64	1	A	0	0.00	100.00
2.5 - 3.5	Small	64 - 90		A	0	0.00	100.00
3.5 - 5.0	Small	90 - 128	1	^	0	0.00	100.00
5.0 - 7.1	Large	128 - 180	COBBLE	A	0	0.00	100.00
7.1 - 10.1	Large	180 - 256	1	A	0	0.00	100.00
10.1 - 14.3	Small	256 - 362		<u> </u>	0	0.00	100.00
14.3 - 20	Small	362 - 512	1	4	0	0.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	A	0	0.00	100.00
40 - 80	Large	1024 -2048	1	4	0	0.00	100.00
80 - 160	Vry Large	2048 -4096	1	A	0	0.00	100.00
	Bedrock		BDRK	<u> </u>	0	0.00	100.00
				Totals:	100		
	Total Tally:						







	Size (mm)	•
N.	D16	0.062	
	D35	0.062	
	D50	0.062	
	D65	0.062	
	D84	0.4	
	D95	8.9	


Size Distr	ibution
mean	0.2
dispersion	3.7
skewness	0.45

silt/clay	80%
sand	8%
gravel	12%
cobble	0%
boulder	0%





AS-BUILT TABLE: S-A110/S-K62 ROW CROSS SECTION A							
	PI	PRE-CROSSING					
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.		
TS-L	14361757.42	1768858.00	978.10				
BS-L	14361755.25	1768860.48	976.87				
THW	14361752.02	1768864.18	976.16				
BS-R	14361747.53	1768869.30	977.78				
TS-R	14361742.17	1768875.42	982.25				



SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 **+**

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 15, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-A110/S-K62 ROW BASELINE CROSS-SECTION A



CROSS SECTION LEGEND — EXISTING GRADE

CROSS SECTION

H: 1"=10'

V: 1"=5'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM

PRE-CROSSING

DOWNSTREAM IMPACT LIMITS

CAD File No.



E AND BASELI - A110/

Drawing No.