# **Baseline Assessment – Stream Attributes**

# Reach S-A111

# Perennial Spread B Doddridge County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Riffle habitat not sufficient for sampling
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, DP, HK, VM Lat: 39.200749 Long: -80.55319



Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, DP, HK, VM
Lat: 39.200749 Long: -80.55319



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, DP, HK, VM Lat: 39.200749 Long: -80.55319



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, DP, HK, VM Lat: 39.200749 Long: -80.55319



Photo Type: US, US View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, DP, HK, VM
Lat: 39.200749 Long: -80.55319




Photo Type: US, DS View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, DP, HK, VM
Lat: 39.200749 Long: -80.55319



Photo Type: Riffle, US View Location, Orientation, Photographer Initials: Downstream of Riffle, Upstream View, DP, HK, VM Lat: 39.200749 Long: -80.55319



Location, Orientation, Photographer Initials: Upstream of Riffle, Downstream View, DP, HK, VM

Lat: 39.200749 Long: -80.55319

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain \	/alley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	39.200749	Lon.	-80.55319	WEATHER:	Rain	DATE:	0/04/2221
(12.1, 00)(12010)				(in Decimal Degrees)								8/31/2021
IMPACT STREAM/SITE ID (watershed size {acreage}.		PTION:	S-J	4111		MITIGATION STREAM CLA: (watershed size {act					Comments:	
STREAM IMPACT LENGTH:	77	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:	
Column No. 1- Impact Existing	g Condition (Debit)		Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)		Column No. 3- Mitigation Post Comple		Five Years	Column No. 4- Mitigation Proje Post Completion (		Column No. 5- Mitigation Project	ed at Maturity (Credit)
Stream Classification:	Perennial		Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel SI	оре	0.1	Percent Stream Channel Sle	оре		Percent Stream Channe	I Slope	0	Percent Stream Channel Slo	ope 0	Percent Stream Channel S	lope
HGM Score (attach d	ata forms):		HGM Score (attach	data forms):		HGM Score (att	ch data forr	ns):	HGM Score (attach da	ata forms):	HGM Score (attach d	ata forms):
-lydrology Biogeochemical Cycling Habitat	A	verage 0	Hydrology Biogeochemical Cycling Habitat	Average 0		Hydrology Biogeochemical Cycling Habitat		Average 0	Hydrology Biogeochemical Cycling Habitat	Average 0	Hydrology Blogeochemical Cycling Habitat	A
PART I - Physical, Chemical and	Biological Indicators	1	PART I - Physical, Chemical an	d Biological Indicators		PART I - Physical, Chemica	I and Biologic	al Indicators	PART I - Physical, Chemical and	Biological Indicators	PART I - Physical, Chemical and	Biological Indicators
	Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale	Range Site Score		Points Scale Range Site Score		Points Scale Range S
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stre	ams classification	18)	PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)
USEPA RAPE (High Gradient Data Sheet) I. Epifaural Substata Available Cover 2. Embedsderbess 3. Velocity Depth Regime 4. Sedment Deposition 5. Channel Flow Status 6. Channel Alteration 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB) 7. Vegetative Protection (LB & RB) 7. Oal (RBP Separative Zone With (LB & RB) 7. Total (RBP Separative Zone With (LB & RB) 7. Call (RBP Separative Zone With	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20	15 10 10 15 18 18 10 11 10 14 17 14 14 10.705	USEPA KRIP (Low Gradient Data Sheet)  1. Enfanced Substante Amaliable Cover  2. Pool Substante Characterization  3. Pool Variability  4. Sediment Deposition  5. Channel Roy Status  6. Channel Roy Status  6. Channel Alteration  7. Channel Simosity  9. Sediment Seposition  10. Sediment Seposition  10. Sediment Seposition  10. Repulse Status  10. Repulse Sediment Sediment  10. Repulse Victoria (L.B. & RB)  10. Repulse Victoria (L.B. & RB)  10. Repulse Victoria (L.B. & RB)  11. Repulse Victoria (L.B. & RB)  12. Repulse Victoria (L.B. & RB)  13. Repulse Victoria (L.B. & RB)  14. Repulse Victoria (L.B. & RB)  15. Repulse Victoria (L.B. & RB)  16. Repulse Victoria (L.B. & RB)  17. Repulse Victoria (L.B. & RB)  18. Repulse Victoria (L.B. & RB)  19. Rep			USEPA REP (High Gradient Data She Lepfisumal Substanted-Available Cover 2. Embeddedness 3. Velocity Depth Regime 4. Sediment Deposition 6. Charnel Flow Status 6. Charnel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (18.8 RB) 9. Vegetative Protection (18.8 RB) 10. Vegetative Protection (18.8 RB) 10. Control of the Control of the Control Control of the Control of the Control of the Control of the Control of the Control of the WOSEP Water Quality Indicators (Gen Specific Conductivity	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20	0	USEPA RBP (High Gradient Data Sheet) 1. Eprilumal Substrated/wallable Cover 2. Embeddedness 3. Velocity Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffels (or bends) 8. Bank Stability (LB 8. RB) 9. Vegetative Protection (LB 8.RB) 1. Common Vegetative Zone Worth (LB 6.RB) 1. Common Vegetative Zone Vegeta		USEPA RBP (High Gradient Data Sheet)  1. Epfinamis Substratal/Available Cover  2. Embeddedness  3. Velocity (Pogth Regme  4. Sedment Deposition  5. Chamel Flow Status  6. Chamel Flow Status  6. Chamel Alteration  7. Frequency of Rittles (or bends)  8. Bank Stability (18. A RB)  10. Vegetation Protection (18. A RB)  10. Vegetation Protection (18. A RB)  10. Vegetation Protection (18. A RB)  10. Vegetation Score Vegetation Score Viridin (18. A RB)  10. Vegetation Score Vegetation Score Vegetation  10. Sed RBD Vegetation Score Vegetation Score Vegetation  10. Sed RBD Vegetation Score Vegetation Score Vegetation  10. Vegetation Score Vegetation Sco	
6.0-8.0 = 80 points  >5.0 = 30 points  >5.0 = 30 points  OLOGICAL INDICATOR (Applies to Intermit	10-30	7.74 5.02 0.95	DO Sub-Total BIOLOGICAL INDICATOR (Applies to Intermitte	0-1 10-30 0 0 ont and Perennial Streams)		DO Sub-Total BIOLOGICAL INDICATOR (Applies to In	5-90 10-30	0-1 0 erennial Streams)	DO Sub-Total BIOLOGICAL INDICATOR (Applies to Interm	5-90 0-1 10-30 0 ittent and Perennial Streams)	DO Sub-Total BIOLOGICAL INDICATOR (Applies to Interm	5-90 0-1
W Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)	
0 Sub-Total	0-100 0-1	0	Sub-Total	0-100 0-1		Sub-Total	0-100	0-1	Sub-Total	0-100 0-1	Sub-Total	0-100 0-1
PART II - Index and U	Init Score		PART II - Index and	Unit Score		PART II - Index	and Unit Scor	9	PART II - Index and U	nit Score	PART II - Index and U	Init Score
Index	Linear Feet Un	it Score	Index	Linear Feet Unit Score		Index	Linear	Feet Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Un
	77 6	3.7175		0 0		0		0		0 0	0	

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION			
STATION # RIVERMILE	STREAM CLASS			
LAT LONG	RIVER BASIN			
STORET#	AGENCY			
INVESTIGATORS				
FORM COMPLETED BY	DATE	REASON FOR SURVEY		

WEATHER CONDITIONS	Now%	storm (heavy rain) rain (steady rain) showers (intermittent) %cloud cover clear/sunny	Past 24 hours	Has there been a heavy rain in the last 7 days? Yes No Air Temperature0 C Other
SITE LOCATION/MAP	OOT	Timberm		pled (or attach a photograph)  S-A111
STREAM CHARACTERIZATION	Stream Subsy Perennial Stream Origi Glacial Non-glacial Swamp and	n Spring-fe	d of origins	Stream Type Coldwater Warmwater  Catchment Areakm²

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part  High Water Mark  Proportion of Reach R  Morphology Types Riffle Pool 9  Channelized Yes  Dam Present Yes	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		m² of LWDm	1 <sup>2</sup> /km <sup>2</sup> ( <b>LWD</b> / 1	reach area)	
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy  Water Surface Oils Slick Sheen None Other  Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chen Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic	
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)	

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION		
STATION # RIVERMILE	STREAM CLASS		
LAT LONG	RIVER BASIN		
STORET#	AGENCY		
INVESTIGATORS			
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY	

	Habitat		Condition	ı Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.			
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).			
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Ps	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			

### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Conditi	on Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.			
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	areas of erosion; high erosion potential during	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.			
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potentia to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.			
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.			
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
1	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			

Total	Caama	
i otai	Score	

### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION				
STATION #	_ RIVERMILE	STREAM CLASS				
LAT	LONG	RIVER BASIN				
STORET#		AGENCY				
INVESTIGATORS			LOT NUMBER			
FORM COMPLETED BY		DATE REASON FOR SURVEY TIME				
HABITAT TYPES Indicate the percentage of each habitat type present  Cobbbe % Snags % Vacastated Banks % Sand %						

HABITAT TYPES	Indicate the percentage of each habitat type present  Cobble% Snags% Vegetated Banks% Sand%  Submerged Macrophytes% Other ( )%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type.  Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ( )
GENERAL COMMENTS	

### QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

#### FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

### WOLMAN PEBBLE COUNT FORM

Basin:

County: Doddridge Stream ID: S-A111

Stream Name: Laural Run

HUC Code: Survey Date:


8/31/2021

Surveyors: DP, HK, VM Impact Reach: 21.9 m

Type: Bankfull Channel

Y 1	DA DEIGI E	PEB		D (1.0 )	7D ( 1 //	T. 0/	0/ 0
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cui
	Silt/Clay	< .062	S/C	<u> </u>	0	0.00	0.00
	Very Fine	.062125		<b>.</b>	0	0.00	0.00
	Fine	.12525	1	<b>^</b>	1	1.00	1.00
	Medium	.255	SAND	<u> </u>	4	4.00	5.00
	Coarse	.50-1.0	1	<u> </u>	5	5.00	10.0
.0408	Very Coarse	1.0-2	1	<u> </u>	8	8.00	18.0
.0816	Very Fine	2 -4		<u> </u>	10	10.00	28.0
.1622	Fine	4 -5.7	1	<u> </u>	9	9.00	37.0
.2231	Fine	5.7 - 8	1	<b>^</b>	7	7.00	44.0
.3144	Medium	8 -11.3	GRAVEL	<u> </u>	8	8.00	52.0
.4463	Medium	11.3 - 16		<u> </u>	2	2.00	54.0
.6389	Coarse	16 -22.6		<u> </u>	7	7.00	61.0
.89 - 1.26	Coarse	22.6 - 32		<b>A</b>	5	5.00	66.0
1.26 - 1.77	Vry Coarse	32 - 45		<b>^</b>	5	5.00	71.0
1.77 -2.5	Vry Coarse	45 - 64	1	<b>A</b>	7	7.00	78.0
2.5 - 3.5	Small	64 - 90		<b>^</b>	5	5.00	83.0
3.5 - 5.0	Small	90 - 128	1	•	7	7.00	90.0
5.0 - 7.1	Large	128 - 180	COBBLE	<b>^</b>	6	6.00	96.0
7.1 - 10.1	Large	180 - 256	1	<b>^</b>	4	4.00	100.0
10.1 - 14.3	Small	256 - 362		•	0	0.00	100.0
14.3 - 20	Small	362 - 512	1	•	0	0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	<b>^</b>	0	0.00	100.0
40 - 80	Large	1024 -2048	1	•	0	0.00	100.0
80 - 160	Vry Large	2048 -4096	1	•	0	0.00	100.0
	Bedrock		BDRK	*	0	0.00	100.0
				Totals:	100		







	Size (n	nm)	*
-	D16	1.7	- 20
	D35	5.5	
	D50	10	
	D65	30	
	D84	95	
	D95	170	


Size Distr	ibution
mean	12.7
dispersion	7.7
skewness	0.08
	0.08

Type		
silt/clay	0%	
sand	18%	
gravel	60%	
cobble	22%	
boulder	0%	





AS-BUILT TABLE: S-A111 CROSS SECTION A								
	PF	AS-BUILT						
PT. LOC.	NORTHING	EASTING	ELEV	VERT.	HORZ.			
				DIFF.	DIFF.			
TS-L	14236032.17	1767008.10	<del>9</del> 41.31					
BS-L	14236030.06	1767008.02	939.62					
THW	14236020.99	1767010.64	939.28					
BS-R	14236017.64	1767011.616	939.356					
TS-R	14236015.37	1767012.27	943.089					



### SURVEY NOTES:

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON AUGUST 31, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

CROSS SECTION
H: 1"=10'
V: 1"=5'

PRE-CROSSING

PRELIMINARY


lient


itle PROFILE AND CROSS—SECTIONS BASELINE SURVEY SROSSING S—A111— LAURAL RUN(MP 34.8) DODDRIDGE COUNTY, WV

CRC

Drawing No.

UPSTREAM FROM PACT LIMITS





NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.