## Reach S-A1a (Pipeline ROW) Perennial Spread A Wetzel County, West Virginia

Data	Included
Photos	$\checkmark$
SWVM Form	$\checkmark$
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope <4%)
<b>RBP Physical Characteristics Form</b>	$\checkmark$
Water Quality Data	✓ - Low flow
RBP Habitat Form	$\checkmark$
RBP Benthic Form	$\checkmark$
Benthic Identification Sheet	$\checkmark$
Wolman Pebble Count	$\checkmark$
Reference Reach Software Pebble Count Data	$\checkmark$
Longitudinal Profile and Cross Sections	$\checkmark$



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, BC/MB/DP/JR Lat: 39.553946 Long: -80.545046



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, BC/MB/DP/JR Lat: 39.553946 Long: -80.545046

Spread A Stream S-A1a (Pipeline ROW) Wetzel County



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, BC/MB/DP/JR Lat: 39.553946 Long: -80.545046



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, BC/MB/DP/JR Lat: 39.553946 Long: -80.545046

### Wetzel County



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, BC/MB/DP/JR Lat: 39.553946 Long: -80.545046



Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, BC/MB/DP/JR Lat: 39.553946 Long: -80.545046

### Spread AStream S-A1a (Pipeline ROW)Wetzel County



Photo Type: Riffle, DS View Location, Orientation, Photographer Initials: Upstream of Riffle, Downstream View, BC/MB/DP/JR Lat: 39.553946 Long: -80.545046



Photo Type: Riffle, US View Location, Orientation, Photographer Initials: Downstream of Riffle, Upstream View, BC/MB/DP/JR Lat: 39.553946 Long: -80.545046

### West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)	Mountain Valley Pipeline IMPACT COORDINATES: Lat. 39.553946 Lon80.545946 (In Decimal Degrees)				WEATHER:	Sunny	DATE:	August 2	4, 2021		
IMPACT STREAM/SITE ID A (watershed size (acreage), u		S-J	A1a		MITIGATION STREAM CLASS./SITE II (watershed size (acreage), unalte					HGM data collected o stream being	lue to the
STREAM IMPACT LENGTH:	80 FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.	Lon.	L	PRECIPITATION PAST 48 HRS:		Mitigation Length:		
Column No. 1- Impact Existing	Condition (Debit)	Column No. 2- Mitigation Existing Co	ondition - Baseline (Credit)		Column No. 3- Mitigation Projected Post Completion (Cred	d at Five Years dit)	Column No. 4- Mitigation Proj Post Completion (	ected at Ten Years (Credit)	Column No. 5- Mitigation Projec	ted at Maturity (Cr	redit)
Stream Classification:	Perennial	Stream Classification:			Stream Classification:	0	Stream Classification:	0	Stream Classification:	0	
Percent Stream Channel Slo	ope 0.4	Percent Stream Channel Sic	pe		Percent Stream Channel Slope	0	Percent Stream Channel St	lope 0	Percent Stream Channel S	ilope	0
HGM Score (attach da	ita forms):	HGM Score (attach o	iata forms):		HGM Score (attach data f	forms):	HGM Score (attach d	ata forms):	HGM Score (attach o	iata forms):	
	Average		Average			Average		Average			Average
Hydrology Rissessharrisel Custing	0	Hydrology Biogeochemical Cycling			Hydrology Biogeochemical Cycling	0	Hydrology Biogeochemical Cycling		Hydrology Biogeochemical Cycling		
Biogeochemical Cycling Habitat PART I - Physical, Chemical and E	Distanting landing to an	Habitat PART I - Physical, Chemical and			Habitat PART I - Physical, Chemical and Biole		Habitat PART I - Physical, Chemical and	Distantiant Indiantan	Habitat PART I - Physical, Chemical and	Distantiant la dist	Ů
PART I - Physical, Chemical and E	_	PART I - Physical, Chemical and	-			-	PARTI - Physical, Chemical and	-	PART I - Physical, Chemical and		
	Points Scale Range Site Score		Points Scale Range Site Score		Points			Points Scale Range Site Score		Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams of	classifications)	PHYSICAL INDICATOR (Applies to all streams of	lassifications)		PHYSICAL INDICATOR (Applies to all streams classified	ications)	PHYSICAL INDICATOR (Applies to all streams	s classifications)	PHYSICAL INDICATOR (Applies to all stream	s classifications)	
USEPA RBP (High Gradient Data Sheet)		USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)		
	0-20 18	1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover 0-2		1. Epifaunal Substrate/Available Cover	0-20	1. Epifaunal Substrate/Available Cover	0-20	
2. Embeddedness 3. Velocity/ Depth Regime	0-20 18 0-20 12	2. Pool Substrate Characterization 3. Pool Variability	0-20		2. Embeddedness 0-2 3. Velocity/ Depth Regime 0-2		2. Embeddedness 3. Velocity/ Depth Regime	0-20	2. Embeddedness 3. Velocity/ Depth Regime	0-20	
4. Sediment Deposition	0-20 18	4. Sediment Deposition	0-20		4. Sediment Deposition 0-2		4. Sediment Deposition	0-20	4. Sediment Deposition	0-20	
5. Channel Flow Status	0-20 0.1 8	5. Channel Flow Status	0-20 0.1		5. Channel Flow Status 0-2		5. Channel Flow Status	0-20 0.4	5. Channel Flow Status	0-20 0-1	
6. Channel Alteration	0-20 0-1 18	6. Channel Alteration	0-20 0-1		6. Channel Alteration 0-2		6. Channel Alteration	0-10	6. Channel Alteration	0-20 0-1	
7. Frequency of Riffles (or bends)	0-20 3	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends) 0-2		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20 16	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB) 0-2		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20 18	9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB) 0-2		9. Vegetative Protection (LB & RB)	0-20	9. Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB)	0-20 12	10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RB) 0.2	20	10. Riparian Vegetative Zone Width (LB & RB)	0-20	10. Riparian Vegetative Zone Width (LB & RB)	0-20	
	Suboptimal 141	Total RBP Score	Poor 0			Poor 0	Total RBP Score	Poor 0	Total RBP Score	Poor	0
Sub-Total	0.705	Sub-Total	0		Sub-Total	0	Sub-Total	0	Sub-Total		0
CHEMICAL INDICATOR (Applies to Intermittent	t and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermittent and Pe	erennial Streams)	CHEMICAL INDICATOR (Applies to Intermittee	nt and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermitte	nt and Perennial Stres	ams)
WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (General	n	WVDEP Water Quality Indicators (General	n	
Specific Conductivity		Specific Conductivity			Specific Conductivity		Specific Conductivity		Specific Conductivity		
	0-90 163.8		0-90		0-9	90		0-90		0-90	
100-199 - 85 points											
рн	0.1	рн	0-1		рн	0-1	PH	0-1	рн	0-1	
6.0-8.0 = 80 points	0-80 0-1 7.57		5-90 0-1		5-9	50		5-90 0-1		5-90	
DO		DO			DO		DO		DO		
>5.0 = 30 points	10-30 <b>8.57</b>		10-30		10-3	30		10-30		10-30	
>5.0 = 30 points Sub-Total	0.975	Sub-Total			Sub-Total	0	Sub-Total		Sub-Total	1 1	0
BIOLOGICAL INDICATOR (Applies to Intermitte		BIOLOGICAL INDICATOR (Applies to Intermitte	nt and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Intermittent a	and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intern	nittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intern	nittent and Perennia	al Streams)
WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		
	0-100 0-1 58.6		0-100 0-1		0-10	00 0-1		0-100 0-1		0-100 0-1	
Fair Sub-Total	0.486	Sub-Total	0		Sub-Total	0	Sub-Total	0	Sub-Total		0
u		•			u				u		
PART II - Index and Un	nit Score	PART II - Index and	Unit Score		PART II - Index and Unit S	Score	PART II - Index and L	Jnit Score	PART II - Index and	Unit Score	
Index	Linear Feet Unit Score	Index	Linear Feet Unit Score		Index Lin	near Feet Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet	Unit Score
0.722	80 57.76	0	0 0		0	0 0	0	0 0	0	0	0
μΙ		I		Ļ	μ		μ		μ	1	I

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION					
STATION # RIVERMILE	STREAM CLASS					
LAT LONG	RIVER BASIN					
STORET #	AGENCY					
INVESTIGATORS						
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY				

WEATHER CONDITIONS	Now storm (heavy rain (steady showers (inter %%cloud co clear/sum	rain) mittent) wer %	Has there been a heavy rain in the last 7 days? Yes No Air Temperature0 C Other
SITE LOCATION/MAP	Draw a man of the site and	0.2	S-A1a Gas Pipe Jas Julians Contraction of the second secon
STREAM CHARACTERIZATION	Stream Subsystem           Perennial         Intermitte           Stream Origin         Glacial           Non-glacial montane         Swamp and bog	nt Tidal Spring-fed Mixture of origins Other	Stream Type Coldwater       Warmwater         Catchment Areakm <sup>2</sup>

## PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse       Local Watershed NPS Pollution         Forest       Commercial         Field/Pasture       Industrial         Agricultural       Other         Residential       Other         Indicate the dominant type and record the dominant species present       Herbaceous         Trees       Shrubs       Grasses         Dominant species present       Herbaceous
INSTREAM FEATURES	Dominant species present
LARGE WOODY	LWDm <sup>2</sup>
DEBRIS	Density of LWDm <sup>2</sup> /km <sup>2</sup> (LWD/ reach area)
AQUATIC	Indicate the dominant type and record the dominant species present
VEGETATION	Rooted emergent       Rooted submergent       Rooted floating       Free floating         Floating Algae       Attached Algae       Booted floating       Free floating       Free floating         Dominant species present
WATER QUALITY (DS, US)	Temperature0 C       Water Odors Normal/None       Sewage         Specific Conductance       Petroleum Fishy       Chemical Other         Dissolved Oxygen       Water Surface Oils Slick       Sheen None       Globs       Flecks         pH       Turbidity (if not measured) Clear       Slightly turbid       Turbid Turbid       Turbid Opaque       Turbid
SEDIMENT/	Odors
SUBSTRATE	Normal     Sewage     Petroleum     Deposits       Chemical     Anaerobic     None     Sludge     Sawdust     Paper fiber     Sand       Other     Other     Epoking at stones which are not deeply embedded are the undersides black in color?     How are the undersides black in color?

INC	ORGANIC SUBSTRATE (should add up to			ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)							
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type								
Bedrock			Detritus	sticks, wood, coarse plant							
Boulder	> 256 mm (10")			materials (CPOM)							
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic							
Gravel	2-64 mm (0.1"-2.5")			(FPOM)							
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments							
Silt	0.004-0.06 mm										
Clay	< 0.004 mm (slick)										

### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET #	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE TIME AM PM	REASON FOR SURVEY			

	Habitat		Condition	ı Category						
	Parameter	Optimal	Suboptimal	Marginal	Poor					
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.					
ted i	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).					
uram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					

Rapid Bioassessment Protocols For Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates, and Fish, Second Edition - Form 2

### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat		Condition	ı Category	
Parameter	Optimal	Suboptimal	Marginal	Poor
6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
<ul> <li>SCORE</li> <li>8. Bank Stability (score each bank)</li> <li>Note: determine left or right side by facing downstream.</li> <li>SCORE (LB)</li> <li>SCORE (RB)</li> <li>9. Vegetative</li> <li>Protection (score each bank)</li> </ul>	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
<b>10. Riparian</b> <b>Vegetative Zone</b> <b>Width</b> (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE(RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total Score \_\_\_\_\_

### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-A	.1a	LOCATION Wetzel County							
STATION #	RIVERMILE	STREAM CLASS Perennial	STREAM CLASS Perennial						
LAT 39.553946	LONG80.545046	RIVER BASIN Little Musking	gum-Middle Island (05030201)						
STORET #		AGENCY WVDEP							
INVESTIGATORS C	HIB		LOT NUMBER						
FORM COMPLETED	<sup>BY</sup> CH	DATE 07-14-21 TIME 1115	REASON FOR SURVEY Baseline Assessment						
			•						
HABITAT TYPES	└Cobble ₄₅ % □Sn	Indicate the percentage of each habitat type present         Cobble 45 %       Snags %       Vegetated Banks %       Sand %         Submerged Macrophytes %       Other (       )%							
SAMPLE COLLECTION		lected? ☑ wading ☐ fi bs/kicks taken in each habitat ty hags     □Vegetated B	anksSand						
GENERAL COMMENTS	Turbidity: 38.2 N		cm, DO: 8.57 mg/L, pH: 7.57, 7*C, SPC: 158.0 us/cm, DO: NTU (Potesta)						

### QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

### FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

Insects	Count	Tolerance	τv	Insects	Count	Tolerance	тν	Non-Insects	Count	Tolerance	τv	SITE ID:	S-A
Ephemeroptera			40	Odonata			1	Crustacea			0		
Ameletidae		2	0	Aeshnidae		3	0	Asellidae		7	0		
Baetidae		4	0	Calopterygidae		6	0	Cambaridae		5	0		
Beatiscidae	6	4	24	Coenagrionidae		7	0	Gammaridae		5	0		
Caenidae		5	0	Cordulegastridae		3	0	Palaemonidae		5	0	Ī	
Ephemerellidae		3	0	Gomphidae	1	5	5	Annelida			0	I	
Ephemeridae		5	0	Lestidae		7	0	Hirudinea		10	0	I	
Heptageniidae	34	3	102	Libellulidae		7	0	Nematoda		10	0	I	
Isonychiidae		3	0	Coleoptera			13	Nematomorpha		10	0	I	
Leptophlebiidae		4	0	Chrysomelidae		7	0	Oligochaeta		10	0	I	
Potamanthidae		5	0	Dryopidae		5	0	Turbellaria			0	Ī	
Siphlonuridae		3	0	Dytiscidae		6	0	Turbellaria		7	0		
Tricorythidae		5	0	Elmidae	10	4	40	Bivalvia			0	Ī	
Plecoptera			48	Gyrinidae		5	0	Corbiculidae		6	0	Ī	
Capniidae		2	0	Haliplidae		7	0	Sphaeriidae		5	0	I	
Chloroperlidae		2	0	Hydrophilidae		7	0	Unionidae		4	0	I	
Leuctridae	46	2	92	Psephenidae	3	3	9	Gastropoda			0		
Nemouridae		2	0	Ptilodactylidae		5	0	Ancylidae		7	0		
Peltoperlidae		1	0	Hemiptera			0	Hydrobiidae		4	0		
Perlidae	2	1	2	Belostomatidae		8	0	Physidae		7	0	I	
Perlodidae		1	0	Corixidae		8	0	Planorbidae		5	0	I	
Pteronarcyidae		1	0	Gerridae		10	0	Pleuroceridae		5	0		
Taeniopterygidae		2	0	Hydrometridae		8	0	Viviparidae		5	0	I	
Trichoptera			40	Nepidae		8	0	Miscellaneous			0	I	
Brachycentridae		2	0	Notonectidae		8	0	Collembola		6	0		
Glossosomatidae		2	0	Megaloptera			0	Lepidoptera		5	0		
Helicopsychidae		3	0	Corydalidae		3	0	Neuroptera		5	0		
Hydropsychidae	27	5	135	Sialidae		6	0	Hydrachnidae		6	0		
Hydroptilidae		3	0	Diptera			93	Tatala	Total	number	235	I	
Lepidostomatidae		3	0	Athericidae		3	0	Totals	Total	families	12		
Leptoceridae		3	0	Blephariceridae		2	0		•	M	etric calc	ulations	
Limnephilidae		4	0	Ceratopogonidae		8	0	140.0		Total families 12 Metric calco Cl Metric Scores		Additional	metrics
Molannidae		3	0	Chironomidae	91	9	819	vv v:	SCI Wetric	Scores		Ephemeroptera Taxa	2
Philopotamidae	13	4	52	Culicidae		10	0	Total Taxa	a	12	54.5	Plecoptera Taxa	2
Phryganeidae		4	0	Dixidae		6	0	EPT Taxa	1	6	46.2	Trichoptera Taxa	2
Polycentropodidae		5	0	Empididae		7	0	% EPT Abund	ance	54.5	61.0	Long-lived Taxa	e
Psychomiidae		4	0	Psychodidae		8	0	% Chironomi	idae	38.7	62.3	Odonata Taxa	1
Rhyacophilidae		3	0	Ptychopteridae		8	0	Hilsenhoff Biotic Ir	ndex (HBI)	5.50	60.9	Diptera Taxa	3
Uenoidae		2	0	Simuliidae	1	7	7	% 2 Dominant	Таха	58.3	66.5	COET Taxa	7
	Total Tole	rance Value	1292	Stratiomyidae		10	0					% Sensitive	41
West Virginia Stre				Syrphidae		10	0					% Tolerant	39
Gerritson, J., J. Burton, ar condition index for West				Tabanidae		7	0	WV Stream	Condition	Index	58.6	% Clingers	40
	virginia wad	leable streams	. retra	Tipulidae	1	5	5					% Net-spinners	17

**S-A1a** 7/14/2021

> 2 2 6 1 3 7 41.7 39.1 40.9 17.0

### WOLMAN PEBBLE COUNT FORM


S-A1a


16.76 m

Little Muskingum-Middle Island


County:	Wetzel	Stream ID:
Stream Name:	North Fork Fishing Creek	
HUC Code:	05030201	Basin:
Survey Date:	8/24/2021	
Surveyors:	BC, MB, DP, JR	Impact Reach:
Type:	Bankfull Channel	


PEBBLE COUNT PARTICLE Millimeters Inches Particle Total # Item % % Cum Count Silt/Clay < .062 S/C 0 0.00 0.00 Very Fine .062-.125 0 0.000.00 • Fine .125-.25 ۸ 0 0.00 0.00 -Medium .25-.5 SAND 0 0.00 0.00 • .50-1.0 Coarse 2 2.00 2.00 • .04-.08 1.0-2 Very Coarse ۸ 4 4.00 6.00 • .08 -.16 Very Fine 2 -4 ۸ 10.00 10 16.00 • .16 - .22 Fine 4 - 5.7 ٠ 7 7.00 23.00 • .22 - .31 Fine 5.7 - 8 7 7.00 30.00 • .31 - .44 Medium 8 -11.3 8 8.00 38.00 • .44 - .63 Medium 11.3 - 16 GRAVEL 9 9.00 47.00 -.63 - .89 16 -22.6 Coarse ٠ 8 8.00 55.00 • Coarse .89 - 1.26 22.6 - 32 14 14.00 69.00 • 1.26 - 1.77 Vry Coarse 32 - 45 ۸ 9 9.00 78.00 • 1.77 -2.5 45 - 64 Vry Coarse ۸ 15.00 93.00 15 -2.5 - 3.5 Small 64 - 90 ۸ 7 7.00 100.00 • 3.5 - 5.0 90 - 128 Small ۸ 0 0.00 100.00 • COBBLE 5.0 - 7.1 128 - 180 Large 0 0.00 100.00 -7.1 - 10.1 180 - 256 Large 0 0.00 100.00 • 10.1 - 14.3 Small 256 - 362 ۸ 0 0.00 100.00 • 14.3 - 20 Small 362 - 512 ٠ 0 0.00 100.00 • 20 - 40 512 - 1024 Medium BOULDER 0 0.00 100.00 • 40 - 80 1024 - 2048 Large 0 0.00 100.00 • 80 - 160 Vry Large 2048 - 4096 0 0.00 100.00 • **BDRK** Bedrock 0 0.00100.00 • Totals: 100 Total Tally:





AS-BUILT TABLE: S-A1A CROSS SECTION B							
	PI	RE-CROSSING		AS-BUILT			
PT. LOC.	NODTUING	FACTING	ELEV/	VERT.	HORZ.		
	NORTHING	EASTING	ELEV	DIFF.	DIFF.		
TS-L	14364658.1500	1768651.6950'	883.440'				
BS-L	14364652.9700	1768649.9050'	880.277 <sup>1</sup>				
THW	14364634.3500	1768637.5300'	880.325'				
BS-R	14364629.1600	1768634.4880'	880.597'				
TS-R	14364623.2800	1768634.4530'	883.844'				





- LOCATIONS WERE COMPLETED ON AUGUST 24, 2021.
- PIPELINE.

GENERATE A CLEAN PRE-CROSSING SURFACE.

