Baseline Assessment – Stream Attributes

Reach S-A5a (Timber Mat Crossing) Intermittent Spread A Wetzel County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	✓
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Low flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	√
Longitudinal Profile and Cross Sections	✓



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, MB/JR Lat: 39.534241 Long: -80.540995



Photo Type: DS, DS View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, MB/JR
Lat: 39.534241 Long: -80.540995



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, MB/JR Lat: 39.534241 Long: -80.540995



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, MB/JR Lat: 39.534241 Long: -80.540995



Photo Type: US, US View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, MB/JR
Lat: 39.534241 Long: -80.540995



Photo Type: US, DS View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, MB/JR
Lat: 39.534241 Long: -80.540995



Photo Type: Pool, DS View Location, Orientation, Photographer Initials: Upstream of Pool, Downstream View, MB/JR Lat: 39.534241 Long: -80.540995



Photo Type: Pool, US View Location, Orientation, Photographer Initials: Downstream of Pool, Upstream View, MB/JR Lat: 39.534241 Long: -80.540995

USACE FILE NO./ Project Name:		Mountain 1	Valley Pipeline	IMPACT COORDINATES:	Lat.	39.534241	Lon.	-80.540995	WEATHER:	Sunny	DATE:	
(v2.1, Sept 2015)				(in Decimal Degrees)								August 25, 2021
IMPACT STREAM/SITE ID	AND SITE DESCRIE	PTION:	S.	A5a	+	MITIGATION STREAM CLAS	S /SITE ID A	ND SITE DESCRIPTION:			Comments:	Benthic data was n
(watershed size (acreage),)	,			(watershed size (acre					Gomments.	collected due to low f
STREAM IMPACT LENGTH:	30	FORM OF		MIT COORDINATES:	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:	
		MITIGATION:	RESTORATION (Levels I-III)	(in Decimal Degrees)								
						Column No. 3- Mitigation	Projected at	Five Years	Column No. 4- Mitigation Proje	cted at Ten Years		
Column No. 1- Impact Existing	g Condition (Debit)		Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)		Post Complet			Post Completion (C		Column No. 5- Mitigation Projec	ed at Maturity (Credit)
Stream Classification:	Intermitten	t	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel SI	оре	19.2	Percent Stream Channel Sle	ope		Percent Stream Channel	Slope	0	Percent Stream Channel Slo	ope 0	Percent Stream Channel S	lope 0
HGM Score (attach da	ata forms):		HGM Score (attach	data forms):		HGM Score (atta	ch data forn	s):	HGM Score (attach da	ita forms):	HGM Score (attach o	ata forms):
	A	verage		Average				Average		Average		Avera
lydrology	0.56		Hydrology			Hydrology			Hydrology		Hydrology	
Biogeochemical Cycling		1333333	Biogeochemical Cycling	0		Biogeochemical Cycling		0	Biogeochemical Cycling	0	Biogeochemical Cycling	0
Habitat PART I - Physical, Chemical and	0.37 Biological Indicators		PART I - Physical, Chemical an	d Biological Indicators		PART I - Physical, Chemical	and Biologic	al Indicators	PART I - Physical, Chemical and I	Biological Indicators	PART I - Physical, Chemical and	Biological Indicators
	Points Scale Range 1	Site Score		Points Scale Range Site Score			Points Scale	Range Site Score		Points Scale Range Site Score		Points Scale Range Site Sco
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stres	ms classificatio	ns)	PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all stream	s classifications)
SEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)	
. Epifaunal Substrate/Available Cover	0-20	1	Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20	Epifaunal Substrate/Available Cover	0-20
. Embeddedness		16	2. Pool Substrate Characterization	0-20		2. Embeddedness	0-20		2. Embeddedness	0-20	2. Embeddedness	0-20
. Velocity/ Depth Regime . Sediment Deposition	0-20	16	Pool Variability Sediment Deposition	0-20		Velocity/ Depth Regime Sediment Deposition	0-20 0-20		Velocity/ Depth Regime Sediment Deposition	0-20	Velocity/ Depth Regime Sediment Deposition	0-20
. Channel Flow Status	0-20	3	5. Channel Flow Status	0-20		5. Channel Flow Status	0-20		5. Channel Flow Status	0-20	5. Channel Flow Status	0-20
. Channel Alteration	0-20 0-1	6	6. Channel Alteration	0-20 0-1		6. Channel Alteration	0-20	0-1	6. Channel Alteration	0-20	6. Channel Alteration	0-20 0-1
. Frequency of Riffles (or bends)	0-20	1	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20
. Bank Stability (LB & RB)	0-20	6	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20
. Vegetative Protection (LB & RB)	0-20	4	Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	9. Vegetative Protection (LB & RB)	0-20
Riparian Vegetative Zone Width (LB & RB)	0-20	5	10. Riparian Vegetative Zone Width (LB & RB)	0-20		 Riparian Vegetative Zone Width (LB & RB) 			 Riparian Vegetative Zone Width (LB & RB) 	0-20	 Riparian Vegetative Zone Width (LB & RB) 	0-20
Total RBP Score	Marginal	0.32	Total RBP Score	Poor 0		Total RBP Score	Por	0	Total RBP Score	Poor 0	Total RBP Score	Poor 0
Sub-Total CHEMICAL INDICATOR (Applies to Intermitten		0.32	Sub-Total CHEMICAL INDICATOR (Applies to Intermittent	and Parannial Streams)		Sub-Total CHEMICAL INDICATOR (Applies to Intermi	tent and Deren	U	Sub-Total CHEMICAL INDICATOR (Applies to Intermitten)		Sub-Total CHEMICAL INDICATOR (Applies to Intermitte	ot and Darannial Streams)
				and i dicinial cucanity				air Circuits)	***			
NVDEP Water Quality Indicators (General Specific Conductivity)		WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (Gene Specific Conductivity	ral)		WVDEP Water Quality Indicators (General) Specific Conductivity		WVDEP Water Quality Indicators (General Specific Conductivity)
specific conductivity			Specific conductivity			Specific conductivity			Specific conductivity		Specific conductivity	
100-199 - 85 points	0-90	190		0-90			0-90			0-90		0-90
H			pH			pH			pH		рН	
	0-80	7.5		5-90			5-90	0-1		5-90		5-90
6.0-8.0 = 80 points			DO.			DO.	_		DO		DO	
	10-30	0.0	DO			50	10-30		50		B0	
>5.0 = 30 points		9.2		10-30			10-30			10-30		10-30
Sub-Total		0.975	Sub-Total	0		Sub-Total Sub-Total		0	Sub-Total	0	Sub-Total	0
BIOLOGICAL INDICATOR (Applies to Intermitt	tent and Perennial Stream		BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Inte	rmittent and F	erenniai Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Interr	nittent and Perennial Streams
NV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)	
0	0-100 0-1			0-100 0-1			0-100	0-1		0-100 0-1		0-100 0-1
Sub-Total		0	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total	0
PART II - Index and U	Init Score		PART II - Index and	Unit Score		PART II - Index a	nd Unit Scor		PART II - Index and U	nit Score	PART II - Index and	Jnit Score
Index	Linear Feet Un	it Score	Index	Linear Feet Unit Score		Index	Linear	Feet Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit S
0.580	30 1	7.4125	0	0 0		0	0	0	0	0 0	0	0 0
			ii -	1 - 1 - 1		ii -					ii -	

Ver. 10-20-17

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: MVP Stream Assessment **Location:** Wetzel County, Spread A

Sampling Date: 8/25/2021 Choose Site on Before Project

Data Form

Subclass for this SAR:

Intermittent Stream

Uppermost stratum present at this SAR: SAR number: S-A5a

Shrub/Herb Strata

Functional Results Summary:

Please Fill Out Site and Timing Information on Data Form

Function	Functional Capacity Index
Hydrology	0.56
Biogeochemical Cycling	0.61
Habitat	0.37

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V _{CCANOPY}	Percent canpoy over channel.	Not Used, <20%	Not Used
V _{EMBED}	Average embeddedness of channel.	3.47	0.99
V _{SUBSTRATE}	Median stream channel substrate particle size.	1.00	0.50
V_{BERO}	Total percent of eroded stream channel bank.	136.36	0.34
V_{LWD}	Number of down woody stems per 100 feet of stream.	0.00	0.00
V _{TDBH}	Average dbh of trees.	Not Used	Not Used
V _{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	68.18	1.00
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
V _{DETRITUS}	Average percent cover of leaves, sticks, etc.	38.50	0.47
V _{HERB}	Average percent cover of herbaceous vegetation.	59.00	0.79
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.90	0.95

			Field [Data She	et and C					
	Mark B. Je					•	Latitude/UT	_		
•		m Assessm				L	ongitude/U	-		5
		unty, Spread				_	San	npling Date:	8/25/2021	
SAR Number:	S-A5a	Reach	Length (ft):	110	Stream T	ype: Inte	ermittent Strea	am		•
Top Strata:	Sh	rub/Herb Sti	ata	(determine	d from perc	ent calculat	ted in V _{CCAN}	OPY)		
e and Timing:	Project/Mi	tigation Site (circle one)		•	Before Proj	ect			•
ole Variables										
V _{CCANOPY}	equidistant 20%, enter	ercent cover t points alon r at least one	g the strear e value betv	n. Measure veen 0 and	only if tree 19 to trigge	/sapling co	ver is at leas			Not Used, <20%
	rcent cover	measureme	nts at each	point below	:					1
0										
V _{EMBED}	Average e	mbeddednes	ss of the str	eam channe	el. Measure	at no fewe	er than 30 ro	ughly equid	listant	
LINDED		ng the stream								3.5
		e and area s to the follow								-
		ore of 1. If t						n inic scan	icino, doc	
	Embedded	lness rating	for gravel, o	obble and b	oulder par	ticles (resca	aled from Pla	atts, Megah	an, and	1
	Minshall 19	983)								
	Rating	Rating Des								
	5 4						fine sedime		ck)	
	3						ed by fine se			
	2						ed by fine se			
11111	1			covered, si	urrounded,	or buried by	y fine sedim	ent (or artifi	cial]
List the rat	ings at each	n point below	v: 1	3	4	4				1
5	4	2	4	1	4	4				
5	5	5	1	1	4					
5	4	5	1	4	3					i
3	5	5	5	1	1					1
		nches to the 0.0 in, sand				0.50	Tonouia bo		,	1
5.00	0.50	1.00	0.50	0.50	1.00	0.60				1
0.40	1.50	0.50	0.10	1.00	4.00					
0.10	4.00	1.50	0.10	5.00	2.00					
0.10			2.00	0.10	0.10					
0.10 2.50	9.00	1.00		annal bank	Enter the	total numbe	r of foot of	roded bool	on oooh	
0.10	9.00 Total perce	1.00 ent of eroded ne total perc	d stream ch							136 %
0.10 2.50	9.00 Total perce	ent of eroded ne total perc	d stream ch							136 %
0.10 2.50	9.00 Total perce side and th	ent of eroded ne total perc	d stream ch entage will l		d If both b		roded, total			136 %
0.10 2.50 V _{BERO}	9.00 Total perce side and th may be up	ent of erodeone total percont to 200%. Left Bank:	d stream ch entage will l	be calculate	d If both b	anks are ei	roded, total	erosion for t	the stream	
0.10 2.50 V _{BERO}	9.00 Total perce side and th may be up	ent of erodeone total percont to 200%. Left Bank:	d stream ch entage will l	be calculate	d If both b	anks are ei	roded, total	erosion for t	the stream	
0.10 2.50 V _{BERO}	9.00 Total perceside and the may be up 5-9 within	ent of eroded ne total perce to 200%. Left Bank: the entire re	d stream ch entage will l 75 iparian/buf y stems (at	oft fer zone ad least 4 inch	ljacent to t	Right Bank: he stream of ter and 36 is	channel (25	5 ft feet from ength) per 10	each bank)	
0.10 2.50 V _{BERO}	9.00 Total perce side and the may be up 5-9 within Number of stream rea	ent of eroded ne total perce to 200%. Left Bank: the entire ri down wood ich. Enter th	d stream ch entage will l 75 iparian/buf y stems (at e number fi	of ft fer zone ad least 4 inch	ljacent to t	Right Bank: he stream of ter and 36 is	channel (25	5 ft feet from ength) per 10	each bank)	
0.10 2.50 V _{BERO}	9.00 Total perce side and the may be up 5-9 within Number of stream rea	ent of eroded ne total perce to 200%. Left Bank: the entire re	d stream ch entage will l 75 iparian/buf y stems (at e number fi	fer zone ad least 4 inch rom the enti	ljacent to t es in diame re 50'-wide	Right Bank: he stream of ter and 36 is	channel (25 inches in ler within the ch	5 ft feet from ength) per 10	each bank)	
0.10 2.50 V _{BERO}	9.00 Total perceside and the may be up 5-9 within Number of stream reaper 100 fee	ent of erode ne total percito 200%. Left Bank: the entire ridown wood ich. Enter the et of stream	d stream chentage will lentage will lentage will lentage will lentage fiparian/buf y stems (at lentage number filiwill be calcumeasure on	fer zone ad least 4 inch rom the enti- ulated. Number of	ljacent to t es in diame re 50'-wide downed we ovy tree/sapl	Right Bank: he stream of the	channel (25 inches in ler within the ch	feet from an annel, and	each bank) 0 feet of the amount	
0.10 2.50 VBERO	9.00 Total percesside and the may be up 5-9 within Number of stream rea per 100 fee Average dl 4 inches (1	ent of erodecent to 200%. Left Bank: the entire ridown wood ich. Enter the of stream bh of trees (in to am in the common to t	d stream chentage will lentage will lentage will lentage will lentage fiparian/buf y stems (at lentage measure on meter. Entertage will be calcumeasure on meter.	fer zone ad least 4 inch rom the enti- ulated. Number of ly if V _{CCANOI} er tree DBH	ljacent to t es in diame re 50'-wide downed w	Right Bank: he stream of the	channel (25 inches in ler within the chantel at least 20%	feet from on the feet f	each bank) 0 feet of the amount	0.0
0.10 2.50 VBERO	9.00 Total percesside and the may be up 5-9 within Number of stream rea per 100 fee Average dl 4 inches (1	ent of erodece to 200%. Left Bank: the entire ridown wood tich. Enter the et of stream bit of trees (in the entire ridown) in dia himeasurem.	d stream chentage will lentage will lentage will lentage will lentage fiparian/buf y stems (at lentage measure on meter. Entertage will be calcumeasure on meter.	fer zone ad least 4 inch rom the enti- ulated. Number of ly if V _{CCANOI} er tree DBH	ljacent to t es in diame re 50'-wide downed w	Right Bank: he stream of the	channel (25 inches in ler within the chantel at least 20%	feet from on the feet f	each bank) 0 feet of the amount	0.0
0.10 2.50 VBERO	9.00 Total perceside and the may be up 5-9 within Number of stream rea per 100 fee Average dl 4 inches (1 List the db	ent of erodece to 200%. Left Bank: the entire ridown wood tich. Enter the et of stream bit of trees (in the entire ridown) in dia himeasurem.	d stream chentage will lentage will lentage will lentage will lentage fiparian/buf y stems (at lentage measure on meter. Entertage will be calcumeasure on meter.	fer zone ad least 4 inch rom the enti- ulated. Number of ly if V _{CCANOI} er tree DBH	ljacent to t es in diame re 50'-wide downed w	Right Bank: he stream of the	channel (25 inches in ler within the chantel at least 20%	feet from on the feet f	each bank) 0 feet of the amount	0.0
0.10 2.50 VBERO	9.00 Total perceside and the may be up 5-9 within Number of stream rea per 100 fee Average dl 4 inches (1 List the db	ent of erodece to 200%. Left Bank: the entire ridown wood tich. Enter the et of stream behof trees (in the entire ridown) in dia himeasurem am below:	d stream chentage will lentage will lentage will lentage will lentage fiparian/buf y stems (at lentage measure on meter. Entertage will be calcumeasure on meter.	fer zone ad least 4 inch rom the enti- ulated. Number of ly if V _{CCANOI} er tree DBH	ljacent to t es in diame re 50'-wide downed w	Right Bank: he stream of the	channel (25 inches in ler within the chantel (26 at least 209 are buffer on the chantel (27 at least 209 are bu	feet from on the feet f	each bank) 0 feet of the amount	0.0
0.10 2.50 VBERO	9.00 Total perceside and the may be up 5-9 within Number of stream rea per 100 fee Average dl 4 inches (1 List the db	ent of erodece to 200%. Left Bank: the entire ridown wood tich. Enter the et of stream behof trees (in the entire ridown) in dia himeasurem am below:	d stream chentage will lentage will lentage will lentage will lentage fiparian/buf y stems (at lentage measure on meter. Entertage will be calcumeasure on meter.	fer zone ad least 4 inch rom the enti- ulated. Number of ly if V _{CCANOI} er tree DBH	ljacent to t es in diame re 50'-wide downed w	Right Bank: he stream of the	channel (25 inches in ler within the chantel (26 at least 209 are buffer on the chantel (27 at least 209 are bu	feet from on the feet f	each bank) 0 feet of the amount	0.0
0.10 2.50 V _{BERO}	9.00 Total perceside and the may be up 5-9 within Number of stream rea per 100 fee Average dl 4 inches (1 List the db	ent of erodece to 200%. Left Bank: the entire ridown wood tich. Enter the et of stream behof trees (in the entire ridown) in dia himeasurem am below:	d stream chentage will lentage will lentage will lentage will lentage fiparian/buf y stems (at lentage measure on meter. Entertage will be calcumeasure on meter.	fer zone ad least 4 inch rom the enti- ulated. Number of ly if V _{CCANOI} er tree DBH	ljacent to t es in diame re 50'-wide downed w	Right Bank: he stream of the	channel (25 inches in ler within the chantel (26 at least 209 are buffer on the chantel (27 at least 209 are bu	feet from on the feet f	each bank) 0 feet of the amount	0.0
0.10 2.50 VBERO	9.00 Total perceside and the may be up 5-9 within Number of stream rea per 100 fee Average dl 4 inches (1 List the db	ent of erodece to 200%. Left Bank: the entire ridown wood tich. Enter the et of stream behof trees (in the entire ridown) in dia himeasurem am below:	d stream chentage will lentage will lentage will lentage will lentage fiparian/buf y stems (at lentage measure on meter. Entertage will be calcumeasure on meter.	fer zone ad least 4 inch rom the enti- ulated. Number of ly if V _{CCANOI} er tree DBH	ljacent to t es in diame re 50'-wide downed w	Right Bank: he stream of the	channel (25 inches in ler within the chantel (26 at least 209 are buffer on the chantel (27 at least 209 are bu	feet from on the feet f	each bank) 0 feet of the amount	0.0
0.10 2.50 V _{BERO}	9.00 Total perceside and the may be up 5-9 within Number of stream rea per 100 fee Average dl 4 inches (1 List the db	ent of erodece to 200%. Left Bank: the entire ridown wood tich. Enter the et of stream behof trees (in the entire ridown) in dia himeasurem am below:	d stream chentage will lentage will lentage will lentage will lentage fiparian/buf y stems (at lentage measure on meter. Entertage will be calcumeasure on meter.	fer zone ad least 4 inch rom the enti- ulated. Number of ly if V _{CCANOI} er tree DBH	ljacent to t es in diame re 50'-wide downed w	Right Bank: he stream of the	channel (25 inches in ler within the chantel (26 at least 209 are buffer on the chantel (27 at least 209 are bu	feet from on the feet f	each bank) 0 feet of the amount	0.0
0.10 2.50 V _{BERO}	9.00 Total perceside and the may be up 5-9 within Number of stream rea per 100 fee Average dl 4 inches (1 List the db	ent of erodece to 200%. Left Bank: the entire ridown wood tich. Enter the et of stream behof trees (in the entire ridown) in dia himeasurem am below:	d stream chentage will lentage will lentage will lentage will lentage fiparian/buf y stems (at lentage measure on meter. Entertage will be calcumeasure on meter.	fer zone ad least 4 inch rom the enti- ulated. Number of ly if V _{CCANOI} er tree DBH	ljacent to t es in diame re 50'-wide downed w	Right Bank: he stream of the	channel (25 inches in ler within the chantel (26 at least 209 are buffer on the chantel (27 at least 209 are bu	feet from on the feet f	each bank) 0 feet of the amount	0.0
0.10 2.50 V _{BERO}	9.00 Total perceside and the may be up 5-9 within Number of stream rea per 100 fee Average dl 4 inches (1 List the db	ent of erodece to 200%. Left Bank: the entire ridown wood tich. Enter the et of stream behof trees (in the entire ridown) in dia himeasurem am below:	d stream chentage will lentage will lentage will lentage will lentage fiparian/buf y stems (at lentage measure on meter. Entertage will be calcumeasure on meter.	fer zone ad least 4 inch rom the enti- ulated. Number of ly if V _{CCANOI} er tree DBH	ljacent to t es in diame re 50'-wide downed w	Right Bank: he stream of the	channel (25 inches in ler within the chantel (26 at least 209 are buffer on the chantel (27 at least 209 are bu	feet from on the feet f	each bank) 0 feet of the amount	0.0
0.10 2.50 V _{BERO}	9.00 Total perceside and the may be up 5-9 within Number of stream rea per 100 fee Average dl 4 inches (1 List the db	ent of erodece to 200%. Left Bank: the entire ridown wood tich. Enter the et of stream behof trees (in the entire ridown) in dia himeasurem am below:	d stream chentage will lentage will lentage will lentage will lentage fiparian/buf y stems (at lentage measure on meter. Entertage will be calcumeasure on meter.	fer zone ad least 4 inch rom the enti- ulated. Number of ly if V _{CCANOI} er tree DBH	ljacent to t es in diame re 50'-wide downed w	Right Bank: he stream of the	channel (25 inches in ler within the chantel (26 at least 209 are buffer on the chantel (27 at least 209 are bu	feet from on the feet f	each bank) 0 feet of the amount	0.0
0.10 2.50 V _{BERO}	9.00 Total percesside and it may be up 5-9 within Number of stream reaper 100 fer Average dl 4 inches (1 List the db of the stream reaper 100 fer Number of	ent of erodene total perceit to 200%. Left Bank: the entire ridown wood ch. Enter the et of stream bh of trees (if 0 cm) in dia h measurement below: Left Side	d stream chentage will I 75 iparian/buf y stems (at le number filiwill be calciumeasure on meter. Entirents of indi	fer zone ad least 4 inch many and a fer zone ad least 4 inch many and a fer zone ad least 4 inch many and a fer zone ad least 4 inch many and a fer zone and a fer zone zone and a fer zone zone zone zone zone zone zone zone	Ijacent to t es in diame re 50'-wide downed w v y tree/sapl s in inches (at least 4	anks are et et of stream	channel (25 inches in ler within the ch at least 209 Right Side	feet from angth) per 10 annel, and 0 (a). Trees a each side	each bank) 0 feet of the amount re at least	0.0 Not Used
0.10 2.50 VBERO VLWD VTDBH	9.00 Total percesside and it may be up 5-9 within Number of stream reaper 100 fer Average dl 4 inches (1 List the db of the stream reaper 100 fer Number of	ent of eroder ne total perce to 200%. Left Bank: the entire ri down wood ich. Enter the et of stream bh of trees (i 0 cm) in dia h measurem am below: Left Side	d stream chentage will I 75 iparian/buf y stems (at le number filiwill be calciumeasure on meter. Entirents of indi	fer zone ad least 4 inch many and a fer zone ad least 4 inch many and a fer zone ad least 4 inch many and a fer zone ad least 4 inch many and a fer zone and a fer zone zone and a fer zone zone zone zone zone zone zone zone	Ijacent to t es in diame re 50'-wide downed w v y tree/sapl s in inches (at least 4	anks are et et of stream	channel (25 inches in ler within the ch at least 209 Right Side	feet from angth) per 10 annel, and 0 (a). Trees a each side	each bank) 0 feet of the amount re at least	0.0
0.10 2.50 VBERO VLWD VTDBH	9.00 Total percesside and it may be up 5-9 within Number of stream reaper 100 fer Average dl 4 inches (1 List the db of the stream reaper 100 fer Number of	ent of erodene total perceit to 200%. Left Bank: the entire ridown wood ch. Enter the et of stream bh of trees (if 0 cm) in dia h measurement below: Left Side	d stream chentage will I 78 iparian/buf y stems (at renumber from the calculation of th	fer zone ad least 4 inch many and a fer zone ad least 4 inch many and a fer zone ad least 4 inch many and a fer zone ad least 4 inch many and a fer zone and a fer zone zone and a fer zone zone zone zone zone zone zone zone	Ijacent to t es in diame re 50'-wide downed w v y tree/sapl s in inches (at least 4	anks are et et of stream	channel (25 inches in ler within the channel (26 at least 20%) Right Side	feet from angth) per 10 annel, and 0 (a). Trees a each side	each bank) 0 feet of the amount re at least	0.0 Not Used

9	V _{SRICH}	Group 1 in	the tallest s	tratum. Ch	eck all exoti	c and inva	eam reach. (sive species d from these	present in a			0.00
			p 1 = 1.0						2 (-1.0)		
	Acer rubru	m		Magnolia t	ripetala		Ailanthus a	Itissima		Lonicera ja	ponica
	Acer sacch	arum		Nyssa sylv	atica		Albizia julib	rissin		Lonicera ta	atarica
$\overline{\Box}$	Aesculus fi	lava		Oxydendrun	n arboreum		Alliaria peti	olata	$\overline{\Box}$	Lotus corn	iculatus
	Asimina trii	loba		Prunus serotina			Alternanthe	ara	$\overline{\Box}$	Lythrum sa	alicaria
$\overline{\Box}$	Betula alleg	haniensis		Quercus a	lba		philoxeroid		$\overline{\Box}$	Microstegiun	
	Betula lent				Quercus coccinea		Aster tatari	cus		Paulownia	
	Carya alba		Ē	Quercus in			Cerastium		$\overline{\Box}$	Polygonum o	
	Carya glab			Quercus p			Coronilla v		H	Pueraria m	
	Carya ovalis Quercus rubra					Elaeagnus u		7	Rosa multi		
		ovata Quercus velutina									
	•		_				Lespedeza			Sorghum h	
	Cornus floi			Sassafras			Lespedeza			Verbena bi	rasilierisis
	Fagus grar			Tilia ameri			Ligustrum ob				
	Fraxinus a			Tsuga can	adensis		Ligustrum :	sinense			
	Liriodendron	tulipifera	Ш	Ulmus am	ericana						
	Magnolia a	cuminata									
		0	Species in	Group 1				1	Species in	Group 2	
			Op00100 III	Gioup i				'	ореого пт	Gloup 2	
	le Variables The four su V _{DETRITUS}	bplots sho Average pe	uld be plac ercent cover	ed roughly of leaves,	equidistan	tly along oner organic		the stream oody debri	n. s <4" diame		38.50 %
			Left	Side			Right	Side]	
		95	10	8	85	15	50	30	15		
11	V	Average pe	roontogo	over of borb	00001101100	otation (mo	easure only i	f trac cover	io +200/)	Do not	
11	V _{HERB}	include woo	ody stems a tation perce at each sub	et least 4" di entages up i oplot.	bh and 36" t	all. Becaus	se there may epted. Enter	be several the percent	layers of gr	ound	59 %
		5	90	Side 92	15	85	50	Side 70	65		
						- 00					
Comp	la Variabla 1	2 within th	o ontiro oot	ahmant of	the stream						
Samp 12	le Variable 1				the stream e for waters				Pupoff	% in	0.90
	Vwluse	Weighted A	Average of F	Runoff Scor	e for waters	hed:			Runoff Score	Catch- ment	Running Percent (not >100)
	Vwluse		Average of F	Runoff Scor	e for waters	hed:				Catch-	Running Percent
	V _{WLUSE}	Weighted A	Land	Runoff Scor Use (Choos), grass cover	e for waters se From Dro >75%	hed:		·	Score	Catch- ment	Running Percent (not >100)
	VwLusE Open space Open space	Weighted A	Land ns, parks, etc.)	Runoff Scor Use (Choos), grass cover), grass cover	e for waters se From Dro >75% <50%	hed:		~ ~	Score 0.3	Catch- ment 5.55 0.44	Running Percent (not >100) 5.55
	Open space Open space Open space	(pasture, lawr (pasture, lawr (pasture, lawr	Land ns, parks, etc.) ns, parks, etc.)	Runoff Scor Use (Choos), grass cover), grass cover), grass cover	e for waters se From Dro >75% <50% >75%	hed:		· · · · · · · · · · · · · · · · · · ·	0.3 0.1 0.3	Catchment 5.55 0.44 0.88	Running Percent (not >100) 5.55 5.99 6.87
	Open space Open space Open space Open space	(pasture, lawr (pasture, lawr (pasture, lawr (pasture, lawr	Land ns, parks, etc.) ns, parks, etc.) ns, parks, etc.) ns, parks, etc.)	Runoff Scor Use (Choos), grass cover), grass cover), grass cover	e for waters se From Dro >75% <50% >75%	hed:		* * * * * * * * * * * * * * * * * * *	0.3 0.1 0.3 0.2	Catchment 5.55 0.44 0.88 0.32	Running Percent (not >100) 5.55 5.99 6.87 7.19
	Open space Open space Open space Open space Forest and n	(pasture, lawr (pasture, lawr (pasture, lawr (pasture, lawr (pasture, lawr (pasture, lawr	Land ns, parks, etc.) ns, parks, etc.) ns, parks, etc.) ns, parks, etc.) s, parks, etc.)	Use (Choos), grass cover), grass cover), grass cover), grass cover round cover)	e for waters se From Dro >75% <50% >75%	hed:		* * * * * * * * * * * * * * * * * * *	0.3 0.1 0.3	Catchment 5.55 0.44 0.88	Running Percent (not >100) 5.55 5.99 6.87
	Open space Open space Open space Open space Forest and n	(pasture, lawr (pasture, lawr (pasture, lawr (pasture, lawr	Land ns, parks, etc.) ns, parks, etc.) ns, parks, etc.) ns, parks, etc.) s, parks, etc.)	Use (Choos), grass cover), grass cover), grass cover), grass cover round cover)	e for waters se From Dro >75% <50% >75%	hed:		* * * * * * * * * * * * * * * * * * *	0.3 0.1 0.3 0.2	Catchment 5.55 0.44 0.88 0.32	Running Percent (not >100) 5.55 5.99 6.87 7.19
	Open space Open space Open space Open space Forest and n	(pasture, lawr (pasture, lawr (pasture, lawr (pasture, lawr (pasture, lawr (pasture, lawr	Land Land Is, parks, etc.)	Use (Choose), grass cover ,, grass cover ,, grass cover , grass cover round cover)	e for waters se From Dro >75% <50% >75%	hed:		* * * * * * * * * * * * * * * * * * *	0.3 0.1 0.3 0.2 0.7	Catchment 5.55 0.44 0.88 0.32 0.43	Running Percent (not >100) 5.55 5.99 6.87 7.19 7.62
	Open space Open space Open space Open space Forest and n Forest and n	(pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri ative range (5	Land Land Is, parks, etc.)	Use (Choose), grass cover), grass cover), grass cover), grass cover round cover) cover)	e for waters se From Dro >75% <50% >75% 50% - 75%	hed:		* * * * * * * * * * * * * * * * * * *	0.3 0.1 0.3 0.2 0.7	Catchment 5.55 0.44 0.88 0.32 0.43 87.07	Running Percent (not >100) 5.55 5.99 6.87 7.19 7.62 94.69
	Open space Open space Open space Open space Forest and n Forest and n Newly grade	(pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri ative range (5 ative range (2 ative range (2	Land Land Is, parks, etc.)	Use (Choose), grass cover), grass cover), grass cover), grass cover round cover) cover)	e for waters se From Dro >75% <50% >75% 50% - 75%	hed:	No	* *	0.3 0.1 0.3 0.2 0.7 1	Catchment 5.55 0.44 0.88 0.32 0.43 87.07 0.68	Running Percent (not >100) 5.55 5.99 6.87 7.19 7.62 94.69 95.37
12	Open space Open space Open space Open space Forest and n Forest and n Newly grade	(pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri ative range (5 ative range (2 ative range (5	Land Land ns, parks, etc.) ns, parks,	Use (Choose), grass cover (), cover () cover () cover () tation or pav	e for waters se From Dro >75% <50% >75% 50% - 75%	p List)		v v	0.3 0.1 0.3 0.2 0.7 1 0	Catchment 5.55 0.44 0.88 0.32 0.43 87.07 0.68 4.63	Running Percent (not >100) 5.55 5.99 6.87 7.19 7.62 94.69 95.37
12	Open space Open space Open space Open space Forest and n Forest and n Newly grade	(pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri ative range (sative	Land Land Is, parks, etc.)	Use (Choose Use (Choose), grass cover), grass cover), grass cover round cover) cover) cover) tation or pave	e for waters se From Dro >75% <50% >75% 50% - 75% sometiment)	p List)	pleted using	tes:	0.3 0.1 0.3 0.2 0.7 1 0	Catchment 5.55 0.44 0.88 0.32 0.43 87.07 0.68 4.63	Running Percent (not >100) 5.55 5.99 6.87 7.19 7.62 94.69 95.37
12	Open space Open space Open space Open space Forest and n Forest and n Newly grade	(pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri ative range (5 ative range (2 ative range (5	Land Land ns, parks, etc.) ns, parks,	Runoff Scor Use (Choose), grass cover), grass cover), grass cover round cover) cover) tation or paw Land Cov Database	e for waters see From Dro >75% <50% >75% 50% - 75% ement) er Analysis (NLCD), fr	p List) p was comom Lands		tes: g the 2019 magery ar	0.3 0.1 0.3 0.2 0.7 1 0 National L	Catchment 5.55 0.44 0.88 0.32 0.43 87.07 0.68 4.63	Running Percent (not >100) 5.55 5.99 6.87 7.19 7.62 94.69 95.37 100
12 V _c	Open space Open space Open space Open space Forest and n Forest and n Newly grade	(pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri ative range (sative range (sativ	Land	Runoff Scor Use (Choose), grass cover), grass cover), grass cover round cover) cover) tation or pave Land Cov Database datasets.	e for waters see From Dro >75% <50% >75% 50% - 75% ement) er Analysis (NLCD), fr Watershed	p List) was com om Lands boundari	pleted using	tes: g the 2019 magery ared off of fie	Score 0.3 0.1 0.3 0.2 0.7 1 0 0	Catchment 5.55 0.44 0.88 0.32 0.43 87.07 0.68 4.63 and Cover pplementa ed stream	Running Percent (not >100) 5.55 5.99 6.87 7.19 7.62 94.69 95.37 100
12 V	Open space Open space Open space Open space Forest and n Forest and n Newly grade S Variable	(pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri ative range (2 ative range (3 ative range (3 d areas (bare S-A5a Value Not Used, <20% 3.5	Land Land Land Land Land Land Land Land	Runoff Scor Use (Choose), grass cover), grass cover), grass cover round cover) cover) tation or pave Land Cov Database datasets.	e for waters see From Dro >75% <50% >75% 50% - 75% ement) er Analysis (NLCD), fr Watershed	p List) was com om Lands boundari	pleted using sat satellite ies are base	tes: g the 2019 magery ared off of fie	Score 0.3 0.1 0.3 0.2 0.7 1 0 0	Catchment 5.55 0.44 0.88 0.32 0.43 87.07 0.68 4.63 and Cover pplementa ed stream	Running Percent (not >100) 5.55 5.99 6.87 7.19 7.62 94.69 95.37 100
\(\frac{\sqrt{V}}{V_c}\)	Open space Open space Open space Open space Forest and n Forest and n Newly grade S Variable CCANOPY EMBED	(pasture, lawr (pasture, lawr (pasture, lawr (pasture, lawr (pasture, lawr ative range (2 ative range (3 ative range (3 d areas (bare 6-A5a Value Not Used, <20% 3.5 1.00 in	Land Land Land Land Land Land Land Land	Runoff Scor Use (Choose), grass cover), grass cover), grass cover round cover) cover) tation or pave Land Cov Database datasets.	e for waters see From Dro >75% <50% >75% 50% - 75% ement) er Analysis (NLCD), fr Watershed	p List) was com om Lands boundari	pleted using sat satellite ies are base	tes: g the 2019 magery ared off of fie	Score 0.3 0.1 0.3 0.2 0.7 1 0 0	Catchment 5.55 0.44 0.88 0.32 0.43 87.07 0.68 4.63 and Cover pplementa ed stream	Running Percent (not >100) 5.55 5.99 6.87 7.19 7.62 94.69 95.37 100
\(\frac{\sqrt{V}}{V_c}\)	Open space Open space Open space Open space Forest and n Forest and n Newly grade S Variable	(pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri ative range (2 ative range (3 ative range (3 d areas (bare S-A5a Value Not Used, <20% 3.5	Land Land Land Land Land Land Land Land	Runoff Scor Use (Choose), grass cover), grass cover), grass cover round cover) cover) tation or pave Land Cov Database datasets.	e for waters see From Dro >75% <50% >75% 50% - 75% ement) er Analysis (NLCD), fr Watershed	p List) was com om Lands boundari	pleted using sat satellite ies are base	tes: g the 2019 magery ared off of fie	Score 0.3 0.1 0.3 0.2 0.7 1 0 0	Catchment 5.55 0.44 0.88 0.32 0.43 87.07 0.68 4.63 and Cover pplementa ed stream	Running Percent (not >100) 5.55 5.99 6.87 7.19 7.62 94.69 95.37 100
12	Open space Open space Open space Open space Forest and n Forest and n Newly grade S Variable CCANOPY EMBED	(pasture, lawr (pasture, lawr (pasture, lawr (pasture, lawr (pasture, lawr ative range (2 ative range (3 ative range (3 d areas (bare 6-A5a Value Not Used, <20% 3.5 1.00 in	Land Land Land Land Land Land Land Land	Runoff Scor Use (Choose), grass cover), grass cover), grass cover round cover) cover) tation or pave Land Cov Database datasets.	e for waters see From Dro >75% <50% >75% 50% - 75% ement) er Analysis (NLCD), fr Watershed	p List) was com om Lands boundari	pleted using sat satellite ies are base	tes: g the 2019 magery ared off of fie	Score 0.3 0.1 0.3 0.2 0.7 1 0 0	Catchment 5.55 0.44 0.88 0.32 0.43 87.07 0.68 4.63 and Cover pplementa ed stream	Running Percent (not >100) 5.55 5.99 6.87 7.19 7.62 94.69 95.37 100
\(\sqrt{V_t} \)	Open space Open space Open space Open space Open space Forest and n Forest and n Newly grade CCANOPY EMBED SUBSTRATE BERO	(pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri ative range (sative range (sativ	Land	Runoff Scor Use (Choose), grass cover), grass cover), grass cover round cover) cover) tation or pave Land Cov Database datasets.	e for waters see From Dro >75% <50% >75% 50% - 75% ement) er Analysis (NLCD), fr Watershed	p List) was com om Lands boundari	pleted using sat satellite ies are base	tes: g the 2019 magery ared off of fie	Score 0.3 0.1 0.3 0.2 0.7 1 0 0	Catchment 5.55 0.44 0.88 0.32 0.43 87.07 0.68 4.63 and Cover pplementa ed stream	Running Percent (not >100) 5.55 5.99 6.87 7.19 7.62 94.69 95.37 100
\(\frac{1}{2}\) \(\frac{1}{2}\	Open space Open space Open space Open space Forest and n Forest and n Newly grade S Cariable CCANOPY EMBED SUBSTRATE BERO LWD	(pasture, lawrice (pasture, lawrice) (pasture) (pastur	Land Land Land Land Land Land Land Land	Runoff Scor Use (Choose), grass cover), grass cover), grass cover round cover) cover) tation or pave Land Cov Database datasets.	e for waters see From Dro >75% <50% >75% 50% - 75% ement) er Analysis (NLCD), fr Watershed	p List) was com om Lands boundari	pleted using sat satellite ies are base	tes: g the 2019 magery ared off of fie	Score 0.3 0.1 0.3 0.2 0.7 1 0 0	Catchment 5.55 0.44 0.88 0.32 0.43 87.07 0.68 4.63 and Cover pplementa ed stream	Running Percent (not >100) 5.55 5.99 6.87 7.19 7.62 94.69 95.37 100
\(\frac{1}{2}\) \(\frac{1}{2}\	Open space Open space Open space Open space Open space Forest and n Forest and n Newly grade CCANOPY EMBED SUBSTRATE BERO	(pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri ative range (sative range (sativ	Land	Runoff Scor Use (Choose), grass cover), grass cover), grass cover round cover) cover) tation or pave Land Cov Database datasets.	e for waters see From Dro >75% <50% >75% 50% - 75% ement) er Analysis (NLCD), fr Watershed	p List) was com om Lands boundari	pleted using sat satellite ies are base	tes: g the 2019 magery ared off of fie	Score 0.3 0.1 0.3 0.2 0.7 1 0 0	Catchment 5.55 0.44 0.88 0.32 0.43 87.07 0.68 4.63 and Cover pplementa ed stream	Running Percent (not >100) 5.55 5.99 6.87 7.19 7.62 94.69 95.37 100
V V V V V V V V	Open space Open space Open space Open space Forest and n Forest and n Newly grade S Cariable CCANOPY EMBED SUBSTRATE BERO LWD	(pasture, lawrice (pasture, lawrice) (pasture) (pastur	Land Land Land Land Land Land Land Land	Runoff Scor Use (Choose), grass cover), grass cover), grass cover round cover) cover) tation or pave Land Cov Database datasets.	e for waters see From Dro >75% <50% >75% 50% - 75% ement) er Analysis (NLCD), fr Watershed	p List) was com om Lands boundari	pleted using sat satellite ies are base	tes: g the 2019 magery ared off of fie	Score 0.3 0.1 0.3 0.2 0.7 1 0 0	Catchment 5.55 0.44 0.88 0.32 0.43 87.07 0.68 4.63 and Cover pplementa ed stream	Running Percent (not >100) 5.55 5.99 6.87 7.19 7.62 94.69 95.37 100
12 V V V V V V V V V V V V V V V V V V V	Open space Open space Open space Open space Forest and n Forest and n Newly grade CCANOPY EMBED SUBSTRATE BERO LWD FORBH SNAG	(pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri dareas (bare S-A5a Value Not Used, <20% 3.5 1.00 in 136 % 0.0 Not Used	Land Land Land Land Land Land Land Land	Runoff Scor Use (Choose), grass cover), grass cover), grass cover round cover) cover) tation or pave Land Cov Database datasets.	e for waters see From Dro >75% <50% >75% 50% - 75% ement) er Analysis (NLCD), fr Watershed	p List) was com om Lands boundari	pleted using sat satellite ies are base	tes: g the 2019 magery ared off of fie	Score 0.3 0.1 0.3 0.2 0.7 1 0 0	Catchment 5.55 0.44 0.88 0.32 0.43 87.07 0.68 4.63 and Cover pplementa ed stream	Running Percent (not >100) 5.55 5.99 6.87 7.19 7.62 94.69 95.37 100
\(\frac{\sqrt{\v}}{\sqrt{\v}}\) \(\frac{\v}{\sqrt{\v}}\) \(\frac{\v}{\s	Open space Open space Open space Open space Forest and n Forest and n Newly grade CCANOPY EMBED SUBSTRATE BERO LWD FORBH SNAG SSD SRICH	(pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri ative range (sative range (sativ	Land	Runoff Scor Use (Choose), grass cover), grass cover), grass cover round cover) cover) tation or pave Land Cov Database datasets.	e for waters see From Dro >75% <50% >75% 50% - 75% ement) er Analysis (NLCD), fr Watershed	p List) was com om Lands boundari	pleted using sat satellite ies are base	tes: g the 2019 magery ared off of fie	Score 0.3 0.1 0.3 0.2 0.7 1 0 0	Catchment 5.55 0.44 0.88 0.32 0.43 87.07 0.68 4.63 and Cover pplementa ed stream	Running Percent (not >100) 5.55 5.99 6.87 7.19 7.62 94.69 95.37 100
\(\sqrt{V_t} \) \(\sq	Open space Open space Open space Open space Open space Forest and n Forest and n Newly grade S CANOPY EMBED SUBSTRATE BERO LWD TDBH SNAG SSD SRICH DETRITUS	(pasture, lawrice (pasture, lawrice) (pasture) (Land	Runoff Scor Use (Choose), grass cover), grass cover), grass cover round cover) cover) tation or pave Land Cov Database datasets.	e for waters see From Dro >75% <50% >75% 50% - 75% ement) er Analysis (NLCD), fr Watershed	p List) was com om Lands boundari	pleted using sat satellite ies are base	tes: g the 2019 magery ared off of fie	Score 0.3 0.1 0.3 0.2 0.7 1 0 0	Catchment 5.55 0.44 0.88 0.32 0.43 87.07 0.68 4.63 and Cover pplementa ed stream	Running Percent (not >100) 5.55 5.99 6.87 7.19 7.62 94.69 95.37 100
V	Open space Open space Open space Open space Forest and n Forest and n Newly grade CCANOPY EMBED SUBSTRATE BERO LWD FORBH SNAG SSD SRICH	(pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri (pasture, lawri ative range (sative range (sativ	Land	Runoff Scor Use (Choose), grass cover), grass cover), grass cover round cover) cover) tation or pave Land Cov Database datasets.	e for waters see From Dro >75% <50% >75% 50% - 75% ement) er Analysis (NLCD), fr Watershed	p List) was com om Lands boundari	pleted using sat satellite ies are base	tes: g the 2019 magery ared off of fie	Score 0.3 0.1 0.3 0.2 0.7 1 0 0	Catchment 5.55 0.44 0.88 0.32 0.43 87.07 0.68 4.63 and Cover pplementa ed stream	Running Percent (not >100) 5.55 5.99 6.87 7.19 7.62 94.69 95.37 100

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION		
STATION # RIVERMILE	STREAM CLASS		
LAT LONG	RIVER BASIN		
STORET#	AGENCY		
INVESTIGATORS			
FORM COMPLETED BY	DATETIME	REASON FOR SURVEY	

WEATHER CONDITIONS	Now	Past 24 hours Yes No
COMPITIONS	storm (heavy rain) rain (steady rain) showers (intermittent) % %cloud cover clear/sunny	Air Temperature° C% Other
SITE LOCATION/MAP		the areas sampled (or attach a photograph) Construction Construction
STREAM CHARACTERIZATION	Stream Origin	idal Stream Type Coldwater Warmwater Catchment Areakm² fed e of origins

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)	
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chen Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic	
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)	

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category		
	Parameter	Optimal	Suboptimal	Marginal	Poor	
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.	
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.	
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.	
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0	
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0	
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.	
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0	
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0	
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.	
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0	
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0	

Total	Caare	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION					
STATION #	_ RIVERMILE	STREAM CLASS					
LAT	LONG	RIVER BASIN					
STORET#		AGENCY					
INVESTIGATORS			LOT NUMBER				
FORM COMPLETED	ВҮ	DATE TIME	REASON FOR SURVEY				
HABITAT TYPES	Indicate the percentage of	each habitat type present	onks % Sand %				

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Wetzel Stream ID: S-A5a


Stream Name: UNT to Fallen Timber Run


HUC Code: 05030201 Basin: Little Muskingum-Middle Island

Survey Date: 8/25/2021 Surveyors: MB, JR


Type: Bankfull Channel

T 1	DADTICLE		LE COUNT	[D]	TD 4 3 "	T	0/ ~
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	•	8	8.00	8.00
	Very Fine	.062125		+	2	2.00	10.00
	Fine	.12525		•	3	3.00	13.00
	Medium	.255	SAND	+	8	8.00	21.00
	Coarse	.50-1.0		-	4	4.00	25.00
.0408	Very Coarse	1.0-2		-	4	4.00	29.00
.0816	Very Fine	2 -4		+	8	8.00	37.00
.1622	Fine	4 -5.7		•	8	8.00	45.00
.2231	Fine	5.7 - 8		•	3	3.00	48.00
.3144	Medium	8 -11.3		•	2	2.00	50.00
.4463	Medium	11.3 - 16	GRAVEL	•	5	5.00	55.00
.6389	Coarse	16 -22.6		+	5	5.00	60.00
.89 - 1.26	Coarse	22.6 - 32		+	6	6.00	66.00
1.26 - 1.77	Vry Coarse	32 - 45		+	4	4.00	70.00
1.77 -2.5	Vry Coarse	45 - 64		+	7	7.00	77.00
2.5 - 3.5	Small	64 - 90		+	7	7.00	84.00
3.5 - 5.0	Small	90 - 128	COBBLE	•	4	4.00	88.00
5.0 - 7.1	Large	128 - 180	COBBLE	+	3	3.00	91.00
7.1 - 10.1	Large	180 - 256		•	2	2.00	93.00
10.1 - 14.3	Small	256 - 362		+	2	2.00	95.00
14.3 - 20	Small	362 - 512		+	2	2.00	97.00
20 - 40	Medium	512 - 1024	BOULDER	+	3	3.00	100.0
40 - 80	Large	1024 -2048		•	0	0.00	100.0
80 - 160	Vry Large	2048 -4096]	•	0	0.00	100.0
	Bedrock		BDRK	+	0	0.00	100.0
				Totals:	100		





AS-BUILT TABLE: S-A5A CROSS SECTION A									
	PRE-CROSSING AS-BUILT								
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.				
TS-L	14357491.67	1769796.22	1045.02						
BS-L	14357486.25	1769794.43	1041.63						
THW	14357483.79	1769792.76	1040.30						
B\$-R	14357482.44	1769791.84	1040.58						
TS-R	14357480.46	1769790.50	1042.39						



SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 十

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON AUGUST 25, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-A5A BASELINE CROSS-SECTION A



DISTANCE ALONG CROSS-SECTION (FT)

CROSS SECTION LEGEND — EXISTING GRADE

CROSS SECTION

H: 1"=10'
V: 1"=5'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM

PRE-CROSSING

DOWNSTREAM IMPACT LIMITS

CAD File No.

Drawing No.