Reach S-A65 (Pipeline ROW) Perennial Spread D Nicholas County, West Virginia

Data	Included
Photos	\checkmark
SWVM Form	\checkmark
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope <4%)
RBP Physical Characteristics Form	\checkmark
Water Quality Data	\checkmark
RBP Habitat Form	\checkmark
RBP Benthic Form	\checkmark
Benthic Identification Sheet	✓ Benthic sample taken on 08/23/21
Wolman Pebble Count	\checkmark
Reference Reach Software Pebble Count Data	\checkmark
Longitudinal Profile and Cross Sections	\checkmark

Spread D Stream S-A65 (Pipeline ROW) Nicholas County




Photo Type: DS, US View

Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, SK, HK, VM Latitude, Longitude: 38.308183, -80.675347



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, SK, HK, VM Latitude, Longitude: 38.308183, -80.675347





Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, SK, HK, VM Latitude, Longitude: 38.308183, -80.675347




Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, SK, HK, VM Latitude, Longitude: 38.308183, -80.675347

Spread D Stream S-A65 (Pipeline ROW) Nicholas County




Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, SK, HK, VM Latitude, Longitude: 38.308183, -80.675347




Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, SK, HK, VM Latitude, Longitude: 38.308183, -80.675347

Spread D Stream S-A65 (Pipeline ROW) Nicholas County




Photo Type: Riffle, DS View Location, Orientation, Photographer Initials: Upstream of Riffle, Downstream View, SK, HK, VM Latitude, Longitude: 38.308183, -80.675347




Photo Type: Riffle, US View Location, Orientation, Photographer Initials: Downstream of Riffle, Upstream View, SK, HK, VM Latitude, Longitude: 38.308183, -80.675347

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)	Mountair	ntain Valley Pipeline IMPACT COORDINATES: Lat. 38.306183 Lon80.675347 WEAT (In Decimal Degrees)					WEATHER:	Sunny	DATE:	9/7/20	021	
IMPACT STREAM/SITE ID A (watershed size (acreage), u		S-,	465		MITIGATION STREAM CLA (watershed size {ac	SS./SITE ID AND SI reage}, unaltered or impai				Comments:		
STREAM IMPACT LENGTH:	77 FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:		
Column No. 1- Impact Existing	Condition (Debit)	Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)		Column No. 3- Mitigatio Post Compl	on Projected at Five Y letion (Credit)	ears	Column No. 4- Mitigation Pr Post Completion		Column No. 5- Mitigation Project	ted at Maturity (C	redit)
Stream Classification:	Perennial	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0	1
Percent Stream Channel Slo	0.5	Percent Stream Channel Sic	pe		Percent Stream Channe	el Slope	0	Percent Stream Channel	Slope 0	Percent Stream Channel S	lope	0
HGM Score (attach dat	a forms):	HGM Score (attach o	lata forms):		HGM Score (att	tach data forms):		HGM Score (attach	data forms):	HGM Score (attach o	ata forms):	
Underland.	Average	likulasi sar	Average		lh deste en		Average	lludelaan	Average	Under La su		Average
Hydrology Biogeochemical Cycling Habitat	0	Hydrology Biogeochemical Cycling Habitat	0		Hydrology Biogeochemical Cycling Habitat		0	Hydrology Biogeochemical Cycling Habitat	0	Hydrology Biogeochemical Cycling Habitat		0
PART I - Physical, Chemical and B	iological Indicators	PART I - Physical, Chemical and	Biological Indicators		PART I - Physical, Chemic	cal and Biological Ind	cators	PART I - Physical, Chemical ar	d Biological Indicators	PART I - Physical, Chemical and	Biological Indica	ators
	Points Scale Range Site Score		Points Scale Range Site Score			Points Scale Range	Site Score		Points Scale Range Site Score		Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams of	lassifications)	PHYSICAL INDICATOR (Applies to all streams of	lassifications)		PHYSICAL INDICATOR (Applies to all str	reams classifications)		PHYSICAL INDICATOR (Applies to all streat	ms classifications)	PHYSICAL INDICATOR (Applies to all stream	a classifications)	
ISEPA RBP (High Gradient Data Sheet)		USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Shee	et)		USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)	1	
. Epifaunal Substrate/Available Cover	0-20 15	 Epifaunal Substrate/Available Cover 	0-20		1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover	0-20	 Epifaunal Substrate/Available Cover 	0-20	
2. Embeddedness	0-20 16	2. Pool Substrate Characterization	0-20		2. Embeddedness	0-20		2. Embeddedness	0-20	2. Embeddedness	0-20	
Velocity/ Depth Regime	0-20 16	3. Pool Variability	0-20		3. Velocity/ Depth Regime	0-20		Velocity/ Depth Regime	0-20	Velocity/ Depth Regime	0-20	
4. Sediment Deposition	0-20 16	 Sediment Deposition 	0-20		4. Sediment Deposition	0-20		 Sediment Deposition 	0-20	 Sediment Deposition 	0-20	
5. Channel Flow Status	0-20 0-1 15	5. Channel Flow Status	0-20 0-1		5. Channel Flow Status	0-20 0-1		5. Channel Flow Status	0-20 0-1	5. Channel Flow Status	0-20 0-1	
6. Channel Alteration	0-20 16	Channel Alteration	0-20		Channel Alteration	0-20		Channel Alteration	0-20	Channel Alteration	0-20	
7. Frequency of Riffles (or bends)	0-20 16	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20 18	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20 18	9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	9. Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB)	0-20 16	10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & R			10. Riparian Vegetative Zone Width (LB & RB)		10. Riparian Vegetative Zone Width (LB & RB)	0-20	
Total RBP Score	Suboptimal 162	Total RBP Score	Poor 0		Total RBP Score	Poor	0	Total RBP Score	Poor 0	Total RBP Score	Poor	0
Sub-Total	0.81	Sub-Total	P001 0		Sub-Total	FOOI	0	Sub-Total	0	Sub-Total	FUO	ő
CHEMICAL INDICATOR (Applies to Intermittent a		CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Interr	mittent and Perennial Stre	ams)	CHEMICAL INDICATOR (Applies to Intermit		CHEMICAL INDICATOR (Applies to Intermitte	nt and Perennial Stre	
WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (Ger	neral)		WVDEP Water Quality Indicators (Gener	ral)	WVDEP Water Quality Indicators (Genera	I)	
Specific Conductivity	750-999 - 30 points	Specific Conductivity			Specific Conductivity			Specific Conductivity		Specific Conductivity		
	0-90 947		0-90			0-90			0-90		0-90	
750-999 - 30 points												
рн		рн			рн			рн		рн		
0100 15 11	0-80 0-1 8.58		5-90			5-90			5-90		5-90	
8.1-9.0 = 45 points												
		DO			10			00		00		-
>5.0 = 30 points	10-30 8.64		10-30			10-30			10-30		10-30	
Sub-Total	0.525	Sub-Total			Sub-Total	I	0	Sub-Total		Sub-Total	-IIIII	0
			0				0		U			U
BIOLOGICAL INDICATOR (Applies to Intermitter	nt and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intermitte	nt and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to In	ntermittent and Perenni	al Streams)	BIOLOGICAL INDICATOR (Applies to Inte	rmittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intern	tittent and Perennia	al Streams)
WV Stream Condition Index (WVSCI)	0-100 0-1 82.37	WV Stream Condition Index (WVSCI)	0-100 0-1		WV Stream Condition Index (WVSCI)	0-100 0-1		WV Stream Condition Index (WVSCI)	0-100 0-1	WV Stream Condition Index (WVSCI)	0-100 0-1	
Very Good Sub-Total	0.8237	Sub-Total	0		Sub-Total	0-100 0-1	0	Sub-Total	0	Sub-Total	0-100 0-1	0
							· · · · · · · · · · · · · · · · · · ·					
PART II - Index and Un	it Score	PART II - Index and	Unit Score		PART II - Index	and Unit Score		PART II - Index and	Unit Score	PART II - Index and I	Jnit Score	
Index	Linear Feet Unit Score	Index	Linear Feet Unit Score		Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet	Unit Scor

77 55.4066333

0.720

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION						
STATION # RIVERMILE	STREAM CLASS						
LAT LONG	RIVER BASIN	RIVER BASIN					
STORET #	AGENCY						
INVESTIGATORS							
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY					

WEATHER CONDITIONS	Now storm (heavy rain) rain (steady rain) showers (intermittent) % %cloud cover clear/sunny	Past 24 hours Has there been a heavy rain in the last 7 days? Yes Yes No Air Temperature0 C % Other
SITE LOCATION/MAP	Draw a map of the site and indicate	the areas sampled (or attach a photograph) PBegy S-A65 US Bgg bgb
STREAM CHARACTERIZATION	Stream Origin	idal Stream Type Coldwater Warmwater Catchment Areakm ² e of origins

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse Local Watershed NPS Pollution Forest Commercial Field/Pasture Industrial Agricultural Other Residential Other Indicate the dominant type and record the dominant species present Herbaceous Trees Shrubs Grasses Dominant species present Herbaceous
INSTREAM FEATURES	Dominant species present
LARGE WOODY	LWDm ²
DEBRIS	Density of LWDm ² /km ² (LWD/ reach area)
AQUATIC	Indicate the dominant type and record the dominant species present
VEGETATION	Rooted emergent Rooted submergent Rooted floating Free floating Floating Algae Attached Algae Booted floating Free floating Free floating Dominant species present
WATER QUALITY (DS, US)	Temperature0 C Water Odors Normal/None Sewage Specific Conductance Petroleum Fishy Chemical Other Dissolved Oxygen Water Surface Oils Slick Sheen None Globs Flecks pH Turbidity (if not measured) Clear Slightly turbid Turbid Turbid Turbid Opaque Turbid
SEDIMENT/	Odors
SUBSTRATE	Normal Sewage Petroleum Deposits Chemical Anaerobic None Sludge Sawdust Paper fiber Sand Other Other Epoking at stones which are not deeply embedded are the undersides black in color? How are the undersides black in color?

INC	ORGANIC SUBSTRATE (should add up to			ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)							
Substrate Type	Diameter % Composition in Sampling Reach		Substrate Type	Characteristic % Compositio Sampling Ar							
Bedrock				sticks, wood, coarse plant							
Boulder	> 256 mm (10")			materials (CPOM)							
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic							
Gravel	2-64 mm (0.1"-2.5")			(FPOM)							
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments							
Silt	0.004-0.06 mm										
Clay	< 0.004 mm (slick)										

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET #	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE TIME AM PM	REASON FOR SURVEY			

	Habitat		Condition	ı Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.				
ted i	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).				
uram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				

Rapid Bioassessment Protocols For Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates, and Fish, Second Edition - Form 2

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat		Condition	ı Category	
Parameter	Optimal	Suboptimal	Marginal	Poor
6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
 SCORE 8. Bank Stability (score each bank) Note: determine left or right side by facing downstream. SCORE (LB) SCORE (RB) 9. Vegetative Protection (score each bank) 	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE(RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total Score _____

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-A	65	LOCATION Nicholas							
STATION #	RIVERMILE	STREAM CLASS Perennial							
LAT <u>38.308183</u>	LONG80.675347	RIVER BASIN							
STORET #		AGENCY WVDEP							
INVESTIGATORS P		-	LOT NUMBER						
FORM COMPLETED	PBY	DATE 08-23-21 TIME 1200	REASON FOR SURVEY Baseline Assessment						
HABITAT TYPES	TYPES Indicate the percentage of each habitat type present Cobble 40_% Snags% Submerged Macrophytes% Other (
SAMPLE COLLECTION		lected? ☑ wading ☐ f ps/kicks taken in each habitat ty bags ☐ Vegetated B	anksSand						
GENERAL COMMENTS		meters: Temp: 23.30 8SU. Sample collect	C, SPC: 947uS/cm, DO: ed mid-stream, seasonal water						

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						ſ
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						ſ
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						ſ
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						ſ
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						ſ
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						ļ
						Culcidae	0	1	2	3	4						

Benthic WVSCI

1

Sample ID

ORG ID

West Virginia Stream Condition Index (WVSCI)

IMPORTANT: A blank screen below means that you have not entered the Benthic Identifications correctly! All individuals that are part of the 200-count subsample must be designated as such in the Sample Methodolgy column on the Benthic ID forms (Family or Genus)!


WVSCI Family 🚽	Count -	TV -	14
Baetidae 🚽	13	4	
Chironomidae	18	6	
Coenagrionidae	1	9	
Corydalidae	5	5	
Elmidae	30	4	
Heptageniidae	2	4	
Hydrachnidae		6	
Hydropsychidae	55	5	
Hydroptilidae	42	4	
Isonychiidae	5	2	
Oligochaeta	1	10	
Perlidae	1	1	
Philopotamidae	6	3	
Psephenidae	3	4	
Psychomyiidae	27	2	
Rhyacophilidae	1	3	
Sialidae	1	4	
Simuliidae	3	6	
Tipulidae	1	3	

	1	WV SC	l Metrics and	Scores ORG ID REIC2513			
	Metrics	BSV	WVSCI Standardized Score w BSV 1996-2001	Benthic Density # of grids Picked 5 Total # of grids 100			
% 2 Dominant Taxa (Famil	44.91	37.3	87.87	* of glius Ficked 5 Flotal * of glius 100			
% Chironomidae	8.33	1.7	93.25	Total IBI Individuals 216			
% EPT (Family)	70.37	89.3	78.80	# of Organisms per Grid 43.20			
HBI (Family)	4.19	2.61	78.68	Organisms per Sq cm 0.4320			
# EPT Taxa (Family)	9	13	69.23	Organisms per Sq m 4320.00			
# Total Taxa (Family)	19	22	86.36				
	WVSCI S BSV 199						
WVSCI Cate	gory Un	impaire	d Very Good				
	Uni Gray Zo	mpaireo one = 6	hresholds 1 = >68.00 60.61 to 68.00 = <60.61				

WOLMAN PEBBLE COUNT FORM


County:	Nicholas	Stream ID:	S-A65
Stream Name:	Big Beaver Creek		
HUC Code:		Basin:	
Survey Date:	9/7/2021		
Surveyors:	VM, HK, SK	Impact Reach:	18.898 m
Туре:	Bankfull Channel		

			BBLE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	<.062	S/C	▲ ▼	0	0.00	0.00
	Very Fine	.062125		▲ ▼	0	0.00	0.00
	Fine	.12525		▲ ▼	0	0.00	0.00
	Medium	.255	SAND	▲ ▼	0	0.00	0.00
	Coarse	.50-1.0		▲ ▼	10	10.00	10.00
.0408	Very Coarse	1.0-2		▲ ▼	0	0.00	10.00
.0816	Very Fine	2 -4		▲ ▼	0	0.00	10.00
.1622	Fine	4 -5.7		▲ ▼	0	0.00	10.00
.2231	Fine	5.7 - 8		▲ ▼	0	0.00	10.00
.3144	Medium	8 -11.3	-	▲ ▼	5	5.00	15.00
.4463	Medium	11.3 - 16	G R A V E L	▲ ▼	5	5.00	20.00
.6389	Coarse	16 -22.6	-	▲ ▼	5	5.00	25.00
.89 - 1.26	Coarse	22.6 - 32		▲ ▼	5	5.00	30.00
1.26 - 1.77	Vry Coarse	32 - 45		▲ ▼	5	5.00	35.00
1.77 -2.5	Vry Coarse	45 - 64		▲ ▼	0	0.00	35.00
2.5 - 3.5	Small	64 - 90		▲ ▼	0	0.00	35.00
3.5 - 5.0	Small	90 - 128	- COBBLE	▲ ▼	0	0.00	35.00
5.0 - 7.1	Large	128 - 180		▲ ▼	10	10.00	45.00
7.1 - 10.1	Large	180 - 256		▲ ▼	20	20.00	65.00
10.1 - 14.3	Small	256 - 362		▲ ▼	10	10.00	75.00
14.3 - 20	Small	362 - 512	BOULDER	▲ ▼	0	0.00	75.00
20 - 40	Medium	512 - 1024		▲ ▼	0	0.00	75.00
40 - 80	Large	1024 -2048		▲ ▼	15	15.00	90.00
80 - 160	Vry Large	2048 -4096		▲ ▼	10	10.00	100.00
	Bedrock		BDRK	▲ ▼	0	0.00	100.00
				Totals:	100		





percent finer than

per




AS-BUILT TABLE: S-A65 CROSS SECTION A					
	PRE-CROSSING				UILT
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.
TS-L	13910961.51	1733555.03	2011.97		
BS-L	13910957.09	1733552.03	2009.63		
THW	13910926.56	1733541.65	2008.07		
BS-R	13910907.34	1733534.868	2009.67		
TS-R	13910899.48	1733529.45	2016.16		





- LOCATIONS WERE COMPLETED ON SEPTEMBER 7, 2021
- PIPELINE.

GENERATE A CLEAN PRE-CROSSING SURFACE.



- 2006