# Reach S-A79 (Timber Mat Crossing) Perennial Spread D Webster County, West Virginia

Data	Included
Photos	$\checkmark$
SWVM Form	$\checkmark$
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope <4%)
RBP Physical Characteristics Form	$\checkmark$
Water Quality Data	$\checkmark$
RBP Habitat Form	$\checkmark$
RBP Benthic Form	✓– Collected 9/14/21
Benthic Identification Sheet	$\checkmark$
Wolman Pebble Count	$\checkmark$
Reference Reach Software Pebble Count Data	$\checkmark$
Longitudinal Profile and Cross Sections	$\checkmark$



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, COC Lat:38.480782 Long: -80.554682



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, COC Lat:38.480782 Long: -80.554682



Photo Type: CL US Location, Orientation, Photographer Initials: Center ROW, Upstream View, COC Lat:38.480782 Long: -80.554682



Photo Type: CL DS Location, Orientation, Photographer Initials: Center ROW, Downstream View, COC Lat:38.480782 Long: -80.554682




Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, COC Lat:38.480782 Long: -80.554682



Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, COC Lat:38.480782 Long: -80.554682



Photo Type: RIFFLE, US View Location, Orientation, Photographer Initials: Upstream of Riffle, Downstream View, COC Lat:38.480782 Long: -80.554682



Photo Type: RIFFLE, DS View Location, Orientation, Photographer Initials: Downstream of Riffle, Upstream View, COC Lat:38.480782 Long: -80.554682



Photo Type: POOL, US view Location, Orientation, Photographer Initials: Upstream of Pool, Downstream View, COC Lat:38.480782 Long: -80.554682



Photo Type: POOL, DS View Location, Orientation, Photographer Initials: Downstream of Pool, Upstream View, COC Lat:38.480782 Long: -80.554682

#### West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)	Mountain	Mountain Valley Pipeline IMPACT COORDINATES: Lat. 38.480782 Lon80.554682 WEATHER: (in Decimal Degrees)								DATE:	9/14/2021
IMPACT STREAM/SITE ID A (watershed size (acreage), un		S-A	79		MITIGATION STREAM CLASS./SITE ID AND SITE DESCRIPTION: (watershed size (acreage), unaltered or impairments)					Comments:	
STREAM IMPACT LENGTH:	55 FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:	
Column No. 1- Impact Existing C	Condition (Debit)	Column No. 2- Mitigation Existing Co	ndition - Baseline (Credit)		Column No. 3- Mitigatio Post Compl	on Projected at Five 1 letion (Credit)	'ears	Column No. 4- Mitigation Project Post Completion (C		Column No. 5- Mitigation Project	ed at Maturity (Credit)
tream Classification:	Perennial	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel Slop	0.6	Percent Stream Channel Slo	pe		Percent Stream Channe	el Slope	0	Percent Stream Channel Slo	pe O	Percent Stream Channel S	lope 0
HGM Score (attach data	a forms):	HGM Score (attach d	ata forms):		HGM Score (att	tach data forms):		HGM Score (attach dat	a forms):	HGM Score (attach o	ata forms):
	Average		Average				Average		Average		Avera
ydrology iogeochemical Cycling	0	Hydrology Biogeochemical Cycling	0		Hydrology Biogeochemical Cycling		o	Hydrology Biogeochemical Cycling	0	Hydrology Biogeochemical Cycling	0
abitat PART I - Physical, Chemical and Bi	intervient Indianters	Habitat PART I - Physical, Chemical and	Distantial Indianters		Habitat PART I - Physical, Chemic	al and Distants		Habitat PART I - Physical, Chemical and B	istaniast to disate or	Habitat PART I - Physical, Chemical and	Distantial Indiants
PART I - Physical, Chemical and Bi	lological indicators	PART I - Physical, Chemical and	Biological Indicators		PART I - Physical, Chemic	ai and Biological Ind	icators	PART I - Physical, Chemical and B	lological indicators	PART I - Physical, Chemical and	Biological Indicators
	Points Scale Range Site Score		Points Scale Range Site Score			Points Scale Range	Site Score		Points Scale Range Site Score		Paints Scale Range Site Sc
IYSICAL INDICATOR (Applies to all streams cla	assifications)	PHYSICAL INDICATOR (Applies to all streams cl	assifications)		PHYSICAL INDICATOR (Applies to all str	eams classifications)		PHYSICAL INDICATOR (Applies to all streams of	lassifications)	PHYSICAL INDICATOR (Applies to all stream	classifications)
EPA RBP (High Gradient Data Sheet)		USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Shee	et)		USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)	
	0-20 15	1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover	0-20	1. Epifaunal Substrate/Available Cover	0-20
Embeddedness	0-20 19	2. Pool Substrate Characterization	0-20		2. Embeddedness	0-20		2. Embeddedness	0-20	2. Embeddedness	0-20
	0-20 15	3. Pool Variability 4. Sediment Deposition	0-20		3. Velocity/ Depth Regime 4. Sediment Deposition	0-20		3. Velocity/ Depth Regime 4. Sediment Deposition	0-20	3. Velocity/ Depth Regime 4. Sediment Deposition	0-20
		<ol> <li>Sediment Deposition</li> <li>Channel Flow Status</li> </ol>			4. Sediment Deposition 5. Channel Flow Status			<ol> <li>Sediment Deposition</li> <li>Channel Flow Status</li> </ol>	0-20	4. Sediment Deposition 5. Channel Flow Status	
	0-20 0-1 16 0-20 15	6. Channel Alteration	0-20 0-1		6. Channel Alteration	0-20 0-1		6. Channel Alteration	0-20 0-1	6. Channel Alteration	0-20 0-1
	0-20 9	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20
	0-20 17	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20
	0-20 19	9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	9. Vegetative Protection (LB & RB)	0-20
	0-20 8	10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & RE			10. Riparian Vegetative Zone Width (LB & RB)	0-20	10. Riparian Vegetative Zone Width (LB & RB)	0-20
	Suboptimal 153	Total RBP Score	Poor 0		Total RBP Score	Poor	0	Total RBP Score	Poor 0	Total RBP Score	Poor
b-Total	0.765	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total	
HEMICAL INDICATOR (Applies to Intermittent a	ind Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermittent a	nd Perennial Streams)		CHEMICAL INDICATOR (Applies to Interr	mittent and Perennial Str	sams)	CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermitte	nt and Perennial Streams)
VDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (Gen	neral)		WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (Genera	)
ecific Conductivity		Specific Conductivity			Specific Conductivity			Specific Conductivity		Specific Conductivity	
	0-90 132.9		0-90			0-90			0-90		0-90
100-199 - 85 points								all		<b>n</b> H	
	0-1	рп	0-1		pn	0-1		pn	0-1	pn	0-1
8.1-9.0 = 45 points	0-80 0-1 8.14		5-90			5-90			5-90		5-90
)		DO			DO			DO		DO	
	10-30 9.2		10-30			10-30			10-30		10-30
>5.0 = 30 points											
o-Total	0.8	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total	
DLOGICAL INDICATOR (Applies to Intermitten	t and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intermitten	t and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to In	ntermittent and Perenn	ial Streams)	BIOLOGICAL INDICATOR (Applies to Intermit	tent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intern	nittent and Perennial Stream
Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)	
Good	0-100 0-1 76.35		0-100 0-1			0-100 0-1			0-100 0-1		0-100 0-1
ib-Total	0.7635	Sub-Total	0	l	Sub-Total		0	Sub-Total	0	Sub-Total	
PART II - Index and Uni	it Score	PART II - Index and U	nit Score	[	PART II - Index	and Unit Score	Π	PART II - Index and Un	it Score	PART II - Index and	Jnit Score
					Part II - Index						
Index	Linear Feet Unit Score	Index	Linear Feet Unit Score		Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit

0.776

55 42.6891667

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION						
STATION # RIVERMILE	STREAM CLASS						
LAT LONG	RIVER BASIN	RIVER BASIN					
STORET #	AGENCY						
INVESTIGATORS							
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY					

WEATHER CONDITIONS	Now     Past 24 hours     Has there been a heavy rain in the last 7 days?       Storm (heavy rain) rain (steady rain) showers (intermittent) % %cloud cover clear/sunny     Air Temperature0 C
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph)
STREAM CHARACTERIZATION	Stream Subsystem       LOD         Perennial       Intermittent       Tidal         Stream Origin       Coldwater       Warmwater         Glacial       Spring-fed       Mixture of origins         Non-glacial montane       Mixture of origins       Catchment Area_km <sup>2</sup>

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse       Local Watershed NPS Pollution         Forest       Commercial         Field/Pasture       Industrial         Agricultural       Other         Residential       Other         Indicate the dominant type and record the dominant species present       Herbaceous         Trees       Shrubs       Grasses         Dominant species present       Herbaceous
INSTREAM FEATURES	Dominant species present
LARGE WOODY	LWDm <sup>2</sup>
DEBRIS	Density of LWDm <sup>2</sup> /km <sup>2</sup> (LWD/ reach area)
AQUATIC	Indicate the dominant type and record the dominant species present
VEGETATION	Rooted emergent       Rooted submergent       Rooted floating       Free floating         Floating Algae       Attached Algae       Booted floating       Free floating       Free floating         Dominant species present
WATER QUALITY (DS, US)	Temperature0 C       Water Odors Normal/None       Sewage         Specific Conductance       Petroleum Fishy       Chemical Other         Dissolved Oxygen       Water Surface Oils Slick       Sheen None       Globs       Flecks         pH       Turbidity (if not measured) Clear       Slightly turbid       Turbid Turbid       Turbid Opaque       Turbid
SEDIMENT/	Odors
SUBSTRATE	Normal     Sewage     Petroleum     Deposits       Chemical     Anaerobic     None     Sludge     Sawdust     Paper fiber     Sand       Other     Other     Epoking at stones which are not deeply embedded are the undersides black in color?     How are the undersides black in color?

INC	ORGANIC SUBSTRATE (should add up to			ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)							
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area						
Bedrock			Detritus	sticks, wood, coarse plant							
Boulder	> 256 mm (10")			materials (CPOM)							
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic							
Gravel	2-64 mm (0.1"-2.5")			(FPOM)							
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments							
Silt	0.004-0.06 mm										
Clay	< 0.004 mm (slick)										

### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION					
STATION # RIVERMILE	STREAM CLASS					
LAT LONG	RIVER BASIN					
STORET #	AGENCY					
INVESTIGATORS						
FORM COMPLETED BY	DATE TIME AM PM	REASON FOR SURVEY				

	Habitat		Condition	ı Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.				
ted i	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).				
uram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				

Rapid Bioassessment Protocols For Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates, and Fish, Second Edition - Form 2

### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat		Condition	ı Category				
Parameter	Optimal	Suboptimal	Marginal	Poor			
6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.			
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.			
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
<ul> <li>SCORE</li> <li>8. Bank Stability (score each bank)</li> <li>Note: determine left or right side by facing downstream.</li> <li>SCORE (LB)</li> <li>SCORE (RB)</li> <li>9. Vegetative</li> <li>Protection (score each bank)</li> </ul>	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.			
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.			
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
<b>10. Riparian</b> <b>Vegetative Zone</b> <b>Width</b> (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.			
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
SCORE(RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			

Total Score \_\_\_\_\_

### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-A	.79	LOCATION Webster County								
STATION #	RIVERMILE	STREAM CLASS Perennial								
LAT <u>38.480782</u>	LONG -80.554682	RIVER BASIN None								
STORET #		AGENCY WVDEP								
INVESTIGATORS PR	= SM		LOT NUMBER							
FORM COMPLETED	<sup>PBY</sup> SM	DATE <u>9/14/21</u> TIME <u>1530</u>	REASON FOR SURVEY Baseline Assessment							
HABITAT TYPES	I ✓Cobble <u>®</u> % □Sn	ndicate the percentage of each habitat type present ]Cobble <sup>80</sup> % □Snags% □Vegetated Banks% □Sand% ]Submerged Macrophytes% □Other ( )%								
SAMPLE COLLECTION		lected? ☑ wading ☐ f bs/kicks taken in each habitat ty bags ☐ Vegetated B	rom bank ☐from boat y <b>pe.</b> sanks □Sand							
GENERAL COMMENTS		C, pH: 8.19, SPC: 1	32.9us/cm, DO: 9.20 mg/ L 32.8us/cm, DO: 9.26mg/L							

### QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

#### FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)


Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						ſ
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						ſ
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						ſ
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						ſ
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						ſ
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						ļ
						Culcidae	0	1	2	3	4						

) 1		N	est Virginia Stream (	Conditi	on Ir	ndex (WV	SCI)	ORG I	D
ORTANT: A blank s	creen	below r	eans that you have not ente	red the l	Benthi	c Identificatio	ons correctly! /	All individuals the	at ai
	TOP IS A DOMESTIC		esignated as such in the Se	mple M	ethodo	olgy column o	on the Benthic I		
WVSCI Family	Count -	3	4	1	<b>W</b> VSC	I Metrics and	Scores	ORG ID	R
Athericidae	17	2		100		WVSCI			
Baetidae		4				Standardized			18
Baetiscidae		3				Score w BSV		<b>Benthic Density</b>	
Caenidae	14 (M	7		Metrics	BSV	1996-2001			
Ceratopogonidae		6	% 2 Dominant Taxa (Famil	43.51	37.3	90.10	# of grids Picker	i 100 Total #	or gi
Chironomidae		6	% Chironomidae			1			
Corvdalidae		5		9.74	1.7	91.82	Total IB	I Individuals 1	154
Dryopidae		5	% EPT (Family)	53.25	89.3	59.63	th of Orga	nisms per Grid	.54
Elmidae		4	HBI (Family)	4.36	2.61	76.36			
Empididae	2	6	# EPT Taxa (Family)	7	13	53.85			0154
Heptageniidae	24	4				1	Organis	ms per Sq m 15	4.00
Hydropsychidae	38	5	# Total Taxa (Family)	19	22	86.36			
Isonychiidae	5	2		WVSCI S	core w/	76.35			
Perlidae		1		BSV 199	6-2001	10.00			
Psephenidae	12	4	WVSCI Cate			ired-Good			
Simuliidae	2	6	WYJCI Late						
Tipulidae	1	3				nresholds			
Veliidae	1	6				= >68.00			
						0.61 to 68.00 = <60.61			
				Im	paned :	= (00.01			


### WOLMAN PEBBLE COUNT FORM

County:	Webster	Stream ID:	S-A79
Stream Name:	Laurel Creek		
HUC Code:		Basin:	
Survey Date:	9/8/2021		
Surveyors:	RFC,COC	Impact:	23m
Type:	Bankfull Channel		

			LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	• • • • • • • • • • • • • • • • • • •	1	1.00	1.00
	Very Fine	.062125	SAND	*	0	0.00	1.00
	Fine	.12525		• •	0	0.00	1.00
	Medium	.255		* *	0	0.00	1.00
	Coarse	.50-1.0		• •	3	3.00	4.00
.0408	Very Coarse	1.0-2		• •	1	1.00	5.00
.0816	Very Fine	2 -4		• •	5	5.00	10.00
.1622	Fine	4 -5.7	1	• •	5	5.00	15.00
.2231	Fine	5.7 - 8	1	• •	6	6.00	21.00
.3144	Medium	8 -11.3		▲ ▼	11	11.00	32.00
.4463	Medium	11.3 - 16	GRAVEL	▲ ▼	12	12.00	44.00
.6389	Coarse	16 -22.6		▲ ▼	9	9.00	53.00
.89 - 1.26	Coarse	22.6 - 32		▲ ▼	19	19.00	72.00
1.26 - 1.77	Vry Coarse	32 - 45		▲ ▼	13	13.00	85.00
1.77 -2.5	Vry Coarse	45 - 64		• •	7	7.00	92.00
2.5 - 3.5	Small	64 - 90		▲ ▼	1	1.00	93.00
3.5 - 5.0	Small	90 - 128	CODDIE	▲ ▼	1	1.00	94.00
5.0 - 7.1	Large	128 - 180	COBBLE	▲ ▼	2	2.00	96.00
7.1 - 10.1	Large	180 - 256		<b>•</b>	0	0.00	96.00
10.1 - 14.3	Small	256 - 362		• •	1	1.00	97.00
14.3 - 20	Small	362 - 512		▲ ▼	1	1.00	98.00
20 - 40	Medium	512 - 1024	BOULDER	• •	1	1.00	99.00
40 - 80	Large	1024 -2048	1	• •	0	0.00	99.00
80 - 160	Vry Large	Vry Large 2048 -4096		• •	1	1.00	100.00
	Bedrock		BDRK	• •	0	0.00	100.00
				Totals:	100		
	Total Tally:						



### Bankfull Channel Pebble Count, S-A79, Laurel Creek



	PF	AS-BUILT			
PT. LOC.	NORTHING	E-CROSSING	ELEV	VERT. DIFF.	HORZ. DIFF.
TS-L	13973899.49	1767899.98	1705.93		
BS-L	13973893.09	1767886.47	1701.53		
THW	13973860.52	1767840.01	1699.44		
BS-R	13973858.09	1767837.6	1700.68		
TS-R	13973855.85	1767833.676	1703.37		
TS-R	13973855.85	1767833.676	1703.37		

