Reach S-A83/A91 (Pipeline ROW) Perennial Spread C Webster County, West Virginia

Data	Included
Photos	\checkmark
SWVM Form	\checkmark
FCI Calculator and HGM Form	N/A – Perennial stream
RBP Physical Characteristics Form	\checkmark
Water Quality Data	\checkmark
RBP Habitat Form	\checkmark
RBP Benthic Form	✓ – Collected 9/15/2021
Benthic Identification Sheet	\checkmark
Wolman Pebble Count	\checkmark
Reference Reach Software Pebble Count Data	\checkmark
Longitudinal Profile and Cross Sections	\checkmark

Spread C Stream S-A83/A91 (Pipeline ROW) Webster County



Photo Type: DS, US View

Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, DPF/HK Lat: 38.557064 Long: -80.535592



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, DPF/HK Lat: 38.557064 Long: -80.535592

Spread C Stream S-A83/A91 (Pipeline ROW) Webster County



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, DPF/HK Lat: 38.557064 Long: -80.535592



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, DPF/HK Lat: 38.557064 Long: -80.535592

Spread C Stream S-A83/A91 (Pipeline ROW) Webster County



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, DPF/HK Lat: 38.557064 Long: -80.535592



Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, DPF/HK Lat: 38.557064 Long: -80.535592

Spread C Stream S-A83/A91 (Pipeline ROW) Webster County



Photo Type: Riffle, DS View

Location, Orientation, Photographer Initials: Upstream of Riffle, Downstream View, DPF/HK Lat: 38.557064 Long: -80.535592



Photo Type: Riffle, US View Location, Orientation, Photographer Initials: Downstream of Riffle, Upstream View, DPF/HK Lat: 38.557064 Long: -80.535592

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain	Valley Pipeline	IMPACT COORDINA (in Decimal Degre		38.557064	Lon.	-80.535592	WEATHER: Sunny		DATE:	9/10/2021
IMPACT STREAM/SITE ID (watershed size (acreage),		:	S-A8	33/A91	•	MITIGATION STREAM CL (watershed size (ASS./SITE ID AND (acreage), unaltered or imp				Comments:	
STREAM IMPACT LENGTH:		rm of Gation:	RESTORATION (Levels I-III)	MIT COORDINAT (in Decimal Degre			Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:	
Column No. 1- Impact Existing	g Condition (Debit)		Column No. 2- Mitigation Existing C	ondition - Baseline (Credit))	Column No. 3- Mitigati Post Com	tion Projected at Five pletion (Credit)	Years	Column No. 4- Mitigation Proj Post Completion (Column No. 5- Mitigation Projec	ted at Maturity (Credit)
Stream Classification:	Perennial		Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel Sle	ope 5.8		Percent Stream Channel Slo	оре		Percent Stream Chan	nel Slope	0	Percent Stream Channel SI	ope 0	Percent Stream Channel S	ilope 0
HGM Score (attach da	ata forms):		HGM Score (attach e	data forms):		HGM Score (a	attach data forms):		HGM Score (attach d	ata forms):	HGM Score (attach o	lata forms):
	Average			Avera	ige			Average		Average		Avera
ydrology iogeochemical Cycling abitat	0		Hydrology Biogeochemical Cycling Habitat	0		Hydrology Biogeochemical Cycling		0	Hydrology Biogeochemical Cycling Habitat	0	Hydrology Biogeochemical Cycling Habitat	0
PART I - Physical, Chemical and	Biological Indicators		PART I - Physical, Chemical and	d Biological Indicators		PART I - Physical, Chemi	ical and Biological Ir	dicators	PART I - Physical, Chemical and	Biological Indicators	PART I - Physical, Chemical and	Biological Indicators
	Points Scale Range Site Score			Points Scale Range Site Sco	149		Points Scale Rang	Site Score		Points Scale Range Site Score		Points Scale Range Site Sco
HYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all s	streams classifications)		PHYSICAL INDICATOR (Applies to all streams	s classifications)	PHYSICAL INDICATOR (Applies to all stream	s classifications)
EPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sh			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)	
Epifaunal Substrate/Available Cover	0-20 15		1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover			1. Epifaunal Substrate/Available Cover	0-20	 Epifaunal Substrate/Available Cover 	0-20
Embeddedness	0-20 16		2. Pool Substrate Characterization	0-20		2. Embeddedness	0-20		2. Embeddedness	0-20	2. Embeddedness	0-20
Velocity/ Depth Regime	0-20 10		3. Pool Variability	0-20		3. Velocity/ Depth Regime 4. Sediment Deposition	0-20		3. Velocity/ Depth Regime	0-20	3. Velocity/ Depth Regime 4. Sediment Deposition	0-20
Sediment Deposition			4. Sediment Deposition				0-20		4. Sediment Deposition			0-20
Channel Flow Status	0-20 0-1 10		5. Channel Flow Status	0-20 0-1		5. Channel Flow Status	0-20 0-1		5. Channel Flow Status	0-20 0-1	5. Channel Flow Status	0-20 0-1
Channel Alteration	0-20 18		6. Channel Alteration	0-20		6. Channel Alteration	0-20		6. Channel Alteration	0-20	6. Channel Alteration	0-20
Frequency of Riffles (or bends)	0-20 18		7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	Frequency of Riffles (or bends)	0-20
Bank Stability (LB & RB)	0-20 18		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20
Vegetative Protection (LB & RB)	0-20 18		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	9. Vegetative Protection (LB & RB)	0-20
Riparian Vegetative Zone Width (LB & RB)	0-20 5		10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB &	RB) 0-20		10. Riparian Vegetative Zone Width (LB & RB)	0-20	10. Riparian Vegetative Zone Width (LB & RB)	0-20
tal RBP Score	Suboptimal 141		Total RBP Score	Poor 0		Total RBP Score	Poor	0	Total RBP Score	Poor 0	Total RBP Score	Poor
b-Total	0.705		Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total	
EMICAL INDICATOR (Applies to Intermitten			CHEMICAL INDICATOR (Applies to Intermittent	t and Perennial Streams)		CHEMICAL INDICATOR (Applies to Inte	ermittent and Perennial S	reams)	CHEMICAL INDICATOR (Applies to Intermittee	nt and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermitte	nt and Perennial Streams)
/DEP Water Quality Indicators (General))		WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (Ge	eneral)		WVDEP Water Quality Indicators (General)	WVDEP Water Quality Indicators (General	I)
pecific Conductivity			Specific Conductivity			Specific Conductivity	-		Specific Conductivity		Specific Conductivity	
<=99 - 90 points	0-90 27.2		1	0-90			0-90			0-90		0-90
						nH			1 4		1	
	0.1	_	pn	0.1		pri	0.1		рп	0.1	pn	0.1
6.0-8.0 = 80 points	0-80 6.8			5-90			5-90			5-90		5-90
0.0-0.0 - 00 points			DO.			DO.			DO		DO	
>5.0 = 30 points	10-30 9.4			10-30			10-30			10-30		10-30
b-Total	1		Sub-Total			Sub-Total		0	Sub-Total	0	Sub-Total	· · ·
OLOGICAL INDICATOR (Applies to Intermitt	tent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to	Intermittent and Peren	nial Streams)	BIOLOGICAL INDICATOR (Applies to Intern	nittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Interr	nittent and Perennial Strean
V Stream Condition Index (WVSCI)	0-100 0-1 62.8		WV Stream Condition Index (WVSCI)	0-100 0-1		WV Stream Condition Index (WVSCI	0-100 0-1		WV Stream Condition Index (WVSCI)	0-100 0-1	WV Stream Condition Index (WVSCI)	0-100 0-1
Grey Zone							0-100 0-1					
ub-Total	0.628		Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total	0
PART II - Index and U	Init Score		PART II - Index and	Unit Score		PART II - Inde	ex and Unit Score		PART II - Index and U	Init Score	PART II - Index and	Jnit Score
Index	Linear Feet Unit Scor	e	Index	Linear Feet Unit Sc	core	Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit Se

0.778

58.325

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION						
STATION # RIVERMILE	STREAM CLASS						
LAT LONG	RIVER BASIN	RIVER BASIN					
STORET #	AGENCY						
INVESTIGATORS							
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY					

WEATHER CONDITIONS	Now Past 24 hours Has there been a heavy rain in the last 7 days? Storm (heavy rain) rain (steady rain) showers (intermittent) % Air Temperature0 C % %cloud cover clear/sunny
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph)
ζ. Ν Υ	HS E S-A83/A93
XX	H H H H H H H H H H H H H H H H H H H
STREAM CHARACTERIZATION	Stream Subsystem Perennial Stream Type Intermittent Stream Type Coldwater Warmwater Stream Origin Glacial Spring-fed Mixture of origins Swamp and bog Catchment Area_km ²

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse Local Watershed NPS Pollution Forest Commercial Field/Pasture Industrial Agricultural Other Residential Other Indicate the dominant type and record the dominant species present Herbaceous Trees Shrubs Grasses Dominant species present Herbaceous
INSTREAM FEATURES	Dominant species present
LARGE WOODY	LWDm ²
DEBRIS	Density of LWDm ² /km ² (LWD/ reach area)
AQUATIC	Indicate the dominant type and record the dominant species present
VEGETATION	Rooted emergent Rooted submergent Rooted floating Free floating Floating Algae Attached Algae Booted floating Free floating Free floating Dominant species present
WATER QUALITY (DS, US)	Temperature0 C Water Odors Normal/None Sewage Specific Conductance Petroleum Fishy Chemical Other Dissolved Oxygen Water Surface Oils Slick Sheen None Globs Flecks pH Turbidity (if not measured) Clear Slightly turbid Turbid Turbid Turbid Opaque Turbid
SEDIMENT/	Odors
SUBSTRATE	Normal Sewage Petroleum Deposits Chemical Anaerobic None Sludge Sawdust Paper fiber Sand Other Other Epoking at stones which are not deeply embedded are the undersides black in color? How are the undersides black in color?

INC	ORGANIC SUBSTRATE (should add up to			ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)							
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic % Compositio Sampling Ar							
Bedrock			Detritus	sticks, wood, coarse plant							
Boulder	> 256 mm (10")			materials (CPOM)							
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic							
Gravel	2-64 mm (0.1"-2.5")			(FPOM)							
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments							
Silt	0.004-0.06 mm										
Clay	< 0.004 mm (slick)										

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION						
STATION # RIVERMILE	STREAM CLASS						
LAT LONG	RIVER BASIN	RIVER BASIN					
STORET #	AGENCY						
INVESTIGATORS							
FORM COMPLETED BY	DATE TIME AM PM	REASON FOR SURVEY					

	Habitat		Condition	ı Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.				
ted i	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).				
uram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				

Rapid Bioassessment Protocols For Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates, and Fish, Second Edition - Form 2

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat		Condition	ı Category				
Parameter	Optimal	Suboptimal	Marginal	Poor			
6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.			
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.			
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
 SCORE 8. Bank Stability (score each bank) Note: determine left or right side by facing downstream. SCORE (LB) SCORE (RB) 9. Vegetative Protection (score each bank) 	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.			
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.			
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.			
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
SCORE(RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			

Total Score _____

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-A	83/A91	LOCATION Webster							
STATION #	RIVERMILE	STREAM CLASS Perennial							
LAT <u>38.557064</u>	LONG80.535592	RIVER BASIN	RIVER BASIN						
STORET #		AGENCY WVDEP							
INVESTIGATORS M	B DH		LOT NUMBER						
FORM COMPLETED	MB	DATE 09-15-21 TIME 1500	REASON FOR SURVEY Baseline Assessment						
HABITAT TYPES	I I Cobble 40 [°] % □Sn	Indicate the percentage of each habitat type present ✓ Cobble 40 % Snags % Vegetated Banks % Sand % Submerged Macrophytes % Other (
SAMPLE COLLECTION		lected? ☑ wading ☐ fi ps/kicks taken in each habitat ty pags □Vegetated B:	rrom bank ☐from boat y pe. sanks □Sand						
GENERAL COMMENTS	US: Temp: 19 C,		DO: 9.4 mg/L, pH: 6.8 DO: 9.0 mg/L, pH: 6.7 rs						

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						ſ
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						ſ
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						ſ
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						ſ
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						ſ
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						ļ
						Culcidae	0	1	2	3	4						

Insects	Count	Tolerance	τv	Insects	Count	Tolerance	тν	Non-Insects	Count	Tolerance	τv	SITE ID:	S-A83/A91
Ephemeroptera			6	Odonata			1	Crustacea	•		0		9/15/20
Ameletidae		2	0	Aeshnidae		3	0	Asellidae		7	0	1	
Baetidae	1	4	4	Calopterygidae		6	0	Cambaridae		5	0	1	
Beatiscidae		4	0	Coenagrionidae		7	0	Gammaridae		5	0	1	
Caenidae		5	0	Cordulegastridae		3	0	Palaemonidae		5	0	1	
Ephemerellidae	1	3	3	Gomphidae	1	5	5	Annelida			0	1	
Ephemeridae		5	0	Lestidae		7	0	Hirudinea		10	0	1	
Heptageniidae	4	3	12	Libellulidae		7	0	Nematoda		10	0	1	
Isonychiidae		3	0	Coleoptera			2	Nematomorpha		10	0	1	
Leptophlebiidae		4	0	Chrysomelidae		7	0	Oligochaeta		10	0	1	
Potamanthidae		5	0	Dryopidae		5	0	Turbellaria			0	1	
Siphlonuridae		3	0	Dytiscidae		6	0	Turbellaria		7	0	1	
Tricorythidae		5	0	Elmidae	1	4	4	Bivalvia			0	1	
Plecoptera			6	Gyrinidae		5	0	Corbiculidae		6	0	1	
Capniidae		2	0	Haliplidae		7	0	Sphaeriidae		5	0	1	
Chloroperlidae	3	2	6	Hydrophilidae		7	0	Unionidae		4	0	1	
Leuctridae	1	2	2	Psephenidae	1	3	3	Gastropoda			0	1	
Nemouridae		2	0	Ptilodactylidae		5	0	Ancylidae		7	0	1	
Peltoperlidae		1	0	Hemiptera		1	0	Hydrobiidae		4	0	1	
Perlidae		1	0	Belostomatidae		8	0	Physidae		7	0	1	
Perlodidae	2	1	2	Corixidae		8	0	Planorbidae		5	0	1	
Pteronarcyidae		1	0	Gerridae		10	0	Pleuroceridae		5	0	1	
Taeniopterygidae		2	0	Hydrometridae		8	0	Viviparidae		5	0	1	
Trichoptera		30	Nepidae		8	0	Miscellaneous		4	1			
Brachycentridae		2	0	Notonectidae		8	0	Collembola	4	6	24	1	
Glossosomatidae		2	0	Megaloptera			0	Lepidoptera		5	0	1	
Helicopsychidae		3	0	Corydalidae		3	0	Neuroptera		5	0	1	
Hydropsychidae	18	5	90	Sialidae		6	0	Hydrachnidae		6	0	1	
Hydroptilidae		3	0	Diptera			35		Total	number	84		
Lepidostomatidae		3	0	Athericidae		3	0	Totals	Total	families	15	1	
Leptoceridae		3	0	Blephariceridae		2	0			M	etric calc	ulations	
Limnephilidae		4	0	Ceratopogonidae	3	8	24	WVSCI Metric Score				Additional	metrics
Molannidae		3	0	Chironomidae	29	9	261			ric Scores		Ephemeroptera Taxa	3
Philopotamidae	12	4	48	Culicidae		10	0	Total Taxa	a	15	68.2	Plecoptera Taxa	3
Phryganeidae		4	0	Dixidae		6	0	EPT Taxa	1	8	61.5	Trichoptera Taxa	2
Polycentropodidae		5	0	Empididae		7	0	% EPT Abund	ance	50.0	56.0	Long-lived Taxa	7
Psychomiidae		4	0	Psychodidae		8	0	% Chironomi		34.5	66.6	Odonata Taxa	1
Rhyacophilidae		3	0	Ptychopteridae		8	0	Hilsenhoff Biotic Index (HBI)		5.99	54.3	Diptera Taxa	3
Uenoidae		2	0	Simuliidae		7	0	% 2 Dominant		56.0	70.3	COET Taxa	8
Total Tolerance Value		503	Stratiomyidae		10	0			. 510	% Sensitive	28.6		
West Virginia Stream Condition Index (WVSCI)				Syrphidae		10	0	WV Stream Condition Index % Tolerant 62.8 % Clingers % Net-spinners %					38.1
Gerritson, J., J. Burton, and M.T. Barbour. 2000. A stream			stream	Tabanidae		7	0				15.5		
	condition index for West Virginia wadeable streams. Tetra			Tipulidae	3	5	15				35.7		
Tech, Inc. Owing Mills, M		dard Value- [D	CV/l for c = -	th metric per WVSCI Adde	-							76 Net-spinners	55.7


9/15/2021

Spreadsheet uses updated Best Standard Values [BSV] for each metric per WVSCI Addenda dated March 23, 2010

WOLMAN PEBBLE COUNT FORM

County:	Webster	Stream ID:	S-A83/A91
Stream Name:	UNT to Camp Creek		
HUC Code:		Basin:	
Survey Date:	9/10/2021		
Surveyors:	HK DF	Impact Reach:	26 m
Туре:	Bankfull Channel		

In alson	PARTICLE	Millimeters	BLE COUNT	Particle	T-4-1#	Item %	0/ C
Inches	PARTICLE	Millimeters		Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	▲ ▼	0	0.00	0.00
	Very Fine	.062125		▲ ▼	0	0.00	0.00
	Fine	.12525		▲ ▼	0	0.00	0.00
	Medium	.255	S A N D	▲ ▼	10	10.00	10.00
	Coarse	.50-1.0		▲ ▼	5	5.00	15.00
.0408	Very Coarse	1.0-2		▲ ▼	1	1.00	16.00
.0816	Very Fine	2 -4	GRAVEL	•	17	17.00	33.00
.1622	Fine	4 -5.7		•	1	1.00	34.00
.2231	Fine	5.7 - 8		▲ ▼	16	16.00	50.00
.3144	Medium	8 -11.3		▲ ▼	3	3.00	53.00
.4463	Medium	11.3 - 16		▲ ▼	4	4.00	57.00
.6389	Coarse	16 -22.6		▲ ▼	8	8.00	65.00
.89 - 1.26	Coarse	22.6 - 32		•	6	6.00	71.00
1.26 - 1.77	Vry Coarse	32 - 45		•	2	2.00	73.00
1.77 -2.5	Vry Coarse	45 - 64		•	7	7.00	80.00
2.5 - 3.5	Small	64 - 90		•	4	4.00	84.00
3.5 - 5.0	Small	90 - 128		•	4	4.00	88.00
5.0 - 7.1	Large	128 - 180	COBBLE	▲ ▼	1	1.00	89.00
7.1 - 10.1	Large	180 - 256		▲ ▼	10	10.00	99.00
10.1 - 14.3	Small	256 - 362	BOULDER	▲ ▼	1	1.00	100.0
14.3 - 20	Small	362 - 512		▲ ▼	0	0.00	100.0
20 - 40	Medium	512 - 1024		▲ ▼	0	0.00	100.0
40 - 80	Large	1024 -2048		▲ ▼	0	0.00	100.0
80 - 160	Vry Large	2048 -4096	1	▲ ▼	0	0.00	100.0
	Bedrock		BDRK	▲ ▼	0	0.00	100.0
				Totals:	100		



cumulative % ——# of particles

Bankfull Channel Pebble Count, S-A83/A91, UNT to Camp Creek

percent finer than

D95

220

