Reach S-A96/A103 (Pipeline ROW) Ephemeral Spread C Webster County, West Virginia

Data	Included
Photos	\checkmark
SWVM Form	\checkmark
FCI Calculator and HGM Form	\checkmark
RBP Physical Characteristics Form	\checkmark
Water Quality Data	N/A – Low flow
RBP Habitat Form	\checkmark
RBP Benthic Form	\checkmark
Benthic Identification Sheet	N/A – Low flow
Wolman Pebble Count	\checkmark
Reference Reach Software Pebble Count Data	\checkmark
Longitudinal Profile and Cross Sections	\checkmark

Spread C Stream S-A96/A103 (Pipeline ROW) Webster County



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, DD/LC Lat: 38.688706 Long: -80.47859



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, DD/LC Lat: 38.688706 Long: -80.47859




Spread C Stream S-A96/A103 (Pipeline ROW) Webster County

Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, DD/LC Lat: 38.688706 Long: -80.47859



Spread C Stream S-A96/A103 (Pipeline ROW) Webster County

Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, DD/LC Lat: 38.688706 Long: -80.47859



Spread C Stream S-A96/A103 (Pipeline ROW) Webster County

Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, DD/LC Lat: 38.688706 Long: -80.47859



Spread C Stream S-A96/A103 (Pipeline ROW) Webster County

Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, DD/LC Lat: 38.688706 Long: -80.47859

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017

(v2.1, Sept 2015)		Mountain	Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	38.688706	Lon.	-80.47859	WEATHER:	Sunny	DATE:	September 2, 2021
IMPACT STREAM/SITE ID A (watershed size (acreage), ur			S-A96	/A103		MITIGATION STREAM CLASS (watershed size {acrea					Comments:	
STREAM IMPACT LENGTH:	83	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:	
Column No. 1- Impact Existing 0	Condition (Debi	it)	Column No. 2- Mitigation Existing Co	ondition - Baseline (Credit)		Column No. 3- Mitigation F Post Completie	rojected at Five Yoon (Credit)	ears	Column No. 4- Mitigation Proje Post Completion (ected at Ten Years Credit)	Column No. 5- Mitigation Project	ed at Maturity (Credit)
Stream Classification:	Epherr	neral	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel Slop	pe	14.5	Percent Stream Channel Sig	pe		Percent Stream Channel S	Slope	0	Percent Stream Channel St	ope 0	Percent Stream Channel S	lope 0
HGM Score (attach dat	ta forms):		HGM Score (attach o	lata forms):		HGM Score (attac	h data forms):		HGM Score (attach da	ata forms):	HGM Score (attach d	ata forms):
		Average		Average				Average		Average		Average
Hydrology Biogeochemical Cycling	0.39	0.21333333	Hydrology Biogeochemical Cycling	0		Hydrology Biogeochemical Cycling		0	Hydrology Biogeochemical Cycling		Hydrology Biogeochemical Cycling	
Habitat	0.08		Habitat			Habitat			Habitat	, , , , , , , , , , , , , , , , , , ,	Habitat	
PART I - Physical, Chemical and B	Siological Indica	tors	PART I - Physical, Chemical and	Biological Indicators		PART I - Physical, Chemical a	Ind Biological Indi	cators	PART I - Physical, Chemical and	Biological Indicators	PART I - Physical, Chemical and	Biological Indicators
	Points Scale Range	Sile Score		Points Scale Range Site Score			Points Scale Range	Site Score		Points Scale Range Site Score		Pointx Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams cl	classifications)		PHYSICAL INDICATOR (Applies to all streams of	classifications)		PHYSICAL INDICATOR (Applies to all stream	is classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)
2. Embeddedness 3. Velocity/ Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 9. Vegetative Protection (LB & RB)		0 20 0 20 20 20 20 20 20 20 20	USEPA KBP (Low Gradient Data Sheet) L-Epfanal Sociation Analobic Cover 2. Pool Substrate Characterization 3. Pool Variability 4. Sedment Deposition 5. Charneri (Pool Status 6. Bank Stability (LB & RB) 10. Riportari Vogetative Zime Width (LB & RB) 10. Riportari Vogetative Zime Vogetative Zi	0.20 0.1 0.20 0.1 0.20 0.1 0.20 0.1 0.20 0.1 0.20 0.20 0.20 0.20 0.20 0.20 0.20 0		USEPA KBP (High Gradient Data Sheet) I: Epidaual Substrate/Available Cover 2: Embeddedness 3: Velocity/ Dopth Regime 4: Sediment Deposition 5: Channel Flow Status 6: Channel Ateration 5: Channel Ateration 6: Channel Ateration 6: Bank Stability (LB & RB) 10: Reparts Vegetative Zove Widh (LB & RB) CHEMICAL INDICATOR (Apples to Intermite WDEEP Water Quality Indicators (Generi Specific Conductivity PH		0 0 ans)	USEPA RBP (High Cradient Data Sheet) 1. Eptimum Schwatzki Availabie Cover 2. Embeddedniess 3. Velocity Dopth Regme 4. Sedment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency Affilis (chads) 8. Bank Stabitry (LB & RB) 10. Reparts Protection (LB & RB		USEPARBY (High Gradient Data Sheet) 1. Eptimum Substratio/Available Cover 2. Embeddedness 3. Vedocity Deph Regime 4. Sediment Deposition 5. Channel Row Status 6. Channel Row Status 1. Frequency ORHing (or bands) 8. Bank Stability (LB & RB) 10. Ripartian Vegatian Zore Widh (LB & RB) 10. CHEMICAL INDICATOR (Applies to Intermitter WVDEP Water Quality Indicators (General Specific Candiactivity PH BO	
Sub-Total			Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total	0
BIOLOGICAL INDICATOR (Applies to Intermitter	nt and Perennial St	treams)	BIOLOGICAL INDICATOR (Applies to Intermitte	nt and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Inter	mittent and Perennia	al Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intern	ittent and Perennial Streams)
WV Stream Condition Index (WVSCI) 0 Sub-Total	0-100 0-1	0	WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1 0		WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1	0	WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1 0	WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1 0
PART II - Index and Uni	it Score		PART II - Index and I	Jnit Score		PART II - Index an	d Unit Score		PART II - Index and U	nit Score	PART II - Index and U	nit Score
Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit Score
0.515	83	42.745	0	0 0		0	0	0	0	0 0	0	0 0

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: MVP Stream Assessment Location: Webster County, Spread C Sampling Date: 09/02/21

Project Site Before Project

Subclass for this SAR:

Ephemeral Stream

Uppermost stratum present at this SAR: Shrub/Herb Strata SAR number: S-A96/A103

Functional Results Summary: Enter Results in Section

Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.39
Biogeochemical Cycling	0.17
Habitat	0.08

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V _{CCANOPY}	Percent canpoy over channel.	Not Used, <20%	Not Used
V _{EMBED}	Average embeddedness of channel.	1.00	0.10
V _{SUBSTRATE}	Median stream channel substrate particle size.	0.08	0.04
V _{BERO}	Total percent of eroded stream channel bank.	0.00	1.00
V _{LWD}	Number of down woody stems per 100 feet of stream.	0.00	0.00
V _{TDBH}	Average dbh of trees.	Not Used	Not Used
V _{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	10.26	0.16
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
VDETRITUS	Average percent cover of leaves, sticks, etc.	13.75	0.17
V _{HERB}	Average percent cover of herbaceous vegetation.	95.63	1.00
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.72	0.76

			rign-G	Field [Headwa Data She			-	-	a		
	Team:	D Davis L (Cawlfield	Tiera		et and e	aioui			M Northing:	38.688706	
Pro	oject Name:	e: MVP Stream Assessment						Longitude/UTM Easting: -80.47859				
	Location:	Webster C	ounty, Sprea	ad C					Sam	pling Date:	09/02/21	
SA	AR Number:	S-A96/A103	Reach	Length (ft):	39	Stream T	ype:	Epher	meral Strean	ı		•
	Top Strata:	Sh	rub/Herb Sti	rata	(determine	d from perc	ent calc	culate	d in V _{CCANO}	_{DPY})		
ite a	and Timing:	Project Site				•	Before	Projec	t			•
nple		1-4 in strea										
I	V _{CCANOPY}	ANOPY Average percent cover over channel by tree and sapling canopy. Measure at no fewer than 10 roughly equidistant points along the stream. Measure only if tree/sapling cover is at least 20%. (If less than 20%, enter at least one value between 0 and 19 to trigger Top Strata choice.)									Not Use <20%	
		rcent cover	measureme	nts at each	point below	:				1	1	
	0											
2	V _{EMBED}	Average er	nbeddednes	ss of the str	eam channe	el. Measure	at no f	ewer	than 30 ro	uahlv eauid	istant	
	- EMBED	points alon	g the stream	n. Select a	particle fror	n the bed.	Before r	movin	ig it, deterr	nine the per	rcentage of	1.0
			and area s the follow	•			-				•	
			ore of 1. If t							i inte seuin	ients, use	
			ness rating	for gravel, c	obble and l	oulder par	ticles (re	escale	ed from Pla	tts, Megaha	an, and	Ī
		Minshall 19	,									ļ
		Rating 5	Rating Des	scription of surface of	covered su	rounded o	r buriod	l by fir	no sodimor	ot (or bodro	ck)	ł
		4		cent of surface of							UK)	ł
		3	26 to 50 pe				,					1
		2	51 to 75 pe >75 percen								cial	$\frac{1}{2}$
	List the rat	ings at each			0010100, 0	arrounded,	or burie	u by i			Jiai	1
	1	1	1	1	1	1	1		1	1	1	
	1	1	1	1	1	1	1		1	1	1	
	1	1	1	1	1	1	1		1	1	1	
	•	cle size in ir concrete as 0.08				•	0.08		0.08	0.08	0.08	
	0.08	0.08	0.08	0.08	0.08	0.08	0.08		0.08	0.08	0.08	
	0.08	0.08	0.08	0.08	0.08	0.08	0.08	8	0.08	0.08	0.08	
	0.08	0.08	0.08	0.08	0.08	0.08	0.08	8	0.08	0.08	0.08	
4	0.08	Total perce	0.08 ent of eroded e total perce	d stream ch	annel bank.	Enter the	total nur	mber	of feet of e	roded bank	on each	0 %
1		Total perce	ent of eroded e total perc to 200%.	d stream ch entage will I	annel bank. be calculate	Enter the	total nur	mber	of feet of e ded, total e	roded bank erosion for t	on each	0 %
1		Total perce	ent of eroded e total perc	d stream ch entage will I	annel bank.	Enter the	total nur	mber e ero	of feet of e ded, total e	roded bank	on each	0 %
	V _{BERO}	Total perce	ent of erodec e total perc to 200%. Left Bank:	d stream cha entage will I 0	annel bank. be calculate ft	Enter the	total nur anks are Right Ba	mber e ero ank:	of feet of e ded, total e 0	roded bank prosion for t ft	on each he stream	
nple	V _{BERO}	Total perce side and th may be up 5-9 within	ent of erodec e total perc to 200%. Left Bank:	d stream ch entage will I 0 iparian/bufi y stems (at	annel bank. be calculate ft fer zone ad least 4 inch	Enter the d If both b dijacent to the es in diame	total nur anks are Right Ba he strea	mber e ero ank: am ch 36 in	of feet of e ded, total e 0 nannel (25 ches in ler	roded bank erosion for t ft feet from e igth) per 10	c on each he stream each bank). 0 feet of	
nple	V _{BERO}	Total perce side and th may be up 5-9 within Number of stream rea	ent of erode e total perc to 200%. Left Bank: the entire r down wood	d stream ch entage will I 0 iparian/buff y stems (at re number fi	annel bank. be calculate ft fer zone ad least 4 inch rom the enti ulated.	Enter the ed If both both both both both both both both both both both both	total nur anks are Right Ba he strea ter and buffer a	mber e ero ank: am ch 36 in and w	of feet of e ded, total o 0 nannel (25 ches in ler ithin the ch	roded bank erosion for t ft feet from e agth) per 10 annel, and	c on each he stream each bank). 0 feet of	
nple	V _{BERO}	Total perce side and th may be up 5-9 within Number of stream rea per 100 fee	ent of erodea e total perci- to 200%. Left Bank: the entire ri down wood ch. Enter th	d stream ch entage will I 0 iparian/buff y stems (at e number fr will be calco	annel bank. be calculate ft fer zone ad least 4 inch rom the enti ulated. Number of	Enter the d If both b ljacent to ti es in diame re 50'-wide	total nur anks are Right Ba he strea ter and buffer a	mber e ero ank: am ch 36 in and w ems:	of feet of e ded, total o 0 nannel (25 ches in ler ithin the ch	ft ft ft feet from e annel, and	c on each he stream each bank). 0 feet of the amount	0.0
nple	V _{BERO}	Total percesside and the may be up 5-9 within Number of stream reasper 100 fee Average db	ent of erode e total perc to 200%. Left Bank: the entire r down wood ch. Enter th et of stream	d stream cha entage will l o iparian/buff y stems (at e number fr will be calco measure on	ft fer zone ad least 4 inch rom the enti ulated. Number of	Enter the ed If both b ljacent to the es in diame re 50'-wide	total nur anks are Right Ba he strea ter and buffer a body ste ng cove	mber e ero ank: am ch 36 in and w ems:	of feet of e ded, total o 0 nannel (25 ches in ler ithin the ch	ft ft ft feet from e annel, and	c on each he stream each bank). 0 feet of the amount	
nple	V _{BERO}	Total percesside and the may be up 5-9 within 1 Number of stream reaper 100 fee Average dt 4 inches (1 List the dbl	Int of eroded e total perci- to 200%. Left Bank: the entire r down wood ch. Enter th et of stream oh of trees (0 cm) in dia n measurem	d stream ch entage will i iparian/buff iparian/buff iparian/buff will be calco measure on meter. Ento	annel bank. be calculate ft fer zone ad least 4 inch rom the enti ulated. Number of ly if V _{CCANO}	Enter the d If both b ijacent to ti es in diame re 50'-wide downed w ov tree/sapli s in inches.	total nur anks are Right Ba he strea ter and buffer a body ste ng cove	mber e ero ank: 36 in and w ems: er is a	of feet of e ded, total d 0 nannel (25 ches in ler ithin the ch t least 20%	roded bank rosion for t ft feet from (igth) per 10 iannel, and) (). Trees a	c on each he stream each bank). 0 feet of the amount	0.0
nple	V _{BERO}	Total perces side and th may be up 5-9 within Number of stream rea per 100 fee Average dt 4 inches (1	Int of erodee e total perci- to 200%. Left Bank: the entire r down wood ch. Enter th at of stream oh of trees (0 cm) in dia n measurem m below:	d stream ch entage will i iparian/buff iparian/buff iparian/buff will be calco measure on meter. Ento	annel bank. be calculate ft fer zone ad least 4 inch rom the enti ulated. Number of ly if V _{CCANO}	Enter the d If both b ijacent to ti es in diame re 50'-wide downed w ov tree/sapli s in inches.	total nur anks are Right Ba he strea ter and buffer a body ste ng cove	mber e ero ank: 36 in and w erms: er is a	of feet of e ded, total d on nannel (25 ches in ler ithin the ch t least 20% buffer on d	roded bank rosion for t ft feet from (igth) per 10 iannel, and) (). Trees a	c on each he stream each bank). 0 feet of the amount	0.0
nple	V _{BERO} e Variables V _{LWD} V _{TDBH}	Total percesside and the may be up 5-9 within 1 Number of stream reaper 100 fee Average dt 4 inches (1 List the dbl	Int of erodee e total perci- to 200%. Left Bank: the entire r down wood ch. Enter th et of stream oh of trees (0 cm) in dia n measurem	d stream ch entage will i iparian/buff iparian/buff iparian/buff will be calco measure on meter. Ento	annel bank. be calculate ft fer zone ad least 4 inch rom the enti ulated. Number of ly if V _{CCANO}	Enter the d If both b ijacent to ti es in diame re 50'-wide cover downed we ov tree/sapli s in inches. (at least 4	total nur anks are Right Ba he strea ter and buffer a body ste ng cove	mber e ero ank: 36 in and w erms: er is a	of feet of e ded, total d 0 nannel (25 ches in ler ithin the ch t least 20%	roded bank rosion for t ft feet from (igth) per 10 iannel, and) (). Trees a	c on each he stream each bank). 0 feet of the amount	0.0
nple	V _{BERO}	Total percesside and the may be up 5-9 within 1 Number of stream reaper 100 fee Average dt 4 inches (1 List the dbl	Int of erodee e total perci- to 200%. Left Bank: the entire r down wood ch. Enter th at of stream oh of trees (0 cm) in dia n measurem m below:	d stream ch entage will I iparian/buff iparian/buff iparian/buff will be calco measure on meter. Ento	annel bank. be calculate ft fer zone ad least 4 inch rom the enti ulated. Number of ly if V _{CCANO}	Enter the d If both b ijacent to ti es in diame re 50'-wide downed w ov tree/sapli s in inches.	total nur anks are Right Ba he strea ter and buffer a body ste ng cove	mber e ero ank: 36 in and w erms: er is a	of feet of e ded, total d on nannel (25 ches in ler ithin the ch t least 20% buffer on d	roded bank rosion for t ft feet from (igth) per 10 iannel, and) (). Trees a	c on each he stream each bank). 0 feet of the amount	0.0
nple	V _{BERO} e Variables V _{LWD} V _{TDBH}	Total percesside and the may be up 5-9 within 1 Number of stream reaper 100 fee Average dt 4 inches (1 List the dbl	Int of erodee e total perci- to 200%. Left Bank: the entire r down wood ch. Enter th at of stream oh of trees (0 cm) in dia n measurem m below:	d stream ch entage will I iparian/buff iparian/buff iparian/buff will be calco measure on meter. Ento	annel bank. be calculate ft fer zone ad least 4 inch rom the enti ulated. Number of ly if V _{CCANO}	Enter the d If both b ijacent to ti es in diame re 50'-wide cover downed we ov tree/sapli s in inches. (at least 4	total nur anks are Right Ba he strea ter and buffer a body ste ng cove	mber e ero ank: 36 in and w erms: er is a	of feet of e ded, total d on nannel (25 ches in ler ithin the ch t least 20% buffer on d	roded bank rosion for t ft feet from (igth) per 10 iannel, and () (). Trees a	c on each he stream each bank). 0 feet of the amount	0.0
nple	V _{BERO} e Variables V _{LWD} V _{TDBH}	Total percesside and the may be up 5-9 within 1 Number of stream reaper 100 fee Average dt 4 inches (1 List the dbl	Int of erodee e total perci- to 200%. Left Bank: the entire r down wood ch. Enter th at of stream oh of trees (0 cm) in dia n measurem m below:	d stream ch entage will I iparian/buff iparian/buff iparian/buff will be calco measure on meter. Ento	annel bank. be calculate ft fer zone ad least 4 inch rom the enti ulated. Number of ly if V _{CCANO}	Enter the d If both b ijacent to ti es in diame re 50'-wide cover downed we ov tree/sapli s in inches. (at least 4	total nur anks are Right Ba he strea ter and buffer a body ste ng cove	mber e ero ank: 36 in and w erms: er is a	of feet of e ded, total d on nannel (25 ches in ler ithin the ch t least 20% buffer on d	roded bank rosion for t ft feet from (igth) per 10 iannel, and () (). Trees a	c on each he stream each bank). 0 feet of the amount	0.0
nple	V _{BERO} e Variables V _{LWD} V _{TDBH}	Total percesside and the may be up 5-9 within 1 Number of stream reaper 100 fee Average dt 4 inches (1 List the dbl	Int of erodee e total perci- to 200%. Left Bank: the entire r down wood ch. Enter th at of stream oh of trees (0 cm) in dia n measurem m below:	d stream ch entage will I iparian/buff iparian/buff iparian/buff will be calco measure on meter. Ento	annel bank. be calculate ft fer zone ad least 4 inch rom the enti ulated. Number of ly if V _{CCANO}	Enter the d If both b ijacent to ti es in diame re 50'-wide cover downed we ov tree/sapli s in inches. (at least 4	total nur anks are Right Ba he strea ter and buffer a body ste ng cove	mber e ero ank: 36 in and w erms: er is a	of feet of e ded, total d on nannel (25 ches in ler ithin the ch t least 20% buffer on d	roded bank rosion for t ft feet from (igth) per 10 iannel, and () (). Trees a	c on each he stream each bank). 0 feet of the amount	0.0
nple	V _{BERO} e Variables V _{LWD} V _{TDBH}	Total percesside and the may be up 5-9 within 1 Number of stream reaper 100 fee Average dt 4 inches (1 List the dbl	Int of erodee e total perci- to 200%. Left Bank: the entire r down wood ch. Enter th at of stream oh of trees (0 cm) in dia n measurem m below:	d stream ch entage will i iparian/buff iparian/buff iparian/buff will be calco measure on meter. Ento	annel bank. be calculate ft fer zone ad least 4 inch rom the enti ulated. Number of ly if V _{CCANO}	Enter the d If both b ijacent to ti es in diame re 50'-wide cover downed we ov tree/sapli s in inches. (at least 4	total nur anks are Right Ba he strea ter and buffer a body ste ng cove	mber e ero ank: 36 in and w erms: er is a	of feet of e ded, total d on nannel (25 ches in ler ithin the ch t least 20% buffer on d	roded bank rosion for t ft feet from (igth) per 10 iannel, and () (). Trees a	c on each he stream each bank). 0 feet of the amount	0.0
4 mplo 5	V _{BERO} e Variables V _{LWD} V _{TDBH}	Total percesside and the may be up 5-9 within 1 Number of stream reaper 100 fee Average dt 4 inches (1 List the dbl	Int of erodee e total perci- to 200%. Left Bank: the entire r down wood ch. Enter th at of stream oh of trees (0 cm) in dia n measurem m below:	d stream ch entage will i iparian/buff iparian/buff iparian/buff will be calco measure on meter. Ento	annel bank. be calculate ft fer zone ad least 4 inch rom the enti ulated. Number of ly if V _{CCANO}	Enter the d If both b ijacent to ti es in diame re 50'-wide cover downed we ov tree/sapli s in inches. (at least 4	total nur anks are Right Ba he strea ter and buffer a body ste ng cove	mber e ero ank: 36 in and w erms: er is a	of feet of e ded, total d on nannel (25 ches in ler ithin the ch t least 20% buffer on d	roded bank rosion for t ft feet from (igth) per 10 iannel, and () (). Trees a	c on each he stream each bank). 0 feet of the amount	0.0
nple	V _{BERO} e Variables V _{LWD} V _{TDBH}	Total percesside and the may be up 5-9 within 1 Number of stream reaper 100 fee Average dt 4 inches (1 List the dbl	Int of erodee e total perci- to 200%. Left Bank: the entire r down wood ch. Enter th at of stream oh of trees (0 cm) in dia n measurem m below:	d stream ch entage will i iparian/buff iparian/buff iparian/buff will be calco measure on meter. Ento	annel bank. be calculate ft fer zone ad least 4 inch rom the enti ulated. Number of ly if V _{CCANO}	Enter the d If both b ijacent to ti es in diame re 50'-wide cover downed we ov tree/sapli s in inches. (at least 4	total nur anks are Right Ba he strea ter and buffer a body ste ng cove	mber e ero ank: 36 in and w erms: er is a	of feet of e ded, total d on nannel (25 ches in ler ithin the ch t least 20% buffer on d	roded bank rosion for t ft feet from (igth) per 10 iannel, and () (). Trees a	c on each he stream each bank). 0 feet of the amount	0.0
mple	V _{BERO} e Variables V _{LWD} V _{TDBH}	Total percesside and the may be up 5-9 within of Stream reasper 100 feet Average dt 4 inches (1 List the dbl of the stream Contemport of Number of Number of Number of Contemport Number of	Int of erodee e total perci- to 200%. Left Bank: the entire r down wood ch. Enter th at of stream oh of trees (0 cm) in dia n measurem m below:	d stream ch- entage will I o iparian/buff y stems (at e number f will be calcl measure on meter. Ent wents of indi	annel bank. be calculate ft fer zone ad least 4 inch rom the enti ulated. Number of ly if V _{CCANO} ly if V _{CCANO} and 36" tall)	Enter the d If both b jacent to ti es in diame re 50'-wide downed w vy tree/sapi s in inches. (at least 4	total num nks are Right Ba he stread ter and buffer <i>a</i> sody stee in) within	mber e ero ank: am ch am ch and w ems: err is a in the eam.	of feet of e ded, total e on nannel (25 ches in ler ithin the ch t least 20% buffer on e Right Side	roded bank rosion for t feet from (igth) per 10 annel, and b). Trees a bach side	c on each he stream each bank). 0 feet of the amount re at least	0.0
mple	V _{BERO} e Variables V _{LWD} V _{TDBH}	Total percesside and the may be up 5-9 within of Stream reasper 100 feet Average dt 4 inches (1 List the dbl of the stream Contemport of Number of Number of Number of Contemport Number of	Int of eroded e total perc to 200%. Left Bank: the entire r down wood ch. Enter th et of stream oh of trees (0 cm) in dia n measuren m below: Left Side snags (at le stream, and	d stream chentage will l o iparian/buf ip	annel bank. be calculate ft fer zone ad least 4 inch rom the enti ulated. Number of ly if V _{CCANOI} er tree DBH vidual trees	Enter the d If both b jacent to ti es in diame re 50'-wide downed w vy tree/sapi s in inches. (at least 4	total num nks are Right Ba he streater and buffer a body ste ng cove in) within in) within in a streater and buffer a streater in a streater and buffer a streater and buffer a streater in a streater and buffer a streater and buffer a streater in a streater and buffer a streater and buffer a streater in a streater and buffer a	mber e ero ank: am ct 36 in and w ems: er is a er is a in the eam. d.	of feet of e ded, total o o nannel (25 ches in ler ithin the ch t least 20% buffer on o Right Side	roded bank rosion for t ft feet from (igth) per 10 iannel, and b b). Trees a each side	c on each he stream each bank). 0 feet of the amount re at least	0.0 Not Use
nple	V _{BERO} e Variables V _{LWD} V _{TDBH}	Total percesside and the may be up 5-9 within - Number of stream reasper 100 feed Average dt 4 inches (1 List the db) of the stread of the stread Number of side of the stread	Int of eroded e total perc to 200%. Left Bank: the entire r down wood ch. Enter th et of stream oh of trees (0 cm) in dia n measurem m below: Left Side	d stream ch entage will I iparian/buf y stems (at ie number f will be calcume measure on meter. Entr ents of indir ents of indir stat 4" dbh a it he amoun	annel bank. be calculate ft fer zone ad least 4 inch rom the enti ulated. Number of ly if V _{CCANO} er tree DBH vidual trees	Enter the d If both b jacent to ti es in diame re 50'-wide downed w ov tree/sapli s in inches. (at least 4	Right Biz	mber e ero ank: am ch 36 in and w erms: er is a in the er is a in the eam. d.	of feet of e ded, total o o nannel (25 ches in ler ithin the ch it least 209 buffer on o Right Side	roded bank rosion for t feet from (igth) per 10 annel, and b). Trees a each side	c on each he stream	0.0 Not Use

9	V _{SRICH}						am reach. C sive species				0.00
							from these				0.00
	1.00× +++++++		p 1 = 1.0	Magnalia	in ata la		Ailanthua		2 (-1.0)	Laniaana ia	nomina
	Acer rubru Acer sacch			Magnolia ti	-		Ailanthus a Albizia julib			Lonicera ja Lonicera ta	
	Acer saccr Aesculus fi			Nyssa sylv Oxydendrum		7	Alliaria peti			Lonicera la	
	Asimina tri			Prunus ser			Alternanthe			Lythrum sa	
	Betula alleg			Quercus al			philoxeroid		4	Microstegiun	
	etula lent			Quercus co			Aster tatari	cus		- Paulownia	
1						fontanum		Polygonum c	uspidatum		
	Carya glabra Quercus prinus Coronilla varia						aria		Pueraria m	ontana	
	Carya ova	lis		Quercus ru	ıbra		Elaeagnus u	mbellata		Rosa multii	lora
	Carya ova	ta		Quercus ve	elutina		Lespedeza	bicolor		Sorghum h	alepense
	Cornus flo			Sassafras			Lespedeza			Verbena br	asiliensis
	Fagus grai			Tilia amerio			Ligustrum ob				
	Fraxinus a			Tsuga cana			Ligustrum s	sinense			
	Liriodendron Magnolia a			Ulmus ame	encana						
	Magriolia a	icuminata									
		1	Species in	Group 1				2	Species in	Group 2	
Sampl	e Variables	10-11 with	n at least 8	subplots (40" x 40"	or 1m x 1m	ı) in the ripa	rian/buffe	zone with	in 25 feet fr	om each
							each side of			20 1000 11	om cuon
10	V _{DETRITUS}						material. W rital layer at			ter and	13.75 %
		loo long c		Side	ereen eere		Right			1	
		20	10	10	10	10	10	20	20		
44									ia 00%()		
11	V _{HERB}						easure only it e there may				00.04
		-			hrough 200	% are acce	pted. Enter	the percen	t cover of gr	ound	96 %
		vegetation	at each sub Left	Side			Right	Side		1 '	
		90	95	95	95	95	100	100	95		
Sampl	e Variable 1	12 within th	e entire ca	chment of	the stream						
12	V _{WLUSE}	Weighted A	Average of I	Runoff Score	e for waters	hed:					0.72
	I								D	% in	Running
			Land	Use (Choos	e From Dro	p List)			Runoff Score	Catch- ment	Percent (not >100)
	Forest and n	ative range (>	75% around	cover)				-	1	51.6	51.6
			-		< 5.09%			-	0.1	2.2	
		(pasture, lawr									53.8
		(pasture, lawr			>75%				0.3		00.4
	Forest and n	ative range (>	75% around	cover)					0.0	36.6	90.4
								•	1	36.6 9.6	90.4 100
								• •			
1								* * *			
								* * *			
								* * * *			
	S-A	96/A103					Not	• •			
							Not	• •			
	ariable	96/A103 Value Not Used,	VSI				Not	• •			
Vc	ariable CANOPY	Value Not Used, <20%	VSI Not Used				Not	• •			
Vc	ariable	Value Not Used,	VSI				Not	• •			
V _c V _E	ariable CANOPY	Value Not Used, <20%	VSI Not Used				Not	• •			
V _c V _E V _s	ariable CANOPY	Value Not Used, <20% 1.0	VSI Not Used 0.10				Not	• •			
V _C V _E V _S	ariable CANOPY MBED SUBSTRATE	Value Not Used, <20% 1.0 0.08 in	VSI Not Used 0.10 0.04				Not	• •			
V _C V _E V _S V _B	ariable CANOPY MBED SUBSTRATE SERO	Value Not Used, <20% 1.0 0.08 in 0 %	VSI Not Used 0.10 0.04 1.00				Not	• •			
V _C V _E V _S V _B V _L V _T	CANOPY CANOPY MBED SUBSTRATE BERO WD	Value Not Used, <20% 1.0 0.08 in 0 % 0.0 Not Used	VSI Not Used 0.10 0.04 1.00 0.00 Not Used				Not	• •			
V _C V _E V _S V _B V _L V _T	CANOPY CANOPY MBED UBSTRATE VERO WD DBH KNAG	Value Not Used, <20% 1.0 0.08 in 0 % 0.0 Not Used 0.0	VSI Not Used 0.10 0.04 1.00 0.00 Not Used 0.10				Not	• •			
V _C V _E V _S V _B V _L V _T V _S	Cariable CANOPY IMBED SUBSTRATE BERO WD IDBH INAG ISD	Value Not Used, <20% 1.0 0.08 in 0 % 0.0 Not Used 0.0 10.3	VSI Not Used 0.10 0.04 1.00 0.00 Not Used 0.10 0.16				Not	• •			
V _C V _E V _S V _B V _L V _T V _S V _S	ariable CANOPY IMBED UBSTRATE BERO WD IDBH INAG ISD	Value Not Used, <20% 1.0 0.08 in 0 % 0.0 Not Used 0.0 10.3 0.00	VSI Not Used 0.10 0.04 1.00 0.00 Not Used 0.10 0.16 0.00				Not	• •			
V _C V _E V _S V _B V _L V _T V _S V _S V _S	ariable CANOPY MBED UBSTRATE VERO WD DBH NAG SD SC RICH DETRITUS	Value Not Used, <20% 1.0 0.08 in 0 % 0.0 Not Used 0.0 10.3 0.00 13.8 %	VSI Not Used 0.10 0.04 1.00 0.00 Not Used 0.10 0.16 0.00 0.17				Not	• •			
V _C V _E V _S V _B V _L V _T V _S V _S V _S V _S	ariable CANOPY IMBED UBSTRATE BERO WD IDBH INAG ISD	Value Not Used, <20% 1.0 0.08 in 0 % 0.0 Not Used 0.0 10.3 0.00	VSI Not Used 0.10 0.04 1.00 0.00 Not Used 0.10 0.16 0.00				Not	• •			

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET #	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY

WEATHER CONDITIONS	Now storm (heavy rain) rain (steady rain) showers (intermittent) % %cloud cover clear/sunny	Past 24 hours Has there been a heavy rain in the last 7 days? Yes No Air Temperature0 C % Other
SITE LOCATION/MAP	Draw a map of the site and indicate t	the areas sampled (or attach a photograph)
STREAM CHARACTERIZATION	Stream Origin	idal Stream Type Coldwater Warmwater Catchment Areakm ² fed e of origins

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse Local Watershed NPS Pollution Forest Commercial Field/Pasture Industrial Agricultural Other Residential Other Indicate the dominant type and record the dominant species present Herbaceous Trees Shrubs Grasses Dominant species present Herbaceous
INSTREAM FEATURES	Dominant species present
LARGE WOODY	LWDm ²
DEBRIS	Density of LWDm ² /km ² (LWD/ reach area)
AQUATIC	Indicate the dominant type and record the dominant species present
VEGETATION	Rooted emergent Rooted submergent Rooted floating Free floating Floating Algae Attached Algae Booted floating Free floating Free floating Dominant species present
WATER QUALITY (DS, US)	Temperature0 C Water Odors Normal/None Sewage Specific Conductance Petroleum Fishy Chemical Other Dissolved Oxygen Water Surface Oils Slick Sheen None Globs Flecks pH Turbidity (if not measured) Clear Slightly turbid Turbid Turbid Turbid Opaque Turbid
SEDIMENT/	Odors
SUBSTRATE	Normal Sewage Petroleum Deposits Chemical Anaerobic None Sludge Sawdust Paper fiber Sand Other Other Epoking at stones which are not deeply embedded are the undersides black in color? How are the undersides black in color?

INC	ORGANIC SUBSTRATE (should add up to		ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)			
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area	
Bedrock			Detritus	sticks, wood, coarse plant		
Boulder	> 256 mm (10")			materials (CPOM)		
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic		
Gravel	2-64 mm (0.1"-2.5")			(FPOM)		
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments		
Silt	0.004-0.06 mm					
Clay	< 0.004 mm (slick)					

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION		
STATION # RIVERMILE	STREAM CLASS		
LAT LONG	RIVER BASIN		
STORET #	AGENCY		
INVESTIGATORS			
FORM COMPLETED BY	DATE TIME AM PM	REASON FOR SURVEY	

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted iı	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).
Iram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

Rapid Bioassessment Protocols For Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates, and Fish, Second Edition - Form 2

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat		Condition	1 Category				
Parameter	Optimal	Suboptimal	Marginal	Poor			
6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.			
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.			
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
 SCORE 8. Bank Stability (score each bank) Note: determine left or right side by facing downstream. SCORE (LB) SCORE (RB) 9. Vegetative Protection (score each bank) 	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.			
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.			
SCORE(LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
SCORE(RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.			
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			

Total Score _____

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION					
STATION #	_ RIVERMILE	STREAM CLASS					
LAT	LONG	RIVER BASIN					
STORET #		AGENCY					
INVESTIGATORS			LOT NUMBER				
FORM COMPLETED	BY	DATE TIME	REASON FOR SURVEY				
HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%						
SAMPLE COLLECTION	Indicate the number of jab	lected? wading fi ps/kicks taken in each habitat ty lags Vegetated B	anks Sand				
GENERAL COMMENTS							

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS


Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)


Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County:	Webster	Stream ID:	S-A96/A103
Stream Name:	UNT to Left Fork Holly River		
HUC Code:	05050007	Basin:	Middle New
Survey Date:	9/2/2021		
Surveyors:	DD, LC		
Type:	Bankfull Channel		

			LE COUNT	-			
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	* *	11	11.00	11.00
	Very Fine	.062125		•	19	19.00	30.00
	Fine	.12525		•	19	19.00	49.00
	Medium	.255	S A N D	▲ ▼	17	17.00	66.00
	Coarse	.50-1.0		▲ ▼	12	12.00	78.00
.0408	Very Coarse	1.0-2		▲ ▼	8	8.00	86.00
.0816	Very Fine	2 -4		•	6	6.00	92.00
.1622	Fine	4 -5.7		▲ ▼	5	5.00	97.00
.2231	Fine	5.7 - 8		▲ ▼	0	0.00	97.00
.3144	Medium	8 -11.3		▲ ▼	1	1.00	98.00
.4463	Medium	11.3 - 16	GRAVEL	▲ ▼	0	0.00	98.00
.6389	Coarse	16 -22.6		•	0	0.00	98.00
.89 - 1.26	Coarse	22.6 - 32		•	2	2.00	100.00
1.26 - 1.77	Vry Coarse	32 - 45		•	0	0.00	100.00
1.77 -2.5	Vry Coarse	45 - 64		•	0	0.00	100.00
2.5 - 3.5	Small	64 - 90		•	0	0.00	100.00
3.5 - 5.0	Small	90 - 128	COBBLE	▲ ▼	0	0.00	100.00
5.0 - 7.1	Large	128 - 180	COBBLE	▲ ▼	0	0.00	100.00
7.1 - 10.1	Large	180 - 256		▲ ▼	0	0.00	100.00
10.1 - 14.3	Small	256 - 362		•	0	0.00	100.00
14.3 - 20	Small	362 - 512		▲ ▼	0	0.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	• •	0	0.00	100.00
40 - 80	Large	1024 -2048		▲ ▼	0	0.00	100.00
80 - 160	Vry Large	2048 -4096		* *	0	0.00	100.00
	Bedrock		BDRK	* *	0	0.00	100.00
				Totals:	100		
	Total Tally:						





BS-L

THW

TS: TOP OF SLOPE

BS: BOTTOM OF SLOPE

THW: THALWEG (INVERT)

14049712.80 1789193.49 1714.56

14049707.43 1789195.00 1714.28


14049704.47 1789195.83 1714.25

TS-R 14049687.39 1789200.61 1720.25

BS-L

THW

BS-R



SURVEY NOTES:

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 4, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

