Baseline Assessment – Stream Attributes

Reach S-A99 (Pipeline ROW) Ephemeral Spread C Webster County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	✓
RBP Physical Characteristics Form	✓
Water Quality Data	N/A – No flow
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – No flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	√

Spread C Stream S-A99 (Pipeline ROW) Webster County



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, DD/LC Lat: 38.68812 Long: -80.478371



Photo Type: DS, DS View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, DD/LC
Lat: 38.68812 Long: -80.478371

Spread C Stream S-A99 (Pipeline ROW) Webster County



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, DD/LC Lat: 38.68812 Long: -80.478371



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, DD/LC Lat: 38.68812 Long: -80.478371

Spread C Stream S-A99 (Pipeline ROW) Webster County



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, DD/LC Lat: 38.68812 Long: -80.478371



Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, DD/LC Lat: 38.68812 Long: -80.478371

WVDEP Water Quality Indicators (General)	### MITCATON STREAM MITCATON STREAM CASE (INC.) ### MITCATON STRE	9/2/2021
This collection 1	Time	
Part	TITERAM MPACT LENGTH:	
Ministry	Column No. 1 wind Existing Condition C	
Column No. 1 legistral Existing Conditions Substance Column No. 2 legistral Existing Column No. 2 legistral E	Column No. 3- Hispatic Register (Public Column No. 3- Manager (Pub	
	Column No Impact based protection (Location County)	
Proceed Bream Channel Signs	Percent Stream Channel Slope	ected at Maturity (Credit)
NOM Some (pallach data forms)	HOM Score (attach data forms)	0
Accordance of Control Section 1	Average	Slope
Part	Systellay 1.5	n data forms):
Proceedings Company	Biogeochemical Cycling 0.32 0.34	Ave
PART Pryseck Chemical and Biological Indications PART Pryseck Chemical Indications PART Part PART Pryseck Chemical Indications PART		
## FAFT I - Physical, Chemical and Biological Indicators FAFT I - Physical, Chemical	PART - Physical, Chemical and Biological Indicators PART - Physical, Chemical	
PATE AL ROCATOR (pignes to all cleanes countrications)	Physical NDICATOR (Applies to all streams classifications)	and Biological Indicators
SEPARE Play Content Plan Short Control (Annual Plan Short Control (A	USEPA RBP (High Gradient Data Sheet)	Points Scale Range Site
	Epflaural Substrate/Available Cover 0-20 0 0 0 0 0 0 0 0 0	ams classifications)
2 Debts delicitions 2 2 2 2 2 2 2 2 2	2 Embeddefiness	1)
3 Noticy (Applies Regime 0.50 0	3. Velocity (Depth Regime 0.30 0.00	
Sederated Deposition	Sediment Deposition	
Character Free State Co. Character Free State Character Char	S. Channel Flow Status	0-20
Comment Alteration	Channel Alteration	
Frequency of Riffes (or bands)	7. Frequency of Riffles (or bends)	
2	8. Bank Stability (LB & RB)	
	9. Vegetative Protection (LB & RB)	
10. Repeat (10. Reparter Vecetable Zone Width (1.8 A RS) 0.20 12 10. Reparter Vecetable Zone Width (1.8 A RS) 0.20 10. Reparter Vecetable Zone Width (1.8 A	
Total RPB Score	Total RSP Score	
Sub-Total	Sub-Total	
WOEP Water Quality Indicators (General) WOEP Water Quality Indicators (General) Specific Conductivity Specific Conducti	WDEP Water Quality Indicators (General Specific Conductivity)	FOOI
Specific Conductivity 100-199 - 85 points 0-90 100-199 - 85 points 0-90 100-199 - 85 points 0-90 100-199 - 85 points 0-90 100-199 - 85 points 0-90 100-199 - 85 points 0-90 100-199 - 85 points 0-90 100-199 - 85 points 0-90 100-199 - 85 points 0-90 100-199 - 85 points 0-90 100-199 - 85 points 0-90 100-199 100-199 - 85 points 0-90 100-199 100-199 - 85 points 0-90 100-199	Specific Conductivity	ittent and Perennial Streams)
100-190-85 points 0-90 PH	100.199 - 85 points	ral)
10-119-85 prints 10-119-85 p	10-199-85 prints 10-199-85 pri	_
PH	pH Image: Control of the	0.90
Solution Solition	5.6.5 9 45 points	
Sub-Total Sub-To	5.5-5.9 = 45 points	0-1
OR OR OR OR OR OR OR OR	00	5-90
Sub-Total Sub-	Sub-Total 0 </td <td></td>	
Sub-Total Sub-	Sub-Total 0 </td <td>10-30</td>	10-30
BIOLOGICAL NDICATOR (Applies to Intermittent and Persurial Streams)	000 TOM	
W Stream Condition Index (WVSCI) U U U U U U U U U		
0 0 10 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		eminuent and Perennial Stream
Sub-Total 0 Sub-To		
PART II - Index and Unit Score Index Linear Feet Unit Score	0 0-100 0-1 0-100 0-1 0-100 0-1 0-100 0-1	0-100 0-1
Index Linear Feet Unit Score Index Linear Fee	Sub-Total 0 Sub-Total 0 Sub-Total 0 Sub-Total 0 Sub-Total 0	
	PART II - Index and Unit Score	id Unit Score
0.595 34 20.23 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Index Linear Feet Unit Score Index Linear Fee	Linear Feet Unit
	0.595 34 20.23 0 0 0 0 0 0 0 0 0 0 0 0 0	0

Ver. 10-20-17

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: MVP Stream Assessment **Location:** Webster County, Spread C

Sampling Date: 9/2/21 Project Site Before Project

Subclass for this SAR:

Ephemeral Stream

Uppermost stratum present at this SAR: SAR number: S-A99

Shrub/Herb Strata

Functional Results Summary:

Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.41
Biogeochemical Cycling	0.32
Habitat	0.29

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V _{CCANOPY}	Percent canpoy over channel.	Not Used, <20%	Not Used
V _{EMBED}	Average embeddedness of channel.	1.93	0.44
V _{SUBSTRATE}	Median stream channel substrate particle size.	3.00	1.00
V_{BERO}	Total percent of eroded stream channel bank.	0.00	1.00
V_{LWD}	Number of down woody stems per 100 feet of stream.	0.00	0.00
V _{TDBH}	Average dbh of trees.	Not Used	Not Used
V_{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	21.74	0.33
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
V _{DETRITUS}	Average percent cover of leaves, sticks, etc.	33.13	0.40
V_{HERB}	Average percent cover of herbaceous vegetation.	43.75	0.58
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.57	0.60

Version 10-20-17

Pr		DD LC							M Northing:		
		ne: MVP Stream Assessment Longitude/UTM Easting: -80 on: Webster County, Spread C Sampling Date: 9/2									
						-		San	pling Date:	9/2/21	
Si	AR Number:	S-A99	Reach	Length (ft):	46	Stream Ty	ype: Ephe	meral Strean	1		3
	Top Strata:	Sh	rub/Herb St	rata	(determine	d from perc	ent calculat	ed in V _{CCAN}	OPY)		
Site	and Timing:	Project Site	,			-	Before Proje	ect			~
ampl	le Variables	pays = 100 min		I		2000		201			
1	V _{CCANOPY}	roughly eq	ercent cove uidistant po 20%, enter a	ints along tl	ne stream.	Measure or	nly if tree/sa	pling cover	is at least 2		Not Use <20%
	List the pe	rcent cover	measureme	nts at each	point below	<i>I</i> :					1
	0										
2	V _{EMBED}	points alor of the surfa according a rating so	mbeddedne ig the stream ace and are to the follow ore of 1. If	m. Select a a surroundii ring table. I the bed is c	particle from ng the partion f the bed is omposed of	n the bed. cle that is co an artificial bedrock, u	Before mov overed by fill surface, or se a rating	ing it, deter ne sedimen composed score of 5.	mine the pe t, and enter of fine sedir	ercentage the rating ments, use	1.9
		Embedded Minshall 19	ness rating 983)	for gravel,	cobble and	boulder par	ticles (resca	aled from Pl	atts, Megah	an, and	
		Rating 5		of surface	covered, su					ock)	
		3			ace covered						
		2	51 to 75 pe	ercent of sur	rface covere	ed, surround	ded, or burie	ed by fine s	ediment		
	List the rat	1 ings at each			covered, s	urrounded,	or buried by	fine sedim	ent (or artif	icial	j
	2	2	2	v. 2	3	1	2	2	1	3	1
	2	3	2	2	2	2	1	1	2	3	
	2	2	2	1	2	2	1	2	2	2	
3	V _{SUBSTRATE}	Median str	eam channe	el substrate	particle size	e. Measure	at no fewer	than 30 ro	ughly equid	istant	3.00 ir
		cle size in in concrete as					ow (bedrock	k should be	counted as	99 in,	
	8.00	3.00	4.00	0.30	0.30	0.80	7.00	3.00	4.00	0.90	
	1.20	0.40	1.80	3.40	3.30	5.00	3.80	6.20	4.70	3.80	
4	V _{BERO}	Total perce side and the may be up	ent of erode ne total pero to 200%. Left Bank:	d stream ch entage will	annel bank be calculate	Enter the	total numbe anks are ei Right Bank:	er of feet of roded, total	eroded ban erosion for	k on each the stream	0 70
		Total perceside and the may be up	ent of erode ne total pero to 200%. Left Bank:	d stream chentage will 0 riparian/but y stems (at ne number f	annel bank be calculate ft ffer zone ac least 4 inch rom the ent	Enter the d If both b	total numbe anks are el Right Bank: he stream	er of feet of roded, total	eroded ban erosion for ft 5 feet from	k on each the stream each bank	0 70
ampl	V _{BERO}	Total perceside and the may be up 5-9 within Number of stream real amount pe	ent of erode te total pero to 200%. Left Bank: the entire i down wood ch. Enter the r 100 feet o	d stream chentage will 0 riparian/but y stems (at he number f	annel bank be calculate ft ffer zone ac least 4 inch rom the ent be calculat	Enter the ed If both b	total number anks are en Right Bank: he stream enter and 36 buffer and body stems:	channel (2)	eroded ban erosion for ft 5 feet from ngth) per 10 hannel, and	k on each the stream each bank).
ampl	V _{BERO}	Total percesside and the may be up 5-9 within Number of stream rea amount pe Average did 4 inches (1	the entire i down wood ch. Enter the r 100 feet o	d stream chentage will 0 riparian/but y stems (at ne number f f stream will measure or meter. Ent	annel bank be calculate ffer zone ac least 4 inch rom the ent be calculat Number of ily if V _{CANO} er tree DBI-	Enter the ed If both b If both b Igacent to t tees in diamere 50'-wide ed. downed wo downed wo py tree/sapl is in inches.	total numbe anks are el Right Bank: he stream eter and 36 buffer and loody stems: ing cover is	channel (2:	eroded ban erosion for ft 5 feet from ngth) per 10 hannel, and	k on each the stream each bank	0.0
ampl	V _{BERO} le Variables V _{LWD}	Total percesside and the may be up 5-9 within Number of stream rea amount pe Average dl 4 inches (1 List the db	the entire i down wood ch. Enter the r 100 feet o	d stream chentage will 0 riparian/but y stems (at ne number f f stream will measure or meter. Ent	annel bank be calculate ffer zone ac least 4 inch rom the ent be calculat Number of ily if V _{CANO} er tree DBI-	Enter the ed If both b filiacent to t es in diame re 50'-wide ed. downed wo py tree/sapi ls in inches. (at least 4	total numbe anks are el Right Bank: he stream eter and 36 buffer and loody stems: ing cover is	channel (2:	eroded ban erosion for ft 5 feet from ngth) per 10 hannel, and 0 %). Trees a each side	k on each the stream each bank).
ampl	V _{BERO}	Total percesside and the may be up 5-9 within Number of stream rea amount pe Average dl 4 inches (1 List the db	the entire is down wood ch. Enter the r 100 feet o ch) in dia h measuren am below:	d stream chentage will 0 riparian/but y stems (at ne number f f stream will measure or meter. Ent	annel bank be calculate ffer zone ac least 4 inch rom the ent be calculat Number of ily if V _{CANO} er tree DBI-	Enter the ed If both b If both b Igacent to t tees in diamere 50'-wide ed. downed wo downed wo py tree/sapl is in inches.	total numbe anks are el Right Bank: he stream eter and 36 buffer and loody stems: ing cover is	channel (2:	eroded ban erosion for ft 5 feet from ngth) per 10 hannel, and 0 %). Trees a each side	k on each the stream each bank	0.0
ampl	V _{BERO} le Variables V _{LWD}	Total percesside and the may be up 5-9 within Number of stream rea amount pe Average dl 4 inches (1 List the db	the entire is down wood ch. Enter the r 100 feet o ch) in dia h measuren am below:	d stream chentage will 0 riparian/but y stems (at ne number f f stream will measure or meter. Ent	annel bank be calculate ffer zone ac least 4 inch rom the ent be calculat Number of ily if V _{CANO} er tree DBI-	Enter the ed If both b filiacent to t es in diame re 50'-wide ed. downed wo py tree/sapi ls in inches. (at least 4	total numbe anks are el Right Bank: he stream eter and 36 buffer and loody stems: ing cover is	channel (2:	eroded ban erosion for ft 5 feet from ngth) per 10 hannel, and 0 %). Trees a each side	k on each the stream each bank	0.0
ampl	V _{BERO} le Variables V _{LWD}	Total percesside and the may be up 5-9 within Number of stream rea amount pe Average dl 4 inches (1 List the db	the entire is down wood ch. Enter the r 100 feet o ch) in dia h measuren am below:	d stream chentage will 0 riparian/but y stems (at ne number f f stream will measure or meter. Ent	annel bank be calculate ffer zone ac least 4 inch rom the ent be calculat Number of ily if V _{CANO} er tree DBI-	Enter the ed If both b filiacent to t es in diame re 50'-wide ed. downed wo py tree/sapi ls in inches. (at least 4	total numbe anks are el Right Bank: he stream eter and 36 buffer and loody stems: ing cover is	channel (2:	eroded ban erosion for ft 5 feet from ngth) per 10 hannel, and 0 %). Trees a each side	k on each the stream each bank	0.0
ampl	V _{BERO} le Variables V _{LWD}	Total percesside and the may be up 5-9 within Number of stream rea amount pe Average dl 4 inches (1 List the db	the entire is down wood ch. Enter the r 100 feet o ch) in dia h measuren am below:	d stream chentage will 0 riparian/but y stems (at ne number f f stream will measure or meter. Ent	annel bank be calculate ffer zone ac least 4 inch rom the ent be calculat Number of ily if V _{CANO} er tree DBI-	Enter the ed If both b filiacent to t es in diame re 50'-wide ed. downed wo py tree/sapi ls in inches. (at least 4	total numbe anks are el Right Bank: he stream eter and 36 buffer and loody stems: ing cover is	channel (2:	eroded ban erosion for ft 5 feet from ngth) per 10 hannel, and 0 %). Trees a each side	k on each the stream each bank	0.0
ampl	V _{BERO} le Variables V _{LWD}	Total percesside and the may be up 5-9 within Number of stream rea amount pe Average dl 4 inches (1 List the db	the entire is down wood ch. Enter the r 100 feet o ch) in dia h measuren am below:	d stream chentage will 0 riparian/but y stems (at ne number f f stream will measure or meter. Ent	annel bank be calculate ffer zone ac least 4 inch rom the ent be calculat Number of ily if V _{CANO} er tree DBI-	Enter the ed If both b filiacent to t es in diame re 50'-wide ed. downed wo py tree/sapi ls in inches. (at least 4	total numbe anks are el Right Bank: he stream eter and 36 buffer and loody stems: ing cover is	channel (2:	eroded ban erosion for ft 5 feet from ngth) per 10 hannel, and 0 %). Trees a each side	k on each the stream each bank	0.0
ampl	V _{BERO} le Variables V _{LWD}	Total percesside and the may be up 5-9 within Number of stream rea amount pe Average dl 4 inches (1 List the db	the entire is down wood ch. Enter the r 100 feet o ch) in dia h measuren am below:	d stream chentage will 0 riparian/but y stems (at ne number f f stream will measure or meter. Ent	annel bank be calculate ffer zone ac least 4 inch rom the ent be calculat Number of ily if V _{CANO} er tree DBI-	Enter the ed If both b filiacent to t es in diame re 50'-wide ed. downed wo py tree/sapi ls in inches. (at least 4	total numbe anks are el Right Bank: he stream eter and 36 buffer and loody stems: ing cover is	channel (2:	eroded ban erosion for ft 5 feet from ngth) per 10 hannel, and 0 %). Trees a each side	k on each the stream each bank	0.0
ampl	V _{BERO} le Variables V _{LWD}	Total percesside and the may be up 5-9 within Number of stream rea amount pe Average dl 4 inches (1 List the db	the entire is down wood ch. Enter the r 100 feet o on or of trees (10 cm) in dia h measuren am below:	d stream chentage will 0 riparian/but y stems (at ne number f f stream will measure or meter. Ent	annel bank be calculate ffer zone ac least 4 inch rom the ent be calculat Number of ily if V _{CANO} er tree DBI-	Enter the ed If both b filiacent to t es in diame re 50'-wide ed. downed wo py tree/sapi ls in inches. (at least 4	total numbe anks are el Right Bank: he stream eter and 36 buffer and loody stems: ing cover is	channel (2:	eroded ban erosion for ft 5 feet from ngth) per 10 hannel, and 0 %). Trees a each side	k on each the stream each bank	0.0
ampl	V _{BERO} le Variables V _{LWD}	Total percesside and the may be up 5-9 within Number of stream rea amount pe Average dl 4 inches (1 List the db of the stream rea amount pe Number of Number of	the entire I down wood ch. Enter the r 100 feet o oth of trees (0 cm) in dia h measuren am below: Left Side	d stream chentage will 0 iparian/but y stems (at the number of f stream will measure or ameter. Entiments of individuals and the stream will are ast 4" dbh	annel bank be calculate ft ffer zone act least 4 inchrom the ent be calculate Number of nly if Vocanoner tree DBH vidual trees	Enter the dd If both b If significant to t es in diame re 50'-wide ed. downed wo pry tree/sapil is in inches. (at least 4	total number anks are elected anks are e	channel (2: inches in le within the c at least 20 e buffer on	eroded ban erosion for ft 5 feet from ngth) per 10 hannel, and 0 0 (2) each side	each bank 00 feet of I the	Not Use
6	V _{BERO} V _{BERO} V _{LWD} V _{TDBH}	Total percesside and the may be up 5-9 within Number of stream rea amount pe Average dl 4 inches (1 List the db of the stream rea amount pe Number of Number of	the entire I down wood ch. Enter th r 100 feet o bh of trees (0 cm) in dia h measuren m below: Left Side	d stream chentage will 0 iparian/but y stems (at the number of f stream will measure or ameter. Entiments of individuals and the stream will are ast 4" dbh	annel bank be calculate ft ffer zone act least 4 inchrom the ent be calculate Number of nly if Vocanoner tree DBH vidual trees	Enter the dd If both b If significant to t es in diame re 50'-wide ed. downed wo pry tree/sapil is in inches. (at least 4	total number anks are elected anks are e	channel (2: inches in le within the c at least 20 e buffer on	eroded ban erosion for ft 5 feet from ngth) per 10 hannel, and 0 0 (2) each side	each bank 00 feet of I the	0.0
6	V _{BERO} V _{BERO} V _{LWD} V _{TDBH}	Total percesside and the may be up 5-9 within Number of stream rea amount pe Average dl 4 inches (1 List the db of the stream rea amount pe Number of Number of	the entire I down wood ch. Enter the r 100 feet o oth of trees (0 cm) in dia h measuren am below: Left Side	d stream chentage will oriparian/but y stems (at the number of stream will measure or smeter. Entiments of indi	annel bank be calculate ft ffer zone act least 4 inchrom the ent be calculate Number of nly if Vocanoner tree DBH vidual trees	Enter the ed if both b Figure 1 to the ed if both b Figure 2 to the ed in diameter 50'-wide ed. downed wo pay tree/saplis in inches. (at least 4 0 uper 100 feet will be called the ed in the	total number anks are elected anks are e	channel (20 inches in least 20 e buffer on Right Side	eroded ban erosion for ft 5 feet from ngth) per 10 hannel, and 0 0 (2) each side	each bank 00 feet of I the	Not Use

		richness pe		and the oub		o di odi di di o	u iioiii iiiese	uala.				
			p 1 = 1.0						up 2	2 (-1.0)		
	Acer rubru	m		Magnolia t	ripetala		Ailanthus a	ltissima			Lonicera ja	aponica
	Acer sacch	arum		Nyssa sylv	ratica		Albizia julib	rissin			Lonicera ta	atarica
	Aesculus fl	ava		Oxydendrur	n arboreum		Alliaria peti	olata			Lotus corn	iculatus
	Asimina tril	oba		Prunus sei	rotina		Alternanthe	oro.			Lythrum sa	alicaria
	Betula alleg			Quercus a			philoxeroid				Microstegiu	
	_						•				_	
	Betula lent	а		Quercus c	occinea		Aster tatari	cus			Paulownia	tomento
	Carya alba			Quercus in	nbricaria		Cerastium	fontanuı	n		Polygonum	cuspidati
☐ Carya glabra ☐ Quercus prinus		rinus		Coronilla v	aria			Pueraria m	nontana			
Carya ovalis 🗆 Quercus rubra			ubra		Elaeagnus u	ımbellata			Rosa multi	iflora		
Carya ovata Quercus velutina				elutina		Lespedeza	bicolor			Sorghum h	nalepens	
Carya ovata □ Quercus veiutina Cornus florida □ Sassafras albidum						Lespedeza		,		Verbena b		
											verbena b	i asilici is
	Fagus grar	ndifolia		Tilia ameri	cana		Ligustrum o	btusifoliu	m			
	Fraxinus a	mericana		Tsuga can	adensis		Ligustrum	sinense				
	Liriodendror	tulipifera		Ulmus ame	ericana							
	Magnolia a	cuminata										
		1	Species in					1		Species in	•	
		bplots sho Average pe	uld be place ercent cove	ed roughly r of leaves,	y equidistar sticks, or ot	ntly along her organio	m) in the rip each side on material. Verital layer a	f the str Voody d	ean ebris	n. s <4" diame		33.13
			Left	Side			Right	Side			1	
		5	5	10	5	40	60	70		70		
											İ	
11	V _{HERB}	include wo	ody stems a tation perce at each sub	at least 4" d entages up	bh and 36" i	all. Becaus	easure only se there may epted. Enter	be seve	eral	layers of g	round	44 %
		40	60 60	60	70	40		20		30		
		40	60	60	70	40	30	20		30		
	le Variable 1											
	le Variable 1		Average of	Runoff Scor	the stream re for waters	hed:				Runoff	% in Catch-	Runnii
mpl	V _{WLUSE}	Weighted A	Average of Land	Runoff Scor	re for waters	hed:				Runoff Score	Catch- ment	Runnii Perce (not >10
	V _{WLUSE}		Average of Land	Runoff Scor	re for waters	hed:			•	Runoff	Catch-	Runnii Perce (not >10
	VwLuse Forest and n	Weighted A	Average of Land	Runoff Scor Use (Choos	re for waters	hed:			*	Runoff Score	Catch- ment	Runnii Perce (not >10
	V _{WLUSE} Forest and n Open space	Weighted A ative range (-	Land <50% ground	Runoff Scor Use (Choos i cover)	re for waters	hed:			· ·	Runoff Score 0.5 0.1	Catchment 10 11.2	Runnii Perce (not >10
	Forest and n Open space Forest and n	Weighted A ative range (- (pasture, law)	Land <50% ground ns, parks, etc	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro	hed:			• •	Runoff Score 0.5 0.1	Catchment 10 11.2 22.8	Runnii Perce (not >10 10 21.2
	Forest and n Open space Forest and n	Weighted A ative range (-	Land <50% ground ns, parks, etc	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro	hed:			* * * * * * * * * * * * * * * * * * *	Runoff Score 0.5 0.1	Catchment 10 11.2	Runni Perce (not >10 21.2 44
	Forest and n Open space Forest and n	Weighted A ative range (- (pasture, law)	Land <50% ground ns, parks, etc	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro r <50%	hed:			· · · · · · · · · · · · · · · · · · ·	Runoff Score 0.5 0.1	Catchment 10 11.2 22.8	Runnii Perce (not >10 10 21.2
	Forest and n Open space Forest and n	Weighted A ative range (- (pasture, law)	Land <50% ground ns, parks, etc	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro r <50%	hed:			~ ~ ~	Runoff Score 0.5 0.1	Catchment 10 11.2 22.8	Runni Perce (not >10 21.2 44
	Forest and n Open space Forest and n	Weighted A ative range (- (pasture, law)	Land <50% ground ns, parks, etc	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro r <50%	hed:			* * * * * * * * * * * * * * * * * * *	Runoff Score 0.5 0.1	Catchment 10 11.2 22.8	Runni Perce (not >10 21.2 44
	Forest and n Open space Forest and n	Weighted A ative range (- (pasture, law)	Land <50% ground ns, parks, etc <50% ground	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro r <50%	hed:			~ ~ ~ ~	Runoff Score 0.5 0.1	Catchment 10 11.2 22.8	Runnii Perce (not >10 10 21.2
	Forest and n Open space Forest and n	Weighted A ative range (- (pasture, law)	Land <50% ground ns, parks, etc <50% ground	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro r <50%	hed:			~ ~ ~ ~	Runoff Score 0.5 0.1	Catchment 10 11.2 22.8	Runni Perce (not >10 21.2 44
	Forest and n Open space Forest and n	Weighted A	Land <50% ground ns, parks, etc <50% ground	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro r <50%	hed:			~ ~ ~ ~	Runoff Score 0.5 0.1	Catchment 10 11.2 22.8	Runni Perce (not >10 21.2 44
	Forest and n Open space Forest and n	Weighted A ative range (- (pasture, law)	Land <50% ground ns, parks, etc <50% ground	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro r <50%	hed:	No		~ ~ ~ ~	Runoff Score 0.5 0.1	Catchment 10 11.2 22.8	Runni Perce (not >10 21.2 44
I2	Forest and n Open space Forest and n	Weighted A	Land <50% ground ns, parks, etc <50% ground	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro r <50%	hed:	No		~ ~ ~ ~	Runoff Score 0.5 0.1	Catchment 10 11.2 22.8	Runni Perce (not >10 21.2 44
V	Forest and n Open space Forest and n Forest and n	weighted A ative range (- (pasture, lawin ative range (- ative range (A99 Value Not Used,	Land <50% ground ns, parks, etc. <50% ground to 75% ground VSI	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro r <50%	hed:	No		~ ~ ~ ~	Runoff Score 0.5 0.1	Catchment 10 11.2 22.8	Runni Perce (not >10 21.2 44
V ,	Forest and n Open space Forest and n Forest and n Variable VCCANOPY	ative range (: (pasture, law) ative range (: s-A99	Land c50% ground ns, parks, etc. c50% ground r50% to 75% g	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro r <50%	hed:	No		~ ~ ~ ~	Runoff Score 0.5 0.1	Catchment 10 11.2 22.8	Runni Perce (not >10 21.2 44
V ,	Forest and n Open space Forest and n Forest and n	weighted A ative range (- (pasture, lawin ative range (- ative range (A99 Value Not Used,	Land <50% ground ns, parks, etc. <50% ground to 75% ground VSI	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro r <50%	hed:	No		~ ~ ~ ~	Runoff Score 0.5 0.1	Catchment 10 11.2 22.8	Runni Perce (not >10 21.2 44
V ,	Forest and n Open space Forest and n Forest and n Variable Vccanopy Vembed	ative range (: (pasture, law) ative range (: s-A99 Value Not Used, <20% 1.9	Land c50% ground ns, parks, etc c50% ground r50% to 75% g VSI Not Used 0.44	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro r <50%	hed:	No		~ ~ ~ ~	Runoff Score 0.5 0.1	Catchment 10 11.2 22.8	Runni Perce (not >10 21.2 44
V	Forest and n Open space Forest and n Forest and n Variable Vccanopy Vembed Vsubstrate	ative range ((pasture, law) ative range (ative range (stative range (stati	Land <50% ground s, parks, etc. <50% ground 50% to 75% g VSI Not Used	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro r <50%	hed:	No		~ ~ ~ ~	Runoff Score 0.5 0.1	Catchment 10 11.2 22.8	Runni Perce (not >10 21.2 44
V ,	Forest and n Open space Forest and n Forest and n Variable Vccanopy Vembed	ative range (: (pasture, law) ative range (: s-A99 Value Not Used, <20% 1.9	Land c50% ground ns, parks, etc c50% ground r50% to 75% g VSI Not Used 0.44	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro r <50%	hed:	No		* * * * * * * * * * * * * * * * * * *	Runoff Score 0.5 0.1	Catchment 10 11.2 22.8	Runni Perce (not >10 21.2 44
V , , , , ,	Forest and n Open space Forest and n Forest and n Variable Vccanopy Vembed Vsubstrate Vbero	ative range (stative	Land 450% ground 50% ground 50% to 75% g VSI Not Used 0.44 1.00 1.00	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro	hed:	No		* * * * * * * * * * * * * * * * * * *	Runoff Score 0.5 0.1	Catchment 10 11.2 22.8	Runni Perce (not >10 21.2 44
V , , , , , , , , , , , , , , , , , , ,	Forest and n Open space Forest and n Forest and n Forest and n Variable Vccanopy Vembed Vsubstrate Vbero VLWD	ative range ((pasture, law) ative range (ative range (stative range (stati	Land <50% ground ns, parks, etc. <50% ground 50% to 75% g VSI Not Used 0.44 1.00	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro	hed:	No		* * * * * * * * * * * * * * * * * * *	Runoff Score 0.5 0.1	Catchment 10 11.2 22.8	Runni Perce (not >10 21.2 44
V , , , , , , , , , , , , , , , , , , ,	Forest and n Open space Forest and n Forest and n Variable Vccanopy Vembed Vsubstrate Vbero	ative range (stative	Land 450% ground 50% ground 50% to 75% g VSI Not Used 0.44 1.00 1.00	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro	hed:	No		* * * * * * * * * * * * * * * * * * *	Runoff Score 0.5 0.1	Catchment 10 11.2 22.8	Runni Perce (not >10 21.2 44
V , , , , , , , , , , , , , , , , , , ,	Forest and n Open space Forest and n Forest and n Forest and n Variable Vccanopy VEMBED Vsubstrate VBERO VLWD VTDBH	ative range { (pasture, law) ative range { stative range { sta	Land <50% ground ns, parks, etc. <50% ground 50% to 75% g VSI Not Used 0.44 1.00 1.00 0.00 Not Used	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro	hed:	No		~ · · · · · · · · · · · · · · · · · · ·	Runoff Score 0.5 0.1	Catchment 10 11.2 22.8	Runni Perce (not >10 21.2 44
V , , , , , , , , , , , , , , , , , , ,	Forest and n Open space Forest and n Forest and n Forest and n Variable Vccanopy Vsubstrate Vbero VLWD VtdbH Vsnag	ative range (: (pasture, law) ative range (: ative	Land 450% ground ns, parks, etc 450% ground 50% to 75% g VSI Not Used 0.44 1.00 1.00 0.00 Not Used 0.10	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro	hed:	No		~ · · · · · · · · · · · · · · · · · · ·	Runoff Score 0.5 0.1	Catchment 10 11.2 22.8	Runnii Perce (not >10 10 21.2
V , , , , , , , , , , , , , , , , , , ,	Forest and n Open space Forest and n Forest and n Forest and n Variable Vccanopy VEMBED Vsubstrate VBERO VLWD VTDBH	ative range { (pasture, law) ative range { stative range { sta	Land <50% ground ns, parks, etc. <50% ground 50% to 75% g VSI Not Used 0.44 1.00 1.00 0.00 Not Used	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro	hed:	No		~ · · · · · · · · · · · · · · · · · · ·	Runoff Score 0.5 0.1	Catchment 10 11.2 22.8	Runni Perce (not >10 21.2 44
V , , , , , , , , , , , , , , , , , , ,	Forest and n Open space Forest and n Forest and n Forest and n Variable Vccanopy Vembed Vsubstrate Vbero VLWD Vtobh Vsnag Vssb	ative range { (pasture, lawn ative range { s-A99 Value Not Used, <20% 1.9 3.00 in 0 % 0.0 Not Used 0.0 21.7	VSI Not Used 0.44 1.00 1.00 0.00 Not Used 0.11 0.33	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro	hed:	No		~ · · · · · · · · · · · · · · · · · · ·	Runoff Score 0.5 0.1	Catchment 10 11.2 22.8	Runni Perce (not >10 21.2 44
V , , , , , , , , , , , , , , , , , , ,	Forest and n Open space Forest and n Forest and n Forest and n Variable Vccanopy Vembed Vsubstrate Vbero VLWD Vtobh Vsnag Vssd Vssch	ative range { (pasture, law) ative range { sative r	VSI Not Used 0.10 0.33 0.00	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro	hed:	No		~ · · · · · · · · · · · · · · · · · · ·	Runoff Score 0.5 0.1	Catchment 10 11.2 22.8	Runni Perce (not >10 21.2 44
V , , , , , , , , , , , , , , , , , , ,	Forest and n Open space Forest and n Forest and n Forest and n Variable Vccanopy VEMBED Vsubstrate Vbero VLWD VTDBH VSNAG VSSD VSRICH VDETRITUS	ative range { (pasture, law) ative range { sative r	VSI Not Used 0.44 1.00 1.00 0.00 Not Used 0.11 0.33	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro	hed:	No		~ · · · · · · · · · · · · · · · · · · ·	Runoff Score 0.5 0.1	Catchment 10 11.2 22.8	Runni Perce (not >10 21.2 44
V , , , , , , , , , , , , , , , , , , ,	Forest and n Open space Forest and n Forest and n Forest and n Variable Vccanopy Vembed Vsubstrate Vbero VLWD Vtobh Vsnag Vssd Vssch	ative range { (pasture, law) ative range { sative r	VSI Not Used 0.10 0.33 0.00	Runoff Scor Use (Choos i cover) .), grass cove i cover)	re for waters se From Dro	hed:	No		~ · · · · · · · · · · · · · · · · · · ·	Runoff Score 0.5 0.1	Catchment 10 11.2 22.8	21.2

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE	REASON FOR SURVEY

WEATHER CONDITIONS	Now storm (heavy rain) rain (steady rain) showers (intermittent)% %cloud cover clear/sunny	Past 24 hours Has there been a heavy rain in the last 7 days? Yes No Air Temperature O C Other
SITE LOCATION/MAP	Draw a map of the site and indicate the	the areas sampled (or attach a photograph)
STREAM CHARACTERIZATION	Stream Origin	idal Stream Type Coldwater Warmwater Catchment Areakm² fed e of origins

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)	
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chen Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic	
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)	

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Conditi	on Category		
	Parameter	Optimal	Suboptimal	Marginal	Poor	
ing reach	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.	
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.	
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	areas of erosion; high erosion potential during	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.	
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0	
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0	
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potentia to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.	
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0	
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0	
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.	
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0	
1	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0	

Total	Caare	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION					
STATION # RIVERMILE		STREAM CLASS					
LAT LONG		RIVER BASIN					
STORET#		AGENCY					
INVESTIGATORS		LOT NUMBER					
FORM COMPLETED BY		DATE TIME	REASON FOR SURVEY				
HABITAT TYPES	Indicate the percentage of	each habitat type present	onks % Sand %				

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Webster Stream ID: S-A99


Stream Name: UNT to Left Fork Holly River \square


HUC Code: Basin:


Survey Date: 9/2/2021 Surveyors: DD LC


Type: Bankfull Channel


			LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	A	17	17.00	17.00
	Very Fine	.062125		*	0	0.00	17.00
	Fine	.12525	1	*	14	14.00	31.00
	Medium	.255	SAND	•	3	3.00	34.00
	Coarse	.50-1.0		*	0	0.00	34.00
.0408	Very Coarse	1.0-2		*	0	0.00	34.00
.0816	Very Fine	2 -4		*	0	0.00	34.00
.1622	Fine	4 -5.7	1	*	9	9.00	43.00
.2231	Fine	5.7 - 8	1	•	2	2.00	45.00
.3144	Medium	8 -11.3	7	•	2	2.00	47.00
.4463	Medium	11.3 - 16	GRAVEL	*	7	7.00	54.00
.6389	Coarse	16 -22.6	1	^	5	5.00	59.00
.89 - 1.26	Coarse	22.6 - 32	7	•	15	15.00	74.00
1.26 - 1.77	Vry Coarse	32 - 45	7	•	9	9.00	83.00
1.77 -2.5	Vry Coarse	45 - 64	1	•	9	9.00	92.00
2.5 - 3.5	Small	64 - 90		*	1	1.00	93.00
3.5 - 5.0	Small	90 - 128	CORRIE	^	7	7.00	100.00
5.0 - 7.1	Large	128 - 180	COBBLE	•	0	0.00	100.00
7.1 - 10.1	Large	180 - 256	1	•	0	0.00	100.00
10.1 - 14.3	Small	256 - 362		A	0	0.00	100.00
14.3 - 20	Small	362 - 512	1	A	0	0.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	•	0	0.00	100.00
40 - 80	Large	1024 -2048	-	A	0	0.00	100.00
80 - 160	Vry Large	2048 -4096	1	A	0	0.00	100.00
	Bedrock		BDRK	A	0	0.00	100.00
				Totals:	100		











SURVEY NOTES:

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING


PHOTO TAKEN LOOKING UPSTREAM FROM


PRE-CROSSING

CAD File No.

Drawing No.

DOWNSTREAM IMPACT LIMITS





CROSS SECTION LEGEND — EXISTING GRADE CROSS SECTION

H: 1"=10'
V: 1"=5'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.