Baseline Assessment – Stream Attributes

Reach S-B29 (Pipeline ROW) Perennial Spread D Webster County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope <4%)
RBP Physical Characteristics Form	·
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Low flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, SM/MW Lat: 38.399618 Long: -80.597332



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, SM/MW Lat: 38.399618 Long: -80.597332



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, SM/MW Lat: 38.399618 Long: -80.597332



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, SM/MW Lat: 38.399618 Long: -80.597332



Photo Type: US, US View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, SM/MW
Lat: 38.399618 Long: -80.597332



Photo Type: US, DS View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, SM/MW
Lat: 38.399618 Long: -80.597332



Photo Type: Pool, DS View Location, Orientation, Photographer Initials: Upstream of Pool, Downstream View, SM/MW Lat: 38.399618 Long: -80.597332



Photo Type: Pool, US View Location, Orientation, Photographer Initials: Downstream of Pool, Upstream View, SM/MW Lat: 38.399618 Long: -80.597332

## MATE PRINAMENT & AND DITTE CASC DITTED For Case Cas	## MICH STANDARD CLASE STANDARD CLAS	USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountair	Valley Pipeline	IMPACT COORDINATES:	Lat.	38.399618	Lon.	-80.597332	WEATHER:	50% Cloud Cover	DATE:		
Triging Trig	This is not in the content of the	(V2.1, Sept 2015)				(in Decimal Degrees)								9/8/20	21
Transfer Property	Mary				S-	B29							Comments:		
Column N. I Supple Service Control Loss S	Minure M	(watershed size (acreage),	, unaltered or impairm	ents)				(watershed size (acre	age), unaltered	or impairments)					
Column No. 1 Impact Section Deal Column No. 2 Migration	Column No. 1 Surgest Column No. 1 Surgest Column No. 2 Singuism Column Column No. 1 Singuism Column Column No. 2 Singuism Column Column No. 2 Singuism Col	STREAM IMPACT LENGTH:	85			MIT COORDINATES:	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:		
March County Service	Water Control and Contro			MITIGATION:	RESTORATION (Levels I-III)	(in Decimal Degrees)									
Proceed Stream Channel Stopes	Property System Channel Stope	Column No. 1- Impact Existing	g Condition (Debi	it)	Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)				Five Years			Column No. 5- Mitigation Project	ed at Maturity (Cr	edit)
Mode Control	Mode Section Control	Stream Classification:	Peren	nial	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0	
April Apri	Married Marr	Percent Stream Channel SI	lope	0.8	Percent Stream Channel Sle	оре		Percent Stream Channel	Slope	0	Percent Stream Channel SI	ope 0	Percent Stream Channel St	оре	0
Part	Second S	HGM Score (attach d	lata forms):		HGM Score (attach	data forms):		HGM Score (atta	ch data forn	ns):	HGM Score (attach da	ata forms):	HGM Score (attach d	ata forms):	
Part	Part Proposity Part Part Proposity Part			Average		Average				Average		Average			Average
Representation Cyclins	Representation Cycles	Hydrology			Hydrology			Hydrology			Hydrology		Hydrology		
### PART - Physics, Chemical and Biological Indicators PART - Physics, Chemical Physics	PATT - Physics, Chemical and Biological Indicators PATT - Physics, Chemical States PATT - Physics, Che	Biogeochemical Cycling		0		0				0		0			0
### NYSCAL NDCATOR (ygins to all chemic databolishol) ### NYSCAL	## PMSCAL NDCATOR (pugins to all common constitutions) ## PMSCAL NDCATOR (pugins to a		Biological Indica	tors		d Biological Indicators			and Biologic	al Indicators		Biological Indicators		Biological Indica	tors
Index Inde	Section Control Annual Control Cont		Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale	Range Site Score		Points Scale Range Site Score		Points Scale Range	Site Score
Epidemat Software Ameniates Cover 3-0	Epidead Solitant Analysis Community Co	PHYSICAL INDICATOR (Applies to all streams	s classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stress	ms classificatio	ns)	PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)	
2 Debts delicitions 2 2 2 2 2 2 2 2 2	2 Enthelichelenses														
2 Second (Appell Regime 0.20 1 1 1 1 1 1 1 1 1	1 Proc Vestor (position 1 1 1 1 1 1 1 1 1			1											
Sederated Deposition	Sectioned Deposition		0-20	0											
6. Chemical Aburation 5.0 19 19 19 19 19 19 19 1	C. Charrier Albertolon	Sediment Deposition	0-20			0-20		Sediment Deposition	0-20		Sediment Deposition	0-20	Sediment Deposition	0-20	
Frequency of Riffes (or bonds)	T. Frequency of Riffles (or bands) 2-30 5		0-20 0-1			0-20			0-20	0.1		0-20		0-20 0-1	
8. Bark Stability (1.8 A R8)	B. Bank Stability (18 A R8)														
	Suggestive Protection (LB & RIS)														
10. Spearar trapeditive Zone Width (1.8 A BB) 0.30 10. 10.	10,														
Total RPB Score	Total RPB Score														
Sub-Total 0.505 CMEMICAL NDICATOR (Applies to Intermittent and Personal Streams) WVDEP Water Quality Indicators (General) Specific Conductivity Specific C	Sub-Total		Marginal Marginal							or O	Total RBP Score				0
W/DEP Water Quality Indicators (General) Specific Conductivity Spe	WODEP Water Quality Indicators (Generally Modes (Generall		marginar			0			100	Ö	Sub-Total	0		1 001	Ö
Specific Conductivity	Specific Conductivity	CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Stres	ams)	CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermit	tent and Peren	nial Streams)	CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Stres	ıms)
## ## ## ## ## ## ## ## ## ## ## ## ##	Section Sect	WVDEP Water Quality Indicators (General	D.		WVDEP Water Quality Indicators (General)				ral)))	
PART - Index and Unit Score PART - Index and Unit Score	PACT	Specific Conductivity			Specific Conductivity			Specific Conductivity			Specific Conductivity		Specific Conductivity		
## PH	## PH	<=99 - 90 points	0-90	89.5		0-90			0-90			0-90		0-90	
6 0-8 0 = 80 points	6 0-8 0 = 80 points DO Sub-Total Sub-Tota	pH			pH			pH			pH		pH		
DO	O		0-80	7.29		5-90 0-1			5-90	0-1		5-90 0-1		5-90	
Sub-Total 10-30 8.34 Sub-Total 10-30	Sub-Total 10-30														
Sub-Total Sub-To	Sub-Total	DO			DO			DO			DO		DO		
Sub-Total Sub-To	Sub-Total Sub-	>5.0 = 30 points	10-30	8.34		10-30			10-30			10-30		10-30	
W Stream Condition Index (WVSCI)	Wastername Condition Index (WYSC) Wastername Condition Index (•	1	Sub-Total	0		Sub-Total	-	0	Sub-Total	0	Sub-Total		0
0 0 10 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 10 0 1 0 0 0 1 0 0 0 1 0 0 0 1 0 0 0 1 0 0 0 1 0 0 0 1 0 0 1 0 0 1 0	BIOLOGICAL INDICATOR (Applies to Intermit	tent and Perennial St	reams)	BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Inte	rmittent and F	erennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennia	ıl Streams)
0 0 10 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		
Sub-Total 0 Sub-To	O Sub-Total O Sub-		0.100 0.1			0.100 0.1		The second secon	0,100	0.1		0.100 0.1		0.100 0-1	
PART II - Index and Unit Score PART II - Index and Unit Score	PART II - Index and Unit Score Index	0	3-100 041						0-100			0-1		3-100	
Index Linear Feet Unit Score Index Linear Fee	Index Linear Feet Unit Score	Sub-Total		0	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total		. 0
		PART II - Index and U	Jnit Score		PART II - Index and	Unit Score		PART II - Index a	nd Unit Scor	е	PART II - Index and U	nit Score	PART II - Index and U	Init Score	
0.753 85 63.9625 0 0 0 0 0 0 0 0	0.753 85 63.9625 0 0 0 0 0 0 0 0 0 0														
		0.753	85	63.9625	0	0 0		0	0	0	0	0 0	0	0	0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION			
STATION # RIVERMILE	STREAM CLASS			
LAT LONG	RIVER BASIN			
STORET#	AGENCY			
INVESTIGATORS				
FORM COMPLETED BY	DATE	REASON FOR SURVEY		

WEATHER CONDITIONS	Now Past 24 hours Yes No storm (heavy rain) rain (steady rain) showers (intermittent) %cloud cover clear/sunny Has there been a heavy rain in the last 7 days? Yes No Air Temperature0 C Other
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph) Stream and flow direction Pipeline and flow direction ROW Culvert Downstream
	S-B29
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Coldwater Warmwater Stream Origin Glacial Spring-fed Non-glacial montane Mixture of origins Swamp and bog Other

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources		
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous		
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No		
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)			
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü		
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Chemical Fishy Other			
SEDIMEN SUBSTRA		Odors Norm Chen Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,		
INORGANIC SUBSTRATE COMPONENTS (should add up to 100%)					ORGANIC SUBSTRATE C (does not necessarily add			
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area		
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)			
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic			
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)			

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET#	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY			

	Habitat		Condition	ı Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.			
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).			
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	channel and mostly			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Conditi	on Category			
	Parameter	Optimal	Suboptimal	Marginal	Poor		
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.		
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.		
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	areas of erosion; high erosion potential during	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.		
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potentia to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.		
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.		
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
1	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0		

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION					
STATION #	_ RIVERMILE	STREAM CLASS					
LAT	LONG	RIVER BASIN					
STORET#		AGENCY					
INVESTIGATORS			LOT NUMBER				
FORM COMPLETED BY		DATE REASON FOR SURVEY TIME					
HABITAT TYPES Indicate the percentage of each habitat type present Cobbbe % Snags % Vacastated Ronks % Sand %							

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Webster Stream ID: S-B29

Stream Name: Meadow Fork

HUC Code: Basin:


Survey Date: 9/8/2021

Surveyors: Impact Reach: 23.16 m

SM MW Bankfull Channel Type:

- ·	D. D. D. D. C. C. C.		LE COUNT	I 5 I		T	a
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	_	70	70.00	70.00
	Very Fine	.062125		•	0	0.00	70.00
	Fine	.12525		*	1	1.00	71.00
	Medium	.255	SAND	*	0	0.00	71.00
	Coarse	.50-1.0]	~	0	0.00	71.00
.0408	Very Coarse	1.0-2	1	-	0	0.00	71.00
.0816	Very Fine	2 -4		^	1	1.00	72.00
.1622	Fine	4 -5.7	1	~	5	5.00	77.00
.2231	Fine	5.7 - 8	1	~	10	10.00	87.00
.3144	Medium	8 -11.3	1	^	0	0.00	87.00
.4463	Medium	11.3 - 16	GRAVEL	^	1	1.00	88.00
.6389	Coarse	16 -22.6		*	6	6.00	94.00
.89 - 1.26	Coarse	22.6 - 32		*	0	0.00	94.00
1.26 - 1.77	Vry Coarse	32 - 45	1	*	0	0.00	94.00
1.77 -2.5	Vry Coarse	45 - 64		*	0	0.00	94.00
2.5 - 3.5	Small	64 - 90		*	1	1.00	95.00
3.5 - 5.0	Small	90 - 128		*	3	3.00	98.00
5.0 - 7.1	Large	128 - 180	COBBLE	*	1	1.00	99.00
7.1 - 10.1	Large	180 - 256	1	*	1	1.00	100.00
10.1 - 14.3	Small	256 - 362		A	0	0.00	100.00
14.3 - 20	Small	362 - 512	1	A	0	0.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	A	0	0.00	100.00
40 - 80	Large	1024 -2048	1	A	0	0.00	100.00
80 - 160	Vry Large	2048 -4096	1	A	0	0.00	100.00
	Bedrock		BDRK	A	0	0.00	100.00
				Totals:	100		







Si	ze (ı	mm)	*
D	16	0.062	
D	35	0.062	
D	50	0.062	
D	65	0.062	
D	84	7.3	
D	95	90	


Size Distr	ibution
mean	0.7
dispersion	59.4
skewness	0.72

silt/clay	70%
sand	1%
gravel	23%
cobble	6%
boulder	0%





AS-BUILT TABLE: S-B29 CROSS SECTION A								
	PI	AŞ-BUILT						
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.			
TS-L	13944289.8000	1755770.7140	2256.492'					
BS-L	13944291.5100	1755776.57201	2254.869'					
THW	13944292.3800	1755778.6580	2253.611'					
BS-R	13944293.1100	1755780.6550	2254.968'	·				
TS-R	13944297.1600	1755787.90801	2256.926'					



SURVEY NOTES:

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 8, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

PRE-CROSSING PHOTOS

CAD File No.



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS






PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS


PENDING CROSSING

PRE-CROSSING

Drawing No

LEGEND STUDY AREA (EASEMENT) EXISTING SURVEY-LOCATED THALWEG 1176.87 十 EXISTING SURVEYED GROUND SHOT ELEVATION

> S-B29 BASELINE CROSS-SECTION A POOL



CROSS SECTION LEGEND — EXISTING GRADE

CROSS SECTION
H: 1"=10'
V: 1"=5'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.