Baseline Assessment – Stream Attributes

Reach S-B36 (Pipeline ROW) Ephemeral Spread C Webster County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – not shadeable, slope <4%
RBP Physical Characteristics Form	✓
Water Quality Data	N/A – No flow
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – No flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓

Spread C Stream S-B36 (Pipeline ROW) Webster County



Photo Type: DS, US View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, RH/VM
Lat: 38.493819 Long: -80.560919



Photo Type: DS, DS View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, RH/VM
Lat: 38.493819 Long: -80.560919

Spread C Stream S-B36 (Pipeline ROW) Webster County



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, RH/VM Lat: 38.493819 Long: -80.560919



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, RH/VM Lat: 38.493819 Long: -80.560919

Spread C Stream S-B36 (Pipeline ROW) Webster County



Photo Type: US, US View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, RH/VM
Lat: 38.493819 Long: -80.560919




Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, RH/VM Lat: 38.493819 Long: -80.560919

MACH Trick and the property in the property of the propert	USACE FILE NO./ Project Name: (v2.1, Sept 2015)	Mo	untain Valley Pipeline	(in Decimal Degrees)	Lat.	38.493819	Lon.	-80.560919	WEATHER:	Showers, 60% cloud cover	DATE:	9/23/20	21
Ministry Column No. 1 mark Female Column No. 2 mark Column	IMPACT STREAM/SITE ID (watershed size (acreage)	AND SITE DESCRIPTION: , unaltered or impairments)	S-B36 Pi	peline ROW							Comments:		
Management Man	STREAM IMPACT LENGTH:				Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:		
Percent Brown Channel Stope	Column No. 1- Impact Existin	g Condition (Debit)	Column No. 2- Mitigation Existing	Condition - Baseline (Credit)				Years			Column No. 5- Mitigation Projected at Maturity (Credit)		
Cold Score (plant) data frame)	Stream Classification:	Ephemeral	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0	
Amongs	Percent Stream Channel S	lope 1.1	Percent Stream Channel S	Іоре		Percent Stream Channel	Slope	0	Percent Stream Channel SI	ope 0	Percent Stream Channel SI	оре	0
Part Program Part P	HGM Score (attach o	data forms):	HGM Score (attach	data forms):		HGM Score (attac	th data forms):		HGM Score (attach d	ata forms):	HGM Score (attach da	ita forms):	
Report Part Physics Chemical and Bological Industrials Part		Average		Average				Average		Average			Average
## FART 1-Physics, Commical and Biological Indicators MATE Physics, Commical and Biological Indicators PART 1-Physics, Commical Indicators PART	Biogeochemical Cycling	0	Biogeochemical Cycling	0		Biogeochemical Cycling		0	Biogeochemical Cycling	0	Biogeochemical Cycling		0
PATECAL ROCATOR (opgins to all classes classifications) PATECAL ROCATOR (opgins to all classes classifications)		Biological Indicators		nd Biological Indicators		PART I - Physical, Chemical	and Biological In	dicators		Biological Indicators		Biological Indicato	ors
SEPARE Play Conference Date States		Points Scale Range Site Score		Points Scale Range Site Score			Points Scale Range	e Ste Score		Points Scale Range Site Score		Points Scale Range	Site Score
Epithoral Solition Application 2-0-2 Control Application 2	PHYSICAL INDICATOR (Applies to all streams	s classifications)	PHYSICAL INDICATOR (Applies to all streams	s classifications)		PHYSICAL INDICATOR (Applies to all stream	ms classifications)		PHYSICAL INDICATOR (Applies to all streams	s classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)	
Chebodochesis													
3		0-20								0-20			
4 Sectioner Deposition				0-20	-		0-20			0-20			
Common Abundom Comm	Sediment Deposition	0-20		0-20		Sediment Deposition	0-20		Sediment Deposition		Sediment Deposition		
Charmon Alteration	5. Channel Flow Status		Channel Flow Status	0-20		5. Channel Flow Status	0-20		5. Channel Flow Status	0-20	5. Channel Flow Status	0-20 0-1	
8. Bank Stability (E. 8. RB)		0-20										0-20	
10. Rigural respective Zone Width (1.8 A RI) 3-20 10. Rigural respective Zone Width (1.8 A RI) 3-20 10. Rigural respective Zone Width (1.8 A RI) 3-20 10. Rigural respective Zone Width (1.8 A RI) 3-20 10. Rigural respective Zone Width (1.8 A RI) 3-20 10. Rigural respective Zone Width (1.8 A RI) 3-20 10. Rigural respective Zone Width (1.8 A RI) 3-20 10. Rigural respective Zone Width (1.8 A RI) 3-20 10. Rigural respective Zone Width (1.8 A RI) 3-20 10. Rigural respective Zone Width (1.8 A RI) 3-20 10. Rigural respective Zone Width (1.8 A RI) 3-20 10. Rigural respective Zone Width (1.8 A RI) 3-20 10. Rigural respective Zone Width (1.8 A RI) 3-20 10. Rigural respective Zone Width (1.8 A RI) 3-20 10. Rigural respective Zone Width (1.8 A RI) 3-20 10. Right (1.8 A RI) 3-20 10.	8. Bank Stability (LB & RB)	0-20 16	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)		8. Bank Stability (LB & RB)		
Total RPB Soors													
Sub-Total O.							0-20 Poor	0					
CHEMICAL NOICATOR (Applies to Intermitted and Personal Streams) WINDEP Water Quality Indicators (General) Specific Conductivity 100-109-85 points 90 91 91 91 91 90 90 90 90 90 90 90 90 90 90 90 90 90							FOOI					Fuui	
Specific Conductivity 100-109-85 points 100-109		*		nt and Perennial Streams)			ent and Perennial St	treams)		nt and Perennial Streams)		and Perennial Stream	ns)
## 100-190 - 85 points 0-50 pH 1-100 pH		0)			al))			
PH	Specific conductivity	0.00	Specific conductivity	0.00		Specific conductivity	0.00		Specific conductivity	0.00	Specific Conductivity	0.00	
Sub-Total Sub-	100-199 - 85 points	0-90		0-90			0-90			0-90		0-90	
Sub-Total Sub-	рН	2.1	рН			pH			рН	0.4	pH	0.4	
DO	6.6.6.0 = 45 points	0-80		5-90			5-90			5-90		5-90	
Sub-Total Sub-	DO 3.0-3.9 = 43 points		DO	<u> </u>		DO			DO		DO		
Sub-Total		10-30		10-30			10-30			10-30		10-30	
BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WYSCI) WY Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WYSCI) Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WY Stream Condition Index (WYSCI) Sub-Total Dio-Total Dio-Total PART II - Index and Unit Score Index Linear Feet Unit Score Unit Score Unit Score	0.1.7.1.1		0.17.11			0.1.7.1.1			0.1.7.1.1		0.1.7.1.1		
WV Stream Condition Index (WVSCI)								_		,			
0 0 0 0 0 0 0 0 0 0	BIOLOGICAL INDICATOR (Applies to Intermi	tient and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to intermit	tent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Inter	rmittent and Peren	niai Streams)	BIOLOGICAL INDICATOR (Applies to Intern	nittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intermi	ittent and Perennial S	Streams)
Sub-Total 0 Sub-To	WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		
PART II - Index and Unit Score PART II - Index and Unit Score		0-100 0-1		0-100 0-1			0-100 0-1			0-100 0-1		0-100 0-1	
PART II - Index and Unit Score PART II - Index and Unit Score	Sub Total		Sub Total			Sub Total		0	Sub Total		Sub Total		_
Index Linear Feet Unit Score Index Linear Fee	Sub-Total	, v	Sub-1 otal		-	Jub I Oldi			Sub-1 otal		Sub-rotal		
	PART II - Index and I	Unit Score	PART II - Index and	1 Unit Score		PART II - Index ar	nd Unit Score		PART II - Index and U	Init Score	PART II - Index and U	nit Score	
0.750 72 54 0 0 0 0 0 0 0 0 0 0 0 0 0	Index	Linear Feet Unit Score	Index	Linear Feet Unit Score		Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet	Unit Score
	0.750	72 54	0	0 0]	0	0	0	0	0 0	0	0	0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION						
STATION # RIVERMILE	STREAM CLASS						
LAT LONG	RIVER BASIN						
STORET#	AGENCY						
INVESTIGATORS							
FORM COMPLETED BY	DATE	REASON FOR SURVEY					



PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial al	ial No evidence Some potential sources							
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous						
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Partly shaded Shaded High Water Markm Proportion of Reach Represented by Stream Morphology Types Riffle % Run% Pool% Channelized Yes No Dam Present Yes No							
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)							
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü						
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks						
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,						
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add							
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area						
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)							
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic							
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)							

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION					
STATION # RIVERMILE	STREAM CLASS					
LAT LONG	RIVER BASIN					
STORET#	AGENCY					
INVESTIGATORS						
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY				

	Habitat		Condition	ı Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.				
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).				
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Conditi	on Category			
	Parameter	Optimal	Suboptimal	Marginal	Poor		
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.		
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.		
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0		
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	areas of erosion; high erosion potential during	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.		
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potentia to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.		
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0		
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.		
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0		
1	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0		

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION						
STATION #	_ RIVERMILE	STREAM CLASS	STREAM CLASS					
LAT	LONG	RIVER BASIN						
STORET#		AGENCY						
INVESTIGATORS			LOT NUMBER					
FORM COMPLETED	ВҮ	DATE REASON FOR SURVEY TIME						
HABITAT TYPES Indicate the percentage of each habitat type present Cobbbe % Snags % Vagatated Banks % Sand %								

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

Basin:

County: Webster Stream ID: S-B36

Stream Name: UNT to Amos Run


HUC Code:


Survey Date: 9/23/2021


Surveyors: RH VM Impact: 17m

Type: Bankfull Channel


			LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cui
	Silt/Clay	< .062	S/C	A	89	89.00	89.00
	Very Fine	.062125		^	5	5.00	94.00
	Fine	.12525		*	2	2.00	96.00
	Medium	.255	SAND	*	1	1.00	97.00
	Coarse	.50-1.0		*	1	1.00	98.00
.0408	Very Coarse	1.0-2		*	2	2.00	100.0
.0816	Very Fine	2 -4	GRAVEL	^	0	0.00	100.0
.1622	Fine	4 -5.7		^	0	0.00	100.0
.2231	Fine	5.7 - 8		^	0	0.00	100.0
.3144	Medium	8 -11.3		^	0	0.00	100.0
.4463	Medium	11.3 - 16		A	0	0.00	100.0
.6389	Coarse	16 -22.6		A	0	0.00	100.0
.89 - 1.26	Coarse	22.6 - 32		A	0	0.00	100.0
1.26 - 1.77	Vry Coarse	32 - 45		A	0	0.00	100.0
1.77 -2.5	Vry Coarse	45 - 64		^	0	0.00	100.0
2.5 - 3.5	Small	64 - 90		^	0	0.00	100.0
3.5 - 5.0	Small	90 - 128	COBBLE	A	0	0.00	100.0
5.0 - 7.1	Large	128 - 180		A	0	0.00	100.0
7.1 - 10.1	Large	180 - 256		<u> </u>	0	0.00	100.0
10.1 - 14.3	Small	256 - 362	BOULDER	^	0	0.00	100.0
14.3 - 20	Small	362 - 512		^	0	0.00	100.0
20 - 40	Medium	512 - 1024		A	0	0.00	100.0
40 - 80	Large	1024 -2048		A	0	0.00	100.0
80 - 160	Vry Large	2048 -4096	1	*	0	0.00	100.0
	Bedrock		BDRK	<u> </u>	0	0.00	100.0
				Totals:	100		







AS-BUILT TABLE: S-B36 CROSS SECTION A									
	PF	AS-BUILT							
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.				
TS-L	13978648.15	1766071.90	1611.09						
THW	13978650.25	1766071.11	1610.58						
TS-R	13978651.95	1766070.46	1611.06						



SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 十

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 23, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-B36 BASELINE CROSS-SECTION A RIFFLE



CROSS SECTION LEGEND — EXISTING GRADE

CROSS SECTION
H: 1"=10'
V: 1"=5' SCALE:

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS




PHOTO TAKEN LOOKING UPSTREAM FROM

PHOTO TAKEN LOOKING DOWNSTREAM

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

CAD File No.

DRAWING

N VALLEY PIPELINE, ERGY DŘIVE, 2ND Fl ONSBURĞ, PA 15317

DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PRE-CROSSING