Baseline Assessment – Stream Attributes

Reach S-B38 (Pipeline ROW)

Ephemeral

Spread C

Webster County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Slope <4%
RBP Physical Characteristics Form	✓
Water Quality Data	✓ – Low flow
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Low flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓

Spread C Stream S-B38 (Pipeline ROW) Webster County



Photo Type: DS, US View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, HC/VM
Lat: 38.493723 Long: -80.560843



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, HC/VM Lat: 38.493723 Long: -80.560843

Spread C Stream S-B38 (Pipeline ROW) Webster County



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, HC/VM Lat: 38.493723 Long: -80.560843



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, HC/VM Lat: 38.493723 Long: -80.560843

Spread C Stream S-B38 (Pipeline ROW) Webster County



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, HC/VM Lat: 38.493723 Long: -80.560843



Photo Type: US, DS View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, HC/VM
Lat: 38.493723 Long: -80.560843

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Me	ountain V	alley Pipeline		COORDINATES: imal Degrees)	Lat.	38.493723	Lon.	-80.560843		WEATHER:		Sunny	DATE:	09/	10/21
IMPACT STREAM/SITE ID (watershed size {acreage}				s	-B38			MITIGATION STREAM CL (watershed size {	ASS./SITE ID AND acreage), unaltered or in		4:				Comments:		
STREAM IMPACT LENGTH:	43	FORM O		RESTORATION (Levels I-III)		ORDINATES: imal Degrees)	Lat.		Lon.			PRECIPITATION PAST 48 HRS:			Mitigation Length:		
Column No. 1- Impact Existing	g Condition (De	ebit)		Column No. 2- Mitigation Existing (Condition - Basel	ine (Credit)		Column No. 3- Mitigat Post Com	ion Projected at Five pletion (Credit)	e Years		Column No. 4- Mitigation Proj Post Completion (ırs	Column No. 5- Mitigation Proje	cted at Maturity	(Credit)
Stream Classification:	Eph	emeral		Stream Classification:				Stream Classification:		0	St	tream Classification:	0	1	Stream Classification:		0
Percent Stream Channel SI	lope	1.3		Percent Stream Channel Si	оре			Percent Stream Chan	nel Slope	0		Percent Stream Channel SI	оре	0	Percent Stream Channel	Slope	0
HGM Score (attach d	lata forms):		Î	HGM Score (attach	data forms):			HGM Score (a	ttach data forms):			HGM Score (attach d	ata forms):		HGM Score (attach	data forms):	
		Average				Average				Average				Average			Average
Hydrology				Hydrology				Hydrology		0		lydrology			Hydrology		
Biogeochemical Cycling Habitat		۰		Biogeochemical Cycling Habitat		. "		Biogeochemical Cycling Habitat		•		logeochemical Cycling labitat		· ·	Biogeochemical Cycling Habitat		•
PART I - Physical, Chemical and	Biological Indi	cators		PART I - Physical, Chemical ar	d Biological Indi	cators		PART I - Physical, Chem	ical and Biological I	Indicators		PART I - Physical, Chemical and	Biological Indica	ators	PART I - Physical, Chemical ar	d Biological Ind	icators
	Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale Ran	nge Site Score			Points Scale Range	Site Score		Points Scale Ran	ge Site Score
PHYSICAL INDICATOR (Applies to all streams	s classifications)			PHYSICAL INDICATOR (Applies to all streams	classifications)			PHYSICAL INDICATOR (Applies to all s	streams classifications)	-	PH	HYSICAL INDICATOR (Applies to all streams	classifications)	1	PHYSICAL INDICATOR (Applies to all stream	ms classifications)	
USEPA RBP (High Gradient Data Sheet)				USEPA RBP (Low Gradient Data Sheet)				USEPA RBP (High Gradient Data Sh				SEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		
Epifaunal Substrate/Available Cover	0-20	2	I	Epifaunal Substrate/Available Cover	0-20			Epifaunal Substrate/Available Cover				Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20	
Embeddedness Velocity/ Depth Regime	0-20	0	ŀ	Pool Substrate Characterization Pool Variability	0-20			Embeddedness Velocity/ Depth Regime	0-20			. Embeddedness . Velocity/ Depth Regime	0-20		Embeddedness Velocity/ Depth Regime	0-20	
Velocity Depth Regime Sediment Deposition	0-20	1	ŀ	4. Sediment Deposition	0-20			Velocity/ Depth Regime Sediment Deposition	0-20			. Sediment Deposition	0-20		Velocity Depth Regime Sediment Deposition	0-20	
5. Channel Flow Status	0.00	Ö	ľ	5. Channel Flow Status	0-20			5. Channel Flow Status	0-20			. Channel Flow Status	0-20		5. Channel Flow Status	0-20	
6. Channel Alteration	0-20 0-1	1	ľ	6. Channel Alteration	0-20			6. Channel Alteration	0-20	-1		Channel Alteration	0-20		6. Channel Alteration	0-20	1
7. Frequency of Riffles (or bends)	0-20	0		7. Channel Sinuosity	0-20			7. Frequency of Riffles (or bends)	0-20			Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	18	ľ	8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20			Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	
Vegetative Protection (LB & RB)	0-20	18		9. Vegetative Protection (LB & RB)	0-20			Vegetative Protection (LB & RB)	0-20			Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB)	0-20	16		10. Riparian Vegetative Zone Width (LB & RB)	0-20			10. Riparian Vegetative Zone Width (LB &				Riparian Vegetative Zone Width (LB & RB)	0-20		 Riparian Vegetative Zone Width (LB & RB) 	0-20	
Total RBP Score	Marginal	56		Total RBP Score	Poor	0		Total RBP Score	Poor	0		otal RBP Score	Poor	0	Total RBP Score	Poor	0
Sub-Total		0.46666667	Į.	Sub-Total		0		Sub-Total		0	Su	ub-Total		0	Sub-Total		0
CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial S	treams)		CHEMICAL INDICATOR (Applies to Intermitter	t and Perennial Stre	ams)		CHEMICAL INDICATOR (Applies to Inte	ermittent and Perennial	Streams)	CH	HEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Stre	eams)	CHEMICAL INDICATOR (Applies to Intermit	ent and Perennial S	Streams)
WVDEP Water Quality Indicators (General Specific Conductivity	I)			WVDEP Water Quality Indicators (General Specific Conductivity)			WVDEP Water Quality Indicators (Go Specific Conductivity	eneral)			VVDEP Water Quality Indicators (General pecific Conductivity)		WVDEP Water Quality Indicators (General Specific Conductivity	al)	
	0-90	36.4		Specific conductivity	0-90			Specific conductivity	0-90		j.	pecific conductivity	0-90		Specific conductivity	0-90	
<=99 - 90 points		00.4															
pH	0.1		ŀ	pH	0.1			pH		1	pH	Н	0.1		pH	0.	1
6.0-8.0 = 80 points	0-80	6.8			5-90				5-90				5-90			5-90	
DO				DO				DO			DO	0	•		DO		
	10-30	4.8			10-30				10-30				10-30			10-30	
<5.0 = 10 points Sub-Total		0.9		Sub-Total		•		Sub-Total			0	ub-Total			Sub-Total		
BIOLOGICAL INDICATOR (Applies to Intermit	ttent and Perennial			BIOLOGICAL INDICATOR (Applies to Intermit	ent and Perennial St	reams)		BIOLOGICAL INDICATOR (Applies to	Intermittent and Pere	nnial Streams)		IOLOGICAL INDICATOR (Applies to Interm	ittent and Perenni	ial Streams)	BIOLOGICAL INDICATOR (Applies to Inte	rmittent and Perer	nnial Streams)
WV Stream Condition Index (WVSCI)		,		WV Stream Condition Index (WVSCI)		,		WV Stream Condition Index (WVSCI		,	l —	V Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		,
WV Stream Condition index (WVSCI)	0-100 0-1		ŀ	*** Stream Condition index (wvSCI)	0-100 0-1			TTV Sueam Condition maex (WVSCI	0-100 0-	1	W	ry Sueam Condition index (WYSCI)	0-100 0-1		*** Stream Condition index (WVSCI)	0-100 0-	1
0	0-100				0-100				0-100		-		0-100			0-100 0-	
Sub-Total		0	1	Sub-Total		U		Sub-Total		0	Su	ub-Total		0	Sub-Total		U
PART II - Index and U	Unit Score		Ī	PART II - Index and	Unit Score			PART II - Inde	ex and Unit Score		1	PART II - Index and U	Init Score		PART II - Index and	Unit Score	
Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Fee	et Unit Score		Index	Linear Feet	Unit Score	Index	Linear Fee	t Unit Score
0.683	43	29.3833333		0	0	0		0	0	0	_	0	0	0	0	0	0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET#	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE	REASON FOR SURVEY			

WEATHER CONDITIONS	Now%	storm (heavy rain) rain (steady rain) showers (intermittent) %cloud cover clear/sunny	Past 24 hours	Has there been a heavy Yes No Air Temperature Other	⁰ C
SITE LOCATION/MAP	Draw a map	of the site and indicate th	e areas samp	oled (or attach a photogra	арh)
III.				S-I	337
			<	S- B38	
Ou V	it])S heme	Га	LB	US LOD
STREAM CHARACTERIZATION	Stream Sub Perennial Stream Orig Glacial Non-glacia Swamp an	gin Spring-fe Mixture of	d of origins	Stream Type Coldwater Warn Catchment Area	nwater km²

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES	Forest Field/	Pasture Industrial Other	rcial	Local Watershed NPS I No evidence □ Som Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIAN VEGETATION (18 meter buffer)	Trees	the dominant type and Si nt species present	hrubs		rbaceous
INSTREAM FEATURES	Estimate Samplin Area in Estimate	ed Stream Depth Velocitym	m m² km² m	High Water Mark Proportion of Reach Re Morphology Types	epresented by Stream Run% No
LARGE WOODY DEBRIS	LWD Density	m² of LWDm	n ² /km ² (LWD/	reach area)	
AQUATIC VEGETATION	Roote Floatii Domina	d emergent Ro ng Algae At	ooted submerge tached Algae		C
WATER QUALITY (DS ONLY)	Specific Dissolve pH Turbidi	ature0 C Conductance d Oxygen by trument Used		Fishy Water Surface Oils Slick Sheen	Chemical Other Globs Flecks red)
SEDIMENT/ SUBSTRATE	Odors Norma Chem Other Other	ical Anaerobic		L ρoking at stones which are the undersides black	Paper fiber Sand Other h are not deeply embedded, k in color?
	UBSTRATE (ld add up to 1	COMPONENTS 00%)		ORGANIC SUBSTRATE CO	
Substrate Type Dia	meter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock Boulder > 256 mm (10")		Detritus	sticks, wood, coarse plant materials (CPOM)	

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.			
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).			
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	shallow riffles; poor habitat; distance between riffles divided by the			
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.			
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.			
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.			
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION						
STATION #	_ RIVERMILE	STREAM CLASS						
LAT	LONG	RIVER BASIN						
STORET#		AGENCY						
INVESTIGATORS			LOT NUMBER					
FORM COMPLETED BY		DATE REASON FOR SURVEY TIME						
HABITAT TYPES Indicate the percentage of each habitat type present Cobbbe % Snags % Vagatated Banks % Sand %								

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

Basin:

County: Webster Stream ID: S-B38

Stream Name: UNT to Amos Run

HUC Code:


Survey Date: 9/10/2021

Surveyors: HC, VM Reach 7.8m

Type: Bankfull Channel

	D. D		BLE COUNT	.			a
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	A	95	95.00	95.00
	Very Fine	.062125		•	5	5.00	100.00
	Fine	.12525		A	0	0.00	100.00
	Medium	.255	SAND	A	0	0.00	100.00
	Coarse	.50-1.0		A	0	0.00	100.00
.0408	Very Coarse	1.0-2		*	0	0.00	100.00
.0816	Very Fine	2 -4		A	0	0.00	100.00
.1622	Fine	4 -5.7	1	•	0	0.00	100.00
.2231	Fine	5.7 - 8	1	A	0	0.00	100.00
.3144	Medium	8 -11.3	1	A	0	0.00	100.00
.4463	Medium	11.3 - 16	GRAVEL	A	0	0.00	100.00
.6389	Coarse	16 -22.6	1	A	0	0.00	100.00
.89 - 1.26	Coarse	22.6 - 32	1	A	0	0.00	100.00
1.26 - 1.77	Vry Coarse	32 - 45	1	A	0	0.00	100.00
1.77 -2.5	Vry Coarse	45 - 64	1	•	0	0.00	100.00
2.5 - 3.5	Small	64 - 90		•	0	0.00	100.00
3.5 - 5.0	Small	90 - 128	CORRIG	▲	0	0.00	100.00
5.0 - 7.1	Large	128 - 180	COBBLE	•	0	0.00	100.00
7.1 - 10.1	Large	180 - 256	1	▲	0	0.00	100.00
10.1 - 14.3	Small	256 - 362		•	0	0.00	100.00
14.3 - 20	Small	362 - 512	1	A	0	0.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	A	0	0.00	100.00
40 - 80	Large 1024 -2048		1	A	0	0.00	100.00
80 - 160	Vry Large	2048 -4096	1	A	0	0.00	100.00
	Bedrock		BDRK	A	0	0.00	100.00
				Totals:	100		








Size (m	Size (mm)			
□16	0.062			
D35	0.062			
□50	0.062			
□65	0.062			
□84	0.062			
D95	0.062			


Size Distribution					
mean	0.1				
dispersion	1.0				
skewness					

silt/clay	95%	
sand	5%	
gravel	0%	
cobble	0%	
boulder	0%	









SURVEY NOTES:

LEGEND

EXISTING SURVEY-LOCATED THALWEG


EXISTING SURVEYED GROUND SHOT ELEVATION

STUDY AREA (EASEMENT)

1176.87 十

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 10, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-B38 BASELINE CROSS-SECTION A PIPELINE



CROSS SECTION LEGEND — — EXISTING GRADE

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

PRE-CROSSING



0

DRAWING