Reach S-B67 (Timber Mat Crossing) Perennial Spread B Lewis County, West Virginia

Data	Included
Photos	\checkmark
SWVM Form	\checkmark
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope
	<4%)
RBP Physical Characteristics Form	V
Water Quality Data	\checkmark
RBP Habitat Form	\checkmark
RBP Benthic Form	✓ – Collected 7/19/2021
Benthic Identification Sheet	\checkmark
Wolman Pebble Count	\checkmark
Reference Reach Software Pebble Count Data	\checkmark
Longitudinal Profile and Cross Sections	\checkmark



Photo Type: DS, US View

Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, DP/HK/VM Lat: 39.079556 Long: -80.581346



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, DP/HK/VM Lat: 39.079556 Long: -80.581346



Photo Type: US View at Center

Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, DP/HK/VM Lat: 39.079556 Long: -80.581346



Photo Type: DS View at Center Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, DP/HK/VM Lat: 39.079556 Long: -80.581346



Photo Type: US, US View

Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, DP/HK/VM Lat: 39.079556 Long: -80.581346



Photo Type: US, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, DP/HK/VM Lat: 39.079556 Long: -80.581346



Photo Type: Riffle, DS View Location, Orientation, Photographer Initials: Upstream of Riffle, Downstream View, DP/HK/VM Lat: 39.079556 Long: -80.581346



Photo Type: Riffle, US View Location, Orientation, Photographer Initials: Downstream of Riffle, Upstream View, DP/HK/VM Lat: 39.079556 Long: -80.581346

West Virginia Stream and Wetland Valuation Metric (SWVM) Version 2.1, September 2017


USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain	Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	39.079556	Lon.	-80.581346	WEATHER:	Sunny	DATE:	8/18/2	2021
IMPACT STREAM/SITE ID AI (watershed size (acreage), un			S-B67 Timber	Mat Crossing		MITIGATION STREAM CLA (watershed size (ar	ASS./SITE ID AND creage), unaltered or imp				Comments:	Water qualit from benthi	ic sampling
STREAM IMPACT LENGTH:	22	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:		
Column No. 1- Impact Existing C	Condition (Debit	:)	Column No. 2- Mitigation Existing Co	ndition - Baseline (Credit)		Column No. 3- Mitigatio Post Comp	on Projected at Five letion (Credit)	Years	Column No. 4- Mitigation Proje Post Completion (ected at Ten Years (Credit)	Column No. 5- Mitigation Projec	ted at Maturity (C	redit)
Stream Classification:	Perenn	nial	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0	
Percent Stream Channel Slop	pe	1	Percent Stream Channel Slo	pe		Percent Stream Chann	el Slope	0	Percent Stream Channel Si	lope 0	Percent Stream Channel S	lope	0
HGM Score (attach data	a forms):		HGM Score (attach d	ata forms):		HGM Score (at	tach data forms):		HGM Score (attach da	ata forms):	HGM Score (attach o	iata forms):	
		Average		Average				Average		Average			Average
Hydrology Biogeochemical Cycling		0	Hydrology Biogeochemical Cycling	0		Hydrology Biogeochemical Cycling		0	Hydrology Biogeochemical Cycling	0	Hydrology Biogeochemical Cycling		0
Habitat PART I - Physical, Chemical and Bio	iological Indicat	ors	Habitat PART I - Physical, Chemical and	Biological Indicators		PART I - Physical, Chemic	cal and Biological Ir	dicators	Habitat PART I - Physical, Chemical and	Biological Indicators	Habitat PART I - Physical, Chemical and	Biological Indica	ators
1	Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale Rang	• Site Scare		Points Scale Range Site Score		Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams cla	lassifications)		PHYSICAL INDICATOR (Applies to all streams cl	assifications)		PHYSICAL INDICATOR (Applies to all st	reams classifications)	1	PHYSICAL INDICATOR (Applies to all streams	s classifications)	PHYSICAL INDICATOR (Applies to all stream	s classifications)	
JSEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data She			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)		
	0-20	13	1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover			1. Epifaunal Substrate/Available Cover	0-20	1. Epifaunal Substrate/Available Cover	0-20	
2. Embeddedness	0-20	<u>11</u> 10	2. Pool Substrate Characterization 3. Pool Variability	0-20		2. Embeddedness	0-20		2. Embeddedness 3. Velocity/ Depth Regime	0-20	2. Embeddedness	0-20	
	0-20	10	4. Sediment Deposition	0-20		3. Velocity/ Depth Regime 4. Sediment Deposition	0-20		 Velocity/ Depth Regime Sediment Deposition 	0-20	3. Velocity/ Depth Regime 4. Sediment Deposition	0-20	
	0-20 0.1	19	5. Channel Flow Status	0-20 0.1		5. Channel Flow Status	0-20		5. Channel Flow Status	0-20	5. Channel Flow Status	0-20	
	0-20 0-1	13	6. Channel Alteration	0-20 0-1		6. Channel Alteration	0-20 0-1		6. Channel Alteration	0-20 0-1	6. Channel Alteration	0-20 0-1	
	0-20	18	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20	
	0-20	18	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20	
	0-20	18	9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	9. Vegetative Protection (LB & RB)	0-20	
	0-20	11	10. Riparian Vegetative Zone Width (LB & RB)	0-20		10. Riparian Vegetative Zone Width (LB & R			10. Riparian Vegetative Zone Width (LB & RB)	0-20	10. Riparian Vegetative Zone Width (LB & RB)	0-20	
	Suboptimal	141	Total RBP Score	Poor 0		Total RBP Score	Poor	0	Total RBP Score	Poor 0	Total RBP Score	Poor	0
Sub-Total		0.705	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total		0
CHEMICAL INDICATOR (Applies to Intermittent an	and Perennial Stream	ms)	CHEMICAL INDICATOR (Applies to Intermittent a	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Inter	mittent and Perennial S	treams)	CHEMICAL INDICATOR (Applies to Intermitten	nt and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermitte	nt and Perennial Stre	sams)
WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (Gen	neral)		WVDEP Water Quality Indicators (General	1)	WVDEP Water Quality Indicators (General	I)	
Specific Conductivity			Specific Conductivity			Specific Conductivity			Specific Conductivity		Specific Conductivity		
	0-90	401		0-90			0-90			0-90		0-90	
400-499 - 60 points			-11			-11			-11		-11		
ы	0.1		рн	0.1		рн	0.1		ph	0.1	pn	0.1	
6.0-8.0 = 80 points	0-80	7.68		5-90			5-90			5-90		5-90	
DO			po			DO			DO		po	•	
	10-30	7.3		10-30			10-30			10-30		10-30	
>5.0 = 30 points							.0-50						
Sub-Total		0.85	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total		0
BIOLOGICAL INDICATOR (Applies to Intermittent	nt and Perennial Stre	eams)	BIOLOGICAL INDICATOR (Applies to Intermitter	t and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to I	ntermittent and Peren	nial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	nittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Interr	nittent and Perennia	al Streams)
WV Stream Condition Index (WVSCI)	0-100 0-1	61.6	WV Stream Condition Index (WVSCI)	0-100 0-1		WV Stream Condition Index (WVSCI)	0-100 0-1		WV Stream Condition Index (WVSCI)	0-100 0-1	WV Stream Condition Index (WVSCI)	0-100 0-1	
Grey Zone Sub-Total	0-100 0-1	0.616	Sub-Total	0.000 0.1		Sub-Total	0-100 0-1		Sub-Total	0-100 0-1	Sub-Total	0-100 0-1	0
500-100ar		0.010	Sub-1 otal		L	Joub-Total		U	Sub-Total		Jour-Lotal		
PART II - Index and Unit	it Score		PART II - Index and U	Init Score	I	PART II - Inde	x and Unit Score		PART II - Index and U	Jnit Score	PART II - Index and	Unit Score	
Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet	Unit Score
muex	Linear reet	onic Score	index	Linear Feet Unit Score		muex	Linear Feel	Unit Score	index	Linear reet Unit Score	index	Linear reet	Jint Score

22 15.9206667

0.724

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME S-B67	LOCATION Lewis County						
STATION # RIVERMILE	STREAM CLASS Perennial						
LAT <u>39.079556</u> LONG <u>-80.581346</u>	RIVER BASIN None						
STORET #	AGENCY WVDEP						
INVESTIGATORS DP VM HK							
FORM COMPLETED BY HK	DATE 9-3-21 TIME 1001	REASON FOR SURVEY Baseline Assessment					



PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse Local Watershed NPS Pollution Forest Commercial Field/Pasture Industrial Agricultural Other Residential Other Indicate the dominant type and record the dominant species present Herbaceous Trees Shrubs Grasses Dominant species present Herbaceous
INSTREAM FEATURES	Dominant species present
LARGE WOODY	LWDm ²
DEBRIS	Density of LWDm ² /km ² (LWD/ reach area)
AQUATIC	Indicate the dominant type and record the dominant species present
VEGETATION	Rooted emergent Rooted submergent Rooted floating Free floating Floating Algae Attached Algae Booted floating Free floating Free floating Dominant species present
WATER QUALITY (DS, US)	Temperature0 C Water Odors Normal/None Sewage Specific Conductance Petroleum Fishy Chemical Other Dissolved Oxygen Water Surface Oils Slick Sheen None Globs Flecks pH Turbidity (if not measured) Clear Slightly turbid Turbid Turbid Turbid Opaque Turbid
SEDIMENT/	Odors
SUBSTRATE	Normal Sewage Petroleum Deposits Chemical Anaerobic None Sludge Sawdust Paper fiber Sand Other Other Epoking at stones which are not deeply embedded are the undersides black in color? How are the undersides black in color?

INC	ORGANIC SUBSTRATE (should add up to		ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)						
Substrate Type	Diameter	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area				
Bedrock	> 256 mm (10")		Detritus	sticks, wood, coarse plant					
Boulder				materials (CPOM)					
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic					
Gravel	2-64 mm (0.1"-2.5")			(FPOM)					
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments					
Silt	0.004-0.06 mm								
Clay	< 0.004 mm (slick)								

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME S-B67	LOCATION Lewis County						
STATION # RIVERMILE	STREAM CLASS Perennial						
LAT <u>39.079556</u> LONG <u>-80.581346</u>	RIVER BASIN None						
STORET #	AGENCY WVDEP						
INVESTIGATORS DP VM HK							
FORM COMPLETED BY HK	DATE 9-3-21 1001 REASON FOR SURVEY TIME 1001 AM PM Baseline Assessment						

	Habitat	-	Condition	Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.			
	_{SCORE} 13	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.			
ted in	_{SCORE} 11	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/ depth regime (usually slow-deep).			
uram	_{SCORE} 10	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.			
	_{SCORE} 10	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.			
	_{score} 19	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			

Notes:

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat		Conditio	n Category	r
Parameter	Optimal	Suboptimal	Marginal	Poor
6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabic or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
score 13	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water of shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
_{SCORE} 18	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 (
8. Bank Stability (score each bank) Note: determine left or right side by facing deurstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing 60-100% of bank has erosional scars.
SCORE 9	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE 9	Right Bank 10 9	8 7 6	5 4 3	2 1 0
9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streamban vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
SCORE 9	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE 9	Right Bank 10 9	8 7 6	5 4 3	2 1 0
10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone - meters: little or no riparian vegetation due human activities.
_{SCORE} 5	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE 6		8 7 6	5 4 3	2 1 0

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-B	67	LOCATION Lewis County									
STATION #	RIVERMILE	STREAM CLASS Perennial									
LAT <u>39.079556</u>	LONG80.581346	RIVER BASIN None									
STORET #		AGENCY WVDEP									
INVESTIGATORS IB	DM		LOT NUMBER								
FORM COMPLETED	^{BY} IB DM	DATE 7-19-21 TIME 14:50	REASON FOR SURVEY Baseline Assessment								
HABITAT TYPES	I ☑Cobble <u> </u>	dicate the percentage of each habitat type present Cobble <u>◎</u> % Sands_% Vegetated Banks_% Sand_% Submerged Macrophytes% Other ()%									
SAMPLE COLLECTION		lected? ☑ wading ☐ ff ps/kicks taken in each habitat ty bags □ Vegetated B	rom bank ☐ from boat y pe. anks □Sand								
GENERAL COMMENTS			O: 7.3mg/L pH: 7.68 O: 6.73mg/L pH: 7.6								

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera		1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera		1	2	3	4	Trichoptera		1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera		1	2	3	4	Other		1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera		1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						


Insects	Count	Tolerance	τν	Insects	Count	Tolerance	тν	Non-Insects	Count	Tolerance	τν	SITE ID:	S-B
Ephemeroptera	•		9	Odonata			0	Crustacea			0		
Ameletidae		2	0	Aeshnidae		3	0	Asellidae		7	0	1	
Baetidae	8	4	32	Calopterygidae		6	0	Cambaridae		5	0		
Beatiscidae		4	0	Coenagrionidae		7	0	Gammaridae		5	0		
Caenidae		5	0	Cordulegastridae		3	0	Palaemonidae		5	0	1	
Ephemerellidae		3	0	Gomphidae		5	0	Annelida			0	1	
Ephemeridae		5	0	Lestidae		7	0	Hirudinea		10	0		
Heptageniidae	1	3	3	Libellulidae		7	0	Nematoda		10	0	1	
Isonychiidae		3	0	Coleoptera			30	Nematomorpha		10	0		
Leptophlebiidae		4	0	Chrysomelidae		7	0	Oligochaeta		10	0	1	
Potamanthidae		5	0	Dryopidae		5	0	Turbellaria			0		
Siphlonuridae		3	0	Dytiscidae		6	0	Turbellaria		7	0	1	
Tricorythidae		5	0	Elmidae	30	4	120	Bivalvia			0	1	
Plecoptera	-		0	Gyrinidae		5	0	Corbiculidae		6	0	1	
Capniidae		2	0	Haliplidae		7	0	Sphaeriidae		5	0	1	
Chloroperlidae		2	0	Hydrophilidae		7	0	Unionidae		4	0	1	
Leuctridae		2	0	Psephenidae		3	0	Gastropoda			0	Ī	
Nemouridae		2	0	Ptilodactylidae		5	0	Ancylidae		7	0		
Peltoperlidae		1	0	Hemiptera			0	Hydrobiidae		4	0		
Perlidae		1	0	Belostomatidae		8	0	Physidae		7	0		
Perlodidae		1	0	Corixidae		8	0	Planorbidae		5	0		
Pteronarcyidae		1	0	Gerridae		10	0	Pleuroceridae		5	0		
Taeniopterygidae		2	0	Hydrometridae		8	0	Viviparidae		5	0		
Trichoptera	•		164	Nepidae		8	0	Miscellaneous			0		
Brachycentridae		2	0	Notonectidae		8	0	Collembola		6	0		
Glossosomatidae		2	0	Megaloptera			1	Lepidoptera		5	0	1	
Helicopsychidae		3	0	Corydalidae	1	3	3	Neuroptera		5	0		
Hydropsychidae	68	5	340	Sialidae		6	0	Hydrachnidae		6	0		
Hydroptilidae		3	0	Diptera			6	T 1.	Total	number	210		
Lepidostomatidae		3	0	Athericidae		3	0	Totals	Total	families	8		
Leptoceridae		3	0	Blephariceridae		2	0			M	etric calc	ulations	
Limnephilidae		4	0	Ceratopogonidae		8	0			<u>_</u>		Additional	metrics
Molannidae		3	0	Chironomidae	4	9	36	- wv:	SCI Metric	Scores		Ephemeroptera Taxa	2
Philopotamidae	96	4	384	Culicidae		10	0	Total Tax	а	8	36.4	Plecoptera Taxa	(
Phryganeidae		4	0	Dixidae		6	0	EPT Taxa	1	4	30.8	Trichoptera Taxa	2
Polycentropodidae		5	0	Empididae		7	0	% EPT Abund	ance	82.4	92.3	Long-lived Taxa	З
Psychomiidae		4	0	Psychodidae		8	0	% Chironom	idae	1.9	99.8	Odonata Taxa	C
Rhyacophilidae		3	0	Ptychopteridae		8	0	Hilsenhoff Biotic Ir	ndex (HBI)	4.44	75.3	Diptera Taxa	2
Uenoidae	1	2	0	Simuliidae	2	7	14	% 2 Dominant	: Таха	78.1	34.9	СОЕТ Таха	5
	Total Tole	rance Value	932	Stratiomyidae	1	10	0	1				% Sensitive	46
West Virginia Stre	am Conditi	on Index (W	VSCI)	Syrphidae	1	10	0					% Tolerant	2.
Gerritson, J., J. Burton, ar				Tabanidae		7	0	WV Stream	Condition	Index	61.6	% Clingers	15
condition index for West													


S-B67 7/19/2021

WOLMAN PEBBLE COUNT FORM

County:	Lewis	Stream ID:	S-B67
Stream Name:	Left Fork Freemans Creek		
HUC Code:		Basin:	
Survey Date:	9/3/2021		
Surveyors:	DP VM HK	Impact Reach:	32 m
Type:	Bankfull Channel		

T 1	DADTICIE	PEBB		D. 4.1	T-4-1#	T4 0/	0/ C
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cur
	Silt/Clay	< .062	S/C	• •	3	3.00	3.00
	Very Fine	.062125		▲ ▼	0	0.00	3.00
	Fine	.12525		▲ ▼	3	3.00	6.00
	Medium	.255	S A N D	▲ ▼	1	1.00	7.00
	Coarse	.50-1.0	-	▲ ▼	7	7.00	14.00
.0408	Very Coarse	1.0-2		▲ ▼	0	0.00	14.00
.0816	Very Fine	2 -4	GRAVEL	▲ ▼	4	4.00	18.00
.1622	Fine	4 -5.7		▲ ▼	5	5.00	23.00
.2231	Fine	5.7 - 8		▲ ▼	3	3.00	26.00
.3144	Medium	8 -11.3		▲ ▼	14	14.00	40.00
.4463	Medium	11.3 - 16		▲ ▼	14	14.00	54.00
.6389	Coarse	16 -22.6		▲ ▼	9	9.00	63.00
.89 - 1.26	Coarse	22.6 - 32		▲ ▼	11	11.00	74.00
1.26 - 1.77	Vry Coarse	32 - 45		▲ ▼	7	7.00	81.00
1.77 -2.5	Vry Coarse	45 - 64		▲ ▼	8	8.00	89.00
2.5 - 3.5	Small	64 - 90	COBBLE	▲ ▼	6	6.00	95.00
3.5 - 5.0	Small	90 - 128		▲ ▼	3	3.00	98.00
5.0 - 7.1	Large	128 - 180		▲ ▼	2	2.00	100.0
7.1 - 10.1	Large	180 - 256		▲ ▼	0	0.00	100.0
10.1 - 14.3	Small	256 - 362		•	0	0.00	100.0
14.3 - 20	Small	362 - 512	BOULDER	▲ ▼	0	0.00	100.0
20 - 40	Medium	512 - 1024		• •	0	0.00	100.0
40 - 80	Large	1024 -2048		• •	0	0.00	100.0
80 - 160	Vry Large	2048 -4096		▲ ▼	0	0.00	100.0
	Bedrock		BDRK	• •	0	0.00	100.0
				Totals:	100		






TS: TOP OF SLOPE

BS: BOTTOM OF SLOPE

THW: THALWEG (INVERT)

BS-R 14191854.38 1759228.97 1088.10

TS-R 14191816.17 1759226.61 1099.96



- LOCATIONS WERE COMPLETED ON SEPTEMBER 3, 2021.
- PIPELINE.
- GENERATE A CLEAN PRE-CROSSING SURFACE.

