#### **Baseline Assessment – Stream Attributes**

# Reach S-B69 (Temporary Access Road) Ephemeral Spread B Lewis County, West Virginia

Data	Included			
Photos	✓			
SWVM Form	✓			
FCI Calculator and HGM Form	✓			
RBP Physical Characteristics Form	✓			
Water Quality Data	N/A – No flow			
RBP Habitat Form	✓			
RBP Benthic Form	✓			
Benthic Identification Sheet	N/A –No flow			
Wolman Pebble Count	✓			
Reference Reach Software Pebble Count Data	✓			
USM Form (Virginia Only)	✓			
Longitudinal Profile and Cross Sections	✓			

#### Spread B Stream S-B69 (Temporary Access Road) Lewis County



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, RH/VM Lat: 39.07779 Long: -80.582932



Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, RH/VM
Lat: 39.07779 Long: -80.582932

#### Spread B Stream S-B69 (Temporary Access Road) Lewis County



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, RH/VM Lat: 39.07779 Long: -80.582932



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, RH/VM Lat: 39.07779 Long: -80.582932

#### Spread B Stream S-B69 (Temporary Access Road) Lewis County



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, RH/VM Lat: 39.07779 Long: -80.582932




Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, RH/VM Lat: 39.07779 Long: -80.582932

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain	Valley Pipeline	IMPACT COORDINATES:	Lat.	39.07779 Lo	n80.582932	WEATHER:	99% Cloud Cover	DATE:		
(V2.1, Sept 2015)				(in Decimal Degrees)							9/22/202	21
IMPACT STREAM/SITE ID			S-	-B69	-	MITIGATION STREAM CLASS./SITE				Comments:	N/A - water q	quality
(watershed size (acreage),	), unaltered or impairmen	nts)				(watershed size (acreage), una	iltered or impairments)				(no flow	v)
STREAM IMPACT LENGTH:	86	FORM OF		MIT COORDINATES:	Lat.	Lo	n.	PRECIPITATION PAST 48 HRS:		Mitigation Length:		
		MITIGATION:	RESTORATION (Levels I-III)	(in Decimal Degrees)								
Column No. 1- Impact Existing	ng Condition (Debit)	)	Column No. 2- Mitigation Existing C	Condition - Baseline (Credit)		Column No. 3- Mitigation Project Post Completion (Cr		Column No. 4- Mitigation Pro Post Completion		Column No. 5- Mitigation Projecte	ed at Maturity (Cred	iit)
Stream Classification:	Epheme	eral	Stream Classification:			Stream Classification:	0	Stream Classification:	0	Stream Classification:	0	
Percent Stream Channel SI	lope	10.1	Percent Stream Channel SI	оре		Percent Stream Channel Slope	0	Percent Stream Channel S	lope 0	Percent Stream Channel SI	оре	0
HGM Score (attach d	data forms):		HGM Score (attach	data forms):		HGM Score (attach data	a forms):	HGM Score (attach d	lata forms):	HGM Score (attach da	nta forms):	
		Average		Average			Average		Average			Average
Hydrology	0.51		Hydrology			Hydrology		Hydrology		Hydrology		
Biogeochemical Cycling		.25666667	Biogeochemical Cycling	0		Biogeochemical Cycling	0	Biogeochemical Cycling	0	Biogeochemical Cycling		0
PART I - Physical, Chemical and	0.08 d Biological Indicato	ors	Habitat PART I - Physical, Chemical an	d Biological Indicators		PART I - Physical, Chemical and Bi	ological Indicators	PART I - Physical, Chemical and	l Biological Indicators	PART I - Physical, Chemical and	Biological Indicator	rs
	Points Scale Range	Site Score		Points Scale Range Site Score		Pair	tts Scale Range Site Score		Points Scale Range Site Score		Points Scale Range	Situ Score
PHYSICAL INDICATOR (Applies to all streams	s classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams class	ifications)	PHYSICAL INDICATOR (Applies to all stream	s classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)	
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)		
Epifaunal Substrate/Available Cover	0-20	0	Epifaunal Substrate/Available Cover	0-20			0-20	Epifaunal Substrate/Available Cover	0-20	Epifaunal Substrate/Available Cover	0-20	
2. Embeddedness 3. Velocity/ Depth Regime	0-20	4	Pool Substrate Characterization     Pool Variability	0-20			0-20	Embeddedness     Velocity/ Depth Regime	0-20	Embeddedness     Velocity/ Depth Regime	0-20	
Velocity Depth Regime     Sediment Deposition	0-20	20	Poor variability     Sediment Deposition	0-20		4. Sediment Deposition	0-20	Velocity Depth Regime     Sediment Deposition	0-20	Velocity Depth Regime     Sediment Deposition	0-20	
5. Channel Flow Status	0-20 0.1	0	5. Channel Flow Status	0-20 0.1			0-20	5. Channel Flow Status	0-20 0.4	5. Channel Flow Status	0-20 0-1	
6. Channel Alteration	0-20 0-1	11	Channel Alteration	0-20 0-1			0-1	6. Channel Alteration	0-20 0-1	6. Channel Alteration	0-20 0-1	
7. Frequency of Riffles (or bends)	0-20	0	7. Channel Sinuosity	0-20			0-20	7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	16	8. Bank Stability (LB & RB)	0-20			0-20	8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	17	Vegetative Protection (LB & RB)	0-20			0-20	Vegetative Protection (LB & RB)	0-20	Vegetative Protection (LB & RB)	0-20	
Riparian Vegetative Zone Width (LB & RB)	0-20	16	Riparian Vegetative Zone Width (LB & RB)	0-20			0-20	10. Riparian Vegetative Zone Width (LB & RB)	0-20	Riparian Vegetative Zone Width (LB & RB)	0-20	
Total RBP Score	Suboptimal	84	Total RBP Score	Poor 0		Total RBP Score	Poor 0	Total RBP Score	Poor 0	Total RBP Score	Poor	0
Sub-Total		0.7	Sub-Total	0		Sub-Total	0	Sub-Total	0	Sub-Total	·	0
CHEMICAL INDICATOR (Applies to Intermitter		ns)	CHEMICAL INDICATOR (Applies to Intermitten			CHEMICAL INDICATOR (Applies to Intermittent and	Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermitte		CHEMICAL INDICATOR (Applies to Intermittent		s)
WVDEP Water Quality Indicators (General Specific Conductivity	al)		WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (General) Specific Conductivity		WVDEP Water Quality Indicators (General Specific Conductivity	1)	WVDEP Water Quality Indicators (General) Specific Conductivity		
Specific Conductivity			Specific Conductivity					Specific Conductivity		Specific Conductivity		
100-199 - 85 points	0-90			0-90			0-90		0-90		0-90	
pH			pH			pH		pH		pH		
	0-80			5-90 0-1		,	5-90 0-1		5-90 0-1		5-90 0-1	
5.6-5.9 = 45 points												
DO			DO			DO		DO		DO		
	10-30			10-30		1	0-30		10-30		10-30	
			Sub-Total			Sub-Total	0	Sub-Total	0	Sub-Total		0
Sub-Total			per cont			BIOLOGICAL INDICATOR (Applies to Intermittent		BIOLOGICAL INDICATOR (Applies to Intern		BIOLOGICAL INDICATOR (Applies to Intermi	ittent and Perennial S	
	ittent and Perennial Stre	rams)	BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial Streams)					· ·			
Sub-Total BIOLOGICAL INDICATOR (Applies to Intermit WV Stream Condition Index (WVSCI)	ittent and Perennial Stre	eams)	BIOLOGICAL INDICATOR (Applies to Intermitte WV Stream Condition Index (WVSCI)	ent and Perennial Streams)		WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		
BIOLOGICAL INDICATOR (Applies to Intermit		eams)					L100 0.1	WV Stream Condition Index (WVSCI)	0.100 0.1	WV Stream Condition Index (WVSCI)	0.100 0.1	
BIOLOGICAL INDICATOR (Applies to Intermit WV Stream Condition Index (WVSCI)  0		eams)	WV Stream Condition Index (WVSCI)			0	100 0-1		0-100 0-1		0-100 0-1	
BIOLOGICAL INDICATOR (Applies to Intermit		o O					0	WV Stream Condition Index (WVSCI)  Sub-Total	0-100 0-1	WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1	0
BIOLOGICAL INDICATOR (Applies to Intermit  WV Stream Condition Index (WVSCI)  0	0-100 0-1	o O	WV Stream Condition Index (WVSCI)	0-100 0-1		0	0		0			0
BIOLOGICAL INDICATOR (Applies to Intermit WV Stream Condition Index (WVSCI)  O Sub-Total  PART II - Index and L	0-100 0-1 Unit Score	0	WV Stream Condition Index (WVSCI) Sub-Total  PART II - Index and	0-100 0-1 0		Sub-Total  PART II - Index and Unit	0 t Score	Sub-Total  PART II - Index and U	Jnit Score	Sub-Total   PART II - Index and U	nit Score	0
BIOLOGICAL INDICATOR (Applies to Intermit  WV Stream Condition Index (WVSCI)  0  Sub-Total	Unit Score	0 Unit Score	WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1		Sub-Total  PART II - Index and Unit	0	Sub-Total	0	Sub-Total	nit Score	0 Unit Scor

Ver. 10-20-17

#### FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V<sub>CCANOPY</sub> (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

**Project Name:** MVP Stream Assessments **Location:** Lewis County, Spread B

Sampling Date: 9/22/21 Project Site Before Project

Subclass for this SAR:

**Ephemeral Stream** 

Uppermost stratum present at this SAR: SAR number: S-B69

Shrub/Herb Strata

Functional Results Summary: Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.51
Biogeochemical Cycling	0.18
Habitat	0.08

#### Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V <sub>CCANOPY</sub>	Percent canpoy over channel.	Not Used, <20%	Not Used
$V_{EMBED}$	Average embeddedness of channel.	1.00	0.10
V <sub>SUBSTRATE</sub>	Median stream channel substrate particle size.	0.08	0.04
$V_{BERO}$	Total percent of eroded stream channel bank.	0.00	1.00
$V_{LWD}$	Number of down woody stems per 100 feet of stream.	0.00	0.00
V <sub>TDBH</sub>	Average dbh of trees.	Not Used	Not Used
V <sub>SNAG</sub>	Number of snags per 100 feet of stream.	0.00	0.10
V <sub>SSD</sub>	Number of saplings and shrubs per 100 feet of stream.	76.92	1.00
V <sub>SRICH</sub>	Riparian vegetation species richness.	0.00	0.00
V <sub>DETRITUS</sub>	Average percent cover of leaves, sticks, etc.	3.13	0.04
V <sub>HERB</sub>	Average percent cover of herbaceous vegetation.	26.25	0.35
V <sub>WLUSE</sub>	Weighted Average of Runoff Score for Catchment.	0.97	1.00

High-Gradient Headwater Streams in Appalachia Field Data Sheet and Calculator											
	Team:	RH VM						Latitude/UTI	M Northing:	39.07779	
Pro	oject Name:		m Assessm	ents			•	Longitude/U7	_		)
	-		nty, Spread					-	pling Date:		
SA	AR Number:	S-B69	Reach	Length (ft):	97.5	Stream Ty	/pe: E	phemeral Stream	ĺ		•
Top Strata: Shrub/Herb Strata (determined from percent calculated in V <sub>CCANOPY</sub> )											
Site and Timing: Project Site   ■ Before Project  ■ ■ Project Site ■ ■ Before Project									•		
Sample Variables 1-4 in stream channel											
								Not Used, <20%			
											Ī
	30	0	0	0	0	0	0	0	0	0	
2	V	Averes	n b o d d a d a d	o of the sta	oom ah sisii	al Massiss	ot se fe	worther 20 ==	uably a mili-	iotont	
2	$V_{\text{EMBED}}$	points alon	g the strean	n. Select a	particle fror	n the bed. I	Before m	ewer than 30 ro noving it, deterr ne sediment, a	nine the per	rcentage of	1.0
		according t	o the follow	ing table. If	the bed is	an artificial s	surface,	or composed of			
		a rating sco	ore of 1. If t	he bed is co	omposed of	bedrock, us	se a ratir	ng score of 5.			
		Embedded Minshall 19		for gravel, o	obble and b	ooulder part	icles (re	scaled from Pla	itts, Megaha	an, and	
		Rating	Rating Des								
		5						by fine sedimer	•	ck)	
		3						ried by fine sed uried by fine se			
		2						uried by fine se			
		1						by fine sedime		cial	!
	List the rati	ngs at each	point below	<i>γ</i> :							-
	1	1	1	1	1	1	1	1	1	1	
	1	1	1	1	1	1	1	1	1	1	
	1	1	1	1	1	1	1	1	1	1	
^	\ <u>'</u>	Madicus	· · ·	l = 1 l= 2 f = - f		Magazin	-4 m - f	wan than 00	mlada e a seri di	Anna marina	
3	V <sub>SUBSTRATE</sub>		eam channe tream; use t					wer than 30 rou <sub>EMBED</sub> .	ignly equidis	stant points	0.08 in
							w (bedro	ock should be	counted as	99 in,	
			0.0 in, sand				0.00	0.00	0.00	0.00	1
	0.08	0.08	0.08	0.08	0.08	0.08	0.08		0.08	0.08	
	0.08	0.08	0.08	0.08	0.08	0.08	0.08	_	0.08	0.08	
	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	
4	$V_{BERO}$	Total perce	nt of eroded	stream ch	annel bank	Enter the t	otal num	nber of feet of e	roded bank	on each	
,	- BEKU		e total perce					eroded, total			0 %
		•	Left Bank:	0	ft	F	Right Ba	nk: 0	ft		

Sample Variables 5-9 within the entire riparian/buffer zone adjacent to the stream channel (25 feet from each bank).

5	$V_{LWD}$	Number of down woody stems (at least 4 inches in diameter and 36 inches in length) per 100 feet of stream reach. Enter the number from the entire 50'-wide buffer and within the channel, and the amount per 100 feet of stream will be calculated.							0.0	
				Number o	f downed v	voody stems:	0	l		
6	$V_{TDBH}$			measure only if V <sub>CCANO</sub> ameter. Enter tree DBI			at least 20%	). Trees	are at least	Not Used
		List the db of the stream		nents of individual trees	s (at least 4	1 in) within the	e buffer on e	ach side		
			Left Side				Right Side			1
	0				0					
										l 1
										1 1
7	$V_{SNAG}$			east 4" dbh and 36" tall d the amount per 100 f			. Enter num	ber of sn	ags on each	0.0
			Left Side:	0		Right Side:	0			
8	$V_{SSD}$			nd shrubs (woody stem						
	only if tree cover is <20%). Enter number of saplings and shrubs on each side of the stream, and the amount per 100 ft of stream will be calculated.							76.9		
		amount po	Left Side:			Right Side:	30	)		
9	$V_{SRICH}$			pecies richness per 100						
				stratum. Check all exot and the subindex will be				II strata.	Species	0.00
		•	ıp 1 = 1.0				Group 2	2 (-1.0)		
	Acer rubru			Magnolia tripetala		Ailanthus a	•		Lonicera ja	ponica
	Acer sacc	harum		Nyssa sylvatica		— Albizia julibrissin □			Lonicera ta	atarica
	Aesculus	flava		Oxydendrum arboreum		Alliaria peti	olata		Lotus corn	iculatus
	Asimina tr	iloba		Prunus serotina		Alternanthe	era		Lythrum sa	alicaria
	Betula alle	ghaniensis		Quercus alba		philoxeroid			Microstegiur	m vimineum
	Betula len	-		Quercus coccinea		Aster tatari	cus		_	tomentosa
	Carya alba	Э		Quercus imbricaria		Cerastium	fontanum		Polygonum (	cuspidatum
	Carya glal	bra		Quercus prinus		Coronilla va	aria		Pueraria m	ontana
	Carya ova	lis		Quercus rubra		Elaeagnus u	mbellata		Rosa multi	flora
	Carya ova	ta		Quercus velutina		Lespedeza	bicolor		Sorghum h	alepense
	Cornus flo	rida		Sassafras albidum		Lespedeza	cuneata		Verbena bi	rasiliensis
	Fagus gra	ndifolia		Tilia americana		Ligustrum ob	otusifolium			
	Fraxinus a	americana		Tsuga canadensis		Ligustrum s	sinense			•
	Liriodendro	n tulipifera		Ulmus americana						
	Magnolia a	acuminata								
		0	Species in	Group 1			0	Species :	n Group 2	
		U	oberies III	Group i			U	opedies i	n Group 2	

Sample Variables 10-11 within at least 8 subplots (40" x 40", or 1m x 1m) in the riparian/buffer zone within 25 feet from each bank. The four subplots should be placed roughly equidistantly along each side of the stream.

10	V <sub>DETRITUS</sub>		ge percent cover of leaves, sticks, or other organic material. Woody debris <4" diameter and ong are include. Enter the percent cover of the detrital layer at each subplot.							3.13 %	
			Left	Side			Righ	t Side		]	
		0	5	0	0	10	10	0	0		
11	$V_{HERB}$	include woo	ody stems a	nt least 4" d entages up t	paceous veg bh and 36" t through 200	all. Becaus	e there may	be several	layers of gr	round	26 %
				Side	Ī.		·	t Side		]	
		100	95	0	0	10	5	0	0		
Sampl	e Variable 1	2 within th	e entire cat	tchment of	the stream						
12	$V_{\text{WLUSE}}$	Weighted A	Average of F	Runoff Scor	e for waters	hed:					0.97
	Land Use (Choose From Drop List)  Runoff Score  % in Catch- ment									Running Percent (not >100)	
	Forest and n	ative range (>	75% ground	cover)				•	1	97.2	97.2
	Newly grade	ed areas (bare	soil, no vege	tation or pav	vement)			_	0	2.5	99.7
	Open space	(pasture, lawr	ns, parks, etc.	), grass cover	r <50%			_	0.1	0.3	100
								•			
								•			
								•			
								•			
								•			
	S	S-B69					No	tes:			
V	ariable	Value	VSI								
Vc	CANOPY	Not Used, <20%	Not Used								
V <sub>E</sub>	MBED	1.0	0.10								
Vs	UBSTRATE	0.08 in	0.04								
V <sub>B</sub>	ERO	0 %	1.00								
V <sub>L</sub>	WD	0.0	0.00								
V <sub>T</sub>	DBH	Not Used	Not Used								
	NAG	0.0	0.10								
Vs	SD	76.9	1.00								
	RICH	0.00	0.00								
	ETRITUS	3.1 %	0.04								
V <sub>H</sub>	ERB	26 %	0.35								
V <sub>W</sub>	/LUSE	0.97	1.00								

## PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION		
STATION # RIVERMILE	STREAM CLASS		
LAT LONG	RIVER BASIN		
STORET#	AGENCY		
INVESTIGATORS			
FORM COMPLETED BY	DATETIME	REASON FOR SURVEY	

WEATHER CONDITIONS	Now%	storm (heavy rain) rain (steady rain) showers (intermittent) %cloud cover clear/sunny	Past 24 hours	Has there been a heavy rain in the last 7 days?  Yes No  Air Temperature0 C  Other
SITE LOCATION/MAP	w I	ACCE. Road  Strew	55	oled (or attach a photograph)
STREAM CHARACTERIZATION	Stream Sub Perennial Stream Ori Glacial Non-glaci Swamp an	gin Spring-fe ial montane Mixture o	d of origins	Stream Type Coldwater Warmwater  Catchment Areakm²

### PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources		
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous		
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part  High Water Mark  Proportion of Reach R  Morphology Types Riffle Pool 9  Channelized Yes  Dam Present Yes	epresented by Stream Run% No		
LARGE V DEBRIS	GE WOODY Density of LWDm² Density of LWDm²/km² (LWD/ reach area)							
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü		
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy  Water Surface Oils Slick Sheen None Other  Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks		
SEDIMENT/ Odors Deposits SUBSTRATE Normal Sewage Petroleum Sludge Sawdust Paper fil					th are not deeply embedded,			
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add			
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area		
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)			
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic			
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)			

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

#### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION			
STATION # RIVERMILE	STREAM CLASS			
LAT LONG	RIVER BASIN			
STORET#	AGENCY			
INVESTIGATORS				
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY		

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

#### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank)  Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total	Caare	
i otai	Score	

#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION	
STATION #	_ RIVERMILE	STREAM CLASS	
LAT	LONG	RIVER BASIN	
STORET#		AGENCY	
INVESTIGATORS			LOT NUMBER
FORM COMPLETED	ВҮ	DATE TIME	REASON FOR SURVEY
HABITAT TYPES	Indicate the percentage of	each habitat type present	onks % Sand %

HABITAT TYPES	Indicate the percentage of each habitat type present  Cobble% Snags% Vegetated Banks% Sand%  Submerged Macrophytes% Other ( )%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type.  Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ( )
GENERAL COMMENTS	

#### QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

#### FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

#### WOLMAN PEBBLE COUNT FORM

County: Lewis Stream ID: S-B69

Stream Name: UNT to Left Fork Freemans Creek


HUC Code: Basin:

9/22/2021 RH VM Impact Reach: 29.7 m

Survey Date: Surveyors: Type: Bankfull Channel

			LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	<b>A</b>	100	100.00	100.00
	Very Fine	.062125		<b>-</b>	0	0.00	100.00
	Fine	.12525	1	<b>A</b>	0	0.00	100.00
	Medium	.255	SAND	<b>*</b>	0	0.00	100.00
	Coarse	.50-1.0	1	<b>*</b>	0	0.00	100.00
.0408	Very Coarse	1.0-2	1	<b>*</b>	0	0.00	100.00
.0816	Very Fine	2 -4		<b>A</b>	0	0.00	100.00
.1622	Fine	4 -5.7	1	<b>A</b>	0	0.00	100.00
.2231	Fine	5.7 - 8	1	<b>A</b>	0	0.00	100.00
.3144	Medium	8 -11.3	1	<b>^</b>	0	0.00	100.00
.4463	Medium	11.3 - 16	GRAVEL	<b>^</b>	0	0.00	100.00
.6389	Coarse	16 -22.6	1	<b>^</b>	0	0.00	100.00
.89 - 1.26	Coarse	22.6 - 32	1	<b>A</b>	0	0.00	100.00
1.26 - 1.77	Vry Coarse	32 - 45	1	<b>^</b>	0	0.00	100.00
1.77 -2.5	Vry Coarse	45 - 64	1	<b>^</b>	0	0.00	100.00
2.5 - 3.5	Small	64 - 90		<b>^</b>	0	0.00	100.00
3.5 - 5.0	Small	90 - 128		<b>^</b>	0	0.00	100.00
5.0 - 7.1	Large	128 - 180	COBBLE	<b>^</b>	0	0.00	100.00
7.1 - 10.1	Large	180 - 256	1	<b>^</b>	0	0.00	100.00
10.1 - 14.3	Small	256 - 362		<b>^</b>	0	0.00	100.00
14.3 - 20	Small	362 - 512	1	<b>A</b>	0	0.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	<b>A</b>	0	0.00	100.00
40 - 80	Large	1024 -2048	1	<b>A</b>	0	0.00	100.00
80 - 160	Vry Large	2048 -4096	1	<b>A</b>	0	0.00	100.00
	Bedrock		BDRK	<b>A</b>	0	0.00	100.00
				Totals:	100		
	Total Tally:						







Size (	mm)	
D16	0.062	
D35	0.062	
D50	0.062	
D65	0.062	
D84	0.062	
D95	0.062	

Size Distri	ibution
mean	0.1
dispersion	1.0
skewness	O <del>nes</del>

Type			
silt/clay	100%		
sand	0%		
gravel	0%		
cobble	0%		
boulder	0%		



#### AS-BUILT TABLE: S-B69 CROSS SECTION B PRE-CROSSING AS-BUILT VERT. PT. LOC. NORTHING EASTING ELEV DIFF. BS-L | 14191265.03 | 1758778.10 | 1144.76 THW | 14191265.00 | 1758778.99 | 1143.50 BS-R 14191264.96 1758780.37 1144.76



#### SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 **+** 

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION


- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 3, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

# S-B69 BASELINE CROSS-SECTION A UPSTREAM OF CULVERT INLET



DISTANCE ALONG CROSS-SECTION (FT)

#### S-B69 BASELINE CROSS-SECTION B DOWNSTREAM OF CULVERT OUTLET



DISTANCE ALONG CROSS-SECTION (FT)

CROSS SECTION LEGEND — EXISTING GRADE

CROSS SECTION

H: 1"=10'
V: 1"=5'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

PRE-CROSSING

CAD File No.

Drawing No.