
#### **Baseline Assessment – Stream Attributes**

# Reach S-B6a TM (Timber Mat Crossing) Perennial Spread A Harrison County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A - Perennial
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A –Low flow and not enough riffle habitat to sample from
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓



Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, JM/CC/SM Lat: 39.317023, Long: -80.526157



Photo Type: DS, DS View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, JM/CC/SM
Lat: 39.317023, Long: -80.526157




Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, JM/CC/SM Lat: 39.317023, Long: -80.526157




Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, JM/CC/SM Lat: 39.317023, Long: -80.526157



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, JM/CC/SM Lat: 39.317023, Long: -80.526157




Photo Type: US, DS View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, JM/CC/SM
Lat: 39.317023, Long: -80.526157



Photo Type: Riffle, DS View Location, Orientation, Photographer Initials: Upstream of Riffle, Downstream View, JM/CC/SM Lat: 39.317023, Long: -80.526157




Photo Type: Riffle, US View Location, Orientation, Photographer Initials: Downstream of Riffle, Upstream View, JM/CC/SM Lat: 39.317023, Long: -80.526157



Photo Type: Pool, DS View
Location, Orientation, Photographer Initials: Upstream of Pool, Downstream View, JM/CC/SM
Lat: 39.317023, Long: -80.526157



Photo Type: Pool, US View Location, Orientation, Photographer Initials: Downstream of Pool, Upstream View, JM/CC/SM Lat: 39.317023, Long: -80.526157

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		'	Mountain V	alley Pipeline		COORDINATES: cimal Degrees)	Lat.	39.317023	Lon.	-80.526157		WEATHER:		Sunny	DATE:	8/25	5/2021
IMPACT STREAM/SITE ID (watershed size (acreage)				S-B6a TN	Timber Mat			MITIGATION STREAM CL (watershed size {	ASS./SITE ID AND acreage), unaltered or in		4:				Comments:		
STREAM IMPACT LENGTH:	20	FORM MITIGA		RESTORATION (Levels I-III)		OORDINATES: cimal Degrees)	Lat.		Lon.			PRECIPITATION PAST 48 HRS:			Mitigation Length:		
Column No. 1- Impact Existin	g Condition (De	ebit)		Column No. 2- Mitigation Existing	Condition - Base	line (Credit)		Column No. 3- Mitigat Post Com	ion Projected at Fiv pletion (Credit)	e Years		Column No. 4- Mitigation Proj Post Completion (		ırs	Column No. 5- Mitigation Projec	ted at Maturity (	Credit)
Stream Classification:	Per	ennial		Stream Classification:				Stream Classification:		0	St	tream Classification:	0	ı	Stream Classification:		0
Percent Stream Channel S	lope	0.4		Percent Stream Channel S	оре			Percent Stream Chan	nel Slope	0		Percent Stream Channel SI	оре	0	Percent Stream Channel S	lope	0
HGM Score (attach o	iata forms):			HGM Score (attach	data forms):			HGM Score (a	ttach data forms)			HGM Score (attach d	ata forms):		HGM Score (attach o	lata forms):	
		Average				Average				Average				Average			Average
Hydrology Biogeochemical Cycling		0		Hydrology Biogeochemical Cycling		0		Hydrology Biogeochemical Cycling		0		lydrology Biogeochemical Cycling		0	Hydrology Biogeochemical Cycling		0
Habitat PART I - Physical, Chemical and	d Biological Indi	cators		Habitat  PART I - Physical, Chemical as	d Biological Ind	icators		Habitat PART I - Physical, Chem	ical and Biological	Indicators		PART I - Physical, Chemical and	Biological Indica	ators	Habitat PART I - Physical, Chemical and	d Biological Indi	cators
	Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale Ran	nge Site Score			Points Scale Range	Site Score		Points Scale Range	s Site Score
PHYSICAL INDICATOR (Applies to all stream	s classifications)			PHYSICAL INDICATOR (Applies to all streams	classifications)			PHYSICAL INDICATOR (Applies to all s	treams classifications)		Pi	PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stream	is classifications)	
USEPA RBP (High Gradient Data Sheet)  1. Epifaunal Substrate/Available Cover	0.20	14		USEPA RBP (Low Gradient Data Sheet)  1. Epifaunal Substrate/Available Cover	0.20			USEPA RBP (High Gradient Data Sh 1. Epifaunal Substrate/Available Cover	eet)			ISEPA RBP (High Gradient Data Sheet) . Epifaunal Substrate/Available Cover	0.20		USEPA RBP (High Gradient Data Sheet)  1. Epifaunal Substrate/Available Cover	0-20	
Embeddedness	0-20	14		Pool Substrate Characterization	0-20			Embeddedness	0-20			. Embeddedness	0-20		Epilaurial Substrate/Available Cover     Embeddedness	0-20	
3. Velocity/ Depth Regime	0-20	14		3. Pool Variability	0-20			3. Velocity/ Depth Regime	0-20			. Velocity/ Depth Regime	0-20		Velocity/ Depth Regime	0-20	
Sediment Deposition     Channel Flow Status	0-20	20 13		Sediment Deposition     Channel Flow Status	0-20			Sediment Deposition     Channel Flow Status	0-20			. Sediment Deposition . Channel Flow Status	0-20		Sediment Deposition     Channel Flow Status	0-20	
6. Channel Alteration	0-20 0-1	13		6. Channel Alteration	0-20 0-1			6. Channel Alteration	0-20 0	-1		. Channel Alteration	0-20 0-1		6. Channel Alteration	0-20 0-1	
7. Frequency of Riffles (or bends)	0-20	14		7. Channel Sinuosity	0-20			7. Frequency of Riffles (or bends)	0-20			Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	14		8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20			Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	18		9. Vegetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20			. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB)	0-20	20		10. Riparian Vegetative Zone Width (LB & RB)	0-20			<ol> <li>Riparian Vegetative Zone Width (LB &amp;</li> </ol>				Riparian Vegetative Zone Width (LB & RB)	0-20		<ol> <li>Riparian Vegetative Zone Width (LB &amp; RB)</li> </ol>	0-20	
Total RBP Score	Suboptimal	154		Total RBP Score	Poor	0		Total RBP Score	Poor	0		otal RBP Score	Poor	0	Total RBP Score	Poor	0
Sub-Total		0.77		Sub-Total		0		Sub-Total		0		sub-Total		0	Sub-Total		0
CHEMICAL INDICATOR (Applies to Intermitte		treams)		CHEMICAL INDICATOR (Applies to Intermitter		ams)		CHEMICAL INDICATOR (Applies to Inte		Streams)		CHEMICAL INDICATOR (Applies to Intermitter		eams)	CHEMICAL INDICATOR (Applies to Intermitte		reams)
WVDEP Water Quality Indicators (General Specific Conductivity	II)			WVDEP Water Quality Indicators (General Specific Conductivity				WVDEP Water Quality Indicators (Go Specific Conductivity	eneral)			VVDEP Water Quality Indicators (General specific Conductivity	)		WVDEP Water Quality Indicators (General Specific Conductivity	)	
300-399 - 70 points	0-90	324			0-90				0-90				0-90			0-90	
pH				pH				pH			pl	H			pH	0.1	
6.0-8.0 = 80 points	0-80	7.06			5-90				5-90				5-90			5-90	
DO CO CO DOMES				DO				DO			D	00			DO		
>5.0 = 30 points	10-30	5.29			10-30				10-30				10-30			10-30	
Sub-Total	1 1	0.9		Sub-Total		0		Sub-Total		0	Su	sub-Total	<b>!</b> !	0	Sub-Total		0
BIOLOGICAL INDICATOR (Applies to Intermi	ittent and Perennial	Streams)		BIOLOGICAL INDICATOR (Applies to Intermit	ent and Perennial S	treams)		BIOLOGICAL INDICATOR (Applies to	Intermittent and Pere	nnial Streams)	ВІ	SIOLOGICAL INDICATOR (Applies to Interm	ittent and Perenni	ial Streams)	BIOLOGICAL INDICATOR (Applies to Interr	mittent and Perent	nial Streams)
WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI)				WV Stream Condition Index (WVSCI	)		w	VV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		
	0-100 0-1				0-100 0-1				0-100 0	4	ı		0-100 0-1			0-100 0-1	
Sub-Total		0		Sub-Total	-	0		Sub-Total		0	Su	iub-Total	-	0	Sub-Total		0
			_								_						
PART II - Index and I	Unit Score			PART II - Index and	Unit Score			PART II - Inde	ex and Unit Score			PART II - Index and U	Init Score		PART II - Index and	Unit Score	
lada.	l lane.	Unit Con			Linear Fr.	Hair Cara		lada:		t Hait Care		la dess	Linco Fo	Hait Carre	lade:	Linner	II-is C
Index	Linear Feet			Index	Linear Feet	Unit Score		Index	Linear Fee			Index	Linear Feet	Unit Score	Index	Linear Feet	
0.835	20	16.7	1	0	0	0	1	0	0	0	1	0	0	0	0	0	0

## PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME		LOCATION				
STATION #	RIVERMILE	STREAM CLASS				
LATLONG		RIVER BASIN				
STORET#		AGENCY				
INVESTIGATORS						
FORM COMPLETED BY		DATE	REASON FOR SURVEY			

WEATHER CONDITIONS	Now  storm (heavy rain) rain (steady rain) showers (intermittent) % %cloud cover clear/sunny	Past 24 hours  Has there been a heavy rain in the last 7 days?  Yes No  Air Temperature0 C  Other
SITE LOCATION/MAP	Draw a map of the site and indicate the stream and flow direction	Pipeline and flow direction ROW
STREAM CHARACTERIZATION	Stream Origin	dal Stream Type Coldwater Warmwater  Catchment Areakm² of origins

## PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part  High Water Mark  Proportion of Reach R  Morphology Types Riffle Pool 9  Channelized Yes  Dam Present Yes	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		m² of LWDm	1 <sup>2</sup> /km <sup>2</sup> ( <b>LWD</b> / 1	reach area)	
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy  Water Surface Oils Slick Sheen None Other  Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chen Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic	
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)	

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

#### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.			
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).			
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Ps	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	channel and mostly			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			

#### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat							
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.			
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	areas of erosion; high erosion potential during	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.			
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potentia to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.			
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.			
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0			
1	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0			

Total	Caama	
i otai	Score	

#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION						
STATION #	_ RIVERMILE	STREAM CLASS						
LAT	LONG	RIVER BASIN						
STORET#		AGENCY						
INVESTIGATORS			LOT NUMBER					
FORM COMPLETED BY		DATE REASON FOR SURVEY						
HABITAT TYPES  Indicate the percentage of each habitat type present  Cobbbe % Snags % Vagatated Banks % Sand %								

HABITAT TYPES	Indicate the percentage of each habitat type present  Cobble% Snags% Vegetated Banks% Sand%  Submerged Macrophytes% Other ( )%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type.  Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ( )
GENERAL COMMENTS	

#### QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

#### FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

#### WOLMAN PEBBLE COUNT FORM


County: Harrison Stream ID: S-B6a


Stream Name: Indian Run TM

HUC Code: Basin:


Survey Date: 8/25/2021 Surveyors: JM SM CC Type: Bankfull Channel

			LE COUNT					
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun	
	Silt/Clay	< .062	S/C	<b>A</b>	0	0.00	0.00	
	Very Fine	.062125		<b>^</b>	0	0.00	0.00	
	Fine	.12525		<b>*</b>	0	0.00	0.00	
	Medium	.255	SAND	<b>*</b>	0	0.00	0.00	
	Coarse	.50-1.0		<b>4</b>	0	0.00	0.00	
.0408	Very Coarse	1.0-2	1	<b>*</b>	0	0.00	0.00	
.0816	Very Fine	2 -4	GRAVEL	<b>^</b>	0	0.00	0.00	
.1622	Fine	4 -5.7		<b>^</b>	0	0.00	0.00	
.2231	Fine	5.7 - 8		<b>^</b>	0	0.00	0.00	
.3144	Medium	8 -11.3		<b>^</b>	2	2.00	2.00	
.4463	Medium	11.3 - 16		<b>A</b>	9	9.00	11.00	
.6389	Coarse	16 -22.6		<b>A</b>	10	10.00	21.00	
.89 - 1.26	Coarse	22.6 - 32		<b>A</b>	16	16.00	37.00	
1.26 - 1.77	Vry Coarse	32 - 45		<b>A</b>	11	11.00	48.00	
1.77 -2.5	Vry Coarse	45 - 64		<b>^</b>	27	27.00	75.00	
2.5 - 3.5	Small	64 - 90	COBBLE	<b>^</b>	10	10.00	85.00	
3.5 - 5.0	Small	90 - 128		<b>^</b>	8	8.00	93.00	
5.0 - 7.1	Large	128 - 180		<b>A</b>	5	5.00	98.00	
7.1 - 10.1	Large	180 - 256		<b>^</b>	2	2.00	100.0	
10.1 - 14.3	Small	256 - 362		<u> </u>	0	0.00	100.0	
14.3 - 20	Small	362 - 512	1	<u> </u>	0	0.00	100.0	
20 - 40	Medium	512 - 1024	BOULDER		0	0.00	100.0	
40 - 80	Large	1024 -2048		<u> </u>	0	0.00	100.0	
80 - 160	Vry Large	2048 -4096	1	<u> </u>	0	0.00	100.0	
	Bedrock		BDRK	<u> </u>	0	0.00	100.0	
				Totals:	100			





AS-BUILT TABLE: S-B6A-TM CROSS SECTION B							
		AS-BUILT					
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.		
TS-L	14278413.30	1774423.93	1030.33				
BS-L	14278409.43	1774422.91	1028.00				
THW	14278404.60	1774421.63	1027.30				
BS-R	14278399.76	1774420.36	1027.97				
TS-R	14278392.03	1774418.32	1030.98				



#### SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


**1176.87** 十

EXISTING SURVEY-LOCATED THALWEG


EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON AUGUST 25, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. CROSS SECTION B SHOT AT LOCATION OF PIPE CENTERLINE (BASED ON FIELD STAKES).
- 6. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 7. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

## S-B6A-TM BASELINE CROSS-SECTION A POOL



### S-B6A-TM BASELINE CROSS-SECTION B RIFFLE



CROSS SECTION LEGEND — EXISTING GRADE CALE: CALE: CALE:

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

PRE-CROSSING

CAD File No.

Drawing No