Baseline Assessment – Stream Attributes

Reach S-B79 TEMP AR (2) (Temporary Access Road) Ephemeral Spread A Harrison County, West Virginia

Data	Included		
Photos	✓ - Collected 9/7/2021		
SWVM Form	✓		
FCI Calculator and HGM Form	✓ - Collected 9/7/2021		
RBP Physical Characteristics Form	✓		
Water Quality Data	N/A - Low Flow		
RBP Habitat Form	✓		
RBP Benthic Form	✓		
Benthic Identification Sheet	N/A - Low Flow		
Wolman Pebble Count	✓ - Collected 9/7/2021		
Reference Reach Software Pebble Count Data	√		
Longitudinal Profile and Cross Sections	✓		

Spread A Stream S-B79 TEMP AR (2) (Temporary Access Road) Harrison County



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, RFC/AJE Lat: 39.423434 Long: -80.476486



Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, RFC/AJE Lat: 39.423434 Long: -80.476486

Spread A Stream S-B79 TEMP AR (2) (Temporary Access Road) Harrison County



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, RFC/AJE Lat: 39.423434 Long: -80.476486



Photo Type: DS View at Center Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, RFC/AJE Lat: 39.423434 Long: -80.476486

Spread A Stream S-B79 TEMP AR (2) (Temporary Access Road) Harrison County



Photo Type: US, US View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View RFC/AJE
Lat: 39.423434 Long: -80.476486



Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, RFC/AJE Lat: 39.423434 Long: -80.476486

3

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain	/alley Pipeline		COORDINATES: imal Degrees)	Lat.	39.423434	Lon.	-80.476486	WEATHER:	Sunny	DATE:	September 9, 2021
IMPACT STREAM/SITE ID (watershed size (acreage),			S-B79 TE	EMP AR (2)			MITIGATION STREAM CLA: (watershed size (ac	SS./SITE ID AND reage), unaltered or in				Comments:	Water quality not collected due to no flow.
STREAM IMPACT LENGTH:	24	FORM OF MITIGATION:	RESTORATION (Levels I-III)		OORDINATES: imal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:	
Column No. 1- Impact Existing	Condition (Del	bit)	Column No. 2- Mitigation Existing Co	ondition - Basel	line (Credit)		Column No. 3- Mitigation Post Comple	n Projected at Five etion (Credit)	e Years	Column No. 4- Mitigation Proje Post Completion (ected at Ten Years Credit)	Column No. 5- Mitigation Proje	cted at Maturity (Credit)
Stream Classification:	Ephe	meral	Stream Classification:				Stream Classification:		0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel SI	оре	15.3	Percent Stream Channel Slo	рре			Percent Stream Channe	el Slope	0	Percent Stream Channel SI	ope 0	Percent Stream Channel	Slope 0
HGM Score (attach da	ata forms):		HGM Score (attach o	data forms):			HGM Score (att	ach data forms):	:	HGM Score (attach d	ata forms):	HGM Score (attach	data forms):
		Average			Average				Average		Average		Average
Hydrology Biogeochemical Cycling	0.6	0.42333333	Hydrology Biogeochemical Cycling		0		Hydrology Biogeochemical Cycling		0	Hydrology Biogeochemical Cycling	0	Hydrology Biogeochemical Cycling	0
Habitat PART I - Physical, Chemical and	0.28		Habitat PART I - Physical, Chemical and	d Distanted lad	-		Habitat PART I - Physical, Chemica	el and Dielaniael		Habitat	Distanted Indicators	Habitat PART I - Physical, Chemical ar	d District Indicators
PART 1 - Physical, Chemical and			PART 1 - Physical, Chemical and	-			PART 1 - Physical, Chemic			PART I - Physical, Chemical and		PART 1 - Physical, Chemical ar	-
	Points Scale Range	Site Score		Points Scale Range	Site Score			Points Scale Ran	ge Site Score		Points Scale Range Site Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams of	classifications)			PHYSICAL INDICATOR (Applies to all stre	eams classifications)		PHYSICAL INDICATOR (Applies to all streams	s classifications)	PHYSICAL INDICATOR (Applies to all strea	ms classifications)
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0.20		USEPA RBP (Low Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0.20			USEPA RBP (High Gradient Data Shee 1. Epifaunal Substrate/Available Cover	0.20		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0.20	USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0.20
2. Embeddedness	0-20	2	Pool Substrate Characterization	0-20			2. Embeddedness	0-20		2. Embeddedness	0-20	2. Embeddedness	0-20
3. Velocity/ Depth Regime	0-20	0	3. Pool Variability	0-20			3. Velocity/ Depth Regime	0-20		3. Velocity/ Depth Regime	0-20	3. Velocity/ Depth Regime	0-20
4. Sediment Deposition	0-20	1	Sediment Deposition	0-20			Sediment Deposition	0-20		Sediment Deposition	0-20	4. Sediment Deposition	0-20
Channel Flow Status Channel Alteration	0-20 0-1	10	Channel Flow Status Channel Alteration	0-20 0-1			5. Channel Flow Status	0-20	1	Channel Flow Status Channel Alteration	0-20 0-1	Channel Flow Status Channel Alteration	0-20 0-1
7. Frequency of Riffles (or bends)	0-20	0	7. Channel Sinuosity	0-20			Channel Alteration Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20
8. Bank Stability (LB & RB)	0-20	6	8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20
9. Vegetative Protection (LB & RB)	0-20	6	Vegetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	9. Vegetative Protection (LB & RB)	0-20
10. Riparian Vegetative Zone Width (LB & RB)	0-20	10	10. Riparian Vegetative Zone Width (LB & RB)	0-20			 Riparian Vegetative Zone Width (LB & RE 			 Riparian Vegetative Zone Width (LB & RB) 	0-20	 Riparian Vegetative Zone Width (LB & RB) 	
Total RBP Score Sub-Total	Poor	35 0.29166667	Total RBP Score Sub-Total	Poor	0		Total RBP Score Sub-Total	Poor	0	Total RBP Score Sub-Total	Poor 0	Total RBP Score Sub-Total	Poor 0
CHEMICAL INDICATOR (Applies to Intermitten	nt and Perennial Str		CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Stre	eams)		CHEMICAL INDICATOR (Applies to Intern	nittent and Perennial	O Streams)	CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermit	
WVDEP Water Quality Indicators (General			WVDEP Water Quality Indicators (General)		/		WVDEP Water Quality Indicators (Gen		,	WVDEP Water Quality Indicators (General		WVDEP Water Quality Indicators (General	
Specific Conductivity			Specific Conductivity				Specific Conductivity			Specific Conductivity		Specific Conductivity	
100-199 - 85 points	0-90			0-90				0-90			0-90		0-90
pH			pH				pH			pH	24	pH	0.1
5.6-5.9 = 45 points	0-80			5-90				5-90			5-90		5-90
DO	10-30		DO	10-30			DO	10-30		DO	10-30	DO	10-30
Sub-Total	10-50		Sub-Total	10-00			Sub-Total	10-00	0	Sub-Total	0	Sub-Total	0
BIOLOGICAL INDICATOR (Applies to Intermitt	tent and Perennial S	Streams)	BIOLOGICAL INDICATOR (Applies to Intermitte	ent and Perennial St	treams)		BIOLOGICAL INDICATOR (Applies to In	termittent and Pere		BIOLOGICAL INDICATOR (Applies to Interm		BIOLOGICAL INDICATOR (Applies to Inte	
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		-		WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)	
,	0-100 0-1		,	0-100 0-1				0-100 0	4	, ,	0-100 0-1	, , , , , , , , , , , , , , , , , , , ,	0-100 0-1
0 Sub-Total		0	Sub-Total		0		Sub-Total		0	Sub-Total	0	Sub-Total	0
PART II - Index and U	Init Score		PART II - Index and	Unit Score			PART II - Index	and Unit Score		PART II - Index and U	Init Score	PART II - Index and	I Unit Score
Index	Linear Feet	Unit Score	Index	Linear Feet	Unit Score		Index	Linear Fee	et Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit Score
0.485	24	11.63	0	0	0		0	0	0	0	0 0	0	0 0
U.465	24	11.03	0	U	J		0	U	0	<u> </u>	0 0		U

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: MVP

Location: Harrison, Spread A

Sampling Date: 9/7/21 Project Site Before Project

Subclass for this SAR:

Ephemeral Stream

Uppermost stratum present at this SAR: SAR number: -B79 TEMP AR (2

Shrub/Herb Strata

Functional Results Summary: Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.60
Biogeochemical Cycling	0.39
Habitat	0.28

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V _{CCANOPY}	Percent canpoy over channel.	Not Used, <20%	Not Used
V _{EMBED}	Average embeddedness of channel.	1.87	0.41
V _{SUBSTRATE}	Median stream channel substrate particle size.	1.00	0.50
V _{BERO}	Total percent of eroded stream channel bank.	83.33	0.63
V _{LWD}	Number of down woody stems per 100 feet of stream.	0.00	0.00
V _{TDBH}	Average dbh of trees.	Not Used	Not Used
V _{SNAG}	Number of snags per 100 feet of stream.	0.00	0.10
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	541.67	1.00
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
V _{DETRITUS}	Average percent cover of leaves, sticks, etc.	10.00	0.12
V _{HERB}	Average percent cover of herbaceous vegetation.	65.00	0.87
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	1.00	1.00

			High-G		Headwa			Appalachi or	a		
	Team:	AJE, RFC							M Northing:	39.423434	
Pro	oject Name:	MVP						Longitude/U	TM Easting:	-80.476486	6
	Location:	Harrison, S	pread A					San	npling Date:	9/7/21	
SA	AR Number:	79 TEMP A	Reach	Length (ft):	24	Stream Ty	/pe: Ep	hemeral Stream	n		•
	Top Strata:	Sh	rub/Herb Sti	rata	(determine	d from perce	ent calcula	ted in V _{CCANO}	_{PY})		
	and Timing:	0.000				•	Before Pro	ject			~
_	e Variables				-1 4		M		4h 4	0	
1	V _{CCANOPY}	equidistant points along the stream. Measure only if tree/sapling cover is at least 20%. (If less than 20%, enter at least one value between 0 and 19 to trigger Top Strata choice.)									
	List the percent cover measurements at each point below:										
	0	0	0	0	0	0	0	0	0	0	
2	V _{EMBED}	Average er	nbeddednes	s of the stre	eam channe	l. Measure	at no fewe	er than 30 rou	ghly equidis	tant points	
	LINDLD	along the s	tream. Sele	ct a particle	from the be	d. Before n	noving it, o	letermine the	percentage	of the	1.9
								ment, and en			
		of 1. If the	bed is comp	osed of bed	drock, use a	rating score	of 5.	of fine sedim			1
		Minshall 19	983)		oddie and d	ouider partic	cies (resca	led from Plat	is, Meganan	i, and	
		Rating	Rating Des		overed over	rounded e-	huried by	fine sediment	(or bodrost	/ \	
		5 4						tine seaiment by fine sedir	,	<i>'</i>)	
		3	26 to 50 pe	rcent of sur	face covere	d, surrounde	ed, or burie	ed by fine sed	liment		
		2						ed by fine sed			
	List the rati	ngs at each	>/5 percen point below		covered, su	irrounded, o	n burred by	/ fine sedime	ii (or artificia	ai surrace)	j
	2	1 gs at each	point below	3	3	1	1	1	1	1	Ī
	1	3	3	1	1	3	3	3	3	4	i
	3	3	1	1	1	1	1	1	1	1	l
]
3		14 P						than 30 roug			
Ü	Enter partic	along the s le size in in	tream; use t ches to the i	he same po nearest 0.1	ints and par inch at each	ticles as us	ed in V _{EMB}				1.00 in
	4.00	5.00	and or finer 3.30	3.20	0.08 in): 0.70	0.08	0.08	0.08	0.08	0.08	1
	5.00	4.00	1.80	2.00	0.08	2.00	1.50	1.30	1.70	2.30	i
	1.30	3.00	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	İ
											1
4	V_{BERO}							r of feet of er			
		up to 200%		e will be cal	culated if b	otn banks a	re eroaea	, total erosion	for the stream	am may be	83 %
		•	Left Bank:	10) ft		Right Ban	k: 1	0 ft		
ample	n Variablee	5.Q within t	ho ontiro ris	aarian/buffe	or zono adi:	econt to the	etroam o	hannel (25 fe	of from oa	ch hank)	
5	V _{LWD}	Number of	down wood	y stems (at	least 4 inche	es in diamet	er and 36	inches in leng	jth) per 100	feet of	
			ch. Enter th et of stream			e 50'-wide b	ouffer and	within the cha	innel, and th	ie amount	0.0
						downed wo	ody stem	3:	0		
6	V_{TDBH}						g cover is	at least 20%). Trees are	at least 4	Not Used
		List the dbh) within th	e buffer on ea	ach side of		
		the stream	below: Left Side					Right Side			1
			Len Side					Right Side			ł
											1
											1
											l
											l
											l
											I
											1
7	V _{SNAG}	Number of	snags (at le	ast 4" dhh a	nd 36" tall)	per 100 feet	of stream	. Enter numb	er of snags	on each	
•	- SNAG		stream, and						5. 511ags		0.0
			1 - 6 6		0		Di-troit		0		
8	V	Number of	Left Side:		0 nody stems	un to 4 inch	Right Side	er 100 feet of	ostream (me	asure only	
0	V_{SSD}	if tree cove		Enter numb	er of sapling			side of the s			541.7
		POI 100 ILC	I off Sido		ea. In		Right Side	. (an		

				ratum. Check al nd the subindex					ii strata. Sp	ecies	0.00
			p 1 = 1.0	nd the subindex	will be c	alculated	TOTT these da		2 (-1.0)		
	Acer rubrui	n		Magnolia tripeta	ıla		Ailanthus a	ltissima		Lonicera ja	ponica
П	Acer sacch	arum		Nyssa sylvatica			Albizia julib	rissin		Lonicera ta	tarica
\Box	Aesculus fl	ava		Oxydendrum arbo			Alliaria petio			Lotus corni	culatus
\exists	Asimina tril			Prunus serotina			•			Lythrum sa	
							Alternanthe philoxeroide			Microstegiun	
_	Betula alleg			Quercus alba			•				
	Betula lenta	3		Quercus coccine	ea		Aster tatari	cus		Paulownia	
	Carya alba			Quercus imbrica	aria		Cerastium 1	fontanum		Polygonum (cuspidatum
	Carya glab	ra		Quercus prinus			Coronilla va	aria		Pueraria m	ontana
	Carya oval	is		Quercus rubra		✓	Elaeagnus u	mbellata	V	Rosa multii	lora
	Carya ovat	а		Quercus velutina	а		Lespedeza	bicolor		Sorghum h	alepense
	Cornus flor	ida		Sassafras albidu	ssafras albidum Lespedeza cuneata					Verbena br	asiliensis
_	Fagus grar			Tilia americana			Ligustrum of				
_					a ia		-				
	Fraxinus ai			Tsuga canadens			Ligustrum s	arierise			
	Liriodendron	tulipifera		Ulmus american	na						
	Magnolia a	cuminata									
		0	Cassies in	Craum 1				0	0	0	
		0	Species in	Group 1				2	Species in	Group 2	
ampl	e Variables	10-11 within	n at least 8	subplots (40" x	40". or	1m x 1m)	in the ripari	an/buffer	zone within	25 feet fron	n each
				d roughly equid						20 1001 11011	. cuon
10	V _{DETRITUS}			of leaves, sticks						er and <36"	
		long are inc	lude. Enter	the percent cove	er of the	detrital lay	er at each s	ubplot.			10.00 %
			Left	Side			Right	Side		1	
		20	0	0	10	30	0	20	0		
11	V_{HERB}	include woo	ody stems a percentages	over of herbaceou t least 4" dbh and s up through 200°	d 36" tall	l. Because	there may b	e several	ayers of gro	und cover	65 %
			Left	Side			Right	Side]	
		80	0	100	90	70	0	80	100		
12	V _{WLUSE}	weighted A	werage or r	Runoff Score for v	watersnie						
										% in	1.00
			Land	Use (Choose Fro	om Drop				Runoff Score	% in Catch- ment	1.00 Running Percent (not >100
	Forest and n	ative range (>			om Drop			•		Catch-	Running Percen
	Forest and n	ative range (:			om Drop			·	Score	Catch- ment	Running Percent (not >100
	Forest and n	ative range (2			om Drop			*	Score	Catch- ment	Running Percen (not >100
	Forest and n	ative range (:			om Drop			• •	Score	Catch- ment	Running Percen (not >100
	Forest and n	ative range (:			om Drop			• • • • • • • • • • • • • • • • • • •	Score	Catch- ment	Running Percen (not >100
	Forest and n	ative range (:			om Drop			• • • • • • • • • • • • • • • • • • •	Score	Catch- ment	Running Percen (not >100
	Forest and n	ative range (:			om Drop			¥ ¥	Score	Catch- ment	Running Percen (not >100
	Forest and n	ative range (>			om Drop			• • • • • • • • • • • • • • • • • • •	Score	Catch- ment	Running Percen (not >100
	Forest and n	ative range (>			om Drop			• • • • • • • • • • • • • • • • • • •	Score	Catch- ment	Runnin Percen (not >10
	Forest and n	ative range (>			om Drop			• • • • • • • • • • • • • • • • • • •	Score	Catch- ment	Running Percen (not >100
	Forest and n	ative range (>			om Drop			\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Score	Catch- ment	Running Percen (not >100
		ative range (>	75% ground		om Drop		No	V V V V V V V V V V V V V V V V V V V	Score	Catch- ment	Runnin Percen (not >10
V	S-B79 T	EMP AR (2)	•75% ground	cover)		List)			Score 1	Catchment 100	Runnin, Percen (not >100
	S-B79 T	EMP AR (2)	-75% ground		nalysis	List)	pleted usin	g the 201	Score 1 9 National	Catchment 100 Land Cove	Runnin, Percen (not >100
	S-B79 T	EMP AR (2)	•75% ground	Land Cover Ai Database (NL datasets. Wate	nalysis CD), fro	was com m Lands boundari	pleted usin at satellite es are bas	g the 201 imagery ed off of f	Score 1 9 National and other sield delinea	Catchment 100 Land Cove upplement ated stream	Runnin Percen (not >100 100
,	S-B79 T	EMP AR (2) Value Not Used,	-75% ground	cover) Land Cover Ar Database (NL	nalysis CD), fro	was com m Lands boundari	pleted usin at satellite es are bas	g the 201 imagery ed off of f	Score 1 9 National and other sield delinea	Catchment 100 Land Cove upplement ated stream	Runnin Percen (not >100 100
,	S-B79 T 'ariable VCCANOPY VEMBED	EMP AR (2) Value Not Used, <20% 1.9	VSI Not Used 0.41	Land Cover Ai Database (NL datasets. Wate	nalysis CD), fro	was com m Lands boundari	pleted usin at satellite es are bas	g the 201 imagery ed off of f	Score 1 9 National and other sield delinea	Catchment 100 Land Cove upplement ated stream	Runnin Percer (not >10 100 er ary impact
,	S-B79 T	EMP AR (2) Value Not Used, <20%	VSI Not Used	Land Cover Ai Database (NL datasets. Wate	nalysis CD), fro	was com m Lands boundari	pleted usin at satellite es are bas	g the 201 imagery ed off of f	Score 1 9 National and other sield delinea	Catchment 100 Land Cove upplement ated stream	Runnin Percer (not >10 100 er ary impact
,	S-B79 T 'ariable VCCANOPY VEMBED	EMP AR (2) Value Not Used, <20% 1.9	VSI Not Used 0.41	Land Cover Ai Database (NL datasets. Wate	nalysis CD), fro	was com m Lands boundari	pleted usin at satellite es are bas	g the 201 imagery ed off of f	Score 1 9 National and other sield delinea	Catchment 100 Land Cove upplement ated stream	Runnin Percer (not >10 100 er ary impact
,	S-B79 T /ariable Vccanopy Vembed Vsubstrate	EMP AR (2) Value Not Used, <20% 1.9 1.00 in	VSI Not Used 0.41 0.50	Land Cover Ai Database (NL datasets. Wate	nalysis CD), fro	was com m Lands boundari	pleted usin at satellite es are bas	g the 201 imagery ed off of f	Score 1 9 National and other sield delinea	Catchment 100 Land Cove upplement ated stream	Runnin Percen (not >100 100
,	S-B79 T /ariable V _{CCANOPY} V _{EMBED} V _{SUBSTRATE} V _{BERO} V _{LWD}	EMP AR (2) Value Not Used, <20% 1.9 1.00 in 83 % 0.0	VSI Not Used 0.41 0.50 0.63 0.00	Land Cover Ai Database (NL datasets. Wate	nalysis CD), fro	was com m Lands boundari	pleted usin at satellite es are bas	g the 201 imagery ed off of f	Score 1 9 National and other sield delinea	Catchment 100 Land Cove upplement ated stream	Runnin Percer (not >10 100 er ary impact
,	S-B79 T /ariable VCCANOPY VEMBED VSUBSTRATE VBERO VLWD VTDBH	EMP AR (2) Value Not Used, <20% 1.9 1.00 in 83 % 0.0 Not Used	VSI Not Used 0.41 0.50 0.63 0.00 Not Used	Land Cover Ai Database (NL datasets. Wate	nalysis CD), fro	was com m Lands boundari	pleted usin at satellite es are bas	g the 201 imagery ed off of f	Score 1 9 National and other sield delinea	Catchment 100 Land Cove upplement ated stream	Runnin Percen (not >100 100
,	S-B79 T /ariable V _{CCANOPY} V _{EMBED} V _{SUBSTRATE} V _{BERO} V _{LWD}	EMP AR (2) Value Not Used, <20% 1.9 1.00 in 83 % 0.0	VSI Not Used 0.41 0.50 0.63 0.00	Land Cover Ai Database (NL datasets. Wate	nalysis CD), fro	was com m Lands boundari	pleted usin at satellite es are bas	g the 201 imagery ed off of f	Score 1 9 National and other sield delinea	Catchment 100 Land Cove upplement ated stream	Runnin Percen (not >100 100
,	S-B79 T /ariable VCCANOPY VEMBED VSUBSTRATE VBERO VLWD VTDBH	EMP AR (2) Value Not Used, <20% 1.9 1.00 in 83 % 0.0 Not Used	VSI Not Used 0.41 0.50 0.63 0.00 Not Used	Land Cover Ai Database (NL datasets. Wate	nalysis CD), fro	was com m Lands boundari	pleted usin at satellite es are bas	g the 201 imagery ed off of f	Score 1 9 National and other sield delinea	Catchment 100 Land Cove upplement ated stream	Runnin Percen (not >100 100
,	S-B79 T Variable VCCANOPY VEMBED VSUBSTRATE VBERO VLWD VTDBH VSNAG	EMP AR (2) Value Not Used, <20% 1.9 1.00 in 83 % 0.0 Not Used 0.0 541.7	VSI Not Used 0.41 0.50 0.63 0.00 Not Used 0.10 1.00	Land Cover Ai Database (NL datasets. Wate	nalysis CD), fro	was com m Lands boundari	pleted usin at satellite es are bas	g the 201 imagery ed off of f	Score 1 9 National and other sield delinea	Catchment 100 Land Cove upplement ated stream	Runnin Percen (not >100 100
,	S-B79 T /ariable V _{CCANOPY} V _{EMBED} V _{SUBSTRATE} V _{BERO} V _{LWD} V _{TDBH} V _{SNAG} V _{SSD} V _{SSICH}	EMP AR (2) Value Not Used, <20% 1.9 1.00 in 83 % 0.0 Not Used 0.0 541.7 0.00	VSI Not Used 0.41 0.50 0.63 0.00 Not Used 0.10 1.00 0.00	Land Cover Ai Database (NL datasets. Wate	nalysis CD), fro	was com m Lands boundari	pleted usin at satellite es are bas	g the 201 imagery ed off of f	Score 1 9 National and other sield delinea	Catchment 100 Land Cove upplement ated stream	Runnin, Percen (not >100 100
	S-B79 T /ariable VCCANOPY VEMBED VSUBSTRATE VBERO VLWD VTDBH VSNAG VSSD VSRICH VDETRITUS	EMP AR (2) Value Not Used, <20% 1.9 1.00 in 83 % 0.0 Not Used 0.0 541.7	VSI Not Used 0.41 0.50 0.63 0.00 Not Used 0.10 1.00	Land Cover Ai Database (NL datasets. Wate	nalysis CD), fro	was com m Lands boundari	pleted usin at satellite es are bas	g the 201 imagery ed off of f	Score 1 9 National and other sield delinea	Catchment 100 Land Cove upplement ated stream	Runnin, Percen (not >100 100
	S-B79 T /ariable V _{CCANOPY} V _{EMBED} V _{SUBSTRATE} V _{BERO} V _{LWD} V _{TDBH} V _{SNAG} V _{SSD} V _{SSICH}	EMP AR (2) Value Not Used, <20% 1.9 1.00 in 83 % 0.0 Not Used 0.0 541.7 0.00	VSI Not Used 0.41 0.50 0.63 0.00 Not Used 0.10 1.00 0.00	Land Cover Ai Database (NL datasets. Wate	nalysis CD), fro	was com m Lands boundari	pleted usin at satellite es are bas	g the 201 imagery ed off of f	Score 1 9 National and other sield delinea	Catchment 100 Land Cove upplement ated stream	Running Percen (not >100 100
	S-B79 T /ariable VCCANOPY VEMBED VSUBSTRATE VBERO VLWD VTDBH VSNAG VSSD VSRICH VDETRITUS	EMP AR (2) Value Not Used, <20% 1.9 1.00 in 83 % 0.0 Not Used 0.0 541.7 0.00 10.0 %	VSI Not Used 0.41 0.50 0.63 0.00 Not Used 0.10 1.00 0.00 0.12	Land Cover Ai Database (NL datasets. Wate	nalysis CD), fro	was com m Lands boundari	pleted usin at satellite es are bas	g the 201 imagery ed off of f	Score 1 9 National and other sield delinea	Catchment 100 Land Cove upplement ated stream	Running Percent (not >100 100

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION			
STATION # RIVERMILE	STREAM CLASS			
LAT LONG	RIVER BASIN			
STORET#	AGENCY			
INVESTIGATORS				
FORM COMPLETED BY	DATE	REASON FOR SURVEY		

	Has there been a heavy rain in the last 7 days?
WEATHER CONDITIONS	Now Past 24 hours Yes No
CONDITIONS	storm (heavy rain)
	rain (steady rain) rain (steady rain) Showers (intermittent) Air Temperature0 C
	% %cloud cover % Other
	clear/sunny
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph)
	1.81
	00
	Dense vegetation
	Silt fence
	Silt tence
	Culvert
	S-B79 TEMP AR 2
	Access Road
	Added Tread
	Oils former
	Silt fence
	Dense vegetation
	Delise vegetation
	//// / NI
	// NI
	LOD
	Note:Access road crossing no pipeline crossing
STREAM	
CHARACTERIZATION	
	Stream Origin Catchment Areakm ² Glacial Spring-fed
	Non-glacial montane Mixture of origins
	Swamp and bog Other

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)	
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic	
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)	

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category		
	Parameter	Optimal	Suboptimal	Marginal	Poor	
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.	
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.	
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.	
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0	
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0	
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.	
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0	
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0	
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.	
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0	
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0	

Total	Caare	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION						
STATION #	_ RIVERMILE	STREAM CLASS						
LATLONG		RIVER BASIN						
STORET#		AGENCY	AGENCY					
INVESTIGATORS		LOT NUMBER						
FORM COMPLETED BY		DATE TIME	REASON FOR SURVEY					
HABITAT TYPES	Indicate the percentage of	each habitat type present	onks % Sand %					

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Harrison Stream ID: S-B79 TEMP AR (2)

Stream Name: UNT to Big Elk Creek (2) TEMP AR


HUC Code: 05020002 Basin Name:


Survey Date: 9/7/2021


Surveyors: AJE, RFC Impact Reach: 7.32 m


Type: Bankfull Channel

			LE COUNT			_	
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	A	55	55.00	55.00
	Very Fine	.062125		A	4	4.00	59.00
	Fine	.12525	1	A	4	4.00	63.00
	Medium	.255	SAND	A	2	2.00	65.00
	Coarse	.50-1.0		A	6	6.00	71.00
.0408	Very Coarse	1.0-2		A	4	4.00	75.00
.0816	Very Fine	2 -4		A	0	0.00	75.00
.1622	Fine	4 -5.7		A	0	0.00	75.00
.2231	Fine	5.7 - 8		A	0	0.00	75.00
.3144	Medium	8 -11.3	1	A	2	2.00	77.00
.4463	Medium	11.3 - 16	GRAVEL	A	3	3.00	80.00
.6389	Coarse	16 -22.6	1		3	3.00	83.00
.89 - 1.26	Coarse	22.6 - 32	1		2	2.00	85.00
1.26 - 1.77	Vry Coarse	32 - 45	1		3	3.00	88.00
1.77 -2.5	Vry Coarse	45 - 64	1		4	4.00	92.00
2.5 - 3.5	Small	64 - 90			4	4.00	96.00
3.5 - 5.0	Small	90 - 128	1	^	2	2.00	98.00
5.0 - 7.1	Large	128 - 180	COBBLE		2	2.00	100.00
7.1 - 10.1	Large	180 - 256	1	^	0	0.00	100.00
10.1 - 14.3	Small	256 - 362		^	0	0.00	100.00
14.3 - 20	Small	362 - 512	1	A	0	0.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	A	0	0.00	100.00
40 - 80	Large	1024 -2048	1	A	0	0.00	100.00
80 - 160	Vry Large	2048 -4096	1	A	0	0.00	100.00
	Bedrock		BDRK	A	0	0.00	100.00
				Totals:	100		









SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 +

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION


- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 7, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-B79 TEMP AR (1) BASELINE CROSS-SECTION A UPSTREAM FROM CULVERT INLET



DISTANCE ALONG CROSS-SECTION (FT)

S-B79 TEMP AR (2) BASELINE CROSS-SECTION B DOWNSTREAM FROM CULVERT OUTLET



DISTANCE ALONG CROSS-SECTION (FT)

CROSS SECTION LEGEND — EXISTING GRADE

CROSS SECTION
H: 1"=10'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

PRE-CROSSING

CAD File No.

Drawing No