Baseline Assessment – Stream Attributes

Reach S-C49 (Timber Mat Crossing) Ephemeral Spread D Webster County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	✓
RBP Physical Characteristics Form	✓
Water Quality Data	N/A – No flow
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – No flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	√

Spread D Stream S-C49 (Timber Mat Crossing) Webster County



Photo Type: DS, US View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, RH/AR
Lat: 38.416587 Lon: -80.57789



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, RH/AR Lat: 38.416587 Lon: -80.57789

Spread D Stream S-C49 (Timber Mat Crossing) Webster County



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, RH/AR Lat: 38.416587 Lon: -80.57789



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, RH/AR Lat: 38.416587 Lon: -80.57789

Spread D Stream S-C49 (Timber Mat Crossing) Webster County



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, RH/AR Lat: 38.416587 Lon: -80.57789



Photo Type: US, US View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, RH/AR
Lat: 38.416587 Lon: -80.57789

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain	Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	38.416587 Lon.	-80.57789	WEATHER:	Sunny	DATE:	9/8/2021
IMPACT STREAM/SITE ID A (watershed size (acreage), u			S-	C49		MITIGATION STREAM CLASS./SITE ID (watershed size (acreage), unalter		i:		Comments:	N/A - water quality and WVSCI (no flow)
STREAM IMPACT LENGTH:	22	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.	Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:	
Column No. 1- Impact Existing	Condition (Deb	oit)	Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)		Column No. 3- Mitigation Projected Post Completion (Credi		Column No. 4- Mitigation Pr Post Completion		Column No. 5- Mitigation Project	ed at Maturity (Credit)
Stream Classification:	Epher	meral	Stream Classification:			Stream Classification:	0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel Slo	рре	8.2	Percent Stream Channel Slo	рре		Percent Stream Channel Slope	0	Percent Stream Channel	Slope 0	Percent Stream Channel S	lope 0
HGM Score (attach dat	ita forms):		HGM Score (attach	data forms):		HGM Score (attach data fo	orms):	HGM Score (attach	data forms):	HGM Score (attach o	ata forms):
		Average		Average			Average		Average		Average
Hydrology Biogeochemical Cycling Habitat	0.57 0.2 0.11	0.29333333	Hydrology Biogeochemical Cycling Habitat	0		Hydrology Biogeochemical Cycling Habitat	0	Hydrology Biogeochemical Cycling Habitat	0	Hydrology Biogeochemical Cycling Habitat	0
PART I - Physical, Chemical and B		ators	PART I - Physical, Chemical and	d Biological Indicators		PART I - Physical, Chemical and Biolo	ogical Indicators	PART I - Physical, Chemical ar	nd Biological Indicators	PART I - Physical, Chemical and	Biological Indicators
	Points Scale Range	Site Score		Points Scale Range Site Score		Points Sci	cale Range Site Score		Points Scale Range Site Score		Points Scale Range Site Score
PHYSICAL INDICATOR (Applies to all streams of	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams classific	ations)	PHYSICAL INDICATOR (Applies to all stream	ms classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)
Embeddedness Svelocityl Depth Regime Sediment Deposition Schannel Flow Status Channel Alteration Frequency of Riffles (or bends) Bank Stability (LB & RB) Vegetative Protection (LB & RB)		0 0 0 3 3 0 17 7 0 18 14 14 14 14 66 0.55	USEPA RSP (Low Gradient Data Sheet) I. Enflarant Sustate/Available Cover 2. Pool Substrate (Characterization) 3. Pool Variable (Marchaete Characterization) 4. Bediment Deposition 6. Channel Flow Status 6. Channel Alteration 7. Channel Simusoiry 8. Bank Stability (LB & RB) 10. Repairant Vegetative Zone Width (LB & RB) 10. Repairant Vegetative			USEPA RARP (High Gradent Data Sheet)	0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1 0-1	USEPA RRP (High Gradient Data Sheet 1. Enfluent Stubst state/valiable Cover 2. Embeddedness 3. Velocity Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Flow Status 6. Channel Robert (Library Cornell) 7. Freguency of Riffles (or bends) 8. Bank Stability (Lib & RB) 10. Repains Vesetifles Zone Width (Lib & RB) 10. Repains Vesetifles Zone Width (Lib & RB) 17atal RBP Score Sub-Total WYDEP Water Quality Indicators (Gene Specific Conductivity PH DO	0-20	USEPA RBP (High Gradient Data Sheet) 1. Enfarant Substrate/Available Cover 2. Embeddedness 3. Velocity/ Upph Regime 4. Sadiment Deposition 5. Channel Flow Status 6. Channel Flow Status 6. Channel Flow Status 6. Channel Alberation 7. Frequency of Riffles (or bends) 8. Bank Stability (LB & RB) 10. Repartar Vegetative Zone Width (LB & RB) 10. Repartar Vegetative Zone Width (LB & RB) 17. Ind RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermitte WVDEP Water Quality Indicators (Genera Specific Conductivity PH OO	
Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittee	ent and Perennial S	Streams)	Sub-Total BIOLOGICAL INDICATOR (Applies to Intermitte	ont and Perennial Streams)		Sub-Total BIOLOGICAL INDICATOR (Applies to Intermittent an	od Perennial Streams)	Sub-Total BIOLOGICAL INDICATOR (Applies to Inte	ormittent and Perennial Streams)	Sub-Total BIOLOGICAL INDICATOR (Applies to Intern	onittent and Perennial Streams)
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)	and i decimal decimals)	WV Stream Condition Index (WVSCI)	
0 Sub-Total	0-100 0-1	0	Sub-Total	0-100 0-1		0-10i Sub-Total	0 0-1	Sub-Total	0-100 0-1	Sub-Total	0-100 0-1
PART II - Index and Un	nit Score		PART II - Index and	Unit Score		PART II - Index and Unit So	core	PART II - Index and	Unit Score	PART II - Index and (Jnit Score
Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index Line	ear Feet Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit Score
0.484	22	10.6516667	0	0 0		0	0 0	0	0 0	0	0 0

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: MVP

Location: Webster County, Spread D

Sampling Date: 9/8/2021 Project Site Before Project

Subclass for this SAR:

Ephemeral Stream

Uppermost stratum present at this SAR: SAR number: S-C49

Shrub/Herb Strata

Functional Results Summary:

Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.57
Biogeochemical Cycling	0.20
Habitat	0.11

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V _{CCANOPY}	Percent canpoy over channel.	Not Used, <20%	Not Used
V _{EMBED}	Average embeddedness of channel.	1.00	0.10
V _{SUBSTRATE}	Median stream channel substrate particle size.	0.08	0.04
V _{BERO}	Total percent of eroded stream channel bank.	0.00	1.00
V_{LWD}	Number of down woody stems per 100 feet of stream.	1.85	0.23
V_{TDBH}	Average dbh of trees.	Not Used	Not Used
V_{SNAG}	Number of snags per 100 feet of stream.	1.85	1.00
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	116.39	1.00
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
V _{DETRITUS}	Average percent cover of leaves, sticks, etc.	11.67	0.14
V _{HERB}	Average percent cover of herbaceous vegetation.	88.33	1.00
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.97	1.00

	RH AR			Data She				M Northing	38 / 16597	
ect Name:										
		ounty, Spre	ad D				•	npling Date:		
R Number:	S-C49		Length (ft):	54.13	Stream T	vpe: Enha	meral Stream			
op Strata:		rub/Herb St	• . ,			ent calculat				
			iala	(determine	u nom perc	111		OPY)		
nd Timing:	Project Site				•	Before Proje	ct			•
				nal by tran	and conline	conony M	occure et n	o fower than	. 10	
	roughly equiless than 2	uidistant po 0%, enter a	ints along t it least one	he stream. value betwe	Measure or een 0 and 1	nly if tree/sa	pling cover	is at least 2		Not Us <20°
5	0	0	0	0	10	10	30	40	40	ľ
V _{EMBED}	points alon of the surfa according t a rating sco	g the stream ace and are to the follow ore of 1. If	m. Select a a surroundi ving table. I the bed is c	particle from ng the partion f the bed is omposed of	m the bed. cle that is co an artificial bedrock, u	Before mov overed by fill surface, or se a rating	ing it, deter ne sedimen composed score of 5.	mine the pe t, and enter of fine sedir	rcentage the rating ments, use	1.0
			for gravel,	cobble and	boulder par	ticles (resca	aled from Pl	atts, Megah	an, and	
	Rating		scription							
	5								ock)	
	3				-					
	2								ioial	
List the rati				, covereu, S	urrounded,	or paried b)	, iiie seuim	ioni (oi aitilli	iolai	l
1	1	1	1	1	1	1	1	1	1	ľ
1	1	1	1	1	1	1	1	1	1	
1	1	1	1	1	1	1	1	1	1	
0.08	0.08	0.0 in, san	d or finer pa	0.08	.08 in): 0.08	0.08	0.08	0.08	0.08	
0.08	0.08	0.08	0.08	4.50	0.08	0.08	0.08	0.08	0.08	
80.0	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	
V	Total perce	ent of grade	d stream ch	annel bank	Enter the	total numbe	or of feet of	eroded ban	k on each	
	side and th may be up	e total perd to 200%. Left Bank:	entage will	be calculate	ed If both b	anks are ei	roded, total	erosion for	the stream	0 %
V _{LWD}	Number of stream rea	down wood ch. Enter th	ly stems (at ne number f	least 4 inch	es in diame	eter and 36	inches in le	ngth) per 10	00 feet of	1.8
				Number of	downed wo	•		1		
V _{TDBH}	4 inches (1	0 cm) in dia	ameter. Ent	er tree DBH	ls in inches				are at least	Not U
	of the stream	am below:	ienis of ind	ividual trees	(at least 4	iii) within th				ı
	Left Side					Right Side				
0							13	10	4	
0					8	12				
0					8	12				
0					8	12				
0					8	12				
0					8	12				
0					8	12				
0					8	12				
0 V _{SNAG}				and 36" tall) per 100 fe	et of stream			gs on each	-10
			d the amour	and 36" tall int per 100 fe) per 100 fe	et of stream			gs on each	1.8
	Variables Variables Variables Variables Variables Variables Variables Variables Variables	Variables 1-4 in stre. Average peroughly equilibrial elements alon of the surfaccording a rating so. Embedded Minshall IX Rating 5 4 3 2 1ist the ratings at each 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Variables 1-4 in stream channe VCCANOPY Variables 1-4 in stream channe VCCANOPY VCANOPY VCANOPY VCANOPY Average percent cover roughly equidistant poless than 20%, enter a count of the surface and are according to the follow a rating score of 1. If	Variables 1-4 in stream channel Variables 1-4 in stream couprion of the surface and area surrounding according to the following table. In a rating score of 1. If the bed is considered and a surrounding according to the following table. In a rating score of 1. If the bed is considered and area surrounding according to the following table. In a rating score of 1. If the bed is considered and area surrounding according to the following table. In a rating score of 1. If the bed is considered and area surrounding according to the following table. In a rating score of 1. If the bed is considered and area surrounding according to the following table. In a rating score of 1. If the bed is considered and area surrounding according to the following table. In a rating score of 1. If the bed is considered and the surrounding according to the surroundiaccording	Variables 1-4 in stream channel Variables 1-4 in stream channel substrate particle size in inches to the nearest 0.1 inch at easphalt or concrete as 0.0 in, sand or finer particles as 0.08 0	Variables 1-4 in stream channel Variables 1-5 in concrete as 0.0 in, sand or finer particles as 0.08 in): Observed Variables 1-4 in stream channel substrate particle size. Measure of 1 in channel substrate particle size. Measure opints along the stream; use the same points and particle size in inches to the nearest 0.1 inch at each point belasphalt or concrete as 0.0 in, sand or finer particles as 0.08 in): Observed 1 in concrete as 0.08 in, sand or finer particles as 0.08 in): Total percent of eroded stream channel bank. Enter the side and the total percentage will be calculated. If both b may be up to 200%. Left Bank: Oft Variables 5-9 within the entire riparian/buffer zone adjacent to the calculated. Enter the number from the entire 50'-wide amount per 100 feet of stream will be calculated. Number of downed would be calculated. Number of downed would be calculated.	Variables 1-4 in stream channel VCCANOPY Average percent cover over channel by tree and sapling canopy. More roughly equidistant points along the stream. Measure only if tree/saless than 20%, enter at least one value between 0 and 19 to trigger its the percent cover measurements at each point below: 5	Variables 1-4 in stream channel V _{CCANOPY} Average percent cover over channel by tree and sapling canopy. Measure at n roughly equidistant points along the stream. Measure only if tree/sapling cover less than 20%, enter at least one value between 0 and 19 to trigger Top Strata is the percent cover measurements at each point below: 5	Variables 1-4 in stream channel VCCANOIPY Average percent cover over channel by tree and sapling canopy. Measure at no fewer that roughly equidistant points along the stream. Measure only if tree/sapling cover is at least 2 less than 20%, enter at least one value between 0 and 19 to trigger Top Strata choice.) List the percent cover measurements at each point below: 5	Variables 1-4 in stream channel Variables 1-4 in stream channel

Left Side Right Side 5 15 10 25 5 10 11 V _{HERB} Average percentage cover of herbaceous vegetation (measure only if tree cover is <20%). Do not include woody stems at least 4" dbh and 36" tall. Because there may be several layers of ground cover vegetation percentages up through 200% are accepted. Enter the percent cover of ground vegetation at each subplot. Left Side Right Side 95 85 90 75 95 90 mple Variable 12 within the entire catchment of the stream. 12 V _{WLUSE} Weighted Average of Runoff Score for watershed: Land Use (Choose From Drop List) Runoff Score Catchment Forest and native range (>75% ground cover) 1 96.75 96							d from these				
Acer saccharum Nyssa sylvatica Albizia julibrissin Lonicera istance Assertuta flava Outreature Outreature Alliaria petiolata Lotus comicalia Asimira tribabe Prumus serotime Pru			•								
Asserulus flave Orydendrum arboroum Allians petiolats Lotus comicular Allians probaba Prinus as arorbina Alternambrara Lythrum asidam Decreus abba Prinus as arorbina Alternambrara Lythrum asidam Decreus abba Prinus as arorbina Decreus arbina Decreus	Acer rubru	ım		Magnolia ti	ripetala		Ailanthus a	ıltissima		Lonicera ja	aponica
Asimine trilobe Prunus serotine Alternanthera Lythrum salican Betula alleghamenais Quercus alba Betula alleghamenais Quercus concinea Aster statacus Paulukanta Pueraria monta Carya glabra Quercus prinus Carya glabra Quercus prinus Carya ovata Quercus prinus Carya ovata Pueraria monta Pueraria monta Carya ovata Quercus velutina Lespedeza bicolor Sorghum halep Cornal Brida Paulum edusibilian Pagus grandfible Pagus	Acer sacc	harum		Nyssa sylv	ratica		Albizia julib	rissin		Lonicera ta	atarica
Betula alieghaniensis Quercus alba Palibarenoides Microstegium vim Carya aba Quercus microeia Aster tetaricus Palibarenoides Palibarenoides Carya aba Quercus microeia Carya glabra Quercus microeia Carya cualis Quercus microeia Carya cualis Quercus microeia Carya cualis Quercus microeia Carya cualis Quercus microeia Legaratum fontanum Pelygomun Carya cualis Quercus verbria Legaratum fontanum Pelygomun Carya cualis Quercus verbria Legaratum fontanum Pelygomun Carya cualis Quercus verbria Legaratum contantolum Lespedaza bicolor Sorghum halep Cornus florida Sassafras albidum Lespedaza bicolor Sorghum halep Cornus florida Tilas americana Tilas americana Tilas americana Liquistrum sinense Liquistrum s	Aesculus i	flava		Oxydendrun	m arboreum		Alliaria peti	iolata		Lotus corn	iculatus
Betula lenta Quercus albe Philoxenoides Monostegum vinc Carya alba Quercus cochea Aster tatarcus Paulovinia toma Carya alba Quercus prinus Carostium fontanum Polygorum capa Carya oralis Quercus tubra Esseginis umbellata Pueraria monta Carya oralis Quercus vibra Esseginis umbellata Rosa multifros Presentante oralis Paulovinia toma Carya oralis Quercus vibra Esseginis umbellata Paugram monta Carya oralis Quercus vibra Esseginis umbellata Rosa multifros Presentante Paugram monta Carya oralis Quercus vibra Lespedeza bicolor Sorghum halep Prawinus americana Tilia americana Ligustrum obtualolium Praya markana Tilia americana Ligustrum sinense	Asimina tr	iloba		Prunus ser	rotina		Alternanthe	era		Lythrum sa	alicaria
Betula lenta Quercus coccinea Aster tataricus Paulouvina tomic Carya albae Quercus imbricina Carya dabra Quercus imbricina Carya dabra Quercus imbricina Carya covata Quercus rubra Eleaegrus umbelista Rosa multiflora Carya ovata Quercus velutina Lespedeza umbelista Rosa multiflora Carya forida Sassafiras albidum Lespedeza umbelista Verbena brasile Fraxirus americana Tsuga canadensis Ligustrum albidum Lespedeza umbelista Verbena brasile Fraxirus americana Tsuga canadensis Ligustrum albidum Lespedeza umbelista Verbena brasile Ligustrum albidum Ligustrum albidum Ligustrum albidum Ligustrum albidum Verbena brasile Ligustrum albidum Ligustru	Betula alleghaniensis Quercus alba		lba					Microstegiu	m vimine		
Carya alba	·		П	Δster tatari	icus		_				
Carya glabra											
Carya ovatis Quercus rubra Bieegrus umbelieta Rosa multiflora Carya ovata Quercus velutina Lespedeza bicolor Sorghum halep Cornus florida Sassafina silbidum Lespedeza cuneta Verbena brasilit Fagus grandifolia Tilia americana Ligustrum cetusefolium Fravirus americana Tsuga canadensis Ligustrum sinense Ligustrum sinense Ligustrum sinense Ligustrum sinense Department Department	•			•••							-
Carya ovata Quercus velutina Lespedeza bicolor Sorghum halep Cornus florida Sassaffas albidum Lespedeza cuneata Verbena brasilie Fagus grandfolla Tile americana Ligustrum sinense Ligus	Carya glal	ora		Quercus p	rinus		Coronilla v	aria		Pueraria n	nontana
Comus florida	Carya ova	lis		Quercus ru	ubra		Elaeagnus ι	ımbellata		Rosa mult	iflora
Fagus grandifolia Tilia americana Ligustrum obtusfolium Fraxinus americana Tsuga canadensis Ligustrum sinense Ligu	Carya ova	ta		Quercus ve	elutina		Lespedeza	bicolor		Sorghum I	nalepens
Frazinis americana Tsuga canadensis Ligustrum sinense Lindendron tulipfere Ullmus americana Ullmus	Cornus flo	rida		Sassafras	albidum		Lespedeza	cuneata		Verbena b	rasiliens
Fraxinus americans Tsuga canadensis Ligustrum sinense	Fagus gra	ndifolia	П	Tilia ameri	cana	П	Liaustrum o	btusifolium			
### Average percentage cover of herbaceous vegetation (measure may be several layers of ground vegetation at each subplot. ### Average percentage cover of herbaceous vegetation (measure only if tree cover of ground vegetation at each subplot. #### Average percentage cover of herbaceous vegetation (measure only if tree cover of ground vegetation at each subplot. #### Average percentage cover of herbaceous vegetation (measure only if tree cover of ground vegetation at each subplot. #### Average percentage cover of herbaceous vegetation (measure only if tree cover is egetation excepted and as a subplot at each subplot. ###################################							-				
Magnolia acuminata O Species in Group 1				-			Ligustrum	sirierise			
1		•	Ш	Ulmus ame	ericana						
Notes:	Magnolia a	acuminata									
Notes Note		^	Cunning in	Craum 1					0	. 0	
Notes: N	nnia Variahlas				(40" × 40"	or 1m v 1	m) in the rin		•	•	from ea
Average percentage cover of herbaceous vegetation (measure only if tree cover is <20%). Do not include woody stems at least 4" dbh and 36" tall. Because there may be several layers of ground over vegetation percentages up through 200% are accepted. Enter the percent cover of ground vegetation at each subplot. Left Side	k. The four su	Average pe	uld be place ercent cove	ed roughly r of leaves,	y equidistar sticks, or ot	ntly along her organi	each side o c material. V	f the stre Voody del	am. oris <4" dian		11.67
Average percentage cover of herbaceous vegetation (measure only if tree cover is <20%). Do not include woody stems at least 4" dbh and 36" tall. Because there may be several layers of ground cover vegetation percentages up through 200% are accepted. Enter the percent cover of ground vegetation at each subplot. Left Side			Left	Side			Right	Side		1	
Average percentage cover of herbaceous vegetation (measure only if tree cover is <20%). Do not include woody stems at least 4" dbh and 36" tall. Because there may be several layers of ground cover vegetation percentages up through 200% are accepted. Enter the percent cover of ground cover vegetation at each subplot. Left Side Right Side 95 85 90 75 95 90 The provided Average of Runoff Score for watershed: Land Use (Choose From Drop List) Runoff Score Catchment Forest and native range (>75% ground cover) Open space (pasture, lawns, parks, etc.), grass cover <50% Variable Value VSI Vccanory Not Used Value VSI Vember 1.0 0.10 Vsuestrate 0.08 in 0.04 Vseren 0.08 in 0.04 Vseren 0.08 in 0.04 Vseren 0.08 in 0.04 Vsanag 1.8 1.00 Vsanag 1.8 1.00 Vsanag 1.8 1.00 Vsariable 0.00 0.00 Voetratrus 11.7 % 0.14		5				25				1	
Include woody stems at least 4" dbh and 36" fall. Because there may be several layers of ground cover vegetation percentages up through 200% are accepted. Enter the percent cover of ground vegetation at each subplot. Left Side		-				20					
Scale Weighted Average of Runoff Score for watershed: Catchment of the stream. Runoff Score Runoff Sc	1 V _{HERB}	include wo	ody stems a tation perce at each sub	at least 4" d entages up oplot.	bh and 36" i	tall. Because there may be several 1% are accepted. Enter the percen			al layers of o	ground	88 %
## Pick Part		05				75		_		-	
Value Valu		95	85	90		75	95	90			
Forest and native range (>75% ground cover)											0.97
Open space (pasture, lawns, parks, etc.), grass cover <50% ▼ 0.1 3.25 ✓ Variable Value VSI Vccanopy Not Used, <20% Not Used Vsubstrate 0.08 in 0.04 Vbero 1.8 0.23 Vtobh Not Used Vsnag 1.8 1.00 Vsnag 1.6.4 1.00 Vsrich 0.00 0.00 Vbetritus 11.7 % 0.14			Average of	Runoff Scor	re for waters	hed:					Runni
Variable Value VSI			Average of	Runoff Scor	re for waters	hed:				Catch-	0.97 Runnii Perce (not >10
Variable Value VSI	2 V _{WLUSE}	Weighted A	Average of Land	Runoff Scor	re for waters	hed:			Score	Catch- ment	Runnii Perce (not >10
Variable Value VSI V _{CCANOPY} Not Used, <pre> <pre></pre></pre>	2 VwLuse	Weighted A	Land	Runoff Scor Use (Choos	re for waters	hed:			Score 1	Catch- ment 96.75	Runnii Perce (not >10
Variable Value VSI V _{CCANOPY} Not Used, <pre> <pre></pre></pre>	2 VwLuse	Weighted A	Land	Runoff Scor Use (Choos	re for waters	hed:			Score 1	Catch- ment 96.75	Runnii Perce (not >10
Variable Value VSI V _{CCANOPY} Not Used, <pre> <pre></pre></pre>	2 VwLuse	Weighted A	Land	Runoff Scor Use (Choos	re for waters	hed:			Score 1	Catch- ment 96.75	Runnii Perce (not >10
Variable Value VSI V _{CCANOPY} Not Used, <pre> <pre></pre></pre>	2 VwLuse	Weighted A	Land	Runoff Scor Use (Choos	re for waters	hed:			Score 1	Catch- ment 96.75	Runnii Perce (not >10
Variable Value VSI V _{CCANOPY} Not Used, <pre> <pre></pre></pre>	2 VwLuse	Weighted A	Land	Runoff Scor Use (Choos	re for waters	hed:			Score 1	Catch- ment 96.75	Runnii Perce (not >10
Variable Value VSI V _{CCANOPY} Not Used, <pre> <pre></pre></pre>	2 VwLuse	Weighted A	Land	Runoff Scor Use (Choos	re for waters	hed:			Score 1	Catch- ment 96.75	Runnii Perce (not >10
Variable Value VSI V _{CCANOPY} Not Used, <pre> <pre> <pre> <pre> <pre> <pre> <pre> V_{EMBED} 1.0 0.10 V_{SUBSTRATE} 0.08 in 0.04 V_{BERO} 0 % 1.00 V_{LWD} 1.8 0.23 V_{TDBH} Not Used V_{SNAG} 1.8 1.00 V_{SNAG} 116.4 1.00 V_{SRICH} 0.00 0.00 V_{DETRITUS} 11.7 % 0.14</pre></pre></pre></pre></pre></pre></pre>	2 VwLuse	Weighted A	Land	Runoff Scor Use (Choos	re for waters	hed:			Score 1	Catch- ment 96.75	Runnii Perce (not >10
Variable Value VSI V _{CCANOPY} Not Used, <pre> <pre></pre></pre>	2 VwLuse	Weighted A	Land	Runoff Scor Use (Choos	re for waters	hed:			Score 1	Catch- ment 96.75	Runni Perce (not >1
Variable Value VSI V _{CCANOPY} Not Used, <pre> <pre> <pre> <pre> <pre> <pre> <pre> V_{EMBED} 1.0 0.10 V_{SUBSTRATE} 0.08 in 0.04 V_{BERO} 0 % 1.00 V_{LWD} 1.8 0.23 V_{TDBH} Not Used V_{SNAG} 1.8 1.00 V_{SNAG} 116.4 1.00 V_{SRICH} 0.00 0.00 V_{DETRITUS} 11.7 % 0.14</pre></pre></pre></pre></pre></pre></pre>	2 VwLuse	Weighted A	Land	Runoff Scor Use (Choos	re for waters	hed:			Score 1	Catch- ment 96.75	Runnii Perce (not >10
V _{CCANOPY} Not Used, 20% Not Used V _{EMBED} 1.0 0.10 V _{SUBSTRATE} 0.08 in 0.04 V _{BERO} 0 % 1.00 V _{LWD} 1.8 0.23 V _{TDBH} Not Used Not Used V _{SNAG} 1.8 1.00 V _{SND} 116.4 1.00 V _{SRICH} 0.00 0.00 V _{DETRITUS} 11.7 % 0.14	2 VwLuse	Weighted A	Land	Runoff Scor Use (Choos	re for waters	hed:			Score 1	Catch- ment 96.75	Runnii Perce (not >10
V _{CCANOPY} Not Used, 20% Not Used V _{EMBED} 1.0 0.10 V _{SUBSTRATE} 0.08 in 0.04 V _{BERO} 0 % 1.00 V _{LWD} 1.8 0.23 V _{TDBH} Not Used Not Used V _{SNAG} 1.8 1.00 V _{SND} 116.4 1.00 V _{SRICH} 0.00 0.00 V _{DETRITUS} 11.7 % 0.14	Porest and a Open space	Weighted A	Land	Runoff Scor Use (Choos	re for waters	hed:	No		Score 1	Catch- ment 96.75	Runnii Perce (not >10
V _{CCANOPY} <20% Not Used V _{EMBED} 1.0 0.10 V _{SUBSTRATE} 0.08 in 0.04 V _{BERO} 0 % 1.00 V _{LWD} 1.8 0.23 V _{TDBH} Not Used Not Used V _{SNAG} 1.8 1.00 V _{SSD} 116.4 1.00 V _{SRICH} 0.00 0.00 V _{DETRITUS} 11.7 % 0.14	2 Vw.use Forest and o	Weighted Anative range (: (pasture, law)	Land >75% ground ns, parks, etc.	Runoff Scor Use (Choos	re for waters	hed:	No		Score 1	Catch- ment 96.75	Runni Perce (not >1
V _{EMBED} 1.0 0.10 V _{SUBSTRATE} 0.08 in 0.04 V _{BERO} 0 % 1.00 V _{LWD} 1.8 0.23 V _{TDBH} Not Used Not Used V _{SNAG} 1.8 1.00 V _{SSD} 116.4 1.00 V _{SRICH} 0.00 0.00 V _{DETRITUS} 11.7 % 0.14	2 Vw.use Forest and o	Weighted Anative range (: (pasture, law)	Land >75% ground ns, parks, etc.	Runoff Scor Use (Choos	re for waters	hed:	No		Score 1	Catch- ment 96.75	Runni Perce (not >1
V _{SUBSTRATE} 0.08 in 0.04 V _{BERO} 0 % 1.00 V _{LWD} 1.8 0.23 V _{TDBH} Not Used Not Used V _{SNAG} 1.8 1.00 V _{SSD} 116.4 1.00 V _{SRICH} 0.00 0.00 V _{DETRITUS} 11.7 % 0.14	Forest and Open space Variable	Weighted /	Land >75% ground ns, parks, etc	Runoff Scor Use (Choos	re for waters	hed:	No		Score 1	Catch- ment 96.75	Runni Perce (not >1
VBERO 0 % 1.00 VLWD 1.8 0.23 VTDBH Not Used Not Used VSNAG 1.8 1.00 VSSD 116.4 1.00 VSRICH 0.00 0.00 VDETRITUS 11.7 % 0.14	Forest and a Open space Variable Vccanopy	Weighted // mative range (: (pasture, law) 6-C49 Value Not Used, <20%	Land >75% ground ns, parks, etc. VSI Not Used	Runoff Scor Use (Choos	re for waters	hed:	No		Score 1	Catch- ment 96.75	Runni Perce (not >1
V _{LWD} 1.8 0.23 V _{TDBH} Not Used Not Used V _{SNAG} 1.8 1.00 V _{SSD} 116.4 1.00 V _{SRICH} 0.00 0.00 V _{DETRITUS} 11.7 % 0.14	Forest and a Open space Variable Vccanopy	S-C49 Value Not Used, <20% 1.0	Land >75% ground ns, parks, etc. VSI Not Used	Runoff Scor Use (Choos	re for waters	hed:	No		Score 1	Catch- ment 96.75	Runni Perce (not >1
V _{LWD} 1.8 0.23 V _{TDBH} Not Used Not Used V _{SNAG} 1.8 1.00 V _{SSD} 116.4 1.00 V _{SRICH} 0.00 0.00 V _{DETRITUS} 11.7 % 0.14	Forest and Open space Variable Vcanopy Vembed	S-C49 Value Not Used, <20% 1.0	Land >75% ground ns, parks, etc. VSI Not Used 0.10	Runoff Scor Use (Choos	re for waters	hed:	No		Score 1	Catch- ment 96.75	Runni Perce (not >1
V _{TDBH} Not Used Not Used V _{SNAG} 1.8 1.00 V _{SSD} 116.4 1.00 V _{SRICH} 0.00 0.00 V _{DETRITUS} 11.7 % 0.14	Forest and Open space Variable Vcanopy Vsubstrate	S-C49 Value Not Used, <20% 1.0 0.08 in	Land >75% ground ns, parks, etc VSI Not Used 0.10 0.04	Runoff Scor Use (Choos	re for waters	hed:	No		Score 1	Catch- ment 96.75	Runni Perce (not >1
V _{SNAG} 1.8 1.00 V _{SSD} 116.4 1.00 V _{SRICH} 0.00 0.00 V _{DETRITUS} 11.7 % 0.14	Forest and of Open space Variable Variable Variable Variable Variable Variable Variable Variable	S-C49 Value Not Used, <20% 1.0 0.08 in 0 %	VSI Not Used 0.10 0.04 1.00	Runoff Scor Use (Choos	re for waters	hed:	No		Score 1	Catch- ment 96.75	Runni Perce (not >1
V _{SNAG} 1.8 1.00 V _{SSD} 116.4 1.00 V _{SRICH} 0.00 0.00 V _{DETRITUS} 11.7 % 0.14	Forest and of Open space Variable Variable Variable Variable Variable Variable Variable Variable	S-C49 Value Not Used, <20% 1.0 0.08 in 0 %	VSI Not Used 0.10 0.04 1.00	Runoff Scor Use (Choos	re for waters	hed:	No		Score 1	Catch- ment 96.75	Runni Perce (not >1 96.7
V _{SSD} 116.4 1.00 V _{SRICH} 0.00 0.00 V _{DETRITUS} 11.7 % 0.14	Variable Vcanopy Vsubstrate Vbero VLWD	S-C49 Value Not Used, <20% 1.0 0.08 in 0 % 1.8	VSI Not Used 0.10 0.04 1.00 0.23	Runoff Scor Use (Choos	re for waters	hed:	No		Score 1	Catch- ment 96.75	Runni Perce (not >1
V _{SRICH} 0.00 0.00 V _{DETRITUS} 11.7 % 0.14	Forest and of Open space Variable Vccanopy Vembed Vsubstrate Vbero VLWD VTDBH	S-C49 Value Not Used, <20% 1.0 0.08 in 0 % 1.8 Not Used	VSI Not Used 0.10 0.04 1.00 0.23 Not Used	Runoff Scor Use (Choos	re for waters	hed:	No		Score 1	Catch- ment 96.75	Runni Perce (not >1 96.7
V _{SRICH} 0.00 0.00 V _{DETRITUS} 11.7 % 0.14	Forest and of Open space Variable Vccanopy Vembed Vsubstrate Vbero VLWD VTDBH	S-C49 Value Not Used, <20% 1.0 0.08 in 0 % 1.8 Not Used	VSI Not Used 0.10 0.04 1.00 0.23 Not Used	Runoff Scor Use (Choos	re for waters	hed:	No		Score 1	Catch- ment 96.75	Runni Perce (not >1
V _{DETRITUS} 11.7 % 0.14	Variable Vccanopy Vembed Vsubstrate Vbero VLWD VTDBH Vsnag	S-C49 Value Not Used, <20% 1.0 0.08 in 0 % 1.8 Not Used 1.8	VSI Not Used 0.10 0.04 1.00 0.23 Not Used 1.00	Runoff Scor Use (Choos	re for waters	hed:	No		Score 1	Catch- ment 96.75	Runnii Perce (not >10
	Variable Vcanopy Vembed Vsubstrate Vbero Vtrdh Vsnag Vssd	S-C49 Value Not Used, <20% 1.0 0.08 in 0 % 1.8 Not Used 1.8 116.4	VSI Not Used 0.00 1.00 1.00	Runoff Scor Use (Choos	re for waters	hed:	No		Score 1	Catch- ment 96.75	Runni Perce (not >1 96.7
V _{HERB} 88 % 1.00	Variable Vcanopy Vembed Vsubstrate Vbero Vtub Vsnag Vssch	S-C49 Value Not Used, <20% 1.0 0.08 in 0 % 1.8 Not Used 1.8 116.4	VSI Not Used 0.00 1.00 1.00	Runoff Scor Use (Choos	re for waters	hed:	No		Score 1	Catch- ment 96.75	Runni Perce (not >1 96.7
	Variable Vcanopy Vembed Vsubstrate Vbero Vtub Vsubstrate	Not Used 1.8 Not Used 1.8 Not Used 1.8 Not Used 1.8 116.4 0.00	VSI Not Used 1.00 0.00 0.00	Runoff Scor Use (Choos	re for waters	hed:	No		Score 1	Catch- ment 96.75	Runni Perce (not >1
V _{WLUSE} 0.97 1.00	Forest and of Open space Variable Vccanopy Vembed Vsubstrate Vbero Vtub Vtub Vsnag Vssc Vsrich Vdetritus	Neighted // mative range (: (pasture, law) Value Not Used, <20% 1.0 0.08 in 0 % 1.8 Not Used 1.8 116.4 0.00 11.7 %	VSI Not Used 0.10 0.23 Not Used 1.00 0.00 0.14	Runoff Scor Use (Choos	re for waters	hed:	No		Score 1	Catch- ment 96.75	Runnii Perce (not >10

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION		
STATION # RIVERMILE	STREAM CLASS		
LAT LONG	RIVER BASIN		
STORET#	AGENCY		
INVESTIGATORS			
FORM COMPLETED BY	DATETIME	REASON FOR SURVEY	

	-							
WEATHER CONDITIONS SITE LOCATION/MAP	Now Past 24 hours Yes No storm (heavy rain) rain (steady rain) showers (intermittent) % cloud cover clear/sunny Past 24 hours Yes No Air Temperature							
	LOD							
	Timber Mont							
	Pipe Cl Going In Lan Away							
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Type Coldwater Warmwater Stream Origin Glacial Spring-fed Non-glacial montane Mixture of origins Swamp and bog Other							

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)	
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chen Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic	
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)	

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION		
STATION # RIVERMILE	STREAM CLASS		
LAT LONG	RIVER BASIN		
STORET#	AGENCY		
INVESTIGATORS			
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY	

	Habitat		Condition	ı Category		
	Parameter	Optimal	Suboptimal	Marginal	Poor	
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.	
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.	
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).	
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.	
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.	
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category		
	Parameter	Optimal	Suboptimal	Marginal	Poor	
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.	
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.	
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.	
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0	
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0	
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.	
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0	
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0	
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.	
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0	
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0	

Total	Caare	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION	
STATION #	_ RIVERMILE	STREAM CLASS	
LAT	LONG	RIVER BASIN	
STORET#		AGENCY	
INVESTIGATORS			LOT NUMBER
FORM COMPLETED	ВҮ	DATE TIME	REASON FOR SURVEY
HABITAT TYPES	Indicate the percentage of	each habitat type present	onks % Sand %

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Webster Stream ID: S-C49

Stream Name: UNT to Birch River

HUC Code: Basin:


Survey Date: 9/8/2021 Surveyors: RH AR

Surveyors: RH AR Impact Reach: 16.5 m

Type: Bankfull Channel

	n . n ==		LE COUNT			T	a
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cum
	Silt/Clay	< .062	S/C	A	91	91.00	91.00
	Very Fine	.062125		•	5	5.00	96.00
	Fine	.12525		•	2	2.00	98.00
	Medium	.255	SAND	•	0	0.00	98.00
	Coarse	.50-1.0		•	0	0.00	98.00
.0408	Very Coarse	1.0-2		•	0	0.00	98.00
.0816	Very Fine	2 -4		*	0	0.00	98.00
.1622	Fine	4 -5.7]	*	0	0.00	98.00
.2231	Fine	5.7 - 8		*	0	0.00	98.00
.3144	Medium	8 -11.3		•	0	0.00	98.00
.4463	Medium	11.3 - 16	GRAVEL	*	0	0.00	98.00
.6389	Coarse	16 -22.6]	*	1	1.00	99.00
.89 - 1.26	Coarse	22.6 - 32	1	^	0	0.00	99.00
1.26 - 1.77	Vry Coarse	32 - 45	1	A	1	1.00	100.00
1.77 -2.5	Vry Coarse	45 - 64	1	A	0	0.00	100.00
2.5 - 3.5	Small	64 - 90		^	0	0.00	100.00
3.5 - 5.0	Small	90 - 128	CORRE	A	0	0.00	100.00
5.0 - 7.1	Large	128 - 180	COBBLE	A	0	0.00	100.00
7.1 - 10.1	Large	180 - 256	1	A	0	0.00	100.00
10.1 - 14.3	Small	256 - 362		A	0	0.00	100.00
14.3 - 20	Small	362 - 512		*	0	0.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	A	0	0.00	100.00
40 - 80	Large	1024 -2048		A	0	0.00	100.00
80 - 160	Vry Large	2048 -4096	1	A	0	0.00	100.00
	Bedrock		BDRK	A	0	0.00	100.00
				Totals:	100		








	Size (mm)	- (P
275	D16	0.062	- 200
	D35	0.062	
	D50	0.062	
	D65	0.062	
	D84	0.062	
	D95	0.11	

Size Distr mean	0.1
dispersion	1.0
skewness	

silt/clay	91%
sand	7%
gravel	2%
cobble	0%
boulder	0%







SURVEY NOTES:

LEGEND

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION

—— — STUDY AREA (EASEMENT)

1176.87 十

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 8, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING .
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.


CROSS SECTION LEGEND

CROSS SECTION

H: 1"=10' V: 1"=5'

— EXISTING GRADE

S-C49 PIPELINE CROSS-SECTION A PIPELINE



NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PHOTO TAKEN LOOKING UPSTREAM FROM

PHOTO TAKEN LOOKING DOWNSTREAM

FROM UPSTREAM IMPACT LIMITS

PRE-CROSSING PHOTOS

DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

Drawn

CAD File No

0

DRAWING

PRE-CROSSING