Baseline Assessment – Stream Attributes

Reach S-CV10 (Timber Mat Crossing) Perennial Spread A Harrison County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓ Water quality used from benthic data
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope
	<4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓ Benthics taken on 09/14/21
Benthic Identification Sheet	✓
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓




Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, SM Lat: 39.221719 Long: -80.546951



Photo Type: DS, DS View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, SM
Lat: 39.221719 Long: -80.546951



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, SM Lat: 39.221719 Long: -80.546951




Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, SM Lat: 39.221719 Long: -80.546951




Photo Type: US, US View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, SM
Lat: 39.221719 Long: -80.546951




Photo Type: US, DS View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, SM
Lat: 39.221719 Long: -80.546951



Location, Orientation, Photographer Initials: Upstream of Riffle, Downstream View, SM
Lat: 39.221719 Long: -80.546951




Photo Type: Riffle, US View Location, Orientation, Photographer Initials: Downstream of Riffle, Upstream View, SM Lat: 39.221719 Long: -80.546951



Photo Type: Pool, DS View Location, Orientation, Photographer Initials: Upstream of Pool, Downstream View, SM Lat: 39.221719 Long: -80.546951




Photo Type: Pool, US View Location, Orientation, Photographer Initials: Upstream of Pool, Downstream View, SM Lat: 39.221719 Long: -80.546951

USACE FILE NO./ Project Name: (v2.1, Sept 2016)		Mountain	Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	39.221719	Lon.	-80.546951	WEATHER:		Sunny	DATE:	09/14	1/21
IMPACT STREAM/SITE ID (watershed size (acreage)			\$-C	CV10		MITIGATION STREAM CLASS./S (watershed size {acreage}						Comments:	Water quality at time of ber 09/14	nthic sample
STREAM IMPACT LENGTH:	20	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:			Mitigation Length:		
Column No. 1- Impact Existing	g Condition (Det	bit)	Column No. 2- Mitigation Existing C	condition - Baseline (Credit)		Column No. 3- Mitigation Pro Post Completion		Years	Column No. 4- Mitigation Proje Post Completion (ars	Column No. 5- Mitigation Project	ed at Maturity (C	redit)
Stream Classification:	Pere	nnial	Stream Classification:			Stream Classification:		0	Stream Classification:)	Stream Classification:	o	
Percent Stream Channel SI	lope	1.9	Percent Stream Channel Sic	оре		Percent Stream Channel Sid	оре	0	Percent Stream Channel SI	оре	0	Percent Stream Channel S	оре	0
HGM Score (attach d	lata forms):		HGM Score (attach	data forms):	Ī	HGM Score (attach	data forms):		HGM Score (attach da	ata forms):		HGM Score (attach d	ata forms):	
		Average		Average				Average			Average			Average
Hydrology Biogeochemical Cycling		0	Hydrology			Hydrology			Hydrology Biogeochemical Cycling		0	Hydrology		
Habitat		•	Biogeochemical Cycling Habitat	•		Biogeochemical Cycling Habitat		•	Habitat		Ů	Biogeochemical Cycling Habitat		ľ
PART I - Physical, Chemical and	Biological Indic	ators	PART I - Physical, Chemical and	d Biological Indicators		PART I - Physical, Chemical and	d Biological I	ndicators	PART I - Physical, Chemical and	Biological Indic	ators	PART I - Physical, Chemical and	Biological Indica	ators
	Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale Ran	e Site Score		Points Scale Range	Site Score		Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams	s classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)	
USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0-20	12	USEPA RBP (Low Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0,20		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0.20		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0.20		USEPA RBP (High Gradient Data Sheet) 1. Epifaunal Substrate/Available Cover	0.20	
Epiraunai Substrate/Available Cover Embeddedness	0-20	15	Epiraunal Substrate/Available Cover Pool Substrate Characterization	0-20	-	Epitaunai Substrate/Available Cover Embeddedness	0-20		Epiraunal Substrate/Available Cover Embeddedness	0-20		Epiraunai Substrate/Available Cover Embeddedness	0-20	
Velocity/ Depth Regime	0-20	8	Pool Substitute Characterization Pool Variability	0-20		Velocity/ Depth Regime	0-20		Velocity/ Depth Regime	0-20		Velocity/ Depth Regime	0-20	
Sediment Deposition	0-20	13	Sediment Deposition	0-20		Sediment Deposition	0-20		Sediment Deposition	0-20		Sediment Deposition	0-20	
5. Channel Flow Status	0-20 0-1	14	5. Channel Flow Status	0-20		5. Channel Flow Status	0-20		5. Channel Flow Status	0-20		5. Channel Flow Status	0-20	
6. Channel Alteration	0-20	15	Channel Alteration	0-20		6. Channel Alteration	0-20		6. Channel Alteration	0-20		6. Channel Alteration	0-20	
7. Frequency of Riffles (or bends)	0-20	13	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	16	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	18	9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20		9. Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB)	0-20	2	 Riparian Vegetative Zone Width (LB & RB) 	0-20		 Riparian Vegetative Zone Width (LB & RB) 	0-20		 Riparian Vegetative Zone Width (LB & RB) 	0-20		 Riparian Vegetative Zone Width (LB & RB) 	0-20	
Total RBP Score	Suboptimal	126	Total RBP Score	Poor 0	4	Total RBP Score	Poor	0	Total RBP Score	Poor	0	Total RBP Score	Poor	0
Sub-Total CHEMICAL INDICATOR (Applies to Intermitter	-1 1 D	0.63	Sub-Total CHEMICAL INDICATOR (Applies to Intermittent	0		Sub-Total CHEMICAL INDICATOR (Applies to Intermittent	and Barranial (0	Sub-Total CHEMICAL INDICATOR (Applies to Intermitter	4 d D	0	Sub-Total CHEMICAL INDICATOR (Applies to Intermitter	at and Barrell Cha	0
		eams)					and Perennial	areams)			earns)			.ams)
WVDEP Water Quality Indicators (General Specific Conductivity	I)		WVDEP Water Quality Indicators (General) Specific Conductivity		-	WVDEP Water Quality Indicators (General) Specific Conductivity			WVDEP Water Quality Indicators (General Specific Conductivity)		WVDEP Water Quality Indicators (General Specific Conductivity		
opcome conductivity	0-90	162.8	opcome conductivity	0-90		opecine conductivity	0-90		opcome ochacerny	0-90		opecine conductivity	0-90	
100-199 - 85 points	0-90	102.0		0-90			0-90			0-90			0-90	
pH			pH	0.1		pH			pH			pH		
6.0-8.0 = 80 points	0-80	7.87	1	5-90	ı		5-90			5-90			5-90	
0.0-0.0 = 80 points	-		DO	<u> </u>		DO	'		DO			DO	_	
	10-30	8.28		10-30	1		10-30			10-30			10-30	
>5.0 = 30 points Sub-Total		0.975	Sub-Total	1		Sub-Total		0	Sub-Total		0	Sub-Total		0
BIOLOGICAL INDICATOR (Applies to Intermit	Heat and December 9		BIOLOGICAL INDICATOR (Applies to Intermitte	ant and Darannial Streams)		BIOLOGICAL INDICATOR (Applies to Intermi	ttent and Berei		BIOLOGICAL INDICATOR (Applies to Interm	ittent and Barons		BIOLOGICAL INDICATOR (Applies to Interm	aittent and Berenni	
WV Stream Condition Index (WVSCI)	uent and Perennial C	sirealis)	WV Stream Condition Index (WVSCI)	ant and Perennal Sueams)		WV Stream Condition Index (WVSCI)	tterit and Fere	illiai Streams)	WV Stream Condition Index (WVSCI)	ittent and Perein	iiai Streams)	WV Stream Condition Index (WVSCI)	ittent and Perennia	ai Streams)
WV Stream Condition index (WVSCI)	0-100 0-1	76.3	WV Stream Condition index (WVSCI)	0-100 0-1		WV Stream Condition Index (WVSCI)	0-100 0-		WV Stream Condition index (WVSCI)	0-100 0-1		WV Stream Condition Index (WVSCI)	0-100 0-1	
Good	3-100 0-1						3-100 0-			3-100 0-1			3-100 0-1	
Sub-Total		0.763	Sub-Total	0		Sub-Total		0	Sub-Total		0	Sub-Total		0
PART II - Index and U	Unit Score		PART II - Index and	Unit Score		PART II - Index and	Unit Score		PART II - Index and U	nit Score		PART II - Index and U	nit Score	
Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index	Linear Fee	t Unit Score	Index	Linear Feet	Unit Score	Index	Linear Feet	Unit Score
0.789	20	15.7866667	0	0 0		0	0	0	0	0	0	0	0	0
ļ	1				4	L			<u> </u>	1		Щ		

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION		
STATION # RIVERMILE	STREAM CLASS		
LAT LONG	RIVER BASIN		
STORET#	AGENCY		
INVESTIGATORS			
FORM COMPLETED BY	DATE	REASON FOR SURVEY	

WEATHER CONDITIONS	Now storm (heavy rain) rain (steady rain) showers (intermittent) % %cloud cover clear/sunny	Past 24 hours	Has there been a heavy rain i Yes No Air Temperature0 C Other	
SITE LOCATION/MAP	Pipe LOD S-CV10	111	TM	LOD
STREAM CHARACTERIZATION	Stream Origin	dal ed of origins	Stream Type Coldwater Warmwater Catchment Areal	_

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)	
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMENT/ SUBSTRATE Odors Normal Sewage Petroleum Chemical Anaerobic None Other Oils Absent Slight Moderate Profuse Peposits Sludge Sawdust Pape Relict shells Other Lepoking at stones which are not deare the undersides black in color? Yes No				th are not deeply embedded,		
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder Cobble	> 256 mm (10")			Muck-Mud	black, very fine organic	
Gravel	64-256 mm (2.5"-10") 2-64 mm (0.1"-2.5")			IVIUCK-IVIUU	(FPOM)	

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION		
STATION # RIVERMILE	STREAM CLASS		
LAT LONG	RIVER BASIN		
STORET#	AGENCY		
INVESTIGATORS			
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY	

	Habitat		Condition	ı Category		
	Parameter	Optimal	Suboptimal	Marginal	Poor	
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.	
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.	
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).	
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.	
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.	
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0	

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat	Condition Category								
	Parameter	Optimal	Suboptimal	Marginal	Poor					
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.					
ampl	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0					
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.					
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0					
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.					
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0					
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.					
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0					
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0					

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

LOCATION Harrison County


STREAM CLASS Perennial

STREAM NAME S-CV10

STATION#

RIVERMILE

LAT <u>39.221719</u> LONG <u>-80.546951</u>	RIVER BASIN			
STORET#	T# AGENCY WVDEP			
INVESTIGATORS HC MB		LOT NUMBER		
FORM COMPLETED BY HC	DATE 09/14/21 TIME 1200	REASON FOR SURVEY	Baseline Assessment	
HABITAT TYPES Indicate the percentage of Cobble 8 % Single Submerged Macrophytes	f each habitat type present lags%		%	
SAMPLE Gear used D-frame	kick-net Other			
COLLECTION		rom bank 🔲 from bo	_	
How were the samples col	– –	_	oat	
Indicate the number of ja	bs/kicks taken in each habitat ty lags	anks Sand_		
I CONTINIENTS II	SPC: 162.8 us/cm, [, SPC: 155.9 us/cm sh and fish	• • •		
QUALITATIVE LISTING OF AQUATION Indicate estimated abundance: 0 = Absen Dominant	t/Not Observed, 1 = Rare,	2 = Common, 3= Abu	ndant, 4=	
Periphyton 0 1			0 1 2 3 4	
Filamentous Algae 0 1		vertebrates	0 1 2 3 4	
Macrophytes 0 1	2 3 4 Fish		0 1 2 3 4	
	nt/Not Observed, 1 = Rare s), 3= Abundant (>10 organ	nisms), 4 = Dominant (>50 organisms)	
1	soptera 0 1 2	•	0 1 2 3 4	
, , , , , , , , , , , , , , , , , , ,	•	3 4 Ephemeroptera		
	iptera 0 1 2	_		
1	•	3 4 Other	0 1 2 3 4	
1 -	*	3 4		
Oligochaeta 0 1 2 3 4 Siali		3 4		
1 -		3 4		
Amphipoda 0 1 2 3 4 Tipu	ılidae 0 1 2	3 4		
Decapoda 0 1 2 3 4 Emp		2 4		
I -	oididae 0 1 2	3 4		
Gastropoda 0 1 2 3 4 Sim	oididae 0 1 2 uliidae 0 1 2	3 4 3 4 3 4		



WOLMAN PEBBLE COUNT FORM

Basin:

County: Harrison Stream ID: S-CV10

Stream Name: UNT to Turtletree Fork


HUC Code:

Survey Date: 8/27/2021 Surveyors: JM SM

Type: Bankfull Channel


Y 1	D A DETICAL E		LE COUNT	ъ	PD 4 * **		0/ ~
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	•	0	0.00	0.00
	Very Fine	.062125		A	10	10.00	10.00
	Fine	.12525		•	0	0.00	10.00
	Medium	.255	SAND	A	0	0.00	10.00
	Coarse	.50-1.0		A	0	0.00	10.00
.0408	Very Coarse	1.0-2		A	0	0.00	10.00
.0816	Very Fine	2 -4		A	3	3.00	13.00
.1622	Fine	4 -5.7		*	5	5.00	18.00
.2231	Fine	5.7 - 8		•	5	5.00	23.00
.3144	Medium	8 -11.3	GRAVEL	A	14	14.00	37.00
.4463	Medium	11.3 - 16		^	13	13.00	50.00
.6389	Coarse	16 -22.6		A	10	10.00	60.00
.89 - 1.26	Coarse	22.6 - 32		^	7	7.00	67.00
1.26 - 1.77	Vry Coarse	32 - 45		^	10	10.00	77.00
1.77 -2.5	Vry Coarse	45 - 64		•	7	7.00	84.00
2.5 - 3.5	Small	64 - 90		^	13	13.00	97.00
3.5 - 5.0	Small	90 - 128	CORRIE	A	3	3.00	100.0
5.0 - 7.1	Large	128 - 180	COBBLE	•	0	0.00	100.0
7.1 - 10.1	Large	180 - 256		•	0	0.00	100.0
10.1 - 14.3	Small	256 - 362		^	0	0.00	100.0
14.3 - 20	Small	362 - 512	7	A	0	0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	A	0	0.00	100.0
40 - 80	Large	1024 -2048		*	0	0.00	100.0
80 - 160	Vry Large	2048 -4096		A	0	0.00	100.0
	Bedrock		BDRK	A	0	0.00	100.0
				Totals:	100		







particle size (mm)

Size (mm)	Size Distri	Size Distribution		ype
D16 5.1	mean	18.1	silt/clay	0%
D35 11	dispersion	3.6	sand	10%
D50 16	skewness	0.05	gravel	74%
D65 29			cobble	16%
D84 64			boulder	0%
D95 85				





AS-BUILT TABLE: S-CV10 CROSS SECTION A					
	PRE-CROSSING			AS-BUILT	
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.
T\$-L	14243665.31	1768724.10	1126.29		
BS-L	14243664.37	1768724.46	1124.37		
THW	14243664.37	1768724.46	1124.37		
BS-R	14243664.37	1768724.46	1124.37		
TS-R	14243659.70	1768726.23	1127.90		



SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 十

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON AUGUST 26, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION A7D PROFILE VIEWS FOR COMPARISON.

S-CV10 BASELINE CROSS-SECTION A 1124 0+00 0+10 0+200 + 300 + 400+60 0+70 DISTANCE ALONG CROSS-SECTION (FT)



CROSS SECTION LEGEND — EXISTING GRADE CROSS SECTION
H: 1"=10'
V: 1"=5'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM

PRE-CROSSING

DOWNSTREAM IMPACT LIMITS

CAD File No.

Checked

Drawing No.