Baseline Assessment – Stream Attributes

Reach S-E46 TEMP AR (Temporary Access Road) Perennial Spread D Webster County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope <4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – No habitat
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓




Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, RC/CC Lat: 38.363326 Long: -80.616955




Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, RC/CC Lat: 38.363326 Long: -80.616955



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, RC/CC Lat: 38.363326 Long: -80.616955




Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, RC/CC Lat: 38.363326 Long: -80.616955



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, RC/CC Lat: 38.363326 Long: -80.616955




Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, RC/CC Lat: 38.363326 Long: -80.616955




Photo Type: Riffle, DS View Location, Orientation, Photographer Initials: Upstream of Riffle, Downstream View, RC/CC Lat: 38.363326 Long: -80.616955



Photo Type: Riffle, US View
Location, Orientation, Photographer Initials: Downstream of Riffle, Upstream View, RC/CC
Lat: 38.363326 Long: -80.616955



Photo Type: Pool, DS View Location, Orientation, Photographer Initials: Upstream of Pool, Downstream View, RC/CC Lat: 38.363326 Long: -80.616955




Photo Type: Pool, US View Location, Orientation, Photographer Initials: Downstream of Pool, Upstream View, RC/CC Lat: 38.363326 Long: -80.616955

USACE FILE NO./ Project Name:		Mountain	Valley Pipeline	IMPACT COORDINATES:	Lat.	38.363326	Lon.	-80.616955	WEATHER:	Sunny	DATE:		
(v2.1, Sept 2015)				(in Decimal Degrees)								9/9/20	021
IMPACT STREAM/SITE ID	AND SITE DESCR	RIPTION:	S-E46 1	TEMP AR	-	MITIGATION STREAM CLASS	S./SITE ID A	ND SITE DESCRIPTION:			Comments:		
(watershed size {acreage)						(watershed size {acrea							
STREAM IMPACT LENGTH:	43	FORM OF		MIT COORDINATES:	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:		
yrrezam mii zor eenorm.	43	MITIGATION:	RESTORATION (Levels I-III)	(in Decimal Degrees)	Luc						intigation Eorigan		
Column No. 1- Impact Existin	g Condition (Debit)		Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)		Column No. 3- Mitigation I Post Completi		Five Years	Column No. 4- Mitigation Proje Post Completion (Column No. 5- Mitigation Project	ad at Maturity (Cr	redit)
Stream Classification:	Perennia	al	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0)
Percent Stream Channel S	lope	0.8	Percent Stream Channel Slo	оре		Percent Stream Channel	Slope	0	Percent Stream Channel Sle	ope 0	Percent Stream Channel SI	ope	0
HGM Score (attach d	iata forms):		HGM Score (attach	data forms):		HGM Score (attac	h data forn	es):	HGM Score (attach da	ata forms):	HGM Score (attach da	ata forms):	
		Average		Average				Average		Average			Average
Hydrology			Hydrology			Hydrology		0	Hydrology		Hydrology		
Biogeochemical Cycling Habitat		0	Biogeochemical Cycling Habitat	0		Biogeochemical Cycling Habitat		0	Biogeochemical Cycling Habitat	0	Biogeochemical Cycling Habitat		0
PART I - Physical, Chemical and	I Biological Indicator	rs	PART I - Physical, Chemical and	d Biological Indicators		PART I - Physical, Chemical	and Biologic	al Indicators	PART I - Physical, Chemical and	Biological Indicators	PART I - Physical, Chemical and	Biological Indica	ators
	Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale	Range Site Score		Points Scale Range Site Score		Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all streams	s classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stream	ns classificatio	ns)	PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)	
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)		
Epifaunal Substrate/Available Cover	0-20	16 18	Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20	Epifaunal Substrate/Available Cover	0-20	
2. Embeddedness 3. Velocity/ Depth Regime	0-20	14	Pool Substrate Characterization Pool Variability	0-20		Embeddedness Velocity/ Depth Regime	0-20 0-20		Embeddedness Velocity/ Depth Regime	0-20	2. Embeddedness 3. Velocity/ Depth Regime	0-20	
4. Sediment Deposition	0-20	19	Sediment Deposition	0-20		4. Sediment Deposition	0-20		Velocity Departitegine Sediment Deposition	0-20	Velocity Depart regime Sediment Deposition	0-20	
5. Channel Flow Status	0-20 0.1	17	5. Channel Flow Status	0-20		5. Channel Flow Status	0-20	0.1	5. Channel Flow Status	0-20	5. Channel Flow Status	0-20 0-1	
6. Channel Alteration	0-20	19	6. Channel Alteration	0-20		6. Channel Alteration	0-20	0-1	6. Channel Alteration	0-20	6. Channel Alteration	0-20	
7. Frequency of Riffles (or bends)	0-20	6	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	18	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	6	Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20	Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 Suboptimal	137	10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 0		10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 Por	. 0	 Riparian Vegetative Zone Width (LB & RB) Total RBP Score 	0-20 O	 Riparian Vegetative Zone Width (LB & RB) Total RBP Score 	0-20 Poor	0
Sub-Total	Subopumai	0.685	Sub-Total	0		Sub-Total	POL	0	Sub-Total	0	Sub-Total	Poor	0
CHEMICAL INDICATOR (Applies to Intermitte	nt and Perennial Stream	s)	CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermitt	ent and Perenr	ial Streams)	CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Stres	sams)
WVDEP Water Quality Indicators (Genera	I)		WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (Gener	al)		WVDEP Water Quality Indicators (General))	WVDEP Water Quality Indicators (General)		
Specific Conductivity	_		Specific Conductivity			Specific Conductivity			Specific Conductivity		Specific Conductivity		
100-199 - 85 points	0-90	148		0-90			0-90			0-90		0-90	
pH			pH			pH	_		pH		pH		
	0-80	7.04		5-90 0-1			5-90	0-1		5-90 0-1		5-90 0-1	
6.0-8.0 = 80 points						_							
DO	_		DO			DU			DO		DO		
>5.0 = 30 points	10-30	10.7		10-30			10-30			10-30		10-30	
Sub-Total		0.975	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total		0
BIOLOGICAL INDICATOR (Applies to Intermit	ttent and Perennial Strea	ams)	BIOLOGICAL INDICATOR (Applies to Intermittee	ent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Inter	rmittent and P	erennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennia	ial Streams)
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		
	0-100 0-1			0-100 0-1			0-100	0-1		0-100 0-1		0-100 0-1	
0 Sub-Total		•	Sub-Total			Sub-Total		•	Sub-Total		Sub-Total		
oup- i otal		· ·	Jour Fotal	U		our rotal		U	Sub-1 otal	U	COURT COURT		U
PART II - Index and I	Unit Score		PART II - Index and	Unit Score		PART II - Index a	nd Unit Scor		PART II - Index and U	nit Score	PART II - Index and U	nit Score	
						lada:	Unana		la de si				
Index	Linear Feet L	Jnit Score	Index	Linear Feet Unit Score		Index	Linear	Feet Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet	Unit Scor
Index 0.830	Linear Feet L	35.69	Index	O O		nidex	Cinear	O O	ndex	O O	Index	Linear Feet	Unit Scor

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION						
STATION # RIVERMILE	STREAM CLASS						
LAT LONG	RIVER BASIN						
STORET#	AGENCY						
INVESTIGATORS							
FORM COMPLETED BY	DATE	REASON FOR SURVEY					



PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field/ Agric	Pasture Industr	ercial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	TION	Trees	e the dominant type an	Shrubs		erbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	km² (m²x1000) ed Stream Depth Velocity	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle % Pool	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		of LWD	m ² /km ² (LWD/	reach area)	
AQUATIO VEGETA		Roote Floati Domin a	ed emergent Fing Algae A	Rooted submerge Attached Algae		Ü
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	cature0 C Conductance ed Oxygen ty strument Used	_	Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear □ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils Abser	ical Anaerobic		are the undersides blac	Othereh are not deeply embedded,
INC	ORGANIC SUBS		COMPONENTS 00%)		ORGANIC SUBSTRATE C	
Substrate Type	Diamete	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock	-			Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder	> 256 mm (10")				materials (CI OWI)	
Cobble	64-256 mm (2.5	"-10")		Muck-Mud	black, very fine organic (FPOM)	

Gravel

2-64 mm (0.1"-2.5")

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET#	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY			

	Habitat		Condition	ı Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.				
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).				
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Ps	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Condition	n Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.				
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.				
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.				
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.				
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION							
STATION #	_ RIVERMILE	STREAM CLASS							
LAT	LONG	RIVER BASIN							
STORET#		AGENCY	AGENCY						
INVESTIGATORS			LOT NUMBER						
FORM COMPLETED	ВҮ	DATE REASON FOR SURVEY TIME							
HABITAT TYPES Indicate the percentage of each habitat type present Cobble % Snags % Venetated Banks % Sand %									

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Webster Stream ID: S-E46 TEMP AR

Stream Name: Strouds Creek TEMP AR

HUC Code: Basin:


Survey Date: 9/9/2021


RFC, COC Bankfull Channel Surveyors: Impact Reach: 13.72 m

Type:

			LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	A	4	4.00	4.00
	Very Fine	.062125		^	6	6.00	10.00
	Fine	.12525	1	*	6	6.00	16.00
	Medium	.255	SAND	^	7	7.00	23.00
	Coarse	.50-1.0		*	7	7.00	30.00
.0408	Very Coarse	1.0-2		*	0	0.00	30.00
.0816	Very Fine	2 -4	GRAVEL	^	0	0.00	30.00
.1622	Fine	4 -5.7		^	4	4.00	34.00
.2231	Fine	5.7 - 8		^	6	6.00	40.00
.3144	Medium	8 -11.3		^	2	2.00	42.00
.4463	Medium	11.3 - 16		A	2	2.00	44.00
.6389	Coarse	16 -22.6		A	2	2.00	46.00
.89 - 1.26	Coarse	22.6 - 32	1	A	3	3.00	49.00
1.26 - 1.77	Vry Coarse	32 - 45	1	A	3	3.00	52.00
1.77 -2.5	Vry Coarse	45 - 64	1	A	4	4.00	56.00
2.5 - 3.5	Small	64 - 90		A	0	0.00	56.00
3.5 - 5.0	Small	90 - 128	1	A	5	5.00	61.00
5.0 - 7.1	Large	128 - 180	COBBLE	A	3	3.00	64.00
7.1 - 10.1	Large	180 - 256	-	A	3	3.00	67.00
10.1 - 14.3	Small	256 - 362		<u> </u>	3	3.00	70.00
14.3 - 20	Small	362 - 512	1	<u> </u>	0	0.00	70.00
20 - 40	Medium	512 - 1024	BOULDER	<u> </u>	0	0.00	70.00
40 - 80	Large	1024 -2048		<u> </u>	0	0.00	70.00
80 - 160	Vry Large	2048 -4096		<u> </u>	0	0.00	70.00
	Bedrock		BDRK	<u> </u>	30	30.00	100.00
				Totals:	100		

Bankfull Channel Pebble Count, S-E46 TEMP AR, Strouds Creek TEMP AR







	Size (mm)			
99	D16	0.14		
	D35	0.58		
	D50	6.3		
	D65	20		
	D84	110		
	D95	240		


Size Distr	Size Distribution			
mean	3.9			
dispersion	31.2			
skewness	-0.12			

T	ype		
silt/clay	4%	bedrock	30%
sand	26%		
gravel	26%		
cobble	11%		
boulder	3%		





AS-BUILT TABLE: S-E46 TEMP AR CROSS SECTION B					
	PRE-CROSSING			AŞ-E	UILT
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.
TS-L	13931024.79	1750184.97	2055.35		
BS-L	13931037.48	1750186.96	2048.21		
THW	13931053.83	1750189.51	2046.78		
BS-R	13931062.48	1750190.86	2047.90		
TS-R	13931072.62	1750192.45	2050.53	_	



SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 十

EXISTING SURVEY-LOCATED THALWEG


EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 9, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-E46 TEMP AR BASELINE CROSS-SECTION A UPSTREAM FROM BRIDGE



S-E46 TEMP AR BASELINE CROSS-SECTION B



CROSS SECTION LEGEND

— EXISTING GRADE

CROSS SECTION

H: 1"=10'

SCALE: V. 1"-5'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM

PRE-CROSSING

DOWNSTREAM IMPACT LIMITS

Approved
NOTED
Scale:
EPT. 2021
Date:
121C07157
Project No.

CAD File No.

UVE FOSTER PLAZA 7 GH, PA 15220 OFAX: (412) 921-4040

661 ANDERSEN DRIVE FOS: PITTSBURGH, PA 1 TEL: (412) 921-7090 FAX: (

ETRA TECH



LLEY PIPELINE, LLC DRIVE, 2ND FLOOR JRG. PA 15317

10UNTAIN VALLEY 200 ENERGY DRIVI

> E AND CROSS—SECTIONS BASELINE SURVEY SING S—E46 TEMP AR — JDS CREEK (MP 110.13)

PROFILE AND CR BASELINE CROSSING S-E4 STROUDS CREE

1

Drawing No.