## Reach S-E49 (Pipeline ROW) Ephemeral Spread D Nicholas County, West Virginia

Data	Included
Photos	$\checkmark$
SWVM Form	$\checkmark$
FCI Calculator and HGM Form	$\checkmark$
RBP Physical Characteristics Form	$\checkmark$
Water Quality Data	N/A – No flow
RBP Habitat Form	$\checkmark$
RBP Benthic Form	$\checkmark$
Benthic Identification Sheet	N/A – No flow
Wolman Pebble Count	$\checkmark$
Reference Reach Software Pebble Count Data	$\checkmark$
Longitudinal Profile and Cross Sections	$\checkmark$

### Spread D Stream S-E49 (Pipeline ROW) Nicholas County



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, RH/VM Lat: 38.365574 Long: -80.613141



Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, RH/VM Lat: 38.365574 Long: -80.613141

### Spread D Stream S-E49 (Pipeline ROW) Nicholas County



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, RH/VM Lat: 38.365574 Long: -80.613141



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, RH/VM Lat: 38.365574 Long: -80.613141

Spread D Stream S-E49 (Pipeline ROW) Nicholas County



Photo Type: US, US View

Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, RH/VM Lat: 38.365574 Long: -80.613141



Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, RH/VM Lat: 38.365574 Long: -80.613141

USACE FILE NO./ Project Name: (v2.1, Sept 2015)			l	Mountain \	Valley Pipeline			OORDINATES		
IMPACT STREAM/SITE ID (watershed size {acreage}					S	-E49				
STREAM IMPACT LENGTH:	88	88 FORM OF MITIGATION:			RESTORATION (Levels I-III)		MIT COORDINATE (in Decimal Degree			
Column No. 1- Impact Existing	g Conditio	on (De	bit)		Column No. 2- Mitigation Existing (	Condition	- Baseli	ne (Credit)		
Stream Classification:	Ephemeral				Stream Classification:					
Percent Stream Channel SI	lope		14.6		Percent Stream Channel S	ope				
HGM Score (attach d	lata form	s):			HGM Score (attach	data for	ms):			
			Average					Average		
Hydrology	0.4	7			Hydrology	<u></u>				
Biogeochemical Cycling	0.1		0.24666667		Biogeochemical Cycling			0		
Habitat	0.0	-			Habitat			-		
PART I - Physical, Chemical and			ators		PART I - Physical, Chemical ar	nd Biologi	cal Indi	cators		
	Points Scale	Range	Site Score			Points Scale	Range	Site Score		
PHYSICAL INDICATOR (Applies to all streams	s classificati	ions)			PHYSICAL INDICATOR (Applies to all streams	classificati	ons)			
JSEPA RBP (High Gradient Data Sheet)					USEPA RBP (Low Gradient Data Sheet)					
I. Epifaunal Substrate/Available Cover	0-20		0		1. Epifaunal Substrate/Available Cover	0-20				
2. Embeddedness	0-20		4		2. Pool Substrate Characterization	0-20				
8. Velocity/ Depth Regime	0-20		0		3. Pool Variability	0-20				
I. Sediment Deposition	0-20	]	20		4. Sediment Deposition	0-20	]			
5. Channel Flow Status	0-20	0-1 0		5. Channel Flow Status	0-20	0-1				
6. Channel Alteration	0-20	0-1	<sup>0-1</sup> <b>11</b>		6. Channel Alteration	0-20	Ŭ,			
7. Frequency of Riffles (or bends)	0-20		0		7. Channel Sinuosity	0-20				
. Bank Stability (LB & RB)	0-20		16		8. Bank Stability (LB & RB)	0-20				
<ol> <li>Vegetative Protection (LB &amp; RB)</li> </ol>	0-20		17		9. Vegetative Protection (LB & RB)	0-20				
0. Riparian Vegetative Zone Width (LB & RB)	0-20		16		10. Riparian Vegetative Zone Width (LB & RB)	0-20				
Total RBP Score	Subop	timal	84	-	Total RBP Score	Po	or	0		
Sub-Total CHEMICAL INDICATOR (Applies to Intermitter	nt and Perei	nnial Str	0.7 reams)		Sub-Total CHEMICAL INDICATOR (Applies to Intermitter	nt and Perer	nnial Strea	<b>0</b> ams)		
WVDEP Water Quality Indicators (General	I)				WVDEP Water Quality Indicators (General	)				
Specific Conductivity					Specific Conductivity			0		
100-199 - 85 points	0-90					0-90				
Н	0-80	0-1			рН	5-90	0-1	0		
5.6-5.9 = 45 points					DO	0.00				
	10-30					10-30				
Sub-Total					Sub-Total			0		
BIOLOGICAL INDICATOR (Applies to Intermit	ttent and Pe	rennial	Streams)	_	BIOLOGICAL INDICATOR (Applies to Intermit	tent and Pe	rennial Sti	reams)		
WV Stream Condition Index (WVSCI)	0-100	0.1			WV Stream Condition Index (WVSCI)	0-100	0.1			
0 Sub-Total	0-100	0-1	0	-	Sub-Total	0-100	0-1	0		
			· ·	_						
PART II - Index and L	Jnit Score	•			PART II - Index and	Unit Sco	re			

Index	Linear Feet	Unit Score
0.498	88	43.8533333

PART II - Index and U	Jnit Score	
Index	Linear Feet	Unit Score
0	0	0

38.3	65574	Lon.		-80.613141	WEATHER:		Sunny	DATE:		9/24/2	021
MITIGATION	I STREAM CLASS. (watershed size {acreag			TE DESCRIPTION: rments)				Comments:			
		Lon.			PRECIPITATION PAST 48 HRS:			Mitigation Length:			
Colum	n No. 3- Mitigation P Post Completio			/ears	Column No. 4- Mitigation Pro Post Completion		Years	Column No. 5- Mitigation Projec	ted at Matu	rity (Cro	edit)
Stream Classification				0	Stream Classification:		0	Stream Classification:		0	
Percent	Stream Channel S	Slope		0	Percent Stream Channel S	lope	0	Percent Stream Channel S	lope		(
	HGM Score (attach	h data for	ms):	<u>.</u>	HGM Score (attach d	lata forms):		HGM Score (attach o	lata forms	):	
				Average			Average				Ave
Hydrology Biogeochemical Cyc Habitat	ling			0	Hydrology Biogeochemical Cycling Habitat		0	Hydrology Biogeochemical Cycling Habitat			
	Physical, Chemical a	nd Biolog	ical Ind	icators	PART I - Physical, Chemical and	l Biological Ir	dicators	PART I - Physical, Chemical and	l Biologica	Indicat	ors
PHYSICAL INDICATO	R (Applies to all stream	Points Scale		Site Score	PHYSICAL INDICATOR (Applies to all stream		Inge Site Score	PHYSICAL INDICATOR (Applies to all stream	Points Scale	Range	Site
USEPA RBP (High G					USEPA RBP (High Gradient Data Sheet)		/	USEPA RBP (High Gradient Data Sheet)			
1. Epifaunal Substrate		0-20			1. Epifaunal Substrate/Available Cover	0-20		1. Epifaunal Substrate/Available Cover	0-20		
2. Embeddedness		0-20			2. Embeddedness	0-20		2. Embeddedness	0-20		
3. Velocity/ Depth Rec		0-20			3. Velocity/ Depth Regime	0-20		3. Velocity/ Depth Regime	0-20		
4. Sediment Deposition		0-20	-		4. Sediment Deposition	0-20		4. Sediment Deposition	0-20		
5. Channel Flow Statu	S	0-20	0-1		5. Channel Flow Status		-1	5. Channel Flow Status	0-20	0-1	
6. Channel Alteration	(	0-20	_		6. Channel Alteration	0-20		6. Channel Alteration	0-20		
7. Frequency of Riffles		0-20	-		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	-	
8. Bank Stability (LB 8		0-20	-		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	-	
9. Vegetative Protection 10. Riparian Vegetative	· · · · · · · · · · · · · · · · · · ·	0-20	-		9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB)	0-20		9. Vegetative Protection (LB & RB) 10. Riparian Vegetative Zone Width (LB & RB)	0-20		
Total RBP Score		0-20 PC	or	0	Total RBP Score	0-20 Poor	0	Total RBP Score	Poo	or	
Sub-Total			501	0	Sub-Total	1 001	0	Sub-Total	100		
CHEMICAL INDICAT	<b>DR</b> (Applies to Intermitte	ent and Pere	nnial Stre	eams)	CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennia	l Streams)	CHEMICAL INDICATOR (Applies to Intermitte	nt and Peren	nial Strea	ms)
WVDEP Water Qualit	y Indicators (Genera	al)			WVDEP Water Quality Indicators (General	al)		WVDEP Water Quality Indicators (Genera	l)		
Specific Conductivit	/				Specific Conductivity			Specific Conductivity			
		0-90				0-90			0-90		
pН			-		pH			pH			
рп			0-1		ph	(	p-1	pri		0-1	
		5-90				5-90			5-90		
DO					DO			DO			
		10-30	1			10-30			10-30		
Out Tatal				0							
Sub-Total		mittert	Deres	0	Sub-Total	mittent and D		Sub-Total	nittent and	Dorecce	Stree
BIOLOGICAL INDICA		initient and	rerenni		BIOLOGICAL INDICATOR (Applies to Interr		enniai Streams)	BIOLOGICAL INDICATOR (Applies to Interr	initient and I	erennia	Strea
		0.400	0.1			0.400			0.400	0.4	
Sub-Total		0-100	0-1	0	 Sub-Total	0-100	0	Sub-Total	0-100	0-1	
				U			U				
	PART II - Index and	d Unit Sco	ore		PART II - Index and U	Jnit Score		PART II - Index and I	Jnit Score		

Index	Linear Feet	Unit Score	Index	Linear F	Feet Unit Score									
0.498	88	43.8533333	0	0	0	0	0	0	0	0	0	0	0	0

PART II - Index and U	nit Score	
Index	Linear Feet	Unit Score
0	0	0

	in Score	
Index	Linear Feet	Unit Score
0	0	0

#### FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V<sub>CCANOPY</sub> (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

 Project Name: MVP Preliminary Assessment Location: Nicholas County, Spread D
 Project Site
 Before Project

 Sampling Date: 9/24/21
 Project Site
 Before Project

 Subclass for this SAR: Ephemeral Stream
 Figure 1 Stream
 SAR number:
 S-E49

 Uppermost stratum present at this SAR: Shrub/Herb Strata
 Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index	
Hydrology	0.47	
Biogeochemical Cycling	0.19	
Habitat	0.08	

#### Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V <sub>CCANOPY</sub>	Percent canpoy over channel.	Not Used, <20%	Not Used
V <sub>EMBED</sub>	Average embeddedness of channel.	1.00	0.10
V <sub>SUBSTRATE</sub>	Median stream channel substrate particle size.	0.08	0.04
V <sub>BERO</sub>	Total percent of eroded stream channel bank.	0.00	1.00
V <sub>LWD</sub>	Number of down woody stems per 100 feet of stream.	0.00	0.00
V <sub>TDBH</sub>	Average dbh of trees.	Not Used	Not Used
V <sub>SNAG</sub>	Number of snags per 100 feet of stream.	0.00	0.10
V <sub>SSD</sub>	Number of saplings and shrubs per 100 feet of stream.	91.46	1.00
V <sub>SRICH</sub>	Riparian vegetation species richness.	0.00	0.00
VDETRITUS	Average percent cover of leaves, sticks, etc.	3.75	0.05
V <sub>HERB</sub>	Average percent cover of herbaceous vegetation.	96.25	1.00
V <sub>WLUSE</sub>	Weighted Average of Runoff Score for Catchment.	0.88	0.93

			Hign-G		Headwa Data She					a		
То				Field I	Jata She	et and C	aicui			Morthing	. 20 265574	
	am: <mark>RH, VI</mark> ne: <mark>MVP P</mark>		inary Asses	sment			-			-	: 38.365574 : -80.61314	
•	-		ounty, Sprea					-	•	npling Date		
SAR Num				Length (ft):	82	Stream T	pe:	Ephe	meral Stream			
Top Stra	ata:	Shr	ub/Herb Str	ata	(determine	d from perc	ent calc					
ite and Timi	ng: Projec	t Sito				-	Before	Proie	d			-
ple Variab			m ohonnol				belore	Troje				
				over chann	el by tree a	nd sapling c	anopy.	Mea	sure at no	fewer than	10 roughly	
	equidis 20%, e	enter a	at least one	value betw	n. Measure reen 0 and 1					20%. (If le	ess than	Not Us <20%
		ver m			point below:	-			-	-	-	1
0	0	_	0	0	0	0	0		0	0	0	
V <sub>EMBED</sub>	Averag	je em	beddednes	s of the stre	am channe	I. Measure	at no fe	ewer	than 30 rou	ghly equidi	stant points	
					from the be							1.0
					particle that the bed is a							-
					posed of be					nne seam	enis, use a	
					obble and b					ts. Megaha	n. and	7
	Minsha			<b>J</b>						, 5		
	Rati	ng	Rating Des	cription								]
	5				overed, sur						ck)	
	4				ace covered				,			
	3				face covere face covere							-
	1					,					ial surface)	
List the	ratings at e	each <sub>l</sub>	point below	r:								_
1	1		1	1	1	1	1		1	1	1	
1	1		1	1	1	1	1		1	1	1	
1	1		1	1	1	1	1		1	1	1	
asphalt	or concrete	e as (	).0 in, sand	or finer par	inch at eacl ticles as 0.0	8 in):				-		1
80.0 80.0			0.08	0.08	0.08	0.08	0.0		0.08	0.08	0.08	
0.08			0.08	0.08	0.08	0.08	0.0		0.08	0.08	0.08	
V <sub>BERO</sub>					annel bank.							
			o 200%.	entage will L	e calculate		liks ale	eio			le stream	0 %
			Left Bank:	0	ft		Right E	Bank:	0	) ft		
nlo Variab	os 5-9 wit	hin th	o ontiro ri	oarian/buff	er zone adj	acont to th	o etroa	m ch	annol (25 f	oot from o	ach bank)	
V <sub>LWD</sub>	Numbe	er of d	lown woody	/ stems (at I	east 4 inche	es in diamet	er and	36 in	ches in leng	gth) per 100	) feet of	
				e number fr will be calcu	om the entir Ilated.	e 50'-wide i	outter a	nd w	thin the cha	annel, and i	ine amount	0.0
	P					f downed w	oody st	ems:		0		
V <sub>TDBH</sub>					ly if V <sub>CCANOP</sub>		ng cove	r is a	t least 20%	). Trees ar	e at least 4	Not Us
	inches	(10 c	cm) in diam	eter. Enter	tree DBHs i	n inches.						NOL US
				ents of indiv	idual trees	(at least 4 i	n) withi	n the	buffer on ea	ach side of		
	the stre	eam L	Left Side						Right Side			1
			Leit Side			0			Right Side			
0						0						
0												1
0												1
0												
0												1
0												
0												
0												
					nd 2011 - 10				Enter and			
0					ind 36" tall)				Enter numb	per of snage	s on each	0.0
					nd 36" tall) t per 100 fee				Enter numb	per of snage	s on each	0.0
V <sub>SNAG</sub>	side of	the s	tream, and	the amount	t per 100 fee 0	et will be ca	Right S	d. Side:		0		0.0
	side of Numbe	the s	tream, and Left Side: aplings and	the amount d shrubs (we	t per 100 fee 0 pody stems	et will be ca	Right Steel	d. Side: ) per	100 feet of	0 stream (me		

9	9 V <sub>SRICH</sub> Riparian vegetation species richness per 100 feet of stream reach. Check all species present from Group 1 in the tallest stratum. Check all exotic and invasive species present in all strata. Species 0.00										
		richness pe	er 100 feet a				from these d	ata.	-		0.00
	A		p 1 = 1.0	Ma	1 - 1 -	_	A 11 11		2 (-1.0)	1	
	Acer rubru			Magnolia trip			Ailanthus al			Lonicera jaj	
	Acer sacch			Nyssa sylvai			Albizia julibi			Lonicera ta	
	Aesculus fi			Oxydendrum			Alliaria petio			Lotus corni	
	Asimina tri			Prunus sero			Alternanthe philoxeroide			Lythrum sa	
	Betula alleg Betula lent			Quercus alb						Microstegium Paulownia	
	Carya alba			Quercus coo Quercus imb			Aster tatario Cerastium f			uspidatum	
	Carya alba Carya glab			Quercus prir			Coronilla va			Pueraria m	
	Carya oval			Quercus rub			Elaeagnus un			Rosa multif	
	Carya ovai			Quercus vel			Lespedeza		Π	Sorghum h	
	Cornus floi			Sassafras al	lbidum		Lespedeza			Verbena br	-
	Fagus grai	ndifolia		Tilia america	ana		Ligustrum obi				
	Fraxinus a	mericana		Tsuga canad	densis		Ligustrum s	inense			
	Liriodendron	tulipifera		Ulmus amer	icana						
	Magnolia a	cuminata									
┣──		0	Species in	Group 1				0	Species in	Group 2	
		U	opecies in	oroup 1				U	Species in	Group Z	
							in the ripari		one within	25 feet from	n each
bank. 10	The four sul	-	-		-		ach side of the material. Wo		<4" diamete	ar and <36"	
10	* DETRITUS						yer at each s		ulumote		3.75 %
			Left	Side			Right	Side			
		0	5	5	0	15	0	0	5		
11	V <sub>HERB</sub>	Average pe	ercentage co	over of herba	ceous vege	etation (mea	asure only if t	ree cover i	s <20%). D	o not	
	hend	include woo	ody stems a	t least 4" dbh	and 36" ta	all. Because	e there may b	e several la	ayers of grou	und cover	96 %
		each subple		s up through .	200% are a	accepted.	Enter the per	cent cover (	or ground ve	getation at	
				Side			Right	Side		i '	
		100	95	95	100	85	100	100	95		
				chment of th		-					
12	V <sub>WLUSE</sub>	Weighted F	Verage of F	Runoff Score	for watersr	ied:					0.88
									Runoff	% in Catch	Running
			Land	Use (Choose	From Drop	p List)			Score	ment	Percent (not >100)
	Forest and n	ative range (>	75% around	cover)				-	1	63.9	63.9
		-	-	tments, etc.) (6	5% cover)			-	0		64.7
								-		0.8	
	Open space	(pasture, lawn	s, parks, etc.),	grass cover >7	75%			•	0.3	14.9	
	Forest and n	ative range (5	0% to 75% gr	ound cover)							79.6
	Forest and n	ative range (>	77.70 C					•	0.7	3.3	82.9
			75% ground	cover)				• •	0.7 1	3.3 17.1	
	_		75% ground	cover)				-			82.9
	-		75% ground	cover)				•			82.9
			75% ground	cover)				•			82.9
		S-E49	75% ground	cover)			Not	* * *			82.9
v		1		cover)			Not	* * *			82.9
	ariable	Value Not Used,	VSI	cover)			Not	* * *			82.9
Vc	ariable CANOPY	Value Not Used, <20%	VSI Not Used	cover)			Not	* * *			82.9
V <sub>c</sub> V <sub>E</sub>	ariable CANOPY MBED	Value Not Used, <20% 1.0	VSI Not Used 0.10	cover)			Not	* * *			82.9
V <sub>c</sub> V <sub>E</sub>	ariable CANOPY	Value Not Used, <20%	VSI Not Used	cover)			Not	* * *			82.9
V <sub>C</sub> V <sub>E</sub> V <sub>S</sub>	ariable CANOPY MBED UBSTRATE ERO	Value Not Used, <20% 1.0	VSI Not Used 0.10				Not	* * *			82.9
V <sub>C</sub> V <sub>E</sub> Vs	ariable CANOPY MBED UBSTRATE ERO	Value Not Used, <20% 1.0 0.08 in	VSI Not Used 0.10 0.04				Not	* * *			82.9
V <sub>C</sub> V <sub>E</sub> V <sub>S</sub> V <sub>B</sub>	ariable CANOPY MBED UBSTRATE ERO	Value Not Used, <20% 1.0 0.08 in 0 %	VSI Not Used 0.10 0.04 1.00	cover)			Not	* * *			82.9
V <sub>C</sub> V <sub>E</sub> V <sub>S</sub> V <sub>B</sub> V <sub>L</sub> V <sub>T</sub>	ariable CANOPY MBED UBSTRATE ERO WD	Value Not Used, <20% 1.0 0.08 in 0 % 0.0	VSI Not Used 0.10 0.04 1.00 0.00	cover)			Not	* * *			82.9
V <sub>с</sub> V <sub>Е</sub> V <sub>S</sub> V <sub>В</sub> V <sub>L</sub> V <sub>T</sub>	ariable CANOPY MBED UBSTRATE ERO WD DBH NAG	Value Not Used, <20% 1.0 0.08 in 0 % 0.0 Not Used	VSI Not Used 0.10 0.04 1.00 0.00 Not Used				Not	* * *			82.9
V <sub>c</sub> V <sub>E</sub> V <sub>S</sub> V <sub>B</sub> V <sub>L</sub> V <sub>T</sub> V <sub>S</sub> V <sub>S</sub>	ariable CANOPY MBED UBSTRATE ERO WD DBH NAG SD	Value Not Used, <20% 1.0 0.08 in 0 % 0.0 Not Used 0.0 91.5	VSI Not Used 0.10 0.04 1.00 0.00 Not Used 0.10 1.00				Not	* * *			82.9
V <sub>C</sub> V <sub>E</sub> V <sub>S</sub> V <sub>B</sub> V <sub>L</sub> V <sub>T</sub> V <sub>S</sub> V <sub>S</sub>	ariable CANOPY MBED UBSTRATE ERO WD DBH NAG SD RICH	Value Not Used, <20% 1.0 0.08 in 0 % 0.0 Not Used 0.0 91.5 0.00	VSI Not Used 0.10 0.04 1.00 0.00 Not Used 0.10 1.00 0.00				Not	* * *			82.9
V <sub>C</sub> V <sub>E</sub> V <sub>S</sub> V <sub>L</sub> V <sub>T</sub> V <sub>S</sub> V <sub>S</sub> V <sub>S</sub> V <sub>S</sub> V <sub>S</sub>	ariable CANOPY MBED UBSTRATE ERO WD DBH NAG SD RICH ETRITUS	Value Not Used, <20% 1.0 0.08 in 0 % 0.0 Not Used 0.0 91.5 0.00 3.8 %	VSI Not Used 0.10 0.04 1.00 0.00 Not Used 0.10 1.00 0.00 0.05				Not	* * *			82.9
V <sub>C</sub> V <sub>E</sub> V <sub>S</sub> V <sub>B</sub> V <sub>L</sub> V <sub>T</sub> V <sub>S</sub> V <sub>S</sub> V <sub>S</sub> V <sub>D</sub> V <sub>H</sub>	ariable CANOPY MBED UBSTRATE ERO WD DBH NAG SD RICH	Value Not Used, <20% 1.0 0.08 in 0 % 0.0 Not Used 0.0 91.5 0.00	VSI Not Used 0.10 0.04 1.00 0.00 Not Used 0.10 1.00 0.00				Not	* * *			82.9

# PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION			
STATION # RIVERMILE	STREAM CLASS			
LAT LONG	RIVER BASIN			
STORET #	AGENCY			
INVESTIGATORS				
FORM COMPLETED BY	DATE TIME	REASON FOR SURVEY		

WEATHER CONDITIONS	Now storm (heavy rain) rain (steady rain) showers (intermittent) % %cloud cover clear/sunny	Past 24 hours	Has there been a heavy rain in the last 7 days? Yes No Air Temperature0 C Other
SITE LOCATION/MAP	Draw a map of the site and indicate	the areas sam	pled (or attach a photograph)
		E49 -	Pipe CL >
	Coming In	5-	Going Away
	Timbe	.1	Mont
	LOD	1	
STREAM CHARACTERIZATION	Stream Origin	fidal -fed e of origins	Stream Type       Warmwater         Coldwater       Warmwater         Catchment Areakm <sup>2</sup>

## PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERSHED FEATURES RIPARIAN VEGETATION (18 meter buffer)	Predominant Surrounding Landuse       Local Watershed NPS Pollution         Forest       Commercial         Field/Pasture       Industrial         Agricultural       Other         Residential       Other         Indicate the dominant type and record the dominant species present       Herbaceous         Trees       Shrubs       Grasses         Dominant species present       Herbaceous
INSTREAM FEATURES	Dominant species present
LARGE WOODY	LWDm <sup>2</sup>
DEBRIS	Density of LWDm <sup>2</sup> /km <sup>2</sup> (LWD/ reach area)
AQUATIC	Indicate the dominant type and record the dominant species present
VEGETATION	Rooted emergent       Rooted submergent       Rooted floating       Free floating         Floating Algae       Attached Algae       Booted floating       Free floating       Free floating         Dominant species present
WATER QUALITY (DS, US)	Temperature0 C       Water Odors Normal/None       Sewage         Specific Conductance       Petroleum Fishy       Chemical Other         Dissolved Oxygen       Water Surface Oils Slick       Sheen None       Globs       Flecks         pH       Turbidity (if not measured) Clear       Slightly turbid       Turbid Turbid       Turbid Opaque       Turbid
SEDIMENT/	Odors
SUBSTRATE	Normal     Sewage     Petroleum     Deposits       Chemical     Anaerobic     None     Sludge     Sawdust     Paper fiber     Sand       Other     Other     Epoking at stones which are not deeply embedded are the undersides black in color?     How are the undersides black in color?

INC	ORGANIC SUBSTRATE (should add up to			ORGANIC SUBSTRATE COMPONENTS (does not necessarily add up to 100%)					
Substrate Diameter Type		% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area				
Bedrock Boulder > 256 mm (10")			Detritus	sticks, wood, coarse plant					
				materials (CPOM)					
Cobble	64-256 mm (2.5"-10")		Muck-Mud	black, very fine organic					
Gravel 2-64 mm (0.1"-2.5")				(FPOM)					
Sand	0.06-2mm (gritty)		Marl	grey, shell fragments					
Silt	0.004-0.06 mm								
Clay	< 0.004 mm (slick)								

#### HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION			
STATION # RIVERMILE	STREAM CLASS			
LAT LONG	RIVER BASIN			
STORET #	AGENCY			
INVESTIGATORS				
FORM COMPLETED BY	DATE TIME AM PM	REASON FOR SURVEY		

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are <u>not</u> new fall and <u>not</u> transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	-70% mix of stable bitat; well-suited for Il colonization potential; equate habitat for aintenance of pulations; presence of ditional substrate in the rm of newfall, but not t prepared for lonization (may rate at gh end of scale).20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.Less than 20% stable habitat; lack of habit obvious; substrate unstable or lacking.51413121110987654321514131211109876543216surrounded by fine diment.Gravel, cobble, and boulder particles are 25- 75% surrounded by fine diment.Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.Only 2 of the 4 habitat regimes present (if fast- shallow or slow-shallowDominated by 1 veld depth regime (usual) slow-deep).	
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0- 25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	boulder particles are 50- 75% surrounded by fine	boulder particles are more than 75% surrounded by
ted iı	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow- deep, slow-shallow, fast- deep, fast-shallow). (Slow is $< 0.3$ m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	regimes present (if fast- shallow or slow-shallow	Dominated by 1 velocity/ depth regime (usually slow-deep).
Iram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
P	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

Rapid Bioassessment Protocols For Use in Streams and Wadeable Rivers: Periphyton, Benthic Macroinvertebrates, and Fish, Second Edition - Form 2

#### HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat		Condition	ı Category	
Parameter	Optimal	Suboptimal	Marginal	Poor
6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
<ul> <li>SCORE</li> <li>8. Bank Stability (score each bank)</li> <li>Note: determine left or right side by facing downstream.</li> <li>SCORE (LB)</li> <li>SCORE (RB)</li> <li>9. Vegetative</li> <li>Protection (score each bank)</li> </ul>	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion.	Moderately unstable; 30- 60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well- represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
<b>10. Riparian</b> <b>Vegetative Zone</b> <b>Width</b> (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
SCORE(RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total Score \_\_\_\_\_

#### BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION	
STATION #	_ RIVERMILE	STREAM CLASS	
LAT	LONG	RIVER BASIN	
STORET #		AGENCY	
INVESTIGATORS			LOT NUMBER
FORM COMPLETED	BY	DATE TIME	REASON FOR SURVEY
HABITAT TYPES	Indicate the percentage of Cobble% Sn Submerged Macrophytes	ags% Vegetated B	anks% Sand% )%
SAMPLE COLLECTION	Indicate the number of jab	lected? wading fi ps/kicks taken in each habitat ty lags Vegetated B	anks Sand
GENERAL COMMENTS			

#### QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

#### FIELD OBSERVATIONS OF MACROBENTHOS


Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3= Abundant (>10 organisms), 4 = Dominant (>50 organisms)


Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

#### WOLMAN PEBBLE COUNT FORM


County:	Nicholas	Stream ID:	S-E49
Stream Name:	UNT to Gauley River		
HUC Code:		Basin:	
Survey Date:	9/24/2021		
Surveyors:	RH, VM	Impact Reach: 25 m	
Type:	Bankfull Channel		

			BLE COUNT	<u> </u>			
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cui
	Silt/Clay	< .062	S/C	▲ ▼	100	100.00	100.0
	Very Fine	.062125		▲ ▼	0	0.00	100.0
	Fine	.12525		▲ ▼	0	0.00	100.0
	Medium	.255	SAND	▲ ▼	0	0.00	100.0
	Coarse	.50-1.0		▲ ▼	0	0.00	100.0
.0408	Very Coarse	1.0-2		▲ ▼	0	0.00	100.0
.0816	Very Fine	2 -4		▲ ▼	0	0.00	100.0
.1622	Fine	4 -5.7		▲ ▼	0	0.00	100.0
.2231	Fine	5.7 - 8		▲ ▼	0	0.00	100.0
.3144	Medium	8 -11.3		▲ ▼	0	0.00	100.0
.4463	Medium	11.3 - 16	GRAVEL	▲ ▼	0	0.00	100.0
.6389	Coarse	16 -22.6		▲ ▼	0	0.00	100.0
.89 - 1.26	Coarse	22.6 - 32		▲ ▼	0	0.00	100.0
1.26 - 1.77	Vry Coarse	32 - 45		▲ ▼	0	0.00	100.0
1.77 -2.5	Vry Coarse	45 - 64		▲ ▼	0	0.00	100.0
2.5 - 3.5	Small	64 - 90		▲ ▼	0	0.00	100.0
3.5 - 5.0	Small	90 - 128		▲ ▼	0	0.00	100.0
5.0 - 7.1	Large	128 - 180	COBBLE	▲ ▼	0	0.00	100.0
7.1 - 10.1	Large	180 - 256		▲ ▼	0	0.00	100.0
10.1 - 14.3	Small	256 - 362		▲ ▼	0	0.00	100.0
14.3 - 20	Small	362 - 512	1	▲ ▼	0	0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	▲ ▼	0	0.00	100.0
40 - 80	Large	1024 -2048	1	▲ ▼	0	0.00	100.0
80 - 160	Vry Large	2048 -4096	1	▲ ▼	0	0.00	100.0
	Bedrock		BDRK	▲ ▼	0	0.00	100.0
				Totals:	100		





AS-BUILT TABLE: S-E49 CROSS SECTION A					
	PRE-CROSSING			AS-BUILT	
PT. LOC.	NORTHING	EASTING	ELEV	VERT. DIFF.	HORZ. DIFF.
TS-L	13931888.8576	1751294.2624'	4193.844'		
BS-L	13931884.2400	1751293.4835'	2096.531'		
THW	13931882.1400	1751293.0950'	2096.490'		
BS-R	13931874.5781	1751291.8537	2096.482'		
TS-R	13931870.1100	1751289.9540'	2096.905'		



 SURVEY NOTES:

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 9, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.

3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.

- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

