Baseline Assessment – Stream Attributes

Reach S-E67 (Pipeline ROW) Perennial Spread C Webster County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope
	<4%)
RBP Physical Characteristics Form	✓
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓- Collected 9/13/2021
Benthic Identification Sheet	✓
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	√
Longitudinal Profile and Cross Sections	✓



Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, VM/CH Lat: 38.648021 Long: -80.489704




Photo Type: DS, DS View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, VM/CH Lat: 38.648021 Long: -80.489704



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, VM/CH Lat: 38.648021 Long: -80.489704



Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, VM/CH Lat: 38.648021 Long: -80.489704



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, VM/CH Lat: 38.648021 Long: -80.489704



Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, VM/CH Lat: 38.648021 Long: -80.489704



Photo Type: Riffle, DS View
Location, Orientation, Photographer Initials: Upstream of Riffle, Downstream View, VM/CH
Lat: 38.648021 Long: -80.489704



Location, Orientation, Photographer Initials: Downstream of Riffle, Upstream View, VM/CH
Lat: 38.648021 Long: -80.489704

## WITCH THE AND THE CENTURY CONTROL OF CONT	(v2.1, Sept 2015)					Lat.	38.648021	Lon.	-80.489704	WEATHER:	Rain	DATE:		
This is not in the control of the					(in Decimal Degrees)								9/5/20	21
## AND PROPERTY LIABSTREE 10 10 10 10 10 10 10	IMPACT STREAM/SITE ID	AND SITE DESC	RIPTION:	S-	E67	+	MITIGATION STREAM CLASS	S./SITE ID A	ND SITE DESCRIPTION:			Comments:		
Court No. 1 September Court No. 2 Se														
March Marc														
Column No. 1 years Executed Control Trans. Security Control Trans.	STREAM IMPACT LENGTH:	92		DESTORATION (Levels LIII)		Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:		
Note Control State Contr			MITIGATION:	RESTORATION (Levels 1-III)	(in Decimal Degrees)									
Part	Column No. 1- Impact Existing	g Condition (Debit)	1	Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)				Five Years			Column No. 5- Mitigation Projects	ed at Maturity (Cr	redit)
Part	Stream Classification:	Perenn	ial	Stream Classification:			-		0			Stream Classification:	0	
Annual Content Annu	Percent Stream Channel SI	оре	1.6	Percent Stream Channel Slo	ope		Percent Stream Channel S	Slope	0	Percent Stream Channel Sle	ope 0	Percent Stream Channel SI	оре	0
Part Proposed Colorida Colo	HGM Score (attach da	ata forms):		HGM Score (attach	data forms):		HGM Score (attac	h data forn	ns):	HGM Score (attach da	ata forms):	HGM Score (attach da	ita forms):	
Representation Cycling Page P			Average		Average				Average		Average			Average
Mode	Hydrology													
### FAFT : Physical, Chemical and Biological Indicators Mark			0		0				0		0			0
## MYSCAL NDCATOR (pugins to all reason countrication) ## SECOL N		Biological Indicate	ors		d Biological Indicators			and Biologic	al Indicators		Biological Indicators		Biological Indica	tors
SEPARE Play Content Date Short		Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale	Range Site Score		Points Scale Range Site Score		Points Scale Range	Site Score
Epithonal Software April Epithonal Software	PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stream	ms classificatio	ns)	PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)	
2 Embeldebrass														
3. Mode/Opt Regime														
Sedement Deposition Sed Contract Flore Mission Sed														
Cleared Alteration	I. Sediment Deposition	0-20	13		0-20		4. Sediment Deposition	0-20		Sediment Deposition	0-20	Sediment Deposition	0-20	
Comment Alteration	5. Channel Flow Status	0-20	16	5. Channel Flow Status	0-20		5. Channel Flow Status	0-20		5. Channel Flow Status	0-20	5. Channel Flow Status	0-20	
Feature of Siffles (or bends) 5-02 15 15 15 15 15 15 15 1	5. Channel Alteration		13	6. Channel Alteration			6. Channel Alteration		0-1	6. Channel Alteration		6. Channel Alteration		
Back Statistin (LB 4 RB)	7 Frequency of Riffles (or bends)		18				7 Frequency of Riffles (or bends)			7 Frequency of Riffles (or bends)		7 Frequency of Riffles (or bends)		
			17											
10 Speart representative positive Zone Width (18 A RB) 0.50 10 Clara (RBP Score Poor 0 Sub-Total 10 Sub														
Total RBP Score Sub-points 150 Sub-Total			6							10. Riparian Vegetative Zone Width (LB & RB)				
Sub-Total 0.75 OCHEMICAL NIDICATOR (Applies to Intermittent and Personal Streams) WVDEP Water Quality Indicators (General) Specific Conductivity WVDEP Water Quality Indicators (General) S			150						or 0	Total RBP Score				0
W/DEP Water Quality Indicators (General) Specific Conductivity Spe	Sub-Total		0.75	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total		0
Specific Conductivity	CHEMICAL INDICATOR (Applies to Intermitten	nt and Perennial Stream	ns)	CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermitte	tent and Peren	vial Streams)	CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermittent	and Perennial Stres	ams)
Section Sect	WVDEP Water Quality Indicators (General)		WVDEP Water Quality Indicators (General)				al))			
## Carp - 00 points	Specific Conductivity			Specific Conductivity			Specific Conductivity			Specific Conductivity		Specific Conductivity		
## PH PH PH PH PH PH PH		0-90	58.5		0-90			0-90			0-90		0-90	
6 0-8 0 = 80 points DO Sub-Total Sub	~=99 - 90 points			nU			nU			nU		-u		
6 0-8 0 = 80 points DO Sub-Total Sub-Tota	pii	0-1		pri	0-1		pri		0-1	рп	0-1	рп	0-1	
DO	6 0-8 0 = 80 points	0-80	7.91		5-90			5-90			5-90		5-90	
Sub-Total 10-30 9.29 Sub-Total 10-30 10-				no			DO.			nn		nn		
Sub-Total 1 Sub-Total 2 Sub-Total 3 Sub-Total 4 Sub-Total 4 Sub-Total 4 Sub-Total 5 Sub-Total 7 Sub-To			0.00		10.00									
BIOLOGICAL INDICATOR (Applies to Intermittent and Perennial Streams) WW Stream Condition Index (WVSCI) Very Cood PART II - Index and Unit Score PART II - Index and Unit Score PART II - Index and Unit Score Index Linear Feet Unit Score Unit Score Index Unit	>5.0 = 30 points	13-30			10-30			10-30		1			.0-30	
W Stream Condition Index (WVSCI) Very Good 0-10 0-1 0-10 0-1	Sub-Total		1	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total		0
Very Cood	BIOLOGICAL INDICATOR (Applies to Intermitt	tent and Perennial Stre	ams)	BIOLOGICAL INDICATOR (Applies to Intermittee	ent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Inter	rmittent and F	erennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Intermi	ittent and Perennia	ıl Streams)
Very Good Sub-Total O Sub-Tota	WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		
Sub-Total 0 Sub-Total 1 Sub-Total 0 Sub-To		0-100 0-1	84.42		0-100 0-1			0-100	0-1		0-100 0-1		0-100 0-1	
PART II - Index and Unit Score Index Linear Feet Unit Score Index Linear Feet Unit Score Index			0.8442	Sub Total			Sub Total		0	Sub Total		Sub Total		0
Index Linear Feet Unit Score Index Linear Fee	Out-10tal		0.0442	OUP Old	U		Out-Total		U	Guo-i Otali	U	Sub-10MI		. 0
	PART II - Index and U	Init Score		PART II - Index and	Unit Score		PART II - Index ar	nd Unit Scor	е	PART II - Index and U	nit Score	PART II - Index and U	nit Score	
0.865 92 79.5554667 0 0 0 0 0 0 0 0 0				Index										Unit Score
	0.865	92 7	9.5554667	0	0 0		0	0	0	0	0 0	0	0	0

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME		LOCATION				
STATION# RIV	VERMILE	STREAM CLASS				
LAT LONG		RIVER BASIN				
STORET#		AGENCY				
INVESTIGATORS						
FORM COMPLETED BY		DATE	REASON FOR SURVEY			

WEATHER CONDITIONS	rai show % %	rm (heavy rain) n (steady rain) rers (intermittent) %cloud cover clear/sunny	Past 24 hours	Yes No Air Temperatur		
SITE LOCATION/MAP	Draw a map of the	S-E67	By l	oled (or attach a p	Pipe Haw Jack Will	DS
STREAM CHARACTERIZATION	Stream Subsystem Perennial I Stream Origin Glacial Non-glacial monta Swamp and bog	ntermittent Tida Spring-fed Ane Mixture of Other	forigins	Stream Type Coldwater Catchment Area	Warmwater km²	

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)	
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chem Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic	
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)	

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET#	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY			

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Ps	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat	Condition Category												
	Parameter	Optimal	Suboptimal	Marginal	Poor									
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.									
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0									
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.									
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0									
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.									
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0									
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0									
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.									
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0									
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0									
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.									
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0									
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0									

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME S-	E 67		LOCATION Webster County																	
STATION #	R	IVE	ERM	ILE_			STR	EAM C	CLASS	Per	enn	nial								
LAT 38.648021	_ L	ONC		.48970	4		RIV	ER BA	SIN N	lone)									
STORET#							AGENCY WVDEP													
INVESTIGATORS F	H SN	Л											I	.OT	NUMBER					
FORM COMPLETE	ЭBY	S	M				DAT TIM						F	REAS	SON FOR SURVEY B	aselir	ne A	.sse:	ssm	ent
HABITAT TYPES	_	Cob	ble_8	30	%	tage of Sn	ags	habitat %	type p	Veg	etate	ed E ier (Banl	KS	%					
SAMPLE	G	ear	used		D-fi	ame	kick	-net			Oth	er_				_				
COLLECTION	Н	ow v	vere	the	samp	oles coll	lected	? [√ wadi	ng			fron	n bar	nk from boa	at				
		Cob	ble 4	1		r of jak □Sn phytes	jabs/kicks taken in each habitat type. Snags													
GENERAL COMMENTS																				
	Fi	sh	obs	serv	ved.															
Dominant					0 = 2	Absen	t/Not	Obsei	rved,				, 2	= C	ommon, 3= Abun					
Periphyton					Edi			4		-						ASA			_	4
Filamentous Algae Macrophytes	!				0		2 3 2 3	4 4				oın	ivei	tebi	ates	450	1			4
FIELD OBSERV Indicate estimated					0 =	Absen	t/No	t Obse											18)	
Porifera	0	1	2	3	4	Anis	opter	a	0	1	2	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4		ptera		0	1	2	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	l	iptera		0	1	2	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	l	opter		0	1			3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	-	dopte	ra	0	1			3	4						
Oligochaeta	0	1	2	3	4	Siali			0	_			3	4						
Isopoda	0	1	2	3	4		'dalid		0		Sand % Sand % % Other % Sand % Sand % Sand Sand % Sand Sand									
Amphipoda	0	1	2	3	4	_ ^	lidae		0											
Decapoda	0	1	2	3	4	Emp	idida	e	0	1	1	2	3	4						

Simuliidae

Tabinidae Culcidae 0 1 2 3 4

0 1 2 3 4

0 1 2 3 4

Gastropoda


Bivalvia

West Virginia Stream Condition Index (WVSCI)

ORG ID Kirk Environmental

IMPORTANT: A blank screen below means that you have not entered the Benthic Identifications correctly! All individuals that are part of the 200-count subsample must be designated as such in the Sample Methodolgy column on the Benthic ID forms (Family or Genus)!

WVSCI Family -	Count -	TV -	
Ameletidae 🗸	1	0	Kirk
Athericidae	1	2	Kirk
Baetidae	11	4	Kirk
Baetiscidae	4	3	Kirk
Caenidae	24	7	Kirk
Ceratopogonidae	3	6	Kirk
Chironomidae	41	6	Kirk
Corydalidae	6	5	Kirk
Elmidae	32	4	Kirk
Ephemerellidae	- 1	3	Kirk
Gomphidae	1	3	Kirk
Heptageniidae	32	4	Kirk
Hydropsychidae	12	5	Kirk
Isonychiidae	6	2	Kirk
Leptohyphidae	- 1	4	Kirk
Neoephemeridae	1	3	Kirk
Oligochaeta	5	10	Kirk
Perlidae	3	1	Kirk
Philopotamidae	2	3	Kirk
Polycentropodidae	3	6	Kirk
Psephenidae	1	4	Kirk
Simuliidae	1	6	Kirk
Tipulidae	1	3	Kirk



WOLMAN PEBBLE COUNT FORM

County: Webster Stream ID: S-E67

Stream Name: Right Fork Holly Creek

HUC Code: Basin:


Survey Date: 9/5/2021

Surveyors: HK VM Impact Reach: 28.99 m

Type: Bankfull Channel

	T		LE COUNT				
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	A	0	0.00	0.00
	Very Fine	.062125		~	0	0.00	0.00
	Fine	.12525		*	0	0.00	0.00
	Medium	.255	SAND	*	0	0.00	0.00
	Coarse	.50-1.0		*	10	10.00	10.00
.0408	Very Coarse	1.0-2]	*	0	0.00	10.00
.0816	Very Fine	2 -4		~	0	0.00	10.00
.1622	Fine	4 -5.7]	*	0	0.00	10.00
.2231	Fine	5.7 - 8]	*	0	0.00	10.00
.3144	Medium	8 -11.3]	A	0	0.00	10.00
.4463	Medium	11.3 - 16	GRAVEL	*	0	0.00	10.00
.6389	Coarse	16 -22.6	1	*	0	0.00	10.00
.89 - 1.26	Coarse	22.6 - 32	1	*	0	0.00	10.00
1.26 - 1.77	Vry Coarse	32 - 45	1	*	0	0.00	10.00
1.77 -2.5	Vry Coarse	45 - 64	1	*	0	0.00	10.00
2.5 - 3.5	Small	64 - 90		*	5	5.00	15.00
3.5 - 5.0	Small	90 - 128	T	*	5	5.00	20.00
5.0 - 7.1	Large	128 - 180	COBBLE	*	5	5.00	25.00
7.1 - 10.1	Large	180 - 256	1	*	5	5.00	30.00
10.1 - 14.3	Small	256 - 362		*	20	20.00	50.00
14.3 - 20	Small	362 - 512	1	^	10	10.00	60.00
20 - 40	Medium	512 - 1024	BOULDER	A	10	10.00	70.00
40 - 80	Large	1024 -2048	1	A	20	20.00	90.00
80 - 160	Vry Large	2048 -4096	1	A	10	10.00	100.00
	Bedrock		BDRK	A	0	0.00	100.00
				Totals:	100		








	Size (mm)			
301	D16	97		
	D35	280		
	D50	360		
	D65	720		
	D84	1700		
	D95	2900		


Size Distr	ribution
mean	406.1
dispersion	4.2
skewness	0.05

Type		
silt/clay	0%	
sand	10%	
gravel	0%	
cobble	20%	
boulder	70%	









SURVEY NOTES:

LEGEND


STUDY AREA (EASEMENT)

1176**.**87 +

EXISTING SURVEY-LOCATED THALWEG

EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 5, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.



NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM

PRE-CROSSING

CAD File No.

Drawing No

FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

DOWNSTREAM IMPACT LIMITS