Baseline Assessment – Stream Attributes

Reach S-EE4 (Pipeline ROW) Intermittent Spread F Summers County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	✓
RBP Physical Characteristics Form	✓
Water Quality Data	N/A – Low flow
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Low flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	√
Longitudinal Profile and Cross Sections	√




Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, RH/AR Lat: 37.813881 Lon: -80.748817



Photo Type: DS, DS View
Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, RH/AR
Lat: 37.813881 Lon: -80.748817



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, RH/AR Lat: 37.813881 Lon: -80.748817




Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, RH/AR Lat: 37.813881 Lon: -80.748817



Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, RH/AR Lat: 37.813881 Lon: -80.748817



Photo Type: US, DS View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, RH/AR
Lat: 37.813881 Lon: -80.748817



Photo Type: Riffle, DS View Location, Orientation, Photographer Initials: Upstream of Riffle, Downstream View, RH/AR Lat: 37.813881 Lon: -80.748817



Photo Type: Riffle, US View
Location, Orientation, Photographer Initials: Upstream of Riffle, Upstream View, RH/AR
Lat: 37.813881 Lon: -80.748817

USACE FILE NO./ Project Name:		Mountair	n Valley Pipeline	IMPACT COORDINATES:	Lat.	37.813881	Lon.	-80.748817	WEATHER:	Sunny	DATE:		
(v2.1, Sept 2015)				(in Decimal Degrees)								9/9/20	021
IMPACT STREAM/SITE ID	O AND SITE DES	CRIPTION:	S-	EE4		MITIGATION STREAM CLASS	S./SITE ID A	ND SITE DESCRIPTION:			Comments:	N/A - Water	r Quality,
(watershed size {acreage}), unaltered or impairs	nents)				(watershed size {acrea	ge), unaltered	or impairments)				WVSCI (Ld	ow Flow)
STREAM IMPACT LENGTH:	137	FORM OF MITIGATION:		MIT COORDINATES:	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:		
		MITIGATION:	RESTORATION (Levels I-III)	(in Decimal Degrees)									
Column No. 1- Impact Existin	ng Condition (Deb	it)	Column No. 2- Mitigation Existing C	Condition - Baseline (Credit)		Column No. 3- Mitigation F Post Completi		Five Years	Column No. 4- Mitigation Proje Post Completion (Column No. 5- Mitigation Project	ed at Maturity (Cr	redit)
Stream Classification:	Interm	ittent	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0	
Percent Stream Channel S	lope	6.5	Percent Stream Channel SI	оре		Percent Stream Channel	Slope	0	Percent Stream Channel Sle	оре 0	Percent Stream Channel S	оре	0
HGM Score (attach d	data forms):		HGM Score (attach	data forms):		HGM Score (attac	h data forr	ns):	HGM Score (attach da	ata forms):	HGM Score (attach d	ata forms):	
		Average		Average				Average		Average			Average
Hydrology	0.74		Hydrology			Hydrology			Hydrology		Hydrology		
Biogeochemical Cycling Habitat	0.4 0.13	0.42333333	Biogeochemical Cycling Habitat	0		Biogeochemical Cycling Habitat		0	Biogeochemical Cycling Habitat	0	Biogeochemical Cycling Habitat		0
PART I - Physical, Chemical and		ators	PART I - Physical, Chemical an	d Biological Indicators		PART I - Physical, Chemical	and Biologic	cal Indicators	PART I - Physical, Chemical and	Biological Indicators	PART I - Physical, Chemical and	Biological Indica	itors
	Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale	Range Site Score		Points Scale Range Site Score		Points Scale Range	Site Score
PHYSICAL INDICATOR (Applies to all stream	ns classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stream	ms classification	ns)	PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)	
USEPA RBP (High Gradient Data Sheet)			USEPA RBP (Low Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)			USEPA RBP (High Gradient Data Sheet)		USEPA RBP (High Gradient Data Sheet)		
Epifaunal Substrate/Available Cover	0-20	17	Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20		Epifaunal Substrate/Available Cover	0-20	Epifaunal Substrate/Available Cover	0-20	
2. Embeddedness 3. Velocity/ Depth Regime	0-20	13	Pool Substrate Characterization Pool Variability	0-20		Embeddedness Velocity/ Depth Regime	0-20 0-20		Embeddedness Velocity/ Depth Regime	0-20	Embeddedness Velocity/ Depth Regime	0-20	
4. Sediment Deposition	0-20	6	Sediment Deposition	0-20		Sediment Deposition	0-20		Sediment Deposition	0-20	Sediment Deposition	0-20	
5. Channel Flow Status	0-20 0.1	18	5. Channel Flow Status	0-20		5. Channel Flow Status	0-20	0.1	5. Channel Flow Status	0-20 0.4	5. Channel Flow Status	0-20 0-1	
6. Channel Alteration	0-20	17	6. Channel Alteration	0-20		6. Channel Alteration	0-20	<u> </u>	6. Channel Alteration	0-20	6. Channel Alteration	0-20	
7. Frequency of Riffles (or bends)	0-20	9	7. Channel Sinuosity	0-20		7. Frequency of Riffles (or bends)	0-20		7. Frequency of Riffles (or bends)	0-20	7. Frequency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	17	8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20		8. Bank Stability (LB & RB)	0-20	8. Bank Stability (LB & RB)	0-20	
9. Vegetative Protection (LB & RB)	0-20	20	Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20		Vegetative Protection (LB & RB)	0-20	Vegetative Protection (LB & RB)	0-20	
10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20	20 146	10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20		10. Riparian Vegetative Zone Width (LB & RB) Total RBP Score	0-20 Po	0	 Riparian Vegetative Zone Width (LB & RB) Total RBP Score 	0-20 0	 Riparian Vegetative Zone Width (LB & RB) Total RBP Score 	0-20 Poor	
Sub-Total	Suboptimal	0.73	Sub-Total	Poor 0		Sub-Total	Po	0	Sub-Total	Poor 0	Sub-Total	Poor	0
CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial Stre	sams)	CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Streams)		CHEMICAL INDICATOR (Applies to Intermitt	ent and Peren	nial Streams)	CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Streams)	CHEMICAL INDICATOR (Applies to Intermitter	t and Perennial Stres	ams)
WVDEP Water Quality Indicators (Genera	al)		WVDEP Water Quality Indicators (General)			WVDEP Water Quality Indicators (General	al)		WVDEP Water Quality Indicators (General)	1	WVDEP Water Quality Indicators (General)	
Specific Conductivity			Specific Conductivity			Specific Conductivity			Specific Conductivity		Specific Conductivity		
100-199 - 85 points	0-90			0-90			0-90		1	0-90		0-90	
pH			pН	<u> </u>		pH			pH		pH		
	0-80			5-90 0-1			5-90	0-1	•	5-90 0-1		5-90 0-1	
5.6-5.9 = 45 points							5-50						
DO			DO			DO			DO		DO		
	10-30			10-30			10-30			10-30		10-30	
Sub-Total			Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total		0
BIOLOGICAL INDICATOR (Applies to Intermit	ittent and Perennial S	treams)	BIOLOGICAL INDICATOR (Applies to Intermitt	ent and Perennial Streams)		BIOLOGICAL INDICATOR (Applies to Inter	rmittent and F	Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennial Streams)	BIOLOGICAL INDICATOR (Applies to Interm	ittent and Perennia	al Streams)
WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)			WV Stream Condition Index (WVSCI)		WV Stream Condition Index (WVSCI)		
0	0-100 0-1			0-100 0-1			0-100	0-1		0-100 0-1		0-100 0-1	
Sub-Total		0	Sub-Total	0		Sub-Total		0	Sub-Total	0	Sub-Total		0
PART II - Index and I	Unit Score		PART II - Index and	Unit Score		PART II - Index ar	nd Unit Scor	e	PART II - Index and U	nit Score	PART II - Index and L	Init Score	
Index	Linear Feet	Unit Score	Index	Linear Feet Unit Score		Index	Linear	Feet Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet	Unit Scor
0.594	137	81.4008333	0	0 0		0	0	0	0	0 0	0	0	0
	1		μ			ш			<u> </u>		Ц	1	

Ver. 10-20-17

FCI Calculator for the High-Gradient Headwater Streams in Appalachia

To ensure accurate calculations, the <u>UPPERMOST STRATUM</u> of the plant community is determined based on the calculated value for V_{CCANOPY} (≥20% cover is required for tree/sapling strata). Go to the SAR Data Entry tab and enter site characteristics and data in the yellow cells. For information on determining how to split a project into SARs, see Chapter 5 of the Operational Draft Regional Guidebook for the Functional Assessment of High-Gradient Headwater Streams and Low-Gradient Perennial Streams in Appalachia (Environmental Laboratory U.S. Army Corps of Engineers 2017).

Project Name: MVP Stream Assessment **Location:** Summers County, Spread F

Sampling Date: 9/9/2021 Project Site Before Project

Subclass for this SAR:

Intermittent Stream

Uppermost stratum present at this SAR: SAR number: S-EE4

Shrub/Herb Strata

Functional Results Summary:

Enter Results in Section A of the Mitigation Sufficiency Calculator

Function	Functional Capacity Index
Hydrology	0.74
Biogeochemical Cycling	0.40
Habitat	0.13

Variable Measure and Subindex Summary:

Variable	Name	Average Measure	Subindex
V _{CCANOPY}	Percent canpoy over channel.	Not Used, <20%	Not Used
V _{EMBED}	Average embeddedness of channel.	1.78	0.38
V _{SUBSTRATE}	Median stream channel substrate particle size.	0.08	0.04
V_{BERO}	Total percent of eroded stream channel bank.	10.39	1.00
V_{LWD}	Number of down woody stems per 100 feet of stream.	24.94	0.94
V_{TDBH}	Average dbh of trees.	Not Used	Not Used
V _{SNAG}	Number of snags per 100 feet of stream.	5.54	0.75
V _{SSD}	Number of saplings and shrubs per 100 feet of stream.	51.95	0.80
V _{SRICH}	Riparian vegetation species richness.	0.00	0.00
V _{DETRITUS}	Average percent cover of leaves, sticks, etc.	2.50	0.03
V _{HERB}	Average percent cover of herbaceous vegetation.	95.83	1.00
V _{WLUSE}	Weighted Average of Runoff Score for Catchment.	0.99	1.00

Version 10-20-17

			High-G		Headwa Data She			Appalachi or	a		
	Team:	RH AR					•	Latitude/UT	M Northing:	37.813881	
Pro	oject Name:	MVP Strea	m Assessme	ent			•	Longitude/U	TM Easting:	-80.748817	7
	Location:	Summers C	County, Spre	ad F				San	npling Date:	9/9/2021	
SA	AR Number:	S-EE4	Reach	Length (ft):	144.36	Stream Ty	/pe: Int	ermittent Strea	m		•
	Top Strata:		rub/Herb Str	ata	(determine	d from perce	ent calcula	ated in V _{CCANO}	_{PY})		
	and Timing:	100000				•	Before Pro	ject			•
	Variables			over chann	al by trac a	ad conling o	anany M	easure at no	fower than 1	0 roughly	
1	$V_{CCANOPY}$ List the per	equidistant 20%, enter		g the strean value betw	n. Measure veen 0 and 1	only if tree/s	sapling co	ver is at least			Not Used, <20%
	0]
2	V _{EMBED}	along the s surface and according t rating score	tream. Sele d area surro to the follow e of 1. If the	ect a particle unding the p ing table. If bed is com	e from the be particle that the bed is a posed of be	ed. Before r is covered b an artificial s drock, use a	moving it, by fine sec surface, or a rating so	er than 30 rou determine the diment, and er composed of core of 5.	percentage nter the ratir fine sedime	e of the ng ents, use a	1.8
		Minshall 19	983)		obbie and b	ouldor purit			io, mogana	i, dild	
		Rating 5	Rating Des		covered sur	rounded or	buried by	fine sedimen	t (or bedroo	k)	
		4						d by fine sedi		·· <i>y</i>	1
		3						ed by fine sed			
		2						ed by fine sec			
	Liot the "	1			covered, su	ırrounded, o	r buried b	y fine sedime	nt (or artifici	al surface)	J
			point below		4	4	0	- 4		4	1
	2	1	4	1	1	1	2	1	1	1	
	1	2	5	1	1	1	4	1	1	1	
	1 	2	2	2	1	3	1 2	3	4	1	
	5	2	2		1	3	2	3	4	-	
3		along the s	tream; use t	he same po	oints and par	ticles as us	ed in V _{EME}	r than 30 roug sep. k should be co			0.08 in
			0.0 in, sand				w (bedioc	k siloulu be ci	Junieu as 5	J 111,	
	4.70	0.08	0.10	0.90	0.08	0.08	14.20	0.08	0.08	0.08	
	0.08	5.50	0.40	0.08	0.08	0.08	0.50	0.08	0.08	0.08	1
	0.10	0.50	0.08	0.08	0.08	0.08	0.08	0.08	0.08	0.08	1
	0.60	1.80	0.50	0.40	1.50	0.20	2.30	1.50	3.50	0.08	
4	V _{BERO}		e total perce					er of feet of er roded, total e			10 %
			Left Bank:	8	ft	l	Right Ban	k: 7	'ft		
Sample	Variables	5-9 within t	the entire ri	parian/buff	er zone adj	acent to the	stream	channel (25 f	eet from ea	ch bank).	
5	V_{LWD}	stream rea		e number fr	om the entir ulated.		ouffer and	inches in leng within the chass:			24.9
6	V_{TDBH}						g cover is	at least 20%). Trees are	at least 4	Not Used
		,					n) within th	ne buffer on e	ach side of		
			Left Side					Right Side			I
											I
											I
											I
											I
											ł
											l
7	V	Ni polo e = - 1	onors /-+!	oot All ale le	nd 2011 t-11)	nor 100 f-	of stu-	- Enter '	or of ar -	on cast	
7	V_{SNAG}		snags (at le stream, and					n. Enter numb	per of snags	on each	5.5
		5.45 OI 1116	oam, anu	amouli		DO GAI					5.5
			Left Side:		0		Right Sid	e:	8		
8	V _{SSD}							er 100 feet of			
			of stream wil	l be calcula	ted.			h side of the s		τηe amount	52.0
			Left Side:		35		Right Sid	H /	10		

9	V _{SRICH}	Group 1 in richness pe	er 100 feet a		index will be	calculated	from these d	ata.			
		Grou	ıp 1 = 1.0					Group	2 (-1.0)		
	Acer rubrui	m		Magnolia ti	ripetala		Ailanthus a	ltissima		Lonicera jaj	ponica
	Acer sacch			Nyssa sylv			Albizia julibi			Lonicera ta	
							•				
	Aesculus fl				m arboreum		Alliaria petio	olata		Lotus corni	
l	Asimina tril	loba		Prunus sei	rotina		Alternanthe			Lythrum sa	licaria
l	Betula alleg	ghaniensis		Quercus a	lba		philoxeroide	es		Microstegiun	n vimineu
l	Betula lent	a		Quercus co	occinea		Aster tatari	cus		Paulownia t	tomento
□ Carya alba □ Quercus imbricaria		nbricaria		Cerastium i	fontanum		Polygonum o	cuspidatu			
	Carya qlab			Quercus impricaria Quercus prinus			Coronilla va			Pueraria m	
	, ,										
	Carya oval			Quercus ru			Elaeagnus u			Rosa multif	
l	Carya ovat	ta		Quercus ve	elutina		Lespedeza	bicolor		Sorghum h	alepens
l	Cornus flor	rida		Sassafras	albidum		Lespedeza	cuneata		Verbena br	asiliensi
l	Fagus grar	ndifolia		Tilia ameri	cana		Ligustrum ob	otusifolium			
l	Fraxinus ai	mericana		Tsuga can	adensis		Ligustrum s	sinense			
	Liriodendror			Ulmus ame			·				
				Onnus ann	cricaria						
l	Magnolia a	cuminata									
		0	Species in	Group 1				0	Species in	Group 2	
		Average pe	uld be place ercent cover	of leaves,	equidistant sticks, or oth	ly along ea er organic) in the ripar ach side of t material. Wo	he stream oody debris			
		long are inc	clude. Ente	r the percer	nt cover of th	e detrital la	ayer at each s	subplot.			2.50 9
			Left	Side			Right	Side			
		0	10	5	0	0	0	5	0		
		10	0			0	0				
11	V_{HERB}	include woo	ody stems a percentage	t least 4" db	oh and 36" ta	all. Because	asure only if e there may b Enter the per	e several	ayers of gro	und cover	96 %
		each subpl	ot.								
		each subpl		Side			Right	Side		1 '	
mpl	le Variable 1	100 90	Left 70 100 e entire cat	95 chment of	100 the stream.	100 100	Right 100 100	Side 95	100	•	0.00
		100 90	Left 70 100 e entire cat	95 chment of	100 the stream.	100	100		100		
		100 90	Left 70 100 e entire cat Average of F	95 chment of t	100 the stream.	100 ned:	100		Runoff Score	% in Catch- ment	Runnir
	V _{WLUSE}	100 90	Left 70 100 e entire cat Average of F	95 chment of the Runoff Score Use (Choose	100 the stream.	100 ned:	100		Runoff		Runnir Percei (not >10
	VwLuse Forest and n	100 90 12 within the Weighted A	Left 70 100 2 entire cate Average of F Land 75% ground	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100		Runoff Score	ment 98.745	Runnir Percei (not >10
	VwLuse Forest and n	100 90 12 within the	Left 70 100 2 entire cate Average of F Land 75% ground	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100		Runoff Score	ment	Runnir Percei (not >10
	VwLuse Forest and n	100 90 12 within the Weighted A	Left 70 100 2 entire cate Average of F Land 75% ground	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100		Runoff Score	ment 98.745	Runnir Percei (not >10
	VwLuse Forest and n	100 90 12 within the Weighted A	Left 70 100 2 entire cate Average of F Land 75% ground	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100		Runoff Score	ment 98.745	Runnir Percei (not >10
	VwLuse Forest and n	100 90 12 within the Weighted A	Left 70 100 2 entire cate Average of F Land 75% ground	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100	95	Runoff Score	ment 98.745	Runnir Percei (not >10
	VwLuse Forest and n	100 90 12 within the Weighted A	Left 70 100 2 entire cate Average of F Land 75% ground	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100	95	Runoff Score	ment 98.745	Runnir Percei (not >10
	VwLuse Forest and n	100 90 12 within the Weighted A	Left 70 100 2 entire cate Average of F Land 75% ground	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100	95	Runoff Score	ment 98.745	Runnir Percei (not >10
	VwLuse Forest and n	100 90 12 within the Weighted A	Left 70 100 2 entire cate Average of F Land 75% ground	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100	95	Runoff Score	ment 98.745	Runnii Perce (not >10
	VwLuse Forest and n	100 90 12 within the Weighted A	Left 70 100 2 entire cate Average of F Land 75% ground	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100	95	Runoff Score	ment 98.745	Runnii Perce (not >10
	VwLuse Forest and n	100 90 12 within the Weighted A	Left 70 100 2 entire cate Average of F Land 75% ground	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100	95	Runoff Score	ment 98.745	Runnii Perce (not >10
	Forest and n	100 90 12 within the Weighted A	Left 70 100 e entire cate Average of F Land	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100	95	Runoff Score	ment 98.745	Runnii Perce (not >10
12	Forest and n Open space	100 90 12 within the Weighted A	Left 70 100 e entire cat Average of F Land 75% ground ns, parks, etc.)	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100	95	Runoff Score	ment 98.745	Runnii Perce (not >10
12	Forest and n	100 90 12 within the Weighted A mative range (> (pasture, lawr	Left 70 100 e entire cate Average of F Land	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100	95	Runoff Score	ment 98.745	Runnii Perce (not >10
V	Forest and n Open space	100 90 12 within the Weighted A water range (> (pasture, lawr) S-EE4 Value Not Used,	Left 70 100 e entire cat Average of F Land 75% ground ns, parks, etc.)	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100	95	Runoff Score	ment 98.745	Runnii Perce (not >10
V	Forest and n Open space	100 90 12 within the Weighted A weighted A partitive range (> (pasture, lawn) S-EE4 Value Not Used, <20%	Left 70 100 e entire cat Average of F Land -75% ground ns, parks, etc.	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100	95	Runoff Score	ment 98.745	Runnii Perce (not >10
V	Forest and n Open space	100 90 12 within the Weighted A water range (> (pasture, lawr) S-EE4 Value Not Used,	Left 70 100 e entire cat Average of F Land -75% ground ns, parks, etc.	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100	95	Runoff Score	ment 98.745	Runnii Perce (not >10
V	Forest and n Open space	100 90 12 within the Weighted A weighted A partitive range (> (pasture, lawn) S-EE4 Value Not Used, <20%	Left 70 100 e entire cat Average of F Land -75% ground ns, parks, etc.	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100	95	Runoff Score	ment 98.745	Runnir Percei (not >10
V	Forest and n Open space Variable Vcanopy Vembed Vsubstrate	100 90 2 within the Weighted A mative range (> (pasture, lawr) S-EE4 Value Not Used, <20% 1.8	Left 70 100 e entire cat Average of F Land 75% ground 1s, parks, etc.) VSI Not Used 0.38	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100	95	Runoff Score	ment 98.745	Runnii Perce (not >10
V	Forest and n Open space Variable VCCANOPY VEMBED	100 90 2 within the Weighted A w	Left 70 100 e entire cat Average of F Land -75% ground ns, parks, etc. VSI Not Used 0.38 0.04	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100	95	Runoff Score	ment 98.745	Runnii Perce (not >10
V	Forest and n Open space (ariable Vccanopy Vembed Vsubstrate Vbero	100 90 12 within the Weighted A Mative range (> (pasture, lawn) S-EE4 Value Not Used, <20% 1.8 0.08 in 10 %	Left 70 100 e entire cat Average of F Land -75% ground ns, parks, etc. VSI Not Used 0.38 0.04 1.00	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100	95	Runoff Score	ment 98.745	Runnii Perce (not >10
V	Forest and n Open space Variable Vcanopy Vsubstrate Vbero VLWD VTDBH	100 90 2 within the Weighted A w	Left 70 100 e entire cat Average of F Land 75% ground ns, parks, etc.) VSI Not Used 0.38 0.04 1.00 0.94	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100	95	Runoff Score	ment 98.745	Runnir Percei (not >10
V	Forest and n Open space Variable Vccanopy Vembed Vsubstrate VBERO VLWD VTDBH VSNAG	100 90 2 within the Weighted A Meighted A Mative range (x) (pasture, lawr A S-EE4 Value Not Used, <20% 1.8 0.08 in 10 % 24.9	Left 70 100 e entire cat Average of F Land -75% ground ns, parks, etc. VSI Not Used 0.38 0.04 1.00 0.94 Not Used	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100	95	Runoff Score	ment 98.745	Runnii Perce (not >10
V	Forest and n Open space Variable Vccanopy Vsubstrate Vbero VLWD VtDBH Vsnag Vssd	100 90 2 within the Weighted A Meighted	Left 70 100 e entire cat Average of F Land 75% ground ns, parks, etc.) VSI Not Used 0.38 0.04 1.00 0.94 Not Used 0.75 0.80	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100	95	Runoff Score	ment 98.745	Runnir Percei (not >10
V	Forest and n Open space Variable Variable Vacanopy Vambed Vsubstrate Vbero VLWD VTDBH VSNAG VSSD VSRICH	100 90 2 within the Weighted A weighted A water range (x) (pasture, lawr) S-EE4 Value Not Used, <20% 1.8 0.08 in 10 % 24.9 Not Used 5.5 52.0 0.00	Left 70 100 e entire cat Average of F Land 75% ground 100 yellow 100 100 100 100 100 100 100 100 100 10	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100	95	Runoff Score	ment 98.745	Runnir Percei (not >10
V	Forest and n Open space Variable Vccanopy Vsubstrate Vbero Vtub Vsubstrate Vsubstrate	100 90 2 within the Weighted A w	Left 70 100 e entire cat Average of F Land 1.75% ground is, parks, etc.) VSI Not Used 0.38 0.04 1.00 0.94 Not Used 0.75 0.80 0.00 0.03	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100	95	Runoff Score	ment 98.745	Runnii Perce (not >10
V	Forest and n Open space Variable Variable Vacanopy Vambed Vsubstrate Vbero VLWD VTDBH VSNAG VSSD VSRICH	100 90 2 within the Weighted A weighted A water range (x) (pasture, lawr) S-EE4 Value Not Used, <20% 1.8 0.08 in 10 % 24.9 Not Used 5.5 52.0 0.00	Left 70 100 e entire cat Average of F Land 75% ground 100 yellow 100 100 100 100 100 100 100 100 100 10	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100	95	Runoff Score	ment 98.745	0.99 Runnir Percer (not >10 98.744 100
V	Forest and n Open space Variable Vccanopy Vsubstrate Vbero Vtub Vsubstrate Vsubstrate	100 90 2 within the Weighted A w	Left 70 100 e entire cat Average of F Land 1.75% ground is, parks, etc.) VSI Not Used 0.38 0.04 1.00 0.94 Not Used 0.75 0.80 0.00 0.03	95 chment of the Runoff Score Use (Choose cover)	the stream. e for watersh	100 ned:	100	95	Runoff Score	ment 98.745	Runni Perce (not >1

 $\mathbf{V}_{\text{WLUSE}}$

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LATLONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE	REASON FOR SURVEY

WEATHER CONDITIONS SITE LOCATION/MAP	Now Past 24 hours Yes No storm (heavy rain) rain (steady rain) showers (intermittent) %cloud cover clear/sunny Draw a map of the site and indicate the areas sampled (or attach a photograph)
	LOD Road S-EE4 Pipe CL
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Type Coldwater Warmwater Stream Origin Glacial Spring-fed Non-glacial montane Mixture of origins Swamp and bog Other

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)	
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chen Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic	
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)	

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Conditi	on Category	
	Parameter	Optimal	Suboptimal	Marginal	Poor
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	areas of erosion; high erosion potential during	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potentia to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0
1	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0

Total	Caare	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION	
STATION #	_ RIVERMILE	STREAM CLASS	
LAT	LONG	RIVER BASIN	
STORET#		AGENCY	
INVESTIGATORS			LOT NUMBER
FORM COMPLETED	ВҮ	DATE TIME	REASON FOR SURVEY
HABITAT TYPES	Indicate the percentage of	each habitat type present	onks % Sand %

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Summers Stream ID: S-EE4


Stream Name: UNT to Red Spring Branch

HUC Code: Basin:

Survey Date: 9/9/2021 Surveyors: RH, AR Impact Reach: 44 m

Type: Bankfull Channel


	I		LE COUNT			r	
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	A	74	74.00	74.00
	Very Fine	.062125		-	3	3.00	77.00
	Fine	.12525	1	~	1	1.00	78.00
	Medium	.255	SAND	*	0	0.00	78.00
	Coarse	.50-1.0	1	*	2	2.00	80.00
.0408	Very Coarse	1.0-2	1	*	2	2.00	82.00
.0816	Very Fine	2 -4		*	2	2.00	84.00
.1622	Fine	4 -5.7	1	A	0	0.00	84.00
.2231	Fine	5.7 - 8	1	*	1	1.00	85.00
.3144	Medium	8 -11.3	1	*	2	2.00	87.00
.4463	Medium	11.3 - 16	GRAVEL	_	4	4.00	91.00
.6389	Coarse	16 -22.6	1	A	1	1.00	92.00
.89 - 1.26	Coarse	22.6 - 32		^	0	0.00	92.00
1.26 - 1.77	Vry Coarse	32 - 45		*	4	4.00	96.00
1.77 -2.5	Vry Coarse	45 - 64	1	A	1	1.00	97.00
2.5 - 3.5	Small	64 - 90		A	1	1.00	98.00
3.5 - 5.0	Small	90 - 128		^	1	1.00	99.00
5.0 - 7.1	Large	128 - 180	COBBLE	A	1	1.00	100.0
7.1 - 10.1	Large	180 - 256	1	A	0	0.00	100.0
10.1 - 14.3	Small	256 - 362		A	0	0.00	100.0
14.3 - 20	Small	362 - 512	1	A	0	0.00	100.0
20 - 40	Medium	512 - 1024	BOULDER	A	0	0.00	100.0
40 - 80	Large	1024 -2048	1	A	0	0.00	100.0
80 - 160	Vry Large	2048 -4096	1	A	0	0.00	100.0
	Bedrock		BDRK	<u> </u>	0	0.00	100.0
				Totals:	100		




	Size (i	mm)	
302	D16	0.062	500)
	D35	0.062	
	D50	0.062	
	D65	0.062	
	D84	4	
	D95	41	

ibution
0.5
32.8
0.67

silt/clay	ype 74%
sand	8%
gravel	15%
cobble	3%
boulder	0%



	PR	AS-E	BUILT		
201	NORTHING	FACTING	CLC)/	VERT.	HORZ.
PT. LOC.	NORTHING	EASTING	ELEV	DIFF.	DIFF.
TS-L	13730931.24	1712927.561	2936.00		
BS-L	13730932.06	1712927.626	2935.30		
THW	13730932.41	1712927.547	2935.42		
BS-R	13730932.79	1712927.543	2935.46		
TŞ-R	13730933.31	1712927.568	2935.77		



SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 十

EXISTING SURVEY-LOCATED THALWEG


EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 10, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-EE4 BASELINE CROSS-SECTION A



S-EE4 BASELINE CROSS-SECTION B RIFFLE




CROSS SECTION LEGEND — EXISTING GRADE CROSS SECTION
H: 1"=10'
V: 1"=5'


NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS





PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM

PRE-CROSSING

DOWNSTREAM IMPACT LIMITS

Drawing No.

CAD File No.