Baseline Assessment – Stream Attributes

Reach S-EF40 (Anode Bed) Intermittent Spread D Webster County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	✓
RBP Physical Characteristics Form	✓
Water Quality Data	N/A – Low flow
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Low flow
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	√





Photo Type: DS, US View Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, DD/LC/KP Lat: 38.400883 Long: -80.597787



Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, DD/LC/KP Lat: 38.400883 Long: -80.597787




Photo Type: DS View at Center Location, Orientation, Photographer Initials: Center ROW, Downstream View, DD/LC/KP Lat: 38.400883 Long: -80.597787




Photo Type: US View at Center Location, Orientation, Photographer Initials: ROW Center, Upstream View, DD/LC/KP Lat: 38.400883 Long: -80.597787




Photo Type: US, US View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, DD/LC/KP Lat: 38.400883 Long: -80.597787




Photo Type: US, DS View Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, DD/LC/KP Lat: 38.400883 Long: -80.597787

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		M	lountain V	ain Valley Pipeline IMPACT COORDIN (in Decimal Degre			Lat.	38.400883	Lon.	-80.597787		WEATHER:	Sunny			DATE:	8/24/2021	
IMPACT STREAM/SITE II (watershed size {acreage				S-	EF40			MITIGATION STREAM CLA (watershed size (a	ASS./SITE ID AND creage), unaltered or imp		ł:					Comments:		
STREAM IMPACT LENGTH:	52	FORM MITIGAT		RESTORATION (Levels I-III)		OORDINATES: cimal Degrees)	Lat.		Lon.			PRECIPITATION PAST 48 HRS:				Mitigation Length:		
Column No. 1- Impact Existin	g Condition (Deb	oit)		Column No. 2- Mitigation Existing (Condition - Base	eline (Credit)		Column No. 3- Mitigati Post Comp	on Projected at Five eletion (Credit)	Years		Column No. 4- Mitigation Proje Post Completion (ars		Column No. 5- Mitigation Projecte	d at Maturity	(Credit)
Stream Classification:	Interm	nittent		Stream Classification:				Stream Classification:		0		Stream Classification:	1	0	Strea	am Classification:		0
Percent Stream Channel S	lope	1.8		Percent Stream Channel SI	оре			Percent Stream Chann	nel Slope	0		Percent Stream Channel SI	оре	0		Percent Stream Channel SI	оре	0
HGM Score (attach o	data forms):			HGM Score (attach	data forms):			HGM Score (at	ttach data forms):			HGM Score (attach da	ata forms):			HGM Score (attach da	ita forms):	
		Average				Average				Average				Average	-			Average
Hydrology				Hydrology				Hydrology				Hydrology			Hydr	rology		
Biogeochemical Cycling		0		Biogeochemical Cycling		0		Biogeochemical Cycling		0		Biogeochemical Cycling		0		eochemical Cycling		0
Habitat		-		Habitat		-		Habitat				Habitat			Habit			
PART I - Physical, Chemical and	Biological Indica	ators		PART I - Physical, Chemical an	d Biological Inc	dicators		PART I - Physical, Chemi	_	dicators		PART I - Physical, Chemical and	Biological Indic	cators		PART I - Physical, Chemical and	Biological Ind	icators
	Points Scale Range	Site Score			Points Scale Range	Site Score			Points Scale Range	s Site Score			Points Scale Range	Site Score			Points Scale Rang	nge Site Score
PHYSICAL INDICATOR (Applies to all stream	s classifications)			PHYSICAL INDICATOR (Applies to all streams	classifications)			PHYSICAL INDICATOR (Applies to all st	treams classifications)			PHYSICAL INDICATOR (Applies to all streams	s classifications)		PHY	SICAL INDICATOR (Applies to all streams	classifications)	
USEPA RBP (High Gradient Data Sheet)				USEPA RBP (Low Gradient Data Sheet)				USEPA RBP (High Gradient Data She				USEPA RBP (High Gradient Data Sheet)				PARBP (High Gradient Data Sheet)		
Epifaunal Substrate/Available Cover	0-20	0		Epifaunal Substrate/Available Cover	0-20			 Epifaunal Substrate/Available Cover 				Epifaunal Substrate/Available Cover	0-20			oifaunal Substrate/Available Cover	0-20	
2. Embeddedness	0-20	1		Pool Substrate Characterization	0-20			2. Embeddedness	0-20			2. Embeddedness	0-20		2. En	nbeddedness	0-20	
3. Velocity/ Depth Regime	0-20	0		3. Pool Variability	0-20			3. Velocity/ Depth Regime	0-20			3. Velocity/ Depth Regime	0-20			elocity/ Depth Regime	0-20	
Sediment Deposition	0-20	2		Sediment Deposition	0-20			Sediment Deposition	0-20			Sediment Deposition	0-20			ediment Deposition	0-20	
5. Channel Flow Status	0-20 0-1	0		5. Channel Flow Status	0-20 0-1			5. Channel Flow Status	0-20 0-1			5. Channel Flow Status	0-20 0-1			nannel Flow Status	0-20	4
Channel Alteration	0-20	6		6. Channel Alteration	0-20			Channel Alteration	0-20			6. Channel Alteration	0-20			nannel Alteration	0-20	
7. Frequency of Riffles (or bends)	0-20	0		7. Channel Sinuosity	0-20			7. Frequency of Riffles (or bends)	0-20			7. Frequency of Riffles (or bends)	0-20			equency of Riffles (or bends)	0-20	
8. Bank Stability (LB & RB)	0-20	14		8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20			8. Bank Stability (LB & RB)	0-20			ank Stability (LB & RB)	0-20	
Vegetative Protection (LB & RB)	0-20	8		Vegetative Protection (LB & RB)	0-20			9. Vegetative Protection (LB & RB)	0-20			Vegetative Protection (LB & RB)	0-20			egetative Protection (LB & RB)	0-20	
 Riparian Vegetative Zone Width (LB & RB) 		6		10. Riparian Vegetative Zone Width (LB & RB)	0-20	_		 Riparian Vegetative Zone Width (LB & F 				10. Riparian Vegetative Zone Width (LB & RB)		_		Riparian Vegetative Zone Width (LB & RB)	0-20	
Total RBP Score Sub-Total	Poor	37 0.185		Total RBP Score Sub-Total	Poor	0		Total RBP Score Sub-Total	Poor	0		Total RBP Score Sub-Total	Poor	0		I RBP Score Total	Poor	0
CHEMICAL INDICATOR (Applies to Intermitte	ent and Perennial Stre			CHEMICAL INDICATOR (Applies to Intermitten	t and Perennial Str	1		CHEMICAL INDICATOR (Applies to Inte	rmittent and Perennial S			CHEMICAL INDICATOR (Applies to Intermitter	nt and Perennial St			MICAL INDICATOR (Applies to Intermitten	and Perennial S	_
MANUSER Wester Organism by disease of Communication	n			MO(DED Water Overlie) by directors (Coursell				MANUSER Wester Overliev In disease of Co	D			MOVDED Water Overliev Indicators (Coursel	n		MOCO	AFR Water Consider Indicators (Consent)		
WVDEP Water Quality Indicators (General Specific Conductivity	.,			WVDEP Water Quality Indicators (General Specific Conductivity				WVDEP Water Quality Indicators (Ge Specific Conductivity	meral)			WVDEP Water Quality Indicators (General Specific Conductivity	,			EP Water Quality Indicators (General) cific Conductivity		
100-199 - 85 points	0-90				0-90				0-90				0-90				0-90	
pH				pH	0-1			pH				pH			pН		0-	
5.6-5.9 = 45 points	0-80				5-90				5-90 0-1				5-90				5-90	` _ /
DO				DO				DO				DO	_		DO			
	10-30				10-30	0			10-30				10-30	0			10-30	
Sub-Total				Sub-Total		, ,		Sub-Total		0		Sub-Total				Total		0
BIOLOGICAL INDICATOR (Applies to Intermi	ttent and Perennial S	streams)		BIOLOGICAL INDICATOR (Applies to Intermitt	ent and Perennial	Streams)		BIOLOGICAL INDICATOR (Applies to		nial Streams)		BIOLOGICAL INDICATOR (Applies to Interm	nittent and Pereni	nial Streams)		OGICAL INDICATOR (Applies to Interm	ttent and Perer	inial Streams)
WV Stream Condition Index (WVSCI)	0-100 0-1			WV Stream Condition Index (WVSCI)	0-100 0-1			WV Stream Condition Index (WVSCI)	0-100 0-1			WV Stream Condition Index (WVSCI)	0-100 0-1		WVS	Stream Condition Index (WVSCI)	0-100 0-	
0	3-100 0-1	0		0.1.7.1	3-100 0-1			0.1.7.1	0-100 0-1			0.1.7.1	3-100 0-1			T	3-100 0-	
Sub-Total		U		Sub-Total		0		Sub-Total		0		Sub-Total		0	Sub-	I Otal		0
PART II - Index and	Unit Score			PART II - Index and	Unit Score			PART II - Indo	x and Unit Score		1 1	PART II - Index and U	Init Score			PART II - Index and U	nit Score	
TAKE II HIGH AND	000.0			PACE II TIII GEX AIIU				i Assi II - Ilide				. A.C. II. II.dex and O	500.0			. ALC II III DEX allu O	500.0	
Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Feet	Unit Score		Index	Linear Feet	et Unit Score
0.493	52	25.61		0	0	0		0	0	0		0	0	0		0	0	0
1	1			-	_	1 - 1		1	1 -	1 - 1	1	•	1 -		- 11	-	_	1 -

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION				
STATION # RIVERMILE	STREAM CLASS				
LAT LONG	RIVER BASIN				
STORET#	AGENCY				
INVESTIGATORS					
FORM COMPLETED BY	DATE	REASON FOR SURVEY			

WEATHER CONDITIONS	Now Past 24 hours Yes No storm (heavy rain) rain (steady rain) showers (intermittent) % clear/sunny % cloud cover clear/sunny
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph) Rogal
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Type Coldwater Warmwater Stream Origin Glacial Spring-fed Non-glacial montane Mixture of origins Swamp and bog Other

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)	
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü
WATER ((DS, US)	ATER QUALITY Temperature° C				Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chen Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type	Diamet	er	r % Composition in Sampling Reach		Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic	
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)	

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.				
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).				
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

	Habitat		Conditi	on Category					
	Parameter	Optimal	Suboptimal	Marginal	Poor				
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.	Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.				
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.				
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	areas of erosion; high erosion potential during	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.				
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potentia to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one-half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.				
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.				
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
1	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION						
STATION #	_ RIVERMILE	STREAM CLASS						
LAT	LONG	RIVER BASIN						
STORET#		AGENCY						
INVESTIGATORS			LOT NUMBER					
FORM COMPLETED BY		DATE REASON FOR SURVEY						
HABITAT TYPES Indicate the percentage of each habitat type present Cobbbe % Snags % Vagatated Banks % Sand %								

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Webster Stream ID: S-EF40


Stream Name: UNT to Meadow Fork

HUC Code: Basin:

Survey Date: 8/28/2021 Surveyors: VM RH Type: Bankfull Channel

	D. D. D. D. D.		LE COUNT			T =	
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cun
	Silt/Clay	< .062	S/C	*	100	100.00	100.00
	Very Fine	.062125		*	0	0.00	100.00
	Fine	.12525	1	*	0	0.00	100.00
	Medium	.255	SAND	*	0	0.00	100.00
	Coarse	.50-1.0		+	0	0.00	100.00
.0408	Very Coarse	1.0-2		+	0	0.00	100.00
.0816	Very Fine	2 -4		+	0	0.00	100.00
.1622	Fine	4 -5.7		+	0	0.00	100.00
.2231	Fine	5.7 - 8		*	0	0.00	100.00
.3144	Medium	8 -11.3		+	0	0.00	100.00
.4463	Medium	11.3 - 16	GRAVEL	+	0	0.00	100.00
.6389	Coarse	16 -22.6		+	0	0.00	100.00
.89 - 1.26	Coarse	22.6 - 32		*	0	0.00	100.00
1.26 - 1.77	Vry Coarse	32 - 45		+	0	0.00	100.00
1.77 -2.5	Vry Coarse	45 - 64		+	0	0.00	100.00
2.5 - 3.5	Small	64 - 90		+	0	0.00	100.00
3.5 - 5.0	Small	90 - 128	COBBLE	*	0	0.00	100.00
5.0 - 7.1	Large	128 - 180	COBBLE	+	0	0.00	100.00
7.1 - 10.1	Large	180 - 256		+	0	0.00	100.00
10.1 - 14.3	Small	256 - 362		*	0	0.00	100.00
14.3 - 20	Small	362 - 512		*	0	0.00	100.00
20 - 40	Medium	512 - 1024	BOULDER	*	0	0.00	100.00
40 - 80	Large	1024 -2048		*	0	0.00	100.00
80 - 160	Vry Large	2048 -4096		*	0	0.00	100.00
	Bedrock		BDRK	*	0	0.00	100.00
				Totals:	100		








Size (mm)			
D16	0.062		
D35	0.062		
□50	0.062		
□65	0.062		
□84	0.062		
□95	0.062		


Size Distribution					
mean	0.1				
dispersion	1.0				
skewness					

	Туре	
silt/clay	100%	
sand	0%	
gravel	0%	
cobble	0%	
boulder	0%	









SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 **+**

EXISTING SURVEY-LOCATED THALWEG


EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON AUGUST 28, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-EF40 BASELINE CROSS-SECTION A UPSTREAM



S-EF40 BASELINE CROSS-SECTION B DOWNSTREAM



CROSS SECTION LEGEND — EXISTING GRADE

CROSS SECTION
H: 1"=10'

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

PRE-CROSSING

CAD File No.



Drawing No.