
Baseline Assessment – Stream Attributes

Reach S-F36a (3) (Temporary Access Road) Perennial Spread D Webster County, West Virginia

Data	Included
Photos	✓
SWVM Form	✓
FCI Calculator and HGM Form	N/A – Perennial stream (not shadeable, slope
	<4%)
RBP Physical Characteristics Form	Y
Water Quality Data	✓
RBP Habitat Form	✓
RBP Benthic Form	✓
Benthic Identification Sheet	N/A – Lack of habitat
Wolman Pebble Count	✓
Reference Reach Software Pebble Count Data	✓
Longitudinal Profile and Cross Sections	✓

Spread D Stream S-F36a (3) (Temp Access Road) Webster County



Location, Orientation, Photographer Initials: Downstream Edge of ROW, Upstream View, EG
Lat: 38.418662 Long: -80.573898

Spread D Stream S-F36a (3) (Temp Access Road) Webster County



Location, Orientation, Photographer Initials: Downstream Edge of ROW, Downstream View, EG
Lat: 38.418662 Long: -80.573898

Spread D Stream S-F36a (3) (Temp Access Road) Webster County



Photo Type: US View at Center Location, Orientation, Photographer Initials: Center ROW, Upstream View, EG Lat: 38.418662 Long: -80.573898

Spread D Stream S-F36a (3) (Temp Access Road) Webster County




Photo Type: DS View at Center Location, Orientation, Photographer Initials: ROW Center, Downstream View, EG Lat: 38.418662 Long: -80.573898

Spread D Stream S-F36a (3) (Temp Access Road) Webster County






Photo Type: US, US View
Location, Orientation, Photographer Initials: Upstream Edge of ROW, Upstream View, EG
Lat: 38.418662 Long: -80.573898

Spread D Stream S-F36a (3) (Temp Access Road) Webster County



Location, Orientation, Photographer Initials: Upstream Edge of ROW, Downstream View, EG
Lat: 38.418662 Long: -80.573898

Spread D Stream S-F36a (3) (Temp Access Road) Webster County



Location, Orientation, Photographer Initials: Upstream of Pool, Downstream View, EG
Lat: 38.418662 Long: -80.573898

Spread D Stream S-F36a (3) (Temp Access Road) Webster County



Photo Type: Pool, US View
Location, Orientation, Photographer Initials: Downstream of Pool, Upstream View, EG
Lat: 38.418662 Long: -80.573898

USACE FILE NO./ Project Name: (v2.1, Sept 2015)		Mountain '	Valley Pipeline	IMPACT COORDINATES: (in Decimal Degrees)	Lat.	38.418662	Lon.	-80.573898	WEATHER:	Sunny	DATE:	9/9/2021
				(III Decimal Degrees)								9/9/2021
IMPACT STREAM/SITE ID (watershed size (acreage),			S-F3	6a (3)		MITIGATION STREAM CLAS (watershed size (ace					Comments:	
STREAM IMPACT LENGTH:	23	FORM OF MITIGATION:	RESTORATION (Levels I-III)	MIT COORDINATES: (in Decimal Degrees)	Lat.		Lon.		PRECIPITATION PAST 48 HRS:		Mitigation Length:	
Column No. 1- Impact Existing	Condition (Debit)		Column No. 2- Mitigation Existing C	ondition - Baseline (Credit)		Column No. 3- Mitigation Post Comple		Five Years	Column No. 4- Mitigation Proje Post Completion (Column No. 5- Mitigation Project	ed at Maturity (Credit)
Stream Classification:	Perennial	ı	Stream Classification:			Stream Classification:		0	Stream Classification:	0	Stream Classification:	0
Percent Stream Channel Sl	оре	0.6	Percent Stream Channel Sle	оре		Percent Stream Channe	I Slope	0	Percent Stream Channel Sle	оре 0	Percent Stream Channel St	lope (
HGM Score (attach da	ata forms):		HGM Score (attach	data forms):		HGM Score (atta	ach data forr	ns):	HGM Score (attach da	ita forms):	HGM Score (attach d	ata forms):
lydrology Biogeochemical Cycling	A	lverage 0	Hydrology Biogeochemical Cycling	Average 0		Hydrology Biogeochemical Cycling		Average 0	Hydrology Biogeochemical Cycling	Average	Hydrology Biogeochemical Cycling	Ave
Habitat PART I - Physical, Chemical and	Biological Indicators	_	Habitat PART I - Physical, Chemical an			Habitat PART I - Physical, Chemical	al and Biologic		Habitat PART I - Physical, Chemical and	-	Habitat PART I - Physical, Chemical and	Biological Indicators
	Points Scale Range	Site Score		Points Scale Range Site Score			Points Scale	Range Site Score		Points Scale Range Site Score		Points Scale Range Site 5
PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all streams	classifications)		PHYSICAL INDICATOR (Applies to all stre	ams classification	ns)	PHYSICAL INDICATOR (Applies to all streams	classifications)	PHYSICAL INDICATOR (Applies to all streams	classifications)
1. Epifaunal Substrate/Available Cover 2. Embeddenbers 3. Velocity Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Berk Statiblity (18.8 RB) 9. Vegetative Protection (18.8 RB) 10. Regiment Status 10. Regiment Statu		13 8 10 2 8 3 3 3 4 4 4 4 0 0 55 0.275	IL Enfanal Substrate/variable Cover 2 Pool Substrate Characterization 3. Pool Variability 4. Sediment Deposition 5. Channel Flow Status 6. Channel Simusotiv 7. Channel Simusotiv 8. Bank's Stability (18.8 RB) 9. Veopstrate Protection (18.8 RB) 10. Reports Veosterie Zine Width (18.8 RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Apples to Intermittent	0-20 0-		1. Enfaunal Substrate Available Cover 2. Embeddedness 3. Velocity Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Remain 7. Frequency of Riffles (or bends) 7. Frequency of Riffles (or bends) 8. Bank Stability (18.8 RB) 9. Vegetative Protection (18.8 RB) 10. Register Vescetative Zion Width (18.8 RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intern	Po	0	Enfluend Substrate/Available Cover Embeddenas Velocity/ Depth Regime Sedment Deposition Channel Flow Status Channel Flow Status Channel Rine Sedment Rine Sedm	0-28 0-	I. Epifaunal Substrata/Available Cover 2. Embeddefinss 3. Velocity Depth Regime 4. Sediment Deposition 5. Channel Flow Status 6. Channel Alteration 7. Frequency of Riffles (or bends) 8. Bank Stabilty (LB & RB) 9. Vegetative Protection (LB & RB) 10. Rigient's vegetative Zore Width (LB & RB) Total RBP Score Sub-Total CHEMICAL INDICATOR (Applies to Intermittent	0-20 0-20 0-20 0-20 0-20 0-20 0-20 0-20
VDEP Water Quality Indicators (General pecific Conductivity	0-90 0-1	7.7	WVDEP Water Quality Indicators (General) Specific Conductivity pH DO	0-90 5-90 0-1		WVDEP Water Quality indicators (Gen Specific Conductivity pH	0-90 5-90	0-1	WVDEP Water Quality Indicators (General Specific Conductivity PH DO	0-90 5-90 10-30	WVDEP Water Quality Indicators (General Specific Conductivity PH DO	5-90 0-1
Sub-Total BIOLOGICAL INDICATOR (Applies to Intermitt	ont and Decembed Street	1	Sub-Total BIOLOGICAL INDICATOR (Applies to Intermitte	0		Sub-Total BIOLOGICAL INDICATOR (Applies to In	termittent and I	O example (Streems)	Sub-Total BIOLOGICAL INDICATOR (Applies to Interm	0	Sub-Total BIOLOGICAL INDICATOR (Applies to Interm	sittent and Demonial Street
	and referred Steam	,		an and a definial detailib)			and i	Cromma Streams)		ntent and referminal duesants)		und Pereninai Stream
WV Stream Condition Index (WVSCI) 0 Sub-Total	0-100 0-1	0	WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1		WV Stream Condition Index (WVSCI) Sub-Total	0-100	0-1	WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1	WV Stream Condition Index (WVSCI) Sub-Total	0-100 0-1
PART II - Index and U	nit Score		PART II - Index and	Unit Score		PART II - Index	and Unit Scor	В	PART II - Index and U	nit Score	PART II - Index and U	Init Score
Index	Linear Feet Ur	nit Score	Index	Linear Feet Unit Score		Index	Linear	Feet Unit Score	Index	Linear Feet Unit Score	Index	Linear Feet Unit
0.638	23 1	4.6625	0	0 0		0	0	0	0	0 0	0	0 (

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (FRONT)

STREAM NAME	LOCATION			
STATION # RIVERMILE	STREAM CLASS			
LAT LONG	RIVER BASIN			
STORET#	AGENCY			
INVESTIGATORS				
FORM COMPLETED BY	DATE	REASON FOR SURVEY		

WEATHER CONDITIONS	Now Past 24 hours Yes No storm (heavy rain) rain (steady rain) showers (intermittent) %cloud cover clear/sunny Has there been a heavy rain in the last 7 days? Yes No Air Temperature Other
SITE LOCATION/MAP	Draw a map of the site and indicate the areas sampled (or attach a photograph) 1851
STREAM CHARACTERIZATION	Stream Subsystem Perennial Intermittent Tidal Stream Type Coldwater Warmwater Stream Origin Glacial Spring-fed Non-glacial montane Swamp and bog Other

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

WATERS FEATURI		Fores Field Agric	Pasture Industria	rcial	No evidence Sor Obvious sources Local Watershed Erosi None Moderate	ne potential sources
RIPARIA VEGETA (18 meter	ΓION	Trees	e the dominant type and Sl ant species present	hrubs	Grasses He	brbaceous
INSTREA FEATURI		Estimat Samplin Area in Estimat	red Stream Depthm	m m² km² m	Canopy Cover Partly open Part High Water Mark Proportion of Reach R Morphology Types Riffle Pool 9 Channelized Yes Dam Present Yes	epresented by Stream Run% No
LARGE V DEBRIS	VOODY		m² of LWDm	1 ² /km ² (LWD / 1	reach area)	
AQUATIO VEGETA		Domina			minant species present nt Rooted floating	Ü
WATER ((DS, US)	QUALITY	Specific Dissolve pH Turbidi	rature0 C Conductance ed Oxygen ty trument Used		Water Odors Normal/None Sewage Petroleum Fishy Water Surface Oils Slick Sheen None Other Turbidity (if not measu Clear ☐ Slightly tu Opaque Stained	Chemical Other Globs Flecks
SEDIMEN SUBSTRA		Odors Norm Chen Other Oils Abser	al Sewage nical Anaerobic 		are the undersides blac	th are not deeply embedded,
INC	ORGANIC SUBS (should a		COMPONENTS 00%)		ORGANIC SUBSTRATE C (does not necessarily add	
Substrate Type	Diamet	er	% Composition in Sampling Reach	Substrate Type	Characteristic	% Composition in Sampling Area
Bedrock				Detritus	sticks, wood, coarse plant materials (CPOM)	
Boulder Cobble	> 256 mm (10") 64-256 mm (2.5			Muck-Mud	black, very fine organic	
Gravel	2-64 mm (0.1"-2			IVIUCK-IVIUU	(FPOM)	

Sand

Silt

Clay

0.06-2mm (gritty)

< 0.004 mm (slick)

0.004-0.06 mm

grey, shell fragments

Marl

HABITAT ASSESSMENT FIELD DATA SHEET - HG - USE ON ALL STREAMS (FRONT)

STREAM NAME	LOCATION	
STATION # RIVERMILE	STREAM CLASS	
LAT LONG	RIVER BASIN	
STORET#	AGENCY	
INVESTIGATORS		
FORM COMPLETED BY	DATE AM PM	REASON FOR SURVEY

	Habitat		Condition	ı Category				
	Parameter	Optimal	Suboptimal	Marginal	Poor			
	1. Epifaunal Substrate/ Available Cover	Greater than 70% of substrate favorable for epifaunal colonization and fish cover; mix of snags, submerged logs, undercut banks, cobble or other stable habitat and at stage to allow full colonization potential (i.e., logs/snags that are not new fall and not transient).	40-70% mix of stable habitat; well-suited for full colonization potential; adequate habitat for maintenance of populations; presence of additional substrate in the form of newfall, but not yet prepared for colonization (may rate at high end of scale).	20-40% mix of stable habitat; habitat availability less than desirable; substrate frequently disturbed or removed.	Less than 20% stable habitat; lack of habitat is obvious; substrate unstable or lacking.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
n sampling reach	2. Embeddedness	Gravel, cobble, and boulder particles are 0-25% surrounded by fine sediment. Layering of cobble provides diversity of niche space.	Gravel, cobble, and boulder particles are 25- 50% surrounded by fine sediment.	Gravel, cobble, and boulder particles are 50- 75% surrounded by fine sediment.	Gravel, cobble, and boulder particles are more than 75% surrounded by fine sediment.			
ted in	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Parameters to be evaluated in sampling reach	3. Velocity/Depth Regime	All four velocity/depth regimes present (slow-deep, slow-shallow, fast-deep, fast-shallow). (Slow is < 0.3 m/s, deep is > 0.5 m.)	Only 3 of the 4 regimes present (if fast-shallow is missing, score lower than if missing other regimes).	Only 2 of the 4 habitat regimes present (if fast-shallow or slow-shallow are missing, score low).	Dominated by 1 velocity/depth regime (usually slow-deep).			
ıram	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
Pa	4. Sediment Deposition	Little or no enlargement of islands or point bars and less than 5% of the bottom affected by sediment deposition.	Some new increase in bar formation, mostly from gravel, sand or fine sediment; 5-30% of the bottom affected; slight deposition in pools.	Moderate deposition of new gravel, sand or fine sediment on old and new bars; 30-50% of the bottom affected; sediment deposits at obstructions, constrictions, and bends; moderate deposition of pools prevalent.	Heavy deposits of fine material, increased bar development; more than 50% of the bottom changing frequently; pools almost absent due to substantial sediment deposition.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			
	5. Channel Flow Status	Water reaches base of both lower banks, and minimal amount of channel substrate is exposed.	Water fills >75% of the available channel; or <25% of channel substrate is exposed.	Water fills 25-75% of the available channel, and/or riffle substrates are mostly exposed.	Very little water in channel and mostly present as standing pools.			
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0			

HABITAT ASSESSMENT FIELD DATA SHEET—HIGH GRADIENT STREAMS (BACK)

Habitat Condition Category									
	Parameter	Optimal	Suboptimal	Marginal	Poor Banks shored with gabion or cement; over 80% of the stream reach channelized and disrupted. Instream habitat greatly altered or removed entirely.				
	6. Channel Alteration	Channelization or dredging absent or minimal; stream with normal pattern.	Some channelization present, usually in areas of bridge abutments; evidence of past channelization, i.e., dredging, (greater than past 20 yr) may be present, but recent channelization is not present.	Channelization may be extensive; embankments or shoring structures present on both banks; and 40 to 80% of stream reach channelized and disrupted.					
	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
oling reach	7. Frequency of Riffles (or bends)	Occurrence of riffles relatively frequent; ratio of distance between riffles divided by width of the stream <7:1 (generally 5 to 7); variety of habitat is key. In streams where riffles are continuous, placement of boulders or other large, natural obstruction is important.	Occurrence of riffles infrequent; distance between riffles divided by the width of the stream is between 7 to 15.	Occasional riffle or bend; bottom contours provide some habitat; distance between riffles divided by the width of the stream is between 15 to 25.	Generally all flat water or shallow riffles; poor habitat; distance between riffles divided by the width of the stream is a ratio of >25.				
samp	SCORE	20 19 18 17 16	15 14 13 12 11	10 9 8 7 6	5 4 3 2 1 0				
Parameters to be evaluated broader than sampling reach	8. Bank Stability (score each bank) Note: determine left or right side by facing downstream.	Banks stable; evidence of erosion or bank failure absent or minimal; little potential for future problems. <5% of bank affected.	Moderately stable; infrequent, small areas of erosion mostly healed over. 5-30% of bank in reach has areas of erosion	Moderately unstable; 30-60% of bank in reach has areas of erosion; high erosion potential during floods.	Unstable; many eroded areas; "raw" areas frequent along straight sections and bends; obvious bank sloughing; 60-100% of bank has erosional scars.				
e eva	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
to be	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
Parameters	9. Vegetative Protection (score each bank)	More than 90% of the streambank surfaces and immediate riparian zone covered by native vegetation, including trees, understory shrubs, or nonwoody macrophytes; vegetative disruption through grazing or mowing minimal or not evident; almost all plants allowed to grow naturally.	70-90% of the streambank surfaces covered by native vegetation, but one class of plants is not well-represented; disruption evident but not affecting full plant growth potential to any great extent; more than one-half of the potential plant stubble height remaining.	50-70% of the streambank surfaces covered by vegetation; disruption obvious; patches of bare soil or closely cropped vegetation common; less than one- half of the potential plant stubble height remaining.	Less than 50% of the streambank surfaces covered by vegetation; disruption of streambank vegetation is very high; vegetation has been removed to 5 centimeters or less in average stubble height.				
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				
	10. Riparian Vegetative Zone Width (score each bank riparian zone)	Width of riparian zone >18 meters; human activities (i.e., parking lots, roadbeds, clear-cuts, lawns, or crops) have not impacted zone.	Width of riparian zone 12-18 meters; human activities have impacted zone only minimally.	Width of riparian zone 6- 12 meters; human activities have impacted zone a great deal.	Width of riparian zone <6 meters: little or no riparian vegetation due to human activities.				
	SCORE (LB)	Left Bank 10 9	8 7 6	5 4 3	2 1 0				
ĺ	SCORE (RB)	Right Bank 10 9	8 7 6	5 4 3	2 1 0				

Total	Caama	
i otai	Score	

BENTHIC MACROINVERTEBRATE FIELD DATA SHEET

STREAM NAME		LOCATION					
STATION #	_ RIVERMILE	STREAM CLASS					
LAT	LONG	RIVER BASIN					
STORET#		AGENCY					
INVESTIGATORS			LOT NUMBER				
FORM COMPLETED BY		DATE REASON FOR SURVEY					
HABITAT TYPES Indicate the percentage of each habitat type present Cobble % Snags % Vagatated Banks % Sand %							

HABITAT TYPES	Indicate the percentage of each habitat type present Cobble% Snags% Vegetated Banks% Sand% Submerged Macrophytes% Other ()%
SAMPLE COLLECTION	Gear used D-frame kick-net Other
	How were the samples collected? wading from bank from boat
	Indicate the number of jabs/kicks taken in each habitat type. Cobble Snags Vegetated Banks Sand Submerged Macrophytes Other ()
GENERAL COMMENTS	

QUALITATIVE LISTING OF AQUATIC BIOTA

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare, 2 = Common, 3= Abundant, 4 = Dominant

Periphyton	0	1	2	3	4	Slimes	0	1	2	3	4
Filamentous Algae	0	1	2	3	4	Macroinvertebrates	0	1	2	3	4
Macrophytes	0	1	2	3	4	Fish	0	1	2	3	4

FIELD OBSERVATIONS OF MACROBENTHOS

Indicate estimated abundance: 0 = Absent/Not Observed, 1 = Rare (1-3 organisms), 2 = Common (3-9 organisms), 3 = Abundant (>10 organisms), 4 = Dominant (>50 organisms)

Porifera	0	1	2	3	4	Anisoptera	0	1	2	3	4	Chironomidae	0	1	2	3	4
Hydrozoa	0	1	2	3	4	Zygoptera	0	1	2	3	4	Ephemeroptera	0	1	2	3	4
Platyhelminthes	0	1	2	3	4	Hemiptera	0	1	2	3	4	Trichoptera	0	1	2	3	4
Turbellaria	0	1	2	3	4	Coleoptera	0	1	2	3	4	Other	0	1	2	3	4
Hirudinea	0	1	2	3	4	Lepidoptera	0	1	2	3	4						
Oligochaeta	0	1	2	3	4	Sialidae	0	1	2	3	4						
Isopoda	0	1	2	3	4	Corydalidae	0	1	2	3	4						
Amphipoda	0	1	2	3	4	Tipulidae	0	1	2	3	4						
Decapoda	0	1	2	3	4	Empididae	0	1	2	3	4						
Gastropoda	0	1	2	3	4	Simuliidae	0	1	2	3	4						
Bivalvia	0	1	2	3	4	Tabinidae	0	1	2	3	4						
						Culcidae	0	1	2	3	4						

WOLMAN PEBBLE COUNT FORM

County: Webster Stream ID: S-F36a (3)

Stream Name: UNT to Birch River (3)

HUC Code:

Basin:


Survey Date: 9/9/2021

Surveyors: DH MD EG Reach: 5m

Type: Bankfull Channel

v 1	D + D TY CY E		BBLE COUNT	D . 1 G	T		
Inches	PARTICLE	Millimeters		Particle Count	Total #	Item %	% Cui
	Silt/Clay	< .062	S/C	<u> </u>	0	0.00	0.00
	Very Fine	.062125		<u> </u>	18	18.00	18.00
	Fine	.12525		A	13	13.00	31.00
	Medium	.255	SAND	<u> </u>	15	15.00	46.00
	Coarse	.50-1.0		A	10	10.00	56.00
.0408	Very Coarse	1.0-2		A	21	21.00	77.00
.0816	Very Fine	2 -4		<u> </u>	0	0.00	77.00
.1622	Fine	4 -5.7		<u> </u>	0	0.00	77.00
.2231	Fine	5.7 - 8		<u> </u>	0	0.00	77.00
.3144	Medium	8 -11.3		A	0	0.00	77.00
.4463	Medium	11.3 - 16	GRAVEL	•	0	0.00	77.0
.6389	Coarse	16 -22.6		A	0	0.00	77.00
.89 - 1.26	Coarse	22.6 - 32		•	0	0.00	77.00
1.26 - 1.77	Vry Coarse	32 - 45		<u> </u>	0	0.00	77.00
1.77 -2.5	Vry Coarse	45 - 64		•	0	0.00	77.00
2.5 - 3.5	Small	64 - 90		<u> </u>	3	3.00	80.00
3.5 - 5.0	Small	90 - 128		A	4	4.00	84.00
5.0 - 7.1	Large	128 - 180	COBBLE	•	3	3.00	87.00
7.1 - 10.1	Large	180 - 256		•	9	9.00	96.00
10.1 - 14.3	Small	256 - 362		^	1	1.00	97.00
14.3 - 20	Small	362 - 512	7	A	1	1.00	98.00
20 - 40	Medium	512 - 1024	BOULDER	•	2	2.00	100.0
40 - 80	Large	1024 -2048	1	^	0	0.00	100.0
80 - 160	Vry Large	2048 -4096	1	^	0	0.00	100.0
	Bedrock		BDRK	A	0	0.00	100.0
				Totals:	100		








Size (mm)					
D16	0.12				
□35	0.3				
D50	0.66				
D65	1.3				
□84	130				
□95	250				


Size Distribution					
mean	3.9				
dispersion	101.2				
skewness	0.45				

Туре					
0%					
77%					
0%					
19%					
4%					
	77% 0% 19%				









SURVEY NOTES:

LEGEND

STUDY AREA (EASEMENT)


1176.87 +

EXISTING SURVEY-LOCATED THALWEG


EXISTING SURVEYED GROUND SHOT ELEVATION

- 1. THIS MAP HAS BEEN ORIENTED TO NAD 1983 UTM ZONE 17N, AND VERTICALLY TO THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD 88), USING REAL TIME DGPS. FIELD LOCATIONS WERE COMPLETED ON SEPTEMBER 9, 2021.
- 2. EASEMENT LINES SHOWN ON PLAN VIEW WERE PROVIDED BY MOUNTAIN VALLEY PIPELINE.
- 3. SURVEY POINTS FOR CROSS SECTIONS AND THALWEG PROFILES COLLECTED IN 2021 HAVE BEEN USED IN COMBINATION WITH SURVEY POINTS COLLECTED PREVIOUSLY IN 2020 IN ORDER TO GENERATE THE PRE-CROSSING SURFACE SHOWN IN PLAN. DUE TO NATURAL EROSIONAL STREAM PROCESSES THAT CAN OCCUR OVER TIME, MINOR ADJUSTMENTS TO THE PROFILE ALIGNMENTS MAY HAVE BEEN REQUIRED IN ORDER TO GENERATE A CLEAN PRE-CROSSING SURFACE.
- 4. ALL SECTION VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.
- 5. POST-CROSSING SURVEY INFORMATION SHOWN IN RED. DATA PENDING.
- 6. POST-CROSSING SURVEY POINTS FOR CROSS SECTIONS AND THALWEG ARE PROJECTED ONTO PRE-CROSSING SECTION AND PROFILE VIEWS FOR COMPARISON.

S-F36A (3) BASELINE CROSS-SECTION A UPSTREAM OF CULVERT INLET



S-F36A (3) BASELINE CROSS-SECTION B DOWNSTREAM OF CULVERT OUTLET (RIFFLE)



CROSS SECTION LEGEND

CROSS SECTION
H: 1"=10'
V: 1"=5'

— EXISTING GRADE

NOTE: ALL SECTIONS VIEWS SHOWN LEFT TO RIGHT FACING DOWNSTREAM.

PRE-CROSSING PHOTOS



PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS



PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

POST-CROSSING PHOTOS

PENDING CROSSING

PHOTO TAKEN LOOKING DOWNSTREAM FROM UPSTREAM IMPACT LIMITS

PENDING CROSSING

PHOTO TAKEN LOOKING UPSTREAM FROM DOWNSTREAM IMPACT LIMITS

PRE-CROSSING

CAD File No.

Drawing No.